

Aberrantia

Aberrantia (this was Pleurothallis)

aberrans (Luer) Luer - Selbyana 2(4); p. 382
 Icones Pleuro XXVI; p. 76, 108
 NEO; 4:1728

Acianthera (these were Pleurothallis unless noted)

aculeata (Luer & Hirtz) Luer – Lindleyana 11(3); p. 141, 142
 Icones Pleuro XXVI; p. 12, 82
 NEO; 4:1730

acuminatipetala (A.Samp) Luer

albo-rosea (Kraenzl.) Luer (was Octomeria)

angustifolia (Lindl.) Luer – Icones Pleuro XXVI; p. 13-14, 82
 Selbyana 11(S); p. 627 (was *P. carioi*)

biceps (Luer & Hirtz) Luer – Lindleyana 11(3); p. 150, 151
 Icones Pleuro XXVI; p. 17, 83
 NEO; 4:1741

bissei (Luer) Luer - Lindleyana 14(2); p. 108
 Icones Pleuro XXVI; p. 17-18, 84

breviflora (Lindl.) Luer – Icones Pleuro XXVI; p. 18-19, 84

carinata (C. Schweinf.) Luer – Icones Pleuro XXVI; p. 19, 84

chamelopoda (Luer) Luer – Orquideologia XX(2); p. 201, 202
 Icones Pleuro XXVI; p. 22, 85

consatae (Luer & Vásquez) Luer – Orc of Bolivia Vol 1; p. 283
 Icones Pleuro XXVI; p. 26-27, 87

costabilis (Luer & Vásquez) Luer - Lindleyana 6(2); p. 94
 Icones Pleuro XXVI; p. 27-28, 88

crassilabia (Ames & C.Schweinf.) Luer –
 Icones Pleuro XXVI; p. 28, 88

cremasta (Luer & Portilla) Luer - Selbyana 22(2); p. 119-121
 Icones Pleuro XXVI; p. 28-29, 88
 NEO; 4:1758

cristata (Barb.Rodr.) Luer (was *Lepanthes*)

cryptophoranthoides (Löfgr.) Luer

deserta (Luer & Vásquez) Luer – Orc of Bolivia Vol 1; p. 290
 Icones Pleuro XXVI; p. 30-31, 89
 NEO; 4:1761

discophylla (Luer & Carnevali) Luer - Orc of Ven FG 3; p. 776
 Icones Pleuro XXVI; p. 31-32, 90

erebatensis (Carnevali & G.A. Romero) Luer –
 Orc of Ven FG 3; p. 780
 Icones Pleuro XXVI; p. 32-33, 91

Lindleyana 11(3); p. 181, 182 (was *P. purpurascens*)
 Orquideologia XXII(3); p. 2269, 285 (was *P. nanella*)
 NEO; 4:1833 (was *P. purpurascens*)

erythrogramma (Luer & Carnevali) Luer –
 Icones Pleuro XXVI; p. 33-34, 91

esmeraldae (Luer & Hirtz) Luer – Lindleyana 11(3); p. 158, 159
 Icones Pleuro XXVI; p. 34, 91
 NEO; 4:1767

exdrasii (Luer & Tuscano) Luer - Selbyana 23(2); p. 183, 185-186

eximia (L.O.Williams) Luer – Icones Pleuro XXVI; p. 34-35, 92

farinosa (Pabst) Luer

fumioi (Hashimoto) Luer – Icones Pleuro XXVI; p. 36, 92
 Bolivia Rev 3(1,2); p. 57, 59, 60 (was *P. phoxophylla*)

glanduligera (Lindl.) Luer

gracilisepala (Brade) Luer

granitica (Luer & G.A. Romero) Luer - Orc of Ven FG 3; p. 792
 Icones Pleuro XXVI; p. 37-38, 93

harpophylla (Rchb.f.) Luer – Icones Pleuro XXVI; p. 38, 93

henrici (Schltr.) Luer – Icones Pleuro XXVI; p. 39, 94

heringeri (Hoehne) Luer

hoffmannseggiana (Rchb.f.) Luer

insularis (Hoehne & Schltr.) Luer

juxtaposita (Luer) Luer - Lindleyana 6(2); p. 103

Icones Pleuro XXVI; p. 41, 95

kegelii (Rchb.f.) Luer – Icones Pleuro XXVI; p. 42, 95

krahonii Luer & Vásquez - Icones Pleuro XXVII; p. 275, 280

litensis (Luer & Hirtz) Luer – Bolivia Rev 3(1,2); p. 52, 54, 55

Icones Pleuro XXVI; p. 44-45, 96

lojae (Schltr.) Luer – Icones Pleuro XXVI; p. 45-46, 96-97

Selbyana 3(3,4); p. 266 (was *P. citrophylla*)

Selbyana 3(3,4); p. 302 (was *P. florosa*)

macuconensis (Barb.Rodr.) Luer

megalhanesii (Luer) Luer

martinezii (Luer) Luer – Icones Pleuro XXVI; p. 46-47, 97

marumbyana (Garay) Luer

melachila (Barb.Rodr.) Luer

melanoglossa (Luer & Escobar) Luer –

Orquideologia XX(1); p. 73, 74

Icones Pleuro XXVI; p. 47, 97

miguelii (Schltr.) Luer – Icones Pleuro XXVI; p. 48-49, 98

morilloi (Carnevali & I. Ramírez) Luer - Orc of Ven FG 3; p. 814

Icones Pleuro XXVI; p. 50, 98

moronae (Luer & Hirtz) Luer – Lindleyana 11(3); p. 171, 172

Icones Pleuro XXVI; p. 50-51, 99

neibana (Dod) Pridgeon & M.W.Chase = *Tridelta aurantiaca*

Icones Pleuro XXVIII; p. 232 (5/2006)

nemorosa (Barb.Rodr.) Luer

odontotepetala (Rchb.f.) Luer – Icones Pleuro XXVI; p. 51-52, 99

oligantha (Barb.Rodr.) Luer

papulifolia (Luer) Luer - Lindleyana 14(2); p. 116

Icones Pleuro XXVI; p. 55, 100

parahybunensis (Barb.Rodr.) Luer

phoenicoptera (Carnevali & Romero) Luer –

Icones Pleuro XXVI; p. 55, 101

quadricristata (Luer & Hirtz) Luer –

Icones Pleuro XXVI; p. 61, 102

ramosa (Barb.Rodr.) Luer

renipetala (Barb.Rodr.) Luer

rinkei Luer – Icones Pleuro XXVIII; p. 246, 256

rodrigoii (Luer) Luer – Icones Pleuro XXVI; p. 62, 103

rostellata (Barb.Rodr.) Luer

sandaliorum (G.A.Romero & Carnevali) Luer –

Icones Pleuro XXVI; p. 63, 103

sicula (Luer & Vásquez) Luer – Orc of Bolivia Vol 1; p. 347

Icones Pleuro XXVI; p. 67-68, 105

silvae (Luer & Tuscano) Luer - Selbyana 23(2); p. 190, 191

spilantha (Barb.Rodr.) Luer

teres (Lindl.) Luer – Lindleyana 15(1); p. 5

toachica (Luer & Dodson) Luer – Lindleyana 11(3); p. 188, 189

Icones Pleuro XXVI; p. 69, 105

tokachii (Luer) Luer – Lindleyana 12(1); p. 54, 55

Icones Pleuro XXVI; p. 69, 106

translucida (Barb.Rodr.) Luer

venulosa (Luer & Vásquez) Luer –

Icones Pleuro XXVI; p. 70-71, 106

viridis (Luer & Hirtz) Luer – Lindleyana 11(3); p. 194, 195

Icones Pleuro XXVI; p. 72-73, 107

zumbae (Luer & Hirtz) Luer - Orquideologia XXII(3); p. 278, 289

Icones Pleuro XXVI; p. 75, 108

Acinopetala (these were Masdevallia)

adamsii (Luer) Luer - Lindleyana 9(4); p. 243

Treas of Masd 23:1

Icones Pleuro XXII; p. 723-724

Masd in Kleur; p. 1

arangoi (Luer & Escobar) Luer - Thesarus Masd 9:3

Icones Pleuro XXII; p. 725-726

Orquideologia XIII(2); p. 149, 150, 151, 168

Acinopetala

Masd in Kleur; p. 4	P	<i>tokachiorum</i> (Luer) Luer = <i>Reichantha tokachiorum</i>	
NCO; 6:1101	P	<i>Icones Pleuro XXIX; p. 121 (8/2007)</i>	
attenuata (Rchb.f.) Luer - <i>Icones Plant Trop, Fasc 16; pl. 1544</i>	DI	tubuliflora (Ames) Luer - <i>Icones Plant Trop, Fasc 16; pl. 1559</i>	DI
<i>Icones Pleuro XXII; p. 727-730</i>	DI	<i>Icones Pleuro XXII; p. 771-772</i>	DI
Masd in Kleur; p. 5	P	Selbyana 11(S); p. 446	DI
NEO; 3:974	P	wendlandiana (Rchb.f.) Luer - <i>Thesarus Masd 6:14</i>	DIP
chontalensis (Rchb.f.) Luer - <i>Thesarus Masd 1:1</i>	DIP	<i>Icones Orchid Peru pl. 091</i>	DI
Selbyana 3(3,4); p. 206	DI	<i>Icones Pleuro XXII; p. 773-774</i>	DI
<i>Icones Pleuro XXII; p. 731-734</i>	DI	<i>Orc of Bolivia Vol 1; p. 150</i>	P
Selbyana 11(S); p. 442	I	Masd in Kleur; p. 55	P
<i>Icones Plant Trop, Fasc 16; pl. 1546</i>	DI	NCO; 2:332	P
Masd in Kleur; p. 10	P	VOI; 4, p. 134	DI
creberrimicola (Lehm. & Krzl.) Luer - <i>Thesarus Masd 6:4</i>	DIP	NEO; 3:1159	P
<i>Icones Pleuro XXII; p. 735-736</i>	DI	<i>Orc of Ven FG 2; p. 515</i>	I
Masd in Kleur; p. 12	P		
NCO; 6:1075	P		
flaveola (Rchb.f.) Luer - <i>Thesarus Masd 19:4</i>	DIP		
<i>Icones Plant Trop, Fasc 16; pl. 1549</i>	DI		
<i>Icones Pleuro XXII; p. 737-738</i>	DI	campylotyle P. Ortiz - <i>Icones Pleuro IV; p. 6, 7</i>	DI
Masd in Kleur; p. 18	P	<i>Orquideologia XIII (3); p. 241, 243, 246</i>	DIP
floribunda (Lindl.) Luer - <i>Lindleyana 3(1); p. 32</i>	DI	NEO; 1:25	I
<i>Thesarus Masd 5:7</i>	DIP	costaricensis Schltr. - <i>Icones Pleuro I; p. 16</i>	I
Masd in Kleur; p. 18, 19	P	costaricensis Schltr. ssp. bicornis (Luer) Luer –	
<i>Icones Pleuro XXII; p. 739-744</i>	DI	<i>Icones Pleuro IV; p. 8, 9</i>	DI
Masd in Kleur; p. 7 (was burzlaiffiana)	P	costaricensis Schltr. ssp. columbiana (Garay) Luer –	
<i>Icones Orchid, Fasc 1; pl. 60</i>		<i>Icones Pleuro IV; p. 10, 11</i>	DI
(was floribunda ssp. tuerckheimii)	DI	costaricensis Schltr. ssp. costaricensis –	
geminiflora (P.Ortiz) Luer - <i>Thesarus Masd 7:3</i>	DIP	<i>Icones Pleuro IV; p. 12-14</i>	DI
<i>Icones Pleuro XXII; p. 745-746</i>	DI	<i>Orquideologia XV (2,3); p.165, 167, 168 (was glandulata)</i>	DIP
<i>Orquideologia XIV(3); p. 226, 227, 230</i>	DIP	Selbyana 1 (3); p. 213	DI
Masd in Kleur; p. 20	P	<i>Icones Pleuro in Color I; p. 6</i>	P
gutierrezii (Luer) Luer - <i>Thesarus Masd 13:6</i>	DIP	NCO; 1:7	P
<i>Icones Pleuro XXII; p. 747-748</i>	DI	NEO; 1:24	I
<i>Orc of Bolivia Vol 1; p. 147, 164</i>	IP	costaricensis Schltr. ssp. unicornis (Luer) Luer –	
herraduriae (Lehm. & Krzl.) Luer - <i>Thesarus Masd 1:3</i>	DIP	<i>Icones Pleuro IV; p. 14-16</i>	DI
<i>Icones Pleuro XXII; p. 749-750</i>	DI	glandulata P. Ortiz = <i>Acostaeta costaricensis ssp. costaricensis</i>	
Masd in Kleur; p. 21	P	<i>Icones Pleuro IV; p. 12 (11/1987)</i>	
<i>Orquideologia XXIII(1); p. 9</i>	P	pleurothalloides Schltr. = <i>Acostaeta costaricensis ssp. costaricensis</i>	
laucheana (Fraser) Luer - <i>Thesarus Masd 12:9</i>	DIP	<i>Icones Pleuro IV; p. 12 (11/1987)</i>	
<i>Icones Pleuro XXII; p. 751-752</i>	DI	tenax Luer & Escobar - <i>Icones Pleuro IV; p. 16-18</i>	DI
Masd in Kleur; p. 25	P	<i>Orquideologia XV(2,3); p. 123, 124</i>	DI
livingstoneana (Rchb.f. & Roezl) Luer - <i>Thesarus Masd 7:5</i>	DIP	NCO; 1:6	P
<i>Icones Pleuro XXII; p. 753-755</i>	DI	trilobata Luer - <i>Icones Pleuro IV; p. 18, 19</i>	DI
Masd in Kleur; p. 28	P	Selbyana 1(3); p. 216	DI
minuta (Lindl.) Luer - <i>Icones Pleuro II; p. 42</i>	I	NEO; 1:26, 27	IP
<i>Thesarus Masd 4:11</i>	DIP		
<i>Icones Plant Trop Fasc 6; pl. 545</i>	DI		
<i>Icones Pleuro XXII; p. 757-760</i>	DI		
<i>Orc of Bolivia Vol 1; p. 173</i>	I		
Masd in Kleur; p. 31	P	SECTION ACRONIA	
NEO; 3:1081	P	alvaroi (Luer & Escobar) Luer - <i>Icones Pleur XVII; p. 1, 11, 47</i>	DIP
nicaraguae (Luer) Luer - <i>Thesarus Masd 8:11</i>	DIP	<i>Orquideologia XIV(2); p. 122, 123</i>	DI
<i>Icones Pleuro XXII; p. 761-762</i>	DI	NCO; 3:521	P
Selbyana 11(S); p. 444	I	ankyloglossa (Luer & Hirtz) Luer – <i>Icones Pleuro XX; p. 127, 138</i>	DI
<i>Icones Plant Trop, Fasc 16; pl. 1552</i>	DI	NEO; 4:1736	P
Masd in Kleur; p. 33	P	dentipetala (Rolfe ex Ames) Luer - Selbyana 3(3,4); p. 290	DI
Selbyana 5(2); p. 148, 149	D	<i>Icones Pleur XVII; p. 11-12, 47, 48</i>	DI
pescadoënsis (Luer & Escobar) Luer - <i>Thesarus Masd 2:12</i>	DIP	Selbyana 5(2); p. 181 (was stevensii)	D
<i>Orquideologia XIII(2); p. 167, 179, 180, 181</i>	DIP	drewii (Luer) Luer – <i>Icones Pleuro XX; p. 127-128, 138</i>	DI
<i>Icones Pleuro XXII; p. 763-764</i>	DI	dukei (Luer) Luer - <i>Icones Pleur XVII; p. 12, 48</i>	DI
Masd in Kleur; p. 38	P	Lindleyana 12(1); p. 45, 47, 48	DI
scabrilinguis (Luer) Luer - <i>Masd in Kleur; p. 45</i>	P	gomezii (Luer & Escobar) Luer - <i>Icones Pleuro XVII; p. 13, 48</i>	DI
<i>Icones Pleuro XXII; p. 765-766</i>	P	<i>Orquideologia XX(1); p. 58, 62, 63</i>	DIP
schizopetala (Krzl.) Luer - <i>Thesarus Masd 11:10</i>	DI	hammelii (Luer) Luer - <i>Icones Pleur XVII; p. 13, 48</i>	DI
<i>Icones Plant Trop, Fasc 16; pl. 1556</i>	DIP	Lindleyana 12(1); p. 48, 49	DI
<i>Icones Pleuro XXI; p. 495-498</i>	DI	imitor (Luer) Luer - <i>Lindleyana 11(2); p. 78</i>	DI
Masd in Kleur; p. 45	DI	<i>Icones Pleuro XVII; p. 14, 49</i>	DI
	P	languida (Luer) Luer - <i>Icones Pleuro XVII; p. 14, 49</i>	DI

Acronia

	Orquideologia XXI(1); p. 95, 96, 98		
longipedicellata (Ames & C.Schweinf.) Luer –		DIP	Orquideologia XIV(2); p. 146, 147
Selbyana 3(3,4); p. 338			glochis (Luer & Escobar) Luer - Icones Pleuro XVII; p. 28, 55
Icones Pleuro XVII; p. 15, 49		DI	Orquideologia XIV(2); p. 150, 151
VOI; 5, p. 240		DI	gracilipedunculata (Foldats) Luer - Lindleyana 1(4); p. 308
lopezii (Luer & Escobar) Luer - Icones Pleuro XVII; p. 15, 49		DI	Icones Pleuro XVII; p. 28, 55
Orquideologia XXI(1); p. 98, 102, 103		DI	Orc of Ven FG 3; p. 791
NCO; 6:1226		DIP	habenula (Luer & Escobar) Luer - Icones Pleuro XVII; p. 29, 55
luctuosa (Rchb.f.) Luer - Selbyana 3(1,2); p. 136		P	Orquideologia XIV(2); p. 152, 153
Selbyana 4; p. 180		DI	lobata (Luer) Luer - Icones Pleuro XVII; p. 29, 56
Selbyana 11(S); p. 664		DI	Orquideologia XX(2); p. 213, 214
Icones Pleuro XVII; p. 16, 50		I	orecta (Luer & Escobar) Luer - Icones Pleuro XVII; p. 30, 56
NCO; 6:1232		DI	Orquideologia XX(1); p. 57, 75, 76
nox-media (Luer & Escobar) Luer - Icones Pleuro XVII; p. 16, 50		P	pseudopogon (Luer & Hirtz) Luer - Icones Pleuro XVII; p. 30, 56
Orquideologia XXI(1); p. 104, 105		DI	quadricaudata (Schltr.) Luer - Icones Pleuro XVII; p. 30-31, 56
pallida (Luer) Luer - Selbyana 3(3,4); p. 358		DI	quaternaria (Luer) Luer - Icones Pleuro XVII; p. 31, 57
Icones Pleuro XVII; p. 17, 50		DI	ramosii (Luer) Luer - Icones Pleuro XVII; p. 32, 57
phalangifera (Presl) Luer - Selbyana 3(1,2); p. 166		DI	sagittilabia (Luer) Luer - Icones Pleuro XVII; p. 32, 57
Icones Pleuro XVII; p. 17-18, 50		DI	Orquideologia XXI(2); p. 130, 131
NCO; 6:1234		DI	simulans (L.O.Williams) Luer - Selbyana 3(1,2); p. 188
VOI; 3, p. 256		P	Icones Pleuro XVII; p. 33, 57
Orc of Ven FG 3; p. 825		DI	sobrina (Luer & Hirtz) Luer - Icones Pleuro XVII; p. 33, 58
polysticta (Luer) Luer - Icones Pleuro XVII; p. 19, 51		I	Lindleyana 11(3); p. 185, 186
Selbyana 5(2); p. 176		DI	NEO; 4:1850
rowleei (Ames) Luer - Selbyana 3(3,4); p. 376		D	somnolenta (Luer) Luer - Icones Pleuro XVII; p. 34, 58
Icones Pleuro XVII; p. 19-20, 51		DI	Orquideologia XX(2); p.225, 226
NCO; 6:1233		DI	stevensonii (Luer) Luer - Selbyana 1(3); p. 296
sanluisii (Foldats) Luer - Lindleyana 1(4); p. 316		P	Icones Pleuro XVII; p. 34, 58
Selbyana 7(1); p. 124 (was stalkyi)		DI	NEO; 4:1854
Icones Pleuro XVII; p. 20, 51		D	tetrachaeta (Luer & Hirtz) Luer - Icones Pleuro XVII; p. 35, 58
Orc of Ven FG 3; p. 841		DI	tipuloides (Luer) Luer - Icones Pleuro XVII; p. 35, 59
sextonii (Luer) Luer - Icones Pleuro XXIV; p. 108-109, 119		I	wigginsii (C.Schweinf.) Luer - Icones Pleuro III; p. 58
stricta (Luer) Luer - Icones Pleuro III; p. 62		DI	Icones Pleuro XVII; p. 36, 59
Icones Pleuro XVII; p. 21, 51		I	NEO; 4:1877
Selbyana 5(2); p. 181, 182		D	
NEO; 4:1839, 1855		IP	SECTION MACROPHYLLAE-FASCICULATAE
supervacanea (Rchb.f.) Luer - Icones Pleuro XVII; p. 21-22, 52		DI	acestrophylla (Luer) Luer - Selbyana 1(3); p. 224
Orquideologia XIV(2); p. 132, 133 (was apoxys)		DI	Icones Pleuro XXVII; p. 83, 208
NCO; 3:507		DI	acutilabia (Luer) Luer – Orquideologia XXI(2); p. 116, 117
tryssa (Luer) Luer - Selbyana 1(1); p. 78 (misidentified as incurva)		P	Icones Pleuro XXVII; p. 83, 208
Selbyana 1(3); p. 303		DI	adeleae (Luer) Luer - Icones Pleuro XXVII; p. 84, 208
Icones Pleuro XVII; p. 22-23, 52		D	adelphe (Luer & Hirtz) Luer – Lindleyana 11(3); p. 142, 143
vieirae (Luer & Escobar) Luer - Icones Pleuro XVII; p. 23, 52		DI	Lindleyana 11(3); p. 178, 179 (was P. perforata)
Orquideologia XIV(2); p. 182, 183		DI	Icones Pleuro XXVII; p. 84-85, 208-209
volcanica (Luer) Luer - Selbyana 3(3,4); p. 406		DI	adonis (Luer) Luer - Selbyana 3(1,2); p. 40
Icones Pleuro XVII; p. 23-24, 52		DI	NEO; 4:1731
		DI	Icones Pleuro XXVII; p. 85, 209
			aguirrei (Luer & Escobar) Luer –
SECTION AMPHYGIA			Orquideologia XXII(3); p. 257, 280-281
allenii (L.O.Williams) Luer - Icones Pleuro XVII; p. 24, 53		DI	Icones Pleuro XXVII; p. 85-86, 210
amphigya (Luer & Escobar) Luer –			alopex (Luer) Luer - Selbyana 3(1,2); p. 46
Orquideologia XIV(2); p. 128, 129		DI	Orc of Bolivia Vol 1; p. 249, 267
Icones Pleuro XVII; p. 24-25, 53		DI	Icones Pleuro XXVII; p. 86, 210
annectens (Luer) Luer - Selbyana 3(3,4); p. 240		DI	altimonile Luer & Escobar – Orquideologia XIV(2); p. 120, 121
Icones Pleuro XVII; p. 25, 53		DI	Icones Pleuro XXVII; p. 86-87, 210
archicolonae (Luer) Luer - Selbyana 3(1,2); p. 52		DI	ambyx (Luer & Escobar) Luer – Orquideologia XIV(2); p. 126, 127
Icones Pleuro XVII; p. 25-26, 54		DI	Icones Pleuro XXVII; p. 87, 210
bucranon (Luer & Hirtz) Luer - Lindleyana 3(3); p. 134		DI	andreettae Luer - Icones Pleuro XXVII; p. 87-88, 211
Icones Pleuro XVII; p. 26, 54		DI	angustissima Luer & Hirtz - Icones Pleuro XXVII; p. 88, 211
NEO; 4:1747		P	apopsis (Luer) Luer - Selbyana 5(2); p. 160
cauda-phocae (Luer & Hirtz) Luer - Lindleyana 3(3); p. 137		DI	Icones Pleuro XXVII; p. 88-89, 211
Icones Pleuro XVII; p. 26, 54		DI	applanata (Luer & Dalström) Luer – Lindleyana 11(3); p. 147
cauda-hirundinis Luer & Portilla – NEO; 4:1751		P	Icones Pleuro XXVII; p. 89, 211
Icones Pleuro XXIV; p. 107, 119		DI	arctata (Luer) Luer – Lindleyana 12(1); p. 39, 41, 42
forceps-cancri (Luer & Escobar) Luer – NCO; 3:500		P	Icones Pleuro XXVII; p. 89-90, 212
Icones Pleuro XVII; p. 27, 54		DI	ascera (Luer & Escobar) Luer –
Orquideologia XIV(2); p. 144, 145		DI	Orquideologia XX(1); p. 36, 37, 58
fugax (Luer & Escobar) Luer - Icones Pleuro XVII; p. 27-28, 55		DI	NCO; 6:1251

Acronia

Icones Pleuro XXVII; p. 90, 212	DI	cardiostola (Rchb.f.) Luer - VOI; 1, p. 310	DI
asplundii (Luer) Luer - Lindleyana 11(3); p. 147, 148	DI	Orc of Ven FG 3; p. 762	I
Icones Pleuro XXVII; p. 90-91, 212	DI	NEO; 4:1749	P
aurita (C.Schweinf.) Luer - Icones Pleuro XXVII; p. 91, 212	DI	Lindleyana 3(3); p. 146 (was P. lanigera)	DI
baezensis Luer & Hirtz - Icones Pleuro XXVII; p. 91-92, 213	DI	Icones Pleuro XXVII; p. 104-105, 219-220	DI
batracha (Luer & Hirtz) Luer - Lindleyana 11(3); p. 149, 150	DI	cardiothallis (Rchb.f.) - Selbyana 3(3,4); p. 254	DI
Icones Pleuro XXVII; p. 92, 213	DI	Selbyana 11(S); p. 625, 626	I
baudoensis (Luer & Escobar) Luer -		Icones Pleuro XXVII; p. 106-107, 220	DI
Orquideologia XXI(1); p. 73, 74	DI	carduela Luer - Icones Pleuro XXVII; p. 107, 220	DI
Icones Pleuro XXVII; p. 92, 213	DI	carnosa (Braid) Luer - Icones Pleuro XXVII; p. 107, 220	DI
belocardia (Schltr.) Luer - Icones Pleuro XXVII; p. 93	D	carrenoi (Carnevali & I. Ramírez) Luer - Orc of Ven FG 3; p. 763	I
bitumida (Luer) Luer - Lindleyana 11(2); p. 70	DI	Icones Pleuro XXVII; p. 108, 221	DI
Icones Pleuro XXVII; p. 93, 213	DI	cassidata (Luer & Escobar) Luer -	
bivalvis (Lindl.) Luer - Selbyana 1(4); p. 410	DI	Orquideologia XXI(1); p. 82, 83, 97	DIP
NCO; 6:1240, 1241	P	NCO; 6:1252	P
NCO; 6:1245 (was P. macrocardia)	P	Icones Pleuro XXVII; p. 108, 221	DI
VOI; 4, p. 206	DI	cedrinorum (Luer & Dalström) Luer -	
Orc of Ven FG 3; p. 758, 759	I	Lindleyana 11(3); p. 152, 153	DI
NEO; 4:1743	I	Orquideologia XXII(3); p. 265, 283-284 (was P. embreei)	DI
Selbyana 3(3,4); p. 242 (was P. antonensis)	DI	Icones Pleuro XXVII; p. 109, 221	DI
Icones Orchid, Fasc 1; pl. 87(was P. antonensis)	DI	chama (Luer)Luer - Selbyana 3(3,4); p. 264	DI
VOI; 4, p. 204 (was P. archidiaconi)	DI	Icones Pleuro XXVII; p. 109-110, 222	DI
Orc of Ven FG 3; p. 751 (was P. archidiaconi)	I	chaparensis Luer & R. Vásquez - Icones Pleuro XXVII; p. 110, 222	DI
VOI; 6, p. 332 (was P. cardiantha)	DI	chavezii (Luer) Luer - Lindleyana 11(2); p. 72	DI
Selbyana 3(1,2); p. 122 (was P. ignivomi)	DI	Icones Pleuro XXVII; p. 110-111, 222	DI
Orc of Bolivia Vol 1; p. 306 (wasp. Ignivomi)	I	cobriiformis (L.O.Williams) Luer - Selbyana 1(3); p. 306	DI
Orquideologia XXII(3); p. 266, 284-285 (was P. lilianae)	DI	(was spelled cobraeformis)	
Icones Pleuro XXVII; p. 93-96, 214-215	DI	Icones Pleuro XXVII; p. 111, 222	DI
blepharopetala (Schltr.) Luer - Selbyana 1(2); p. 174	DI	complanata (Luer & Hirtz) Luer - Lindleyana 11(3); p. 154, 155	DI
Icones Pleuro XXVII; p. 96, 216	DI	Icones Pleuro XXVII; p. 111, 223	DI
bothros (Luer) Luer - Lindleyana 11(2); p. 70	DI	compressa (Luer) Luer - Lindleyana 11(2); p. 75	DI
Icones Pleuro XXVII; p. 97, 216	DI	Icones Pleuro XXVII; p. 112, 223	DI
bovilingua (Luer & Escobar) Luer -		conicostigma (Luer) Luer - Selbyana 1(3); p. 236	DI
Orquideologia XXI(1); p. 75, 76	DI	Icones Pleuro XXVII; p. 112, 223	DI
NCO; 6:1238	P	constricta (Luer & Escobar) Luer -	
Icones Pleuro XXVII; p. 97, 216	DI	Orquideologia XXI(1); p. cov, 84, 85	DIP
braidiana Luer - Icones Pleuro XXVII; p. 98, 216	DI	NCO; 6:1254	P
bucculenta (Luer) Luer - Selbyana 3(1,2); p. 70	DI	Icones Pleuro XXVII; p. 113, 223	DI
NEO; 4:1746	I	convexa (Luer & Hirtz) Luer - Lindleyana 11(3); p. 155, 156	DI
Icones Pleuro XXVII; p. 98, 217	DI	Icones Pleuro XXVII; p. 113, 224	DI
bulbosa Luer & R.Escobar - Icones Pleuro XXVII; p. 98-99, 217	DI	cordata (Ruiz & Pav.) Luer ssp. cordata - Selbyana 3(1,2); p. 82	DI
calamifolia (Luer & Escobar) Luer -		Orc of Bolivia Vol 1; p. 252, 284	IP
Orquideologia XX(1); p. 40, 41	DI	Orc of Ven FG 3; p. 766	I
Icones Pleuro XXVII; p. 99, 217	DI	Selbyana 3(1,2); p. 76 (was P. cardiophylla)	DI
calceolaris Luer & Escobar - Icones Pleuro III; p. 60 (was P. fornix)	I	VOI; 1, p. 336 (was P. monocardia)	DI
Orquideologia XVI(2); p. 160, 161 (was P. fornix)	DI	Icones Pleuro XXVII; p. 114-115, 224-225	DI
NCO; 6:1248 (was P. fornix)	P	cordata ssp. rhopalocarpa (Schltr.) Luer -	
Icones Pleuro XXVII; p. 99-100, 217	DI	Icones Pleuro XXVII; p. 116, 225	DI
callifera (C.Schweinf.) Luer - Icones Pleuro XXVII; p. 100, 218	DI	cordata ssp. trachysepala (Kraenzl.) Luer -	
calogramma (Luer) Luer - Orquideologia XXII(3); p. 258, 281-282	DI	Selbyana 3(1,2); p. 62 (was P. brachyblephara)	DI
Icones Pleuro XXVII; p. 100-101, 218	DI	Selbyana 3(1,2); p. 102 (was P. erymnochila)	DI
calolalax (Luer & Escobar) Luer -		Icones Pleuro XXVII; p. 116, 225	DI
Orquideologia XXI(1); p. 78, 79, 97	DIP	cordifolia (Rchb.f. & Wagens) Luer - Selbyana 3(1,2); p. 84	DI
NCO; 6:1243	P	VOI; 6, p. 334	DI
Icones Pleuro XXVII; p. 101, 218	DI	Selbyana 3(3,4); p. 402 (was P. veraguacensis)	DI
canaligera (Rchb.f.) Luer - Selbyana 1(3); p. 232	DI	Icones Pleuro XXVII; p. 117, 226	DI
NCO; 3:518	P	coriacardia (Rchb.f.) Luer - Orc of Ven FG 3; p. 767	I
Icones Pleuro XXVII; p. 101-102, 218	DI	NEO; 4:1757	P
canidentis (Luer & Escobar) Luer -		Selbyana 3(3,4); p. 276 (was P. corralensis)	DI
Orquideologia XXI(1); p. 80, 81, 97	DIP	Icones Pleuro XXVII; p. 117-119, 226	DI
NCO; 6:1244	P	correllii (Luer) Luer - Selbyana 3(1,2); p. 88	DI
Icones Pleuro XXVII; p. 102, 219	DI	Selbyana 11(S); p. 638	I
cardiochila (L.O.Williams) Luer -		Icones Pleuro XXVII; p. 119, 226	DI
Icones Pleuro XXVII; p. 103, 219	DI	corysta (Luer) Luer - Selbyana 2(4); p. 384	D
cardiocrepis (Rchb.f.) Luer - Icones Pleuro XXVII; p. 103	I	Icones Pleuro XXVII; p. 120, 226	DI
cardiophylax (Rchb.f.) Luer -		crateriformis (C.Schweinf.) Luer -	
Icones Pleuro XXVII; p. 103-104, 219	DI	Icones Pleuro XXVII; p. 120, 227	DI

Acronia

crossota (Luer & Dalström) Luer – Lindleyana 11(3); p. 156, 157 Icones Pleuro XXVII; p. 121, 227	DI	Icones Pleuro XXVII; p. 137, 234	DI
crucifera (Luer & Hirtz) Luer – Lindleyana 11(3); p. 157, 158 Icones Pleuro XXVII; p. 121, 227	DI	geographica (Luer) Luer - Selbyana 3(3,4); p. 310 Icones Pleuro XXVII; p. 137-138, 235	DI
culpameae Luer - Icones Pleuro XXVII; p. 122, 227	DI	giraffa (Luer) Luer - Selbyana 5(2); p. 165, 166	D
cutucuensis (Luer) Luer - Selbyana 3(3,4); p. 284 Icones Pleuro XXVII; p. 122, 228	DI	Icones Pleuro XXVII; p. 138, 235	DI
cuzcoensis (Luer) Luer - Icones Pleuro XXVII; p. 122-123, 228	DI	giraldoi (Luer) Luer – Orquideologia XXI(2); p. 125, 126 Icones Pleuro XXVII; p. 138-139, 235	DI
cyanea (Luer & Escobar) Luer - Icones Pleuro I; p. 48 Orquideologia XVI(2); p. 157, 158, 159 NCO; 3:503	DI	glabra (Luer & Escobar) Luer – Orquideologia XX(1); p. 56, 59 Icones Pleuro XXVII; p. 139, 235	DI
Icones Pleuro XXVII; p. 123, 228	DIP	globosa (Luer & Escobar) Luer – Orquideologia XX(1); p. 57, 60, 61	DIP
deflexa (Luer) Luer - Selbyana 1(2); p. 178 NCO; 6:1250 NEO; 4:1760	P	Icones Pleuro XXVII; p. 139-140, 236	DI
Icones Pleuro XXVII; p. 123-124, 228	DI	grandiflora (Lindl.) Luer - Selbyana 3(1,2); p. 112 Orc of Bolivia Vol 1; p. 255, 301	DI
dejavu (Luer & Hirtz) Luer - Lindleyana 3(3); p. 140 Icones Pleuro XXVII; p. 124, 229	DI	VOI; 4, p. 218	IP
depressa (Luer & Escobar) Luer – Orquideologia XX(1); p. 50, 53, 58 Icones Pleuro XXVII; p. 125, 229	DI	Icones Pleuro XXVII; p. 140-141, 236	DI
dewildei (Luer & Escobar) Luer – Orquideologia XXI(1); p. 86, 87 Icones Pleuro XXVII; p. 125, 229	DI	hawkinsii Luer & Endara - Icones Pleuro XXVII; p. 141, 236	DI
diabolica (Luer & Escobar) Luer – Orquideologia XIV(2); p. 142, 143 NCO; 3:496	DI	hemileuca (Luer) Luer - Selbyana 7(1); p. 118 Icones Pleuro XXVII; p. 142, 236	D
Lindleyana 3(3); p. 143 (was P. exserta) Icones Pleuro XXVII; p. 125-126, 229	DIP	hispidula Luer & R.Escobar - Icones Pleuro XXVII; p. 142, 237	DI
diazii Luer & Endara - Icones Pleuro XXVII; p. 126, 230	DI	hoeijeri (Luer & Hirtz) Luer - Lindleyana 3(3); p. 143 NEO; 4:1779	DI
dibolia (Luer) Luer - Selbyana 1(3); p. 238 Selbyana 4; p. 178 Icones Pleuro XXVII; p. 127, 230	DI	Icones Pleuro XXVII; p. 142-143, 237	P
dilemma (Luer) Luer – Bolivia Rev 3(1,2); p. 45, 47, 48 Icones Pleuro XXVII; p. 127, 230	DI	homalantha (Schltr.) Luer - Selbyana 3(3,4); p. 314 Selbyana 11(S); p. 658 (misspelled homolantha)	DI
discoidea (Lindl.) Luer - Icones Orchid Peru pl. 350 Orc of Bolivia Vol 1; p. 293 VOI; 1, p. 318 Orc of Ven FG 3; p. 775 Orquideologia XX(2); p. 229, 230 (was P. sugdenii) Icones Pleuro XXVII; p. 128-129, 230-231	DI	Selbyana 11(S); p. 672 (was P. nemorum)	I
dorotheae (Luer) Luer - Icones Pleuro XXVII; p. 129-130, 231	DI	Icones Plant Trop, Fasc 14; pl. 1381 (was P. nemorum)	I
dracuncula Luer & Hirtz - Icones Pleuro XXVII; p. 130, 231	DI	Icones Pleuro XXVII; p. 143, 237	DI
dubbeldamii (Luer) Luer - Orquideologia XXII(3); p. 262, 283 Icones Pleuro XXVII; p. 130-131, 231	DI	homeroi Luer & Endara - Icones Pleuro XXVII; p. 144, 237	DI
ensata (Luer) Luer - Selbyana 1(3); p. 240 NEO; 4:1765 Icones Pleuro XXVII; p. 131, 232	DI	imperialis (Luer) Luer - Selbyana 1(2); p. 186 NEO; 4:1783	DI
epiglottis (Luer) Luer - Icones Pleuro XXVII; p. 131-132, 232	DI	Icones Pleuro XXVII; p. 144, 238	DI
erythrium (Luer) Luer - Selbyana 2(4); p. 386 Icones Pleuro XXVII; p. 132, 232	DI	index (Luer) Luer - NCO; 6:1239 NEO; 4:1785	P
escobarii Luer - Icones Pleuro XXVII; p. 132-133, 232	DI	Icones Pleuro XXVII; p. 145, 238	DI
excavata (Schltr.) Luer – Selbyana 1(2); p. 200 Selbyana 3(3,4); p. 272 (was P. concaviflora) Selbyana 1(2); p. 200 (was P. imago) Selbyana 3(3,4); p. 318 (was P. imago) Icones Pleuro XXVII; p. 133, 233	DI	iris Luer & Endara - Icones Pleuro XXVII; p. 145, 238	DI
fantastica (Ames) Luer - Icones Pleuro XXVII; p. 134, 233	DI	isthmica (Luer) Luer - Selbyana 3(3,4); p. 322 Icones Pleuro XXVII; p. 146, 238	DI
folsomii Luer & Endara - Icones Pleuro XXVII; p. 134-135, 233	DI	jaramilloi (Luer) Luer – Orquideologia XXII(1); p. 56-58 Icones Pleuro XXVII; p. 146-147, 239	DI
fonnegrae Luer & Endara - Icones Pleuro XXVII; p. 135, 233	DI	jupiter (Luer) Luer - Selbyana 1(2); p. 190 NEO; 4:1788	DI
fossulata (Luer & Escobar) Luer – Orquideologia XXI(1); p. 91, 92, 98 Icones Pleuro XXVII; p. 135-136, 234	DI	Icones Pleuro XXVII; p. 147, 239	DI
galerita (Luer) Luer - Icones Pleuro XXVII; p. 136, 234	DI	killipii (Garay) Luer - NCO; 6:1249 Icones Pleuro XXVII; p. 147-148, 239	P
ganymedes (Luer & Escobar) Luer – Orquideologia XIV(2); p. 148, 149 Icones Pleuro XXVII; p. 136-137, 234	DI	lacera (Luer) Luer - Selbyana 1(3); p. 248 Icones Pleuro XXVII; p. 148, 239	DI
gargantua (Luer) Luer – Lindleyana 11(3); p. 161, 162	DI	latipetala (Garay) Luer - NCO; 6:1242 Icones Pleuro XXVII; p. 148-149, 240	DI
	DI	lemniscifolia (Luer) Luer - Selbyana 1(3); p. 250 Icones Pleuro XXVII; p. 149, 240	DI
	DI	leucantha (Schltr.) Luer - Icones Pleuro XXVII; p. 149-150, 240	DI
	DI	lilijae (Foldats) Luer - Selbyana 3(3,4); p. 336 VOI; 6, p. 352	DI
	D	Orc of Ven FG 3; p. 806	I
	DI	NEO; 4:1794	P
	DI	Icones Pleuro XXVII; p. 150-151, 240-241	DI
	DI	linguifera (Lindl.) Luer - Selbyana 3(1,2); p. 134 Orc of Bolivia Vol 1; p. 312	DI
	DI	NCO; 6:1247	I
	DIP	VOI; 2, p. 286	P
	DI	NEO; 4:1797	P
	DI	Icones Pleuro XXVII; p. 151-152, 241	DI
	DI	llanganatensis Luer & Hirtz – Icones Pleuro XXVII; p. 152-153, 241	DI
	DI	loreae Carnevali & I.Ramírez - Icones Pleuro XXVII; p. 153, 241	DI
	DI	lunaris (Luer & Escobar) Luer – Orquideologia XIV(2); p. 158, 159	DI

Acronia

NCO; 6:1253	P	palliolata (Ames) Luer - Icones Pleuro XXVII; p. 168, 249	DI
Icones Pleuro XXVII; p. 153-154, 242	DI	pandurata (Luer & Hirtz) Luer - Lindleyana 11(3); p. 175, 176	DI
lutheri Luer & Endara - Icones Pleuro XXVII; p. 154, 242	DI	Icones Pleuro XXVII; p. 168-169, 249	DI
lynniana Luer - Icones Pleuro XXVIII; p. 246-247, 256	DI	pansamalae (Schltr.) Luer - Selbyana 3(3,4); p. 362	DI
macra (Lindl.) Luer - Selbyana 1(3); p. 252	DI	Selbyana 11(S); p. 675	I
Icones Pleuro XXVII; p. 154-155, 242	DI	Icones Pleuro XXVII; p. 169, 249	DI
macrocardia (Rchb.f.) Luer - Icones Pleuro XXVII; p. 155, 242	DI	paquishae (Luer) Luer - Lindleyana 11(3); p. 176, 177	DI
maduroi (Luer) Luer - Lindleyana 12(1); p. 51, 52	DI	NEO; 4:1819	I
Icones Pleuro XXVII; p. 156, 243	DI	Icones Pleuro XXVII; p. 169-170, 249	DI
magnipetala (C.Schweinf.) Luer - Selbyana 1(3); p. 254	D	peculiaris (Luer) Luer - Selbyana 3(1,2); p. 158	DI
Icones Pleuro XXVII; p. 156, 243	DI	Icones Pleuro XXVII; p. 170, 250	DI
marthae (Luer & Escobar) Luer - Orquideologia XX(1); p. 68, 69	DI	pelicophora (Luer) Luer - Bolivia Rev 3(1,2); p. 57, 58	DI
NCO; 3:505	P	Icones Pleuro XXVII; p. 170-171, 250	DI
Icones Pleuro XXVII; p. 157, 243	DI	penelops (Luer) Luer - Selbyana 2(4); p. 386	D
mastadon (Luer & Hirtz) Luer - Lindleyana 11(3); p. 167, 168	DI	Icones Pleuro XXVII; p. 171, 250	DI
NEO; 4:1801	P	perijaënsis (Dunst.) Luer - Lindleyana 1(4); p. 312	DI
Icones Pleuro XXVII; p. 157, 243	DI	Selbyana 2(2,3); p. 210	DI
matudana (C.Schweinf.) Luer - Selbyana 3(3,4); p. 344	DI	NCO; 3:495	P
Selbyana 11(S); p. 665, 666	I	Orc of Ven FG 3; p. 824	I
Icones Orchid, Fasc 1; p. 90	DI	Icones Pleuro XXVII; p. 171-172, 250	DI
Orc of Bolivia Vol 1; p. 257, 315	IP	peroniocephala (Luer) Luer - Selbyana 1(3); p. 262	DI
Icones Pleuro XXVII; p. 158-159, 244	DI	NEO; 4:1824	P
megaglossa (Luer & Dalström) Luer - Lindleyana 11(3); p. 168, 169	DI	Icones Pleuro XXVII; p. 172, 251	DI
Icones Pleuro XXVII; p. 159, 244	DI	perryi (Luer) Luer - Selbyana 5(2); p. 174	D
megalorhina (Luer & Escobar) Luer -		NEO; 4:1825	P
Orquideologia XX(1); p. 71, 72	DI	Icones Pleuro XXVII; p. 172-173, 251	DI
Icones Pleuro XXVII; p. 159-160, 244	DI	persimilis (Luer & Hirtz) Luer - Orquideologia XXII(3); p. 270, 286	DI
microcardia (Rchb.f.) Luer ssp. microcardia - NCO; 6:1246	P	Icones Pleuro XXVII; p. 173, 251	DI
Icones Plant Trop, Fasc 6; pl. 580 (was P. stenosepala)	DI	phyllocardia (Rchb.f.) Luer - Selbyana 3(1,2); p. 168	DI
Orc of Bolivia Vol 1; p. 261, 351 (was P. stenosepala)	IP	Icones Pleuro XXVII; p. 173-174, 251	DI
NCO; 3:513 (was P. stenosepala)	P	phyllocardioides (Schltr.) Luer - Selbyana 10(1); p. 105, 137	DI
VOI; 5, p. 248 (was P. stenosepala)	DI	Selbyana 11(S); p. 678	I
Orc of Ven FG 3; p. 852 (was P. stenosepala)	I	Icones Orchid Peru pl. 163	DI
Icones Pleuro XXVII; p. 160, 245	DI	Orc of Ven FG 3; p. 826	I
microcardia Rchb.f. ssp. cubitoria (Luer) Luer - NEO; 4:1808	P	Selbyana 4; p. 176 (was P. acostaei)	DI
Icones Pleuro XXVII; p. 161, 245	DI	Icones Pleuro XXVII; p. 174-176, 252	DI
microcardia Rchb.f. ssp. tamaensis (Foldats) Luer -		phymatodea (Luer) Luer - Selbyana 3(1,2); p. 170	DI
Icones Pleuro XXVII; p. 161, 245	DI	Selbyana 1(1); p. 66 (was crateriformis - published wrong)	DI
millei (Schltr.) Luer - Selbyana 3(1,2); p. 90 (was P. crassapex)	DI	Icones Pleuro XXVII; p. 176, 252	DI
Icones Pleuro XXVII; p. 162, 245	DI	pileata (Luer & Escobar) Luer - Orquideologia XV(2,3); p. 142, 143	DI
muriculata (Luer & Hirtz) Luer - Lindleyana 11(3); p. 172, 173	DI	Icones Pleuro XXVII; p. 176-177, 253	DI
Icones Pleuro XXVII; p. 162, 246	DI	platypetala (Luer & Escobar) Luer -	
nephroglossa (Schltr.) Luer - NEO; 4:1811	P	Orquideologia XX(1); p. 77, 78	DI
Icones Pleuro XXVII; p. 163, 246	DI	Icones Pleuro XXVII; p. 177, 253	DI
nipterophylla (Luer) Luer - Selbyana 3(1,2); p. 148	DI	platysepala (Schltr.) Luer - NCO; 3:494	P
Icones Pleuro XXVII; p. 163-164, 246	DI	Orquideologia XVI(2); p. 162, 163 (was P. granularis)	DI
nitida (Luer) Luer - Selbyana 3(3,4); p. 352	DI	Orquideologia XVI(2); p. 176, 177 (was P. pulvinaris)	DI
Icones Pleuro XXVII; p. 164, 246	DI	Icones Pleuro XVIII; p. 19, 20, 68 (was P. pulvinaris)	DI
nossax (Luer & Escobar) Luer - Orquideologia XIV(2); p. 160, 161	DI	NCO; 3:490 (was P. pulvinaris)	P
NCO; 3:520	P	Icones Pleuro XXVII; p. 178, 253	DI
Icones Pleuro XXVII; p. 164, 247	DI	portillae (Luer) Luer - Selbyana 5(2); p. 176, 177	D
obpyriformis (Luer) Luer - Selbyana 3(1,2); p. 150	DI	NEO; 4:1826	P
Icones Pleuro XXVII; p. 165, 247	DI	Icones Pleuro XXVII; p. 178, 253	DI
octavioi (Luer & Escobar) Luer -		prolaticollaris (Luer) Luer - Selbyana 1(3); p. 254 (was magnipetala)	I
Orquideologia XIV(2); p. 164, 165	DI	Selbyana 3(3,4); p. 368	D
NCO; 3:492	P	Selbyana 4; p. 182	DI
Icones Pleuro XXVII; p. 165, 247	DI	Icones Pleuro XXVII; p. 179, 254	DI
omoglossa (Luer) Luer - Selbyana 3(1,2); p. 152	DI	pyelophora Luer - Icones Pleuro XXVIII; p. 247, 256	DI
NEO; 4:1815	I	radula (Luer) Luer - Selbyana 5(2); p. 177, 178	D
Icones Pleuro XXVII; p. 165-166, 247	DI	Icones Pleuro XXVII; p. 179, 254	DI
oncoglossa (Luer) Luer - Lindleyana 11(2); p. 86	DI	rectipetala (Ames & C.Schweinf.) Luer -	
Icones Pleuro XXVII; p. 166, 248	DI	Selbyana 3(3,4); p. 384 (was P. scitula)	DI
ortegae (Luer & Hirtz) Luer - Lindleyana 11(3); p. 174, 175	DI	Icones Pleuro XXVII; p. 180, 254	DI
Icones Pleuro XXVII; p. 166-167, 248	DI	recurvata (Luer & Hirtz) Luer - Lindleyana 11(3); p. 182, 183	DI
orygmoglossa Luer & Dressler - Icones Pleuro XXVII; p. 167, 248	DI	Icones Pleuro XXVII; p. 180-181, 254	DI
oxapampae (Luer) Luer - Selbyana 7(1); p. 121	D	reginae (Garay) Luer - Icones Pleuro XXVII; p. 181, 255	DI
Icones Pleuro XXVII; p. 167-168, 248	DI	reptans (Luer) Luer - Icones Pleuro XXVII; p. 181, 255	DI

Acronia

rhodoglossa (Schltr.) Luer - Icones Pleuro XXVII; p. 182, 255	DI	NCO; 3:504	P
ripleyi (Luer) Luer - Selbyana 5(2); p. 178, 179	D	Icones Pleuro XXVII; p. 198, 263	DI
Icones Pleuro XXVII; p. 183, 255	DI	tobarii Luer & Hirtz – Icones Pleuro XXVIII; p. 247-248, 256	DI
robusta Luer & Hirtz - Icones Pleuro XXVII; p. 183, 256	DI	tonduzii (Schltr.) Luer - Selbyana 3(1,2); p. 190	DI
ruberrima (Lindl.) Luer - Selbyana 1(3); p. 274	DI	Icones Plant Trop, Fasc 15; pl. 1483	DI
Icones Orchid Peru pl. 164	DI	Icones Pleuro XXVII; p. 199, 264	DI
Orc of Bolivia Vol 1; p. 335	I	tragulosa (Luer & Hirtz) Luer – Lindleyana 11(3); p. 189, 190	DI
NCO; 6:1231	P	Icones Pleuro XXVII; p. 199, 264	DI
VOI; 1, p. 344	DI	transversilabia (Carnevali & G.A. Romero) Luer –	
Orc of Ven FG 3; p. 836	I	Orc of Ven FG 3; p. 860	I
Icones Pleuro XXVII; p. 184, 256	DI	Icones Pleuro XXVII; p. 199-200, 264	DI
rubroinversa (Luer) Luer - Selbyana 1(3); p. 276	DI	tridentata (Klotzsch) Luer - VOI; 2, p. 306	DI
Icones Pleuro XXVII; p. 185, 257	DI	Orc of Ven FG 3; p. 861	I
rugosa (Luer & Escobar) Luer – Orquideologia XV(2,3); p. 147, 148	DI	VOI; 1, p. 188 (was P. ionantha)	DI
Icones Pleuro XXVII; p. 185, 257	DI	Orc of Ven FG 3; p. 803 (Was P. ionantha)	I
rutrifolia Luer & Hirtz - Icones Pleuro XXVII; p. 185-186, 257	DI	Selbyana 1(3); p. 256 (was P. nephrocardia)	DI
saccatilabia (C.Schweinf.) Luer - Icones Pleuro XXVII; p. 186, 257	DI	VOI; 4, p. 228 (was P. nephrocardia)	DI
sanchoi (Ames) Luer - Selbyana 3(3,4); p. 380	DI	Icones Pleuro XXVII; p. 200-201, 264-265	DI
Icones Orchid, Fasc 1; pl. 92	DI	trogodytes (Luer) Luer - Icones Pleuro XXVII; p. 201, 265	DI
Icones Pleuro XXVII; p. 186-187, 258	DI	Selbyana 7(1); p. 125	D
sannio (Luer & Escobar) Luer – Orquideologia XXI(1); p. 106, 107	DI	NEO; 4:1865	P
Icones Pleuro XXVII; p. 187, 258	DI	tuberculosis (Luer & Hirtz) Luer – Lindleyana 11(3); p. 191, 192	DI
sarchochila (Garay) Luer - Icones Pleuro XXVII; p. 188, 258	DI	Icones Pleuro XXVII; p. 202, 265	DI
scabrilinguis (Lindl.) Luer - Selbyana 1(3); p. 282	DI	tyria (Luer & Hirtz) Luer – Lindleyana 11(3); p. 192, 193	DI
Icones Pleuro XXVII; p. 188-189, 259	DI	Icones Pleuro XXVII; p. 202, 266	DI
scaphipetala (Luer) Luer - Lindleyana 11(2); p. 94	DI	undulata (Poepp. & Endl.) Luer - Icones Pleuro XXVII; p. 203, 266	DI
Icones Pleuro XXVII; p. 189, 259	DI	VOI; 4, p. 248	DI
scurrula (Luer) Luer - Selbyana 3(1,2); p. 182	DI	Orc of Ven FG 3; p. 864	I
Icones Pleuro XXVII; p. 190, 259	DI	upanoensis (Luer & Hirtz) Luer –	
semiscabra (Lindl.) Luer - VOI; 3, p. 258	DI	Icones Pleuro XXVII; p. 203-204, 266	DI
Orc of Ven FG 3; p. 844	I	Orquideologia XXII(3); p. 2277, 288-289	DI
Icones Pleuro XXVII; p. 190, 259	DI	valladolidensis (Luer) Luer - Icones Pleuro XXVII; p. 204, 266	DI
sergioi (Luer & Escobar) Luer –		variabilis (Luer) Luer - Icones Pleuro XXVII; p. 205-206, 267	DI
Orquideologia XXII(3); p. 274, 287-288	DI	Selbyana 5(2); p. 187, 188	D
Icones Pleuro XXVII; p. 191, 260	DI	vinealis (Luer & Escobar) Luer - Orquideologia XVI(3); p. 31, 32	DI
serricardia (Schltr.) Luer - Icones Pleuro XXVII; p. 191, 260	DI	Icones Pleuro XXVII; p. 205, 267	DI
sigynes (Luer) Luer - Selbyana 3(1,2); p. 186	DI	volans (Luer & Hirtz) Luer – Lindleyana 11(3); p. 195, 196	DI
Icones Pleuro XXVII; p. 191-192, 260	DI	NEO; 4:1876	P
siphoglossa (Luer & Escobar) Luer –		Icones Pleuro XXVII; p. 205-206, 267	DI
Orquideologia XX(1); p. 82, 83, 89	DIP	zarumae (Luer & Hirtz) Luer - Icones Pleuro XXVII; p. 206, 267	DI
NCO; 3:493	P	Lindleyana 11(3); p. 196, 197	DI
Orc of Ven FG 3; p. 848	I	NEO; 4:1879	I
Icones Pleuro XXVII; p. 192-193, 260	DI		
solomonii Luer - Icones Pleuro XXVII; p. 193, 261	DI		
sotarae (Schltr.) Luer - Icones Pleuro XXVII; p. 193-194, 261	DI		
sphaerantha (Luer) Luer - Selbyana 1(3); p. 292	DI		
Icones Pleuro XXVII; p. 194, 261	DI	acrochordonia (Rchb.f.) Luer –	
stelidilabia (Luer) Luer - Selbyana 5(2); p. 180, 181	D	Icones Pleuro XXII; p. 23a-24a	DI
Selbyana 7(1); p. 122 (was P. sculptilis)	D	NEO; 3:958	P
Icones Pleuro XXVII; p. 194-195, 261	DI	adrianae (Luer) Luer - Icones Pleuro XVII; p. 110, 118	DI
stellata (I.Ramírez & Carnevali) Luer –		Icones Pleuro XIX; p. 23, 24	DI
Icones Pleuro XXVII; p. 195, 262	DI	Treas of Masd 25:1	DIP
stenota (Luer) Luer - Selbyana 3(3,4); p. 394	DI	aenigma (Luer & Escobar) Luer - Thesarus Masd 3:1	DIP
Icones Orchid Peru pl. 358	DI	Selbyana 7(1); p. 69	D
NEO; 4:1853	I	Orquideologia XVI(1); p. 67, cov	IP
Icones Pleuro XXVII; p. 195-196, 262	DI	Icones Pleuro XIX; p. 25, 26	DI
subtilis (C. Schweinf.) Luer - VOI; 4, p. 244	DI	Masd in Kleur; p. 1	P
Orc of Ven FG 3; p. 853	I	NCO; 6:1098	P
Icones Pleuro XXVII; p. 196, 262	DI	aguirrei (Luer & Escobar) Luer – Icones Pleuro XIX; p. 27, 28	DI
suinii Luer - Icones Pleuro XXVII; p. 196-197, 262	DI	ametroglossa (Luer & Hirtz) Luer – Icones Pleuro XXV; p. 29a, 30a	DI
tandapiensis Luer & Hirtz - Icones Pleuro XXVII; p. 197, 263	DI	amplexa (Luer) Luer - Icones Pleuro XV; p. 125, 127, 128	DI
teaguei (Luer) Luer – Lindleyana 11(3); p. 187	DI	Treas of Masd 24:1	DIP
NEO; 4:1859	I	Icones Pleuro XIX; p. 29, 30	DI
Icones Pleuro XXVII; p. 197-198, 263	DI	Masd in Kleur; p. 58	P
telamon (Luer) Luer - Selbyana 5(2); p. 185	D	andresiana (Luer & Maduro) Luer –	
Icones Pleuro XXVII; p. 198, 263	DI	Icones Pleuro XXVII; p. 283, 284	DI
titan (Luer) Luer - Selbyana 3(3,4); p. 400	DI	anfracta (Kgr.) Luer - Thesarus Masd 20:1	DIP

Alaticaulia

Icones Pleuro XIX; p. 31, 32	DI	Lindleyana 3(1); p. 21	DI
Masd in Kleur; p. 3	P	Masd in Kleur; p. 13, 60	P
barrowii (Luer) Luer - Icones Pleuro XXIII; p. 33a-34a	DI	Masd in Kleur; p. 21 (was hepatica)	P
NEO; 3:977	P	NEO; 3:1012	P
bennettii (Luer) Luer - Lindleyana 6(2); p. 84, 86, 87	DI	cupularis (Rchb.f.) Luer - Thesarus Masd 2:6	DIP
Icones Orchid Peru pl. 084	DI	Icones Plant Trop, Fasc 16; pl. 1547	DI
Icones Pleuro XIX; p. 33, 34	DI	Icones Pleuro XIX; p. 229, 230	DI
Masd in Kleur; p. 59 (misspelled benetti)	P	Masd in Kleur; p. 13	P
Treas of Masd 27:1	DIP	curtipes (Barb.Rodr.) Luer - Lindleyana 3(1); p. 32	DI
bicolor (Poepp. & Endl.) Luer - Icones Pleuro II; p. 44	I	Icones Pleuro XIX; p. 231, 232	DI
Thesarus Masd 12:3	DIP	Masd in Kleur; p. 13	P
Icones Orchid Peru pl. 290	DI	deceptrix (Luer & Würstle) Luer - Thesarus Masd 10:4	DIP
Icones Pleuro XIX; p. 35 - 40	DI	Icones Pleuro XIX; p. 69, 70	DI
Thesarus Masd 8:4 (was auropurpurea)	DIP	Masd in Kleur; p. 13	P
Orc of Bolivia Vol 1; p. 145, 154	IP	Orc of Ven FG 2; p. 485	I
Masd in Kleur; p. 6	P	descendens (Luer & Andreetta) Luer - Thesarus Masd 18:2	DIP
NCO; 6:1113, 1116	P	Lindleyana 3(4); p. 195	DI
Orc of Ven FG 2; p. 483	I	Icones Pleuro XIX; p. 71, 72	DI
VOI; 5, p. 160	DI	Masd in Kleur; p. 14	P
VOI; 5, p. 174 (was peruviana)	DI	NEO; 3:1022	I
NEO; 3:980, 981	P	discoidea (Luer & Würstle) Luer - Thesarus Masd 10:5	DIP
brachyantha (Schltr.) Luer - Treas of Masd 21:4	DIP	Lindleyana 1(3); p. 182	DI
Orc of Bolivia Vol 1; p. 156	I	Icones Pleuro XIX; p. 233, 234	DI
brachyura (Lehm. & Krzl.) Luer - Thesarus Masd 2:2	DIP	Masd in Kleur; p. 14	P
Icones Pleuro XIX; p. 41, 42	DI	don-quijote (Luer & Andreetta) Luer - Thesarus Masd 18:3	DIP
Masd in Kleur; p. 6	P	Icones Pleuro XIX; p. 73, 74	DI
NEO; 3:987	I	Masd in Kleur; p. 15	P
brenneri (Luer) Luer - Icones Pleuro XIX; p. 43, 44	DI	NEO; 3:1024, 1025	IP
NEO; 3:988	I	dorisiae (Luer) Luer - Icones Pleuro XIX; p. 75, 76	DI
bryophila (Luer) Luer - Thesarus Masd 20:13 (was trechsliniana)	DIP	Icones Pleuro XVIII; p. 149-150, 155	DI
Icones Pleuro XIX; p. 45, 46	DI	Masd in Kleur; p. 60, 61	P
Masd in Kleur; p. 60	P	draconis (Luer & Andreetta) - Lindleyana 3(1); p. 21	DI
Masd in Kleur; p. 67 (was trechsliana)	P	Icones Pleuro XIX; p. 77, 78	DI
buccinator (Rchb.f. & Warsc.) Luer - Thesarus Masd 13:1	DIP	Masd in Kleur; p. 15	P
Orquideologia XVI(1); p. 85	I	NEO; 3:1026	P
Icones Pleuro XIX; p. 47, 48	DI	dunstervillei (Luer) Luer - Selbyana 7(1); p. 106	DI
Masd in Kleur; p. 6	P	Icones Pleuro XIX; p. 79, 80	DI
NCO; 2:330	P	Orc of Ven FG 2; p. 486	I
calagrasalis (Luer) Luer - Treas of Masd 24:3	DIP	echo (Luer) Luer - Thesarus Masd 6:5	DIP
Icones Pleuro XIX; p. 49, 50	DI	Icones Pleuro XIX; p. 81, 82	DI
Masd in Kleur; p. 7	P	Icones Plant Trop, Ser II, Fasc 2; pl. 101	DI
NEO; 3:992, 993	IP	Masd in Kleur; p. 15	P
cardiantha (Kgr.) Luer - Thesarus Masd 3:3	DIP	empusa (Luer) Luer - Icones Pleuro XIX; p. 83, 84	DI
Icones Pleuro XIX; p. 51, 52	DI	Treas of Masd 25:6	DIP
Masd in Kleur; p. 8	P	Masd in Kleur; p. 62	P
carolloi (Luer & Andreetta) Luer - Icones Pleuro XIX; p. 181, 182	DI	NEO; 3:1029	P
NEO; 3:999	P	eumeces (Luer) Luer - Lindleyana 4(3); p. 111	DI
carruthersiana (Lehm. & Krzl.) Luer - Thesarus Masd 4:2	DIP	Icones Pleuro XIX; p. 235, 236	DI
Icones Pleuro XIX; p. 53 - 56	DI	excelsior (Luer & Andreetta) Luer - Thesarus Masd 18:4	DIP
Masd in Kleur; p. 8	P	Icones Pleuro XIX; p. 85, 86	DI
NEO; 3:1000	P	Masd in Kleur; p. 17	P
cheloglossa (Luer & Dalström) Luer		NEO; 3:1034	I
cinnamomea (Rchb.f.) Luer - Thesarus Masd 3:5	DIP	fosterae (Luer) Luer - Icones Pleuro XIX; p. 87, 88	DI
Icones Pleuro XIX; p. 57, 58	DI	Icones Pleuro XVIII; p. 150-151, 156	DI
Masd in Kleur; p. 10	P	frilehmannii (Luer & Vasquez) Luer -	
cocapatæ (Luer, Teague & Vásquez) Luer - Treas of Masd 23:3	DIP	Icones Pleuro XXII; p. 89a-90a	DI
Icones Pleuro XIX; p. 59, 60	DI	Bolivia Rev 3(1,2); p. 39-41	DI
Orc of Bolivia Vol 1; p. 159	I	Orc of Bolivia Vol 2; p. 402	I
(Treas Masd 26 changed this painting to M. isos and replaced it with the correct painting of M. cocapatæ - 2001)		garciae (Luer) Luer - Thesarus Masd 10:6	DIP
concinna (Kgr.) Luer - Thesarus Masd 15:6	DIP	Icones Pleuro XIX; p. 89, 90	DI
Icones Pleuro XIX; p. 61, 62	DI	Selbyana 7(1); p. 109	D
Masd in Kleur; p. 11	P	Masd in Kleur; p. 19, 20	P
cosmia (Kgr.) Luer - Icones Pleuro XIX; p. 227, 228	DI	Orc of Ven FG 2; p. 488	I
Masd in Kleur; p. 60	P	guerrieroi (Luer & Andreetta) - Thesarus Masd 6:6	DIP
cuprea (Lindl.) Luer - Thesarus Masd 8:6	DIP	Icones Pleuro XIX; p. 91, 92	DI
Icones Pleuro XIX; p. 63 - 68	DI	Selbyana 2(4); p. 373	D
		NEO; 3:1043	I

Alaticaulia

guttulata (Rchb.f.) Luer - Thesarus Masd 7:4 Icones Pleuro XIX; p. 93 - 95 Masd in Kleur; p. 21 VOI; 2, p. 194 NEO; 3:1044	DIP DI P DI P	NEO; 3:1069 mascarata (Luer & Vásquez) Luer – Icones Pleuro XIX; p. 119, 120 Orc of Bolivia Vol 1; p. 147, 171 Masd in Kleur; p. 29 Treas Masd 26:6	P DI IP P DIP
helgae (Kgr. & J.Portilla) Luer - Thesarus Masd 20:5 Icones Pleuro XIX; p. 97, 98 Masd in Kleur; p. 61 NEO; 3:1046	DIP DI P P DIP	mayaycu (Luer & Hirtz) Luer - Lindleyana 3(4); p. 201 Icones Pleuro XIX; p. 243, 244 Masd in Kleur; p. 30 Treas Masd 26:7 NEO; 3:1072	DI DI P DIP P
imposter (Luer & Escobar) Luer - Thesarus Masd 3:7 Orquideologia XIII(2); p. 166, 168, 172, 173 Icones Pleuro XIX; p. 99, 100 Masd in Kleur; p. 24 NCO; 6:1115 NEO; 3:1054	DIP DIP DI P P P	medusa (Luer & Escobar) Luer - Thesarus Masd 12:10 Selbyana 7(1); p. 72 Orquideologia XVI(1); p. 99 Icones Pleuro XIX; p. 121, 122 Masd in Kleur; p. 30	DIP DIP D I DI P
inamomea Luer & Sijm – Icones Pleuro XXIX; p. 123-124	DI	melanoxantha (Linden & Rchb.f.) Luer - Thesarus Masd 3:8	DIP
infracta (Lindl.) Luer - Lindleyana 3(1); p. 32 Icones Pleuro XIX; p. 101-104 Orc of Bolivia Vol 1; p. 166 Masd in Kleur; p. 24	DI DI I P	Icones Pleuro XIX; p. 123, 124 Masd in Kleur; p. 30 VOI; 5, p. 170 Orc of Ven FG 2; p. 496	DI P DI I
ingridiana (Luer & Portilla) Luer – Icones Pleuro XXI; p. 105a, 106a (back of book)	DI	menatoi (Luer & Vásquez) Luer - Thesarus Masd 6:8	DIP
isos (Luer) Luer - Icones Plant Trop Fasc 6; pl. 544 Icones Pleuro XIX; p. 105, 106 Orc of Bolivia Vol 1; p. 168 Treas Masd 26:16	DI DI I DIP	Icones Plant Trop Ser II Fasc 3; pl. 248 Icones Pleuro XIX; p. 245-248 Thesarus Masd 17:5 (was foeda) Orc of Bolivia Vol 1; p. 163 (was foeda) Lindleyana 3(4); p. 198 (was foeda) Masd in Kleur; p. 31	DI DI DIP I DI P
jarae (Luer) Luer – Icones Pleuro XIX; p. 237, 238	DI	mezae (Luer) Luer - Thesarus Masd 3:9	DIP
kuhniorum (Luer) Luer - Thesarus Masd 4:8 Icones Orchid Peru pl. 086 Icones Pleuro XIX; p. 107, 108 Masd in Kleur; p. 25	DIP DI DI P	Icones Orchid Peru pl. 088 Icones Pleuro XIX; p. 125, 126 Masd in Kleur; p. 31	DI DI DI P
lata (Rchb.f.) Luer - Thesarus Masd 12:8 Icones Plant Trop, Fasc 15; pl. 1452 Icones Pleuro XIX; p. 239, 240 Masd in Kleur; p. 25 VOI; 6, p. 230	DIP DI DI P	monogona (Kgr.) Luer - Thesarus Masd 14:10 Icones Pleuro XIX; p. 127, 128 Masd in Kleur; p. 32	DIP DI DI P
lenae (Luer & Hirtz) Luer - Lindleyana 6(2); p. 87 Thesarus Masd 20:4 (was gracilior) Icones Pleuro XIX; p. 109, 110 Masd in Kleur; p. 26 NEO; 3:1062	DI DI DIP DI P P	munae (Luer & R.Barrow) Luer - Icones Pleuro XXVII; p. 291-292 navicularis (Garay & Dunst.) Luer - Thesarus Masd 12:11 Icones Pleuro XIX; p. 129, 130 Masd in Kleur; p. 33 VOI; 6, p. 232 Orc of Ven FG 2; p. 497	DI DIP DI P DI I
lintricula (Kgr.) Luer - Thesarus Masd 19:6 Icones Pleuro XIX; p. 111, 112 Masd in Kleur; p. 27 NEO; 3:1066	DIP DI P P	neukermansii Luer & Sijm – Icones Pleuro XXIX; p. 125-126 norae (Luer) Luer - Thesarus Masd 14:11 Lindleyana 3(1); p. 44 Icones Pleuro XIX; p. 131, 132 Masd in Kleur; p. 34 Orc of Ven FG 2; p. 498	DI DIP DI DI DI P I
listroglossa (Luer & Dalström) Luer	DI	obscurans (Luer) Luer - Lindleyana 3(1); p. 37 (was infracta ssp)	DI
loui (Luer & Dalström) Luer – Icones Pleuro XXV; p. 113a, 114a Treas of Masd 27:6	DIP	Icones Pleuro XVII; p. 112 Icones Pleuro XIX; p. 133, 134	D DI
luziae-mariae (Luer & Vásquez) Luer – Icones Pleuro XXII; p. 113a-114a Bolivia Rev 3(1,2); p. 41,42 Orc of Bolivia Vol 2; p. 403	DI DI I	odontopetala (Luer) Luer – Icones Pleuro XIX; p. 135, 136 Treas of Masd 25:10 Masd in Kleur; p. 34 NEO; 3:1089	DI DIP P I
maculata (Klotzsch & H.Karst.) Luer - Thesarus Masd 19:7 Icones Orchid Peru pl. 297 Icones Pleuro XIX; p. 113, 114 Masd in Kleur; p. 29 VOI; 1, p. 210 Orc of Ven FG 2; p. 495	DIP DI DI P DI I DIP	omorenoi (Luer & Vásquez) Luer – Icones Pleuro XIX; p. 137, 138 Orc of Bolivia Vol 1; p. 177 oreas (Luer & Vásquez) Luer - Thesarus Masd 5:9 Icones Plant Trop Ser II Fasc 3; pl. 249 Icones Pleuro XIX; p. 249, 250 Orc of Bolivia Vol 1; p. 178 Masd in Kleur; p. 35	DI DI DI DIP DI I P
maduroi (Luer) Luer - Treas of Masd 24:7 Masd in Kleur; p. 63 Icones Pleuro XVII; p. 110-111, 118 Icones Pleuro XIX; p. 241, 242	DI DI DIP DI I	oscitans (Luer) Luer - Lindleyana 3(1); p. 37 (was infracta ssp) Icones Pleuro XVII; p. 112 Icones Pleuro XIX; p. 139, 140 Masd in Kleur; p. 35	DI D DI P
martineae (Luer) Luer - Treas of Masd 22:6 Icones Pleuro XIX; p. 115, 116 Orc of Bolivia Vol 1; p. 170	DI DI I	pastinata (Luer) Luer – Icones Pleuro XIX; p. 141, 142	DI
martiniana (Luer) Luer - Icones Pleuro XVI; p. 108, 110, 111 Icones Pleuro XIX; p. 117, 118	DI DI	patchicutzae (Luer & Hirtz) Luer - Lindleyana 10(2); p. 123 Icones Pleuro XIX; p. 143, 144	DI DI

Alaticaulia

	NEO; 3:1099	P	VOI; 6, p. 234	DI
phoebe	(Luer & Hirtz) Luer - Icones Pleuro XXVII; p. 295-296	DI	Orc of Ven FG 2; p. 502	I
phoenix	(Luer) Luer - Thesarus Masd 10:11	DIP	Orquideologia XXIII(1); p. 17	P
	Icones Pleuro XIX; p. 145, 146	DI	schlimii (Linden ex Lindl.) Luer - Icones Pleuro II; p. 46	I
	Masd in Kleur; p. 38	P	Thesarus Masd 12:14	DIP
pinocchio	(Luer & Andreetta) Luer - Thesarus Masd 16:9	DIP	Icones Pleuro XIX; p. 253, 254	DI
	Icones Pleuro XIX; p. 1, 147, 148	DI	Masd in Kleur; p. 46	P
	Masd in Kleur; p. 39	P	VOI; 3, p. 170	DI
	NEO; 3:1107	P	Orc of Ven FG 2; p. 503	I
plynophora	(Luer) Luer - Icones Pleuro XXV; p. 149a, 150a	DI	schudelii (Luer) Luer - Icones Pleuro XIX; p. 173, 174	DI
portillae	(Luer & Andreetta) Luer - Thesarus Masd 10:12	DIP	Icones Pleuro XVIII; p. 152, 157	DI
	Selbyana 2(4); p. 378	D	Treas Masd 26:12	DIP
	Icones Pleuro XIX; p. 149, 150	DI	NEO; 3:1131	I
	Masd in Kleur; p. 40	P	scitula (Kgr.) Luer - Thesarus Masd 18:14	DIP
	NEO; 3:1114	P	Icones Pleuro XIX; p. 175, 176	DI
	Icones Pleuro XXV; p. 1161-1162	DI	Masd in Kleur; p. 46	P
posadae	(Luer & Escobar) Luer - Thesarus Masd 4:13	DIP	scobina (Luer & Escobar) Luer - Thesarus Masd 6:10	DIP
	Thesarus Masd 20:12 (was sijmiana)	DIP	Selbyana 7(1); p. 75	D
	Selbyana 7(1); p. 74	D	Icones Pleuro XIX; p. 177, 178	DI
	Icones Pleuro XIX; p. 151-154	DI	Masd in Kleur; p. 46	P
	Masd in Kleur; p. 40	P	NCO; 6:1117	P
	Masd in Kleur; p. 49 (was sijmiana)	P	serendipita (Luer & Teague) Luer - Lindleyana 8(1); p. 53	DI
	NCO; 2:325	P	Icones Pleuro XIX; p. 179, 180	DI
priscellana	(Luer) Luer - Icones Pleuro XXVII; p. 297-298	DI	Orc of Bolivia Vol 1; p. 187	I
	Treas of Masd 28:12	DIP	sernae (Luer & Escobar) Luer - Thesarus Masd 9:13	DIP
proboscoidea	(Luer & V.N.M.) Luer -	DI	Orquideologia XIII(2); p. 169, 183, 184, 185	DIP
	Icones Pleuro XXVI; p. 251, 252	DIP	Icones Pleuro XIX; p. 181, 182	DI
	Treas of Masd 27:11	DI	Masd in Kleur; p. 47	P
prolixa	(Luer) Luer - Icones Pleuro XX; p. 125, 137	DI	NCO; 6:1100	P
prosartema	(Königer) Luer - Thesarus Masd 9:11	DIP	NEO; 3:999 (was carollii)	P
	Icones Orchid Peru pl. 299	DI	NEO; 3:1132	P
	Icones Pleuro XIX; p. 155, 156	DI	sprucei (Rchb.f.) Luer - Thesarus Masd 17:11	DIP
	Masd in Kleur; p. 41	P	Icones Pleuro XIX; p. 183, 184	DI
pyxis	(Luer) Luer - Thesarus Masd 3:14	DIP	Masd in Kleur; p. 48	P
	Icones Pleuro XIX; p. 251, 252	DI	VOI; 6, p. 236	DI
	Masd in Kleur; p. 42	P	Orc of Ven FG 2; p. 504, 505	I
receptrix	(Luer & Vásquez) Luer - Thesarus Masd 4:14	DIP	stenorynchos (Krzl.) Luer - Thesarus Masd 4:15	DIP
	Icones Pleuro XIX; p. 157, 158	DI	Icones Pleuro XIX; p. 185, 186	DI
	Orc of Bolivia Vol 1; p. 184	I	Masd in Kleur; p. 48	P
	Masd in Kleur; p. 42	P	NCO; 6:1097	P
rechingeriana	(Kraenzl.) Luer - Icones Pleuro XXV; p. 159a, 160a	DI	stirpis (Luer) Luer - Lindleyana 4(3); p. 122	DI
	VOI; 4, p. 132	DI	Icones Pleuro XIX; p. 187, 188	DI
recurvata	(Luer & Dalström) Luer - Icones Pleuro XV; p. 132, 133	DI	Masd in Kleur; p. 48	P
	Treas of Masd 23:11	DIP	synthesis (Luer) Luer - Lindleyana 8(1); p. 55	DI
	Icones Pleuro XIX; p. 159, 160	DI	Treas of Masd 25:14	DIP
	Masd in Kleur; p. 65	P	Icones Pleuro XIX; p. 189, 190	DI
revoluta	(Kgr.) Luer - Icones Pleuro XIX; p. 161, 162	DI	Masd in Kleur; p. 49	P
	Treas of Masd 25:11	DIP	telloi (Luer & Hirtz) Luer - Icones Pleuro XXVII; p. 301-302	DI
	Masd in Kleur; p. 42	P	theleüra (Luer) Luer - Thesarus Masd 8:14	DIP
	NEO; 3:1120	P	Icones Pleuro XIX; p. 191, 192	DI
richardsoniana	(Luer) Luer - Lindleyana 3(1); p. 55	DI	Masd in Kleur; p. 49, 67	I
	Treas of Masd 24:14	DIP	NEO; 3:1139	P
	Icones Pleuro XIX; p. 163, 164	DI	thienii (Dodson) Luer - Thesarus Masd 19:14	DIP
	Masd in Kleur; p. 43	P	Selbyana 4; 164	DI
rojohnii	Luer - Icones Pleuro XXIX; p. 127-128	DI	Icones Pleuro XIX; p. 259, 260	DI
rolandorum	(Luer & Sijm) Luer -	DI	Masd in Kleur; p. 49	P
	Icones Pleuro XXV; p. 165a, 166a	DI	NCO; 2:312	P
royi	Luer - Icones Pleuro XXVIII; p. 261, 262	DI	NEO; 3:1140	I
sanctae-fidei	(Krzl.) Luer - Icones Pleuro XIX; p. 165, 166	DI	torulosa (Königer & J.Portilla) Luer - Icones Pleuro XIX; p. 56	I
	Masd in Kleur; p. 45	P	tovarensis (Rchb.f.) Luer - Thesarus Masd 1:10	DIP
	NCO; 6:1111	P	Icones Pleuro XIX; p. 193, 194	DI
	Orc of Ven FG 2; p. 501	I	Masd in Kleur; p. 50	P
sanguinea	(Luer) Luer - Icones Pleuro XIX; p. 167, 168	DI	VOI; 1, p. 212	DI
	NEO; 3:1129	I	Orc of Ven FG 2; p. 508	I
sceptrum	(Rchb.f.) Luer - Thesarus Masd 14:13	DIP	trochilus (Linden & André) Luer - Thesarus Masd 10:15	DIP
	Icones Pleuro XIX; p. 169-172	DI	Icones Pleuro XIX; p. 195-198 (replaced by IP XXV)	DI
	Masd in Kleur; p. 45	P	Masd in Kleur; p. 51	P

Alaticaulia

- NCO; 2:314
NEO; 3:1146
Icones Pleuro XXV; p. 195(1)-197(1) (replaces IP XIX)
- tsubotae** (Luer) Luer - Lindleyana 9(2); p. 114
Treas of Masd 23:14
Icones Pleuro XIX; p. 199, 200
Masd in Kleur; p. 51
- vargasii** (C.Schweinf.) Luer - Thesarus Masd 7:14
Icones Orchid Peru pl. 304
Icones Pleuro XIX; p. 201-206
Orquideologia XV(2,3); p. 134, 135 (was megaloglossa)
Orc of Bolivia Vol 1; p. 192
Masd in Kleur; p. 30 (was megaloglossa)
Masd in Kleur; p. 52
NCO; 6:1119 (was megaloglossa)
NEO; 3:1150
- venus** (Luer & Hirtz) Luer - Icones Pleuro XX; p. 125-126, 137
Treas Masd 26:14
NEO; 3:1154
- virens** (Luer & Andretta) Luer - Thesarus Masd 9:15
Icones Pleuro XIX; p. 207, 208
Masd in Kleur; p. 54
NEO; 3:1155
- virgo-cuencae** (Luer & Andretta) Luer - Thesarus Masd 11:15
Icones Pleuro XIX; p. 209, 210
Icones Pleuro XXII; p. 209-210
Masd in Kleur; p. 54
NEO; 3:1156
Treas of Masd 28:14
Orquideologia XXIII(2); p. 75-78
(was orchipayanensium)
- vomeris** (Luer) Luer - Icones Pleuro XIX; p. 211, 212
- weberbaueri** (Schltr.) Luer - Thesarus Masd 1:14
Icones Orchid Peru pl. 090
Icones Pleuro XIX; p. 213-216
Masd in Kleur; p. 55
NEO; 3:1158
- whiteana** (Luer) Luer - Thesarus Masd 1:15
Icones Plant Trop, Ser II, Fasc 2; pl. 102
Icones Pleuro XIX; p. 217, 218
Masd in Kleur; p. 55
NEO; 3:1160
- wuerstlei** (Luer) Luer - Icones Pleuro XIX; p. 261, 262
Icones Pleuro XVIII; p. 154, 157
- xylina** (Rchb.f.) Luer - Icones Pleuro XIX; p. 219, 220
- zumbae** (Luer) Luer - Lindleyana 8(1); p. 61
Icones Pleuro XIX; p. 221, 222
Masd in Kleur; p. 57
NEO; 3:1167
- zumbuehlerae** (Luer) Luer - Icones Pleuro XXIII; p. 263a-264a
Treas of Masd 28:16
- Anathallis** (these were Pleurothallis, some are now others)
- abbreviata** (Schltr.) Pridgeon & M.W.Chase = *Panmorphia paranaënsis*
Icones Pleuro XXVIII; p. 145 (5/2006)
- aristulata** (Lindl.) Luer
- barbulata** (Lindl.) Pridgeon & M.W.Chase = *Panmorphia barbulata*
Icones Pleuro XXVIII; p. 147 (5/2006)
- bleyensis** (Pabst) Luer
- brevipes** (Barb.Rodr.) Pridgeon & M.W.Chase = *Panmorphia brevipes*
Icones Pleuro XXVIII; p. 148 (5/2006)
- breviscapa** (C.Schweinf.) Pridgeon & M.W.Chase =
Panmorphia fumera
Icones Pleuro XXVIII; p. 156 (5/2006)
- carvalhoi** (Luer & Tusciano) Luer - Selbyana 23(2); p. 183, 184
- P **casualis** (Ames) Pridgeon & M.W.Chase = *Panmorphia casualis*
P *Icones Pleuro XXVIII; p. 149 (5/2006)*
- DI **clandestina** (Lindl.) Pridgeon & M.W.Chase = *Panmorphia clandestina*
DI *Icones Pleuro XXVIII; p. 150 (5/2006)*
- DIP **comayaguensis** (Ames) Pridgeon & M.W.Chase =
DI *Panmorphia comayaguensis*
P *Icones Pleuro XXVIII; p. 151 (5/2006)*
- DIP **corynophora** (Luer) Pridgeon & M.W.Chase =
DI *Panmorphia fractiflexa*
DI *Icones Pleuro XXVIII; p. 154 (5/2006)*
- DI **crebrifolia** (Barb.Rodr.) Luer (was *Lepanthes crebrifolia*)
I **cuspidata** (Luer) Pridgeon & M.W.Chase = *Panmorphia cuspidata*
P *Icones Pleuro XXVIII; p. 152 (5/2006)*
- P **dalessandroi** (Luer) Pridgeon & M.W.Chase =
P *Panmorphia dalessandroi*
P *Icones Pleuro XXVIII; p. 152 (5/2006)*
- DI **endresii** (Luer) Pridgeon & M.W.Chase = *Panmorphia endresii*
DIP *Icones Pleuro XXVIII; p. 153 (5/2006)*
- DIP **fuegii** (Rchb.f.) Pridgeon & M.W.Chase = *Sylphia fuegii*
DI *Icones Pleuro XXVIII; p. 228 (5/2006)*
- DI **graveolens** (Pabst) Luer
P **guarajaensis** (Hoehne) Luer
P **haberi** (Luer) Pridgeon & M.W.Chase = *Panmorphia haberi*
DIP *Icones Pleuro XXVIII; p. 158 (5/2006)*
- DI **heterophylla** Barb.Rodr. = *Specklinia heterophylla*
DI *Icones Pleuro XXVI; p. 261 (2/2004)*
- P **imbricata** (Barb.Rodr.) Luer
P **implexa** (Luer) Pridgeon & M.W.Chase = *Panmorphia lasioglossa*
DIP *Icones Pleuro XXVIII; p. 164 (5/2006)*
- DIP **involuta** (L.O.Williams) Solano & Soto Arenas = *Panmorphia involuta*
DI *Icones Pleuro XXVIII; p. 161 (5/2006)*
- DI **iota** (Luer) Pridgeon & M.W.Chase = *Panmorphia iota*
DIP *Icones Pleuro XXVIII; p. 162 (5/2006)*
- DI **lewisiae** (Ames) Pridgeon & M.W.Chase = *Panmorphia lewisiae*
DI *Icones Pleuro XXVIII; p. 164 (5/2006)*
- P **lichenophila** (C.Porto & Brade) Luer
P **megalophora** (Luer) Pridgeon & M.W.Chase =
DIP *Panmorphia megalophora*
DI *Icones Pleuro XXVIII; p. 166 (5/2006)*
- DI **microphyta** (Barb.Rodr.) Luer
P **minutalis** (Lindl.) Pridgeon & M.W.Chase = *Panmorphia minutalis*
P *Icones Pleuro XXVIII; p. 167 (5/2006)*
- DI **mitchellii** (Dod) Pridgeon & M.W.Chase = *Specklinia mitchellii*
DI *Icones Pleuro XXVIII; p. 58 (5/2006)*
- DI **muricaudata** (Luer) Pridgeon & M.W.Chase =
DI *Panmorphia muricaudata*
DI *Icones Pleuro XXVIII; p. 168 (5/2006)*
- P **nectarifera** Barb.Rodr. = *Specklinia nectarifera*
I *Icones Pleuro XXVI; p. 262 (2/2004)*
- DI **nortonii** (Luer) Pridgeon & M.W.Chase = *Panmorphia humilis*
DIP *Icones Pleuro XXVIII; p. 160 (5/2006)*
- oblanceolata** (Ames) Solano & Soto Arenas =
Panmorphia oblanceolata
Icones Pleuro XXVIII; p. 169 (5/2006)
- pachyphyta** (Luer) Pridgeon & M.W.Chase = *Panmorphia pachyphyta*
Icones Pleuro XXVIII; p. 170 (5/2006)
- polygonoides** (Griseb.) Pridgeon & M.W.Chase =
Panmorphia polygonoides
Icones Pleuro XXVIII; p. 171 (5/2006)
- racemiflora** (Lindl. ex Lodd.) Pridgeon & M.W.Chase =
Loddigesia quadrifida
Icones Pleuro XXVIII; p. 251 (05/2006)
- reedii** (Luer) Luer - Selbyana 23(2); p. 186, 188
- sertularioides** (Sw.) Pridgeon & M.W.Chase =
Panmorphia sertularioides
Icones Pleuro XXVIII; p. 175 (5/2006)
- DI **sororcula** (Schltr.) Luer

Anathallis

subnulla (Luer & Tusciano) Luer - Selbyana 23(2); p. 190, 191-194	DI	NEO; 4:1851	P
yucatanensis (Ames & C.Schweinf.) Solano & Soto Arenas = <i>Specklinia spiculifera</i> <i>Icones Pleuro XXVIII</i> ; p. 67 (5/2006)			
Ancipitia (these were Pleurothallis unless noted)			
anceps (Luer) Luer - <i>Icones Pleuro VI</i> ; p. 6, 7 Selbyana 5(2); p. 159, 160 NEO; 4:1735	DI D P		
anthrax (Luer & Escobar) Luer - <i>Icones Pleuro VI</i> ; p. 8, 9 <i>Orquideologia XIV(2)</i> ; p. 130, 131 NCO; 3:497	DI DI P		
caniceps (Luer) Luer - <i>Icones Pleuro VI</i> ; p. 10, 11 Selbyana 7(1); p. 114 <i>Icones Pleuro in Color I</i> ; p. 12	DI D P		
caprina (Luer & Escobar) Luer - <i>Icones Pleuro VI</i> ; p. 12 <i>Orquideologia XIV(2)</i> ; p. 138, 139 NCO; 3:491	DI DI P		
condorensis (Luer & Hirtz) Luer - <i>Icones Pleuro VI</i> ; 14, 15 NEO; 4:1756 (spelling – condorensis)	DI P		
crocodiliceps (Rchb.f.) Luer - <i>Icones Pleuro VI</i> ; p. 16, 17 Lindleyana 1(4); p. 300 Selbyana 1(1); p. 66 Selbyana 3(3,4); p. 244 <i>Icones Pleuro in Color I</i> ; p. 11 NCO; 6:1225 Orc of Ven FG 3; p. 769	DI DI DI DI P P I		
cypelligera (Luer & Hirtz) Luer - <i>Icones Pleuro XXIV</i> ; p. 107, 119	DI		
driessenii (Luer) Luer - <i>Icones Pleuro XX</i> ; p. 128, 138	DI		
dunstervillei (Foldats) Luer - <i>Icones Pleuro VI</i> ; p. 18, 19 NCO; 6:1227 (spelling dunstervilleorum) VOI; 6, p. 338 Orc of Ven FG 3; p. 777	DI P DI I		
duplex (Luer & Escobar) Luer - <i>Icones Pleuro VI</i> ; p. 20, 21 <i>Orquideologia XVI(1)</i> ; p. 22, 23	DI DI		
eumecocaulon (Schltr.) Luer - <i>Icones Pleuro VI</i> ; p. 22, 23 Selbyana 1(2); p. 198 <i>Icones Pleuro in Color I</i> ; p. 11 <i>Icones Pleuro VI</i> ; p. 32, 33 (was P. instar) Selbyana 3(3,4); p. 320 (was P.instar) <i>Icones Pleuro in Color I</i> ; p. 11 (was P.instar)	DI DI P DI DI P		
furcifera (Luer) Luer - <i>Icones Pleuro VI</i> ; p. 24, 25 Selbyana 3(1,2); p. 108 <i>Icones Orchid Peru</i> pl. 158	DI DI DI		
gratiosa (Rchb.f.) Luer - <i>Icones Pleuro VI</i> ; p. 26, 27 <i>Icones pleuro in Color I</i> ; p. 11 VOI; 1, p. 324 Orc of Ven FG 3; p. 793	DI P DI I		
harpago (Luer) Luer - <i>Icones Pleuro VI</i> ; p. 28, 29 Selbyana 5(2); p. 167	DI D		
inornata (Luer & Hirtz) Luer - <i>Icones Pleuro VI</i> ; p. 30, 31	DI		
jimii (Luer) Luer - <i>Icones Pleuro XXVI</i> ; p. 237, 242	DI		
londonii (Luer) Luer - <i>Icones Pleuro XIV</i> ; p. addendum 6, 7	DI		
membracidoides (Luer) Luer - <i>Icones Pleuro VI</i> ; p. 34, 35	DI		
niveoglobula (Luer) Luer - <i>Icones Pleuro VI</i> ; p. 36, 37 Selbyana 1(3); p. 258 <i>Icones Pleuro in Color I</i> ; p. 12 NEO; 4:1812	DI DI P I		
odobeniceps (Luer) Luer - <i>Icones Pleuro VI</i> ; p. 38, 39 NCO; 3:499	DI P		
onagriceps (Luer & Hirtz) - <i>Icones Pleuro VI</i> ; p. 40, 41	DI		
praecipua (Luer) Luer - <i>Icones Pleuro VI</i> ; p. 42, 43 NEO; 4:1828	DI DI P		
solium (Luer) Luer - <i>Icones Pleuro VI</i> ; p. 44, 45 Selbyana 7(1); p. 123	DI DI		
spathulipetala (Luer) Luer - <i>Orquideologia XX(2)</i> ; p. 227, 228	DI		
tetragona (Luer & Escobar) Luer - <i>Icones Pleuro VI</i> ; p. 46, 47 <i>Orquideologia XIV(2)</i> ; p. 178, 179 <i>Icones Pleuro in Color I</i> ; p. 12 NCO; 3:498	DI DI P P		
viduata (Luer) Luer - <i>Icones Pleuro VI</i> ; p. 48, 49 <i>Icones Pleuro in Color I</i> ; p. 11 NEO; 4:1874	DI P I		
vorator (Luer & Vásquez) Luer - <i>Icones Pleuro III</i> ; p. 30 <i>Icones Pleuro VI</i> ; p. 50, 51 Orc of Bolivia Vol 1; p. 359	DI DI I		
Andinia			
dalstroemii (Luer) Pridgeon & M.W.Chase - <i>Icones Pleuro XI</i> ; p. 54, 55	DI DI		DI
dielsii (Mansf.) Luer - <i>Icones Pleuro XX</i> ; p. 6 <i>Icones Pleuro I</i> ; p. 58 (was <i>Salpistele dielsii</i>) <i>Icones Pleuro VIII</i> ; p. 134 (was <i>Salpistele dielsii</i>) NEO; 5:2055, 2056	DI DI DI P		I I DI IP
hirtzii Luer - <i>Icones Pleuro XXVII</i> ; p. 275-276, 280	DI		DI
hystricosa (Luer) Pridgeon & M.W.Chase - <i>Icones Pleuro XI</i> ; p. 54, 56, 57	DI DI		DI
ibex (Luer) Pridgeon & M.W.Chase - <i>Icones Pleuro III</i> ; p. 27 <i>Icones Pleuro XI</i> ; p. 56, 58, 59 Selbyana 5(2); p. 168, 169 NEO; 4:1780	DI P P I		I DI D P
lappacea (Luer) Pridgeon & M.W.Chase - <i>Icones Pleuro XX</i> ; p. 129, 139 NEO; 4:1791	DI DI P		DI P
panica (Luer & Dalström) Pridgeon & M.W.Chase - <i>Icones Pleuro XIV</i> ; p. addendum 6, 8	DI		DI
pensilis (Schltr.) Luer - <i>Icones Pleuro XX</i> ; p. 6 <i>Icones Pleuro VIII</i> ; p. 136, 137 (was <i>Salpistele pensilis</i>) NEO; 5:2057, 2058, 2059	DI DI DI		I DI IP
pentamytera (Luer) Pridgeon & M.W.Chase - <i>Icones Pleuro XI</i> ; p. 58, 60	DI DI P		DI
pogonion (Luer) Pridgeon & M.W.Chase - <i>Icones Pleuro XI</i> ; p. 61, 62	DI DI		DI
schizopogon (Luer) Pridgeon & M.W.Chase - <i>Icones Pleuro XI</i> ; p. 61, 63, 64 Selbyana 5(2); p. 179, 180 NEO; 4:1846	DI DI DI P		DI D P
trimytera (Luer & Escobar) Pridgeon & M.W.Chase - <i>Icones Pleuro XI</i> ; p. 64, 65, 66 <i>Orquideologia XVI(1)</i> ; p. 34, 35	DI DI P DI		DI DI
Andreettaea (this was Andreettaea, then Pleurothallis, now back)			
ocellus Luer - <i>Icones Pleuro III</i> ; p. 32 Selbyana 2 (2/3); p. 183, 203 (was Andreettaea) NEO; 4:1814 <i>Icones Pleuro XXVIII</i> ; p. 82	DI DI DI DI		I DI I D
Anthereon (this is now Pabstiella and Ronaldella)			
aryter (Luer) Pridgeon & M.W.Chase = <i>Ronaldella aryter</i> <i>Icones Pleuro XXVIII</i> ; p. 195 (5/2006)	DI		
determannii (Luer) Pridgeon & M.W.Chase = <i>Ronaldella determannii</i> <i>Icones Pleuro XXVIII</i> ; p. 196 (5/2006)	DI		
mentosus (Cogn.) Pridgeon & M.W.Chase = <i>Pabstiella yauaperyensis</i> <i>Icones Pleuro XXVIII</i> ; p. 141 (5/2006)	DI P		
tripteranthus (Rchb.f.) Pridgeon & M.W.Chase = <i>Pabstiella tripterantha</i> <i>Icones Pleuro XXVIII</i> ; p. 140 (5/2006)	DI DI		

Antilla

Antilla (these were Pleurothallis unless noted)

- alainii** (Dod) Luer
alpestris (Sw.) Luer – Icones Pleuro XX; p. 41, 49
appendiculata (Cogn.) Luer – Icones Pleuro XX; p. 42, 49
bahoruensis (Luer) Luer - Lindleyana 14(2); p. 108
 Icones Pleuro XX; p. 42-43, 49
erosa (Urb.) Luer – Icones Pleuro XX; p. 43, 49
laxa (Sw.) Luer – Icones Pleuro XX; p. 44, 50
parvula (Ames & C.Schweinf.) Luer –
 Icones Pleuro XX; p. 44-45, 50
pendens (Dod) Luer – Icones Pleuro XX; p. 45-46, 50
privigna (Luer) Luer - Lindleyana 14(2); p. 118
 Icones Pleuro XX; p. 46, 51
 Bolivia Rev 3(1,2); p. 59, 61, 62
prostrata (Lindl.) Luer – Icones Pleuro XX; p. 46-47, 51
quisqueyana (Dod) Luer – Icones Pleuro XX; p. 47, 51
trichophora (Lindl.) Luer – Icones Pleuro XX; p. 48, 51

Apatostelis (think this is now Stelis and Pleurothallis)

- alata** (Lindl.) Garay = *Stelis tenuilabris*
atrorubens (L.O.Williams) Garay = *Stelis atrorubens*
braccata (Rchb.f. & Warsc.) Garay = *Stelis braccata*
chamaestelis (Rchb.f.) Garay = *Stelis chamaestelis*
ciliaris (Lindl.) Garay = *Stelis ciliaris*
corae (Foldats) Garay = *Stelis navicularis*
costaricensis (Rchb.f.) Garay = *Stelis costaricensis*
crescenticola (Schltr.) Garay = *Stelis crescenticola*
garayi (Dunst.) Garay = *Stelis garayi*
glossula (Rchb.f.) Garay = *Stelis glossula*
gracilifolia (C.Schweinf.) Garay = *Stelis gracilifolia*
grossilabris (Rchb.f.) Garay = *Stelis grossilabris*
hirtella Garay = *Stelis hirtella*
hylophila (Rchb.f.) Garay = *Stelis hylophila*
inaequalis (Ames) Garay = *Stelis inaequalis*
jimenezii (Schltr.) Garay = *Stelis jimenezii*
latipetala (Ames) Garay = *Stelis latipetala*
leinigii (Pabst) Garay = *Stelis leinigii*
magnipetala (Schltr.) Garay = *Stelis magnipetala*
minimiflora (Schltr.) Garay = *Stelis oblonga*
minuta (C.Schweinf.) Garay = *Stelis minuta*
montana (L.O.Williams) Garay = *Stelis montana*
muscosa (Lindl.) Garay = *Stelis muscosa*
oxypetala (Schltr.) Garay = *Stelis oxypetala*
pendulispica (Ames) Garay = *Stelis pendulispica*
persimilis (Ames) Garay = *Stelis persimilis*
pleistantha (Schltr.) Garay = *Stelis pleistantha*
rubens (Schltr.) Garay = *Stelis rubens*
rufrobrunnea (Lindl.) Garay = *Pleurothallis rufrobrunnea*
skutchii (Ames) Garay = *Stelis skutchii*
standleyi (Ames) Garay = *Stelis standleyi*
tonduziana (Schltr.) Garay = *Stelis tonduziana*
umbelliformis (Hespenh. & Dressler) Garay =
Stelis umbelliformis ssp. *umbelliformis*

Apoda-Prorepentia (all of these were Pleurothallis)

- calypso** (Luer) Luer - Icones Pleuro III; p. 33
 NEO; 4:1748
 Icones Pleuro XXIX; p. 85, 91
dodsonii (Luer) Luer - Selbyana 3(1,2); p. 96
 NEO; 4:1764
 Icones Pleuro XXIX; p. 85-86, 91
hystrix (Kraenzl.) Luer - Icones Pleuro XXIX; p. 86, 91

- karlii** (Pabst) Luer - Icones Pleuro XXIX; p. 86-87, 91 DI
kateora (Garay) Luer DI
 Icones Pleuro XXIX; p. 87, 92 DI
melanochthoda (Luer & Hirtz) Luer – Lindleyana 11(3); p. 169, 170 DI
 NEO; 4:1806 P
 Icones Pleuro XXIX; p. 87-88, 92 DI
portilloi (Luer & Escobar) Luer – DI
 Orquideologia XV(2,3); p. 144, 145 DI
 Icones Pleuro XXIX; p. 88, 92 DI
testifolia (Sw.) Luer - Selbyana 11(S); p. 690 I
 VOI; 3, p. 260 DI
 Orc of Ven FG 3; p. 859 I
 Icones Pleuro XXIX; p. 89, 92 DI

Areldia (this was Pleurothallis)

- dressleri** (Luer) Luer - Icones Pleuro III; p. 40 I
 Selbyana 3(1,2); p. 98 DI
 Icones Pleuro XXVIII; p. 83 D

Arthrosia (this was Pleurothallis)

- auriculata** (Lindl.) Luer - Icones Pleuro III; p. 35 I
 Selbyana 3(3,4); p. 250 DI
 Orc of Bolivia Vol 1; p. 250, 275 IP
barbacenensis (Barb.Rodr.) Luer
caldensis (Höhne) Luer
duartei (Hoehne) Luer
floribunda (Lindl.) Luer
freyi Luer – Icones Pleuro XXVIII; 248, 257 DI
hygrophila (Barb.Rodr.) Luer
malacantha (Rchb.f.) Luer
muscosa (Barb.Rodr.) Luer
myrticola (Barb.Rodr.) Luer
purpureo-violacea (Cogn.) Luer

Atopoglossum (these were Pleurothallis unless noted)

- ekmanii** (Schltr.) Luer – Icones Pleuro XXVIII; p. 83-84, 92 DI
excentricum (Luer) Luer - Lindleyana 14(2); p. 106
 (was Octomeria) DI
 Icones Pleuro XXVIII; p. 84-85, 92 DI
prostratum (H.Stenzel) Luer – Lindleyana 16:1; p. 26-28
 (was Octomeria) DI

Barbosella

- anaristella** (Krzl.) Garay = *Barbosella dolichorhiza*
 Icones Pleuro XX; p. 18 (5/2000)
australis (Cogn.) Schltr. – Icones Pleuro XX; p. 13, 30 DI
australis var. **genuina** Hoehne = *Barbosella australis*
 Icones Pleuro XX; p. 13 (5/2000)
australis var. **latipetala** Hoehne = *Barbosella australis*
 Icones Pleuro XX; p. 13 (5/2000)
australis var. **loefgrenii** (Cogn.) Hoehne = *Barbosella australis*
 Icones Pleuro XX; p. 13 (5/2000)
bradeorum Schltr. = *Barbosella dolichorhiza*
 Icones Pleuro XX; p. 18 (5/2000)
brenesii Schltr = *Barbosella prorepens*
 Icones Pleuro XX; p. 24 (5/2000)
caespitifica (Lehm. & Krzl.) Garay = *Barbosella prorepens*
 Icones Pleuro XX; p. 24 (5/2000)
circinata Luer - Selbyana 3(3,4); p. 204 DI
 Icones Pleuro XX; p. 13-14, 30 DI
cogniauxiana (Speg. & Krzl.) Schltr.

Barbosella

- Icones Pleuro XX; p. 14-15, 30
crassifolia (Edwall) Schltr. – Icones Pleuro XX; p. 15-16, 31
crassifolia var. **aristata** Hoehne = *Barbosella crassifolia*
 Icones Pleuro XX; p. 15 (5/2000)
crassifolia var. **genuina** Hoehne = *Barbosella crassifolia*
 Icones Pleuro XX; p. 15 (5/2000)
crassifolia var. **minor** Hoehne = *Barbosella crassifolia*
 Icones Pleuro XX; p. 15 (5/2000)
crassifolia var. **hamburgensis** (Krzl.) Garay = *Barbosella crassifolia*
 Icones Pleuro XX; p. 15 (5/2000)
cucullata (Lindl.) Schltr. - Icones Pleuro I; p. 18
 Icones Plant Trop, Ser II, Fasc 1; pl. 8
 Icones Pleuro XX; p. 16-18, 31
 Orc of Bolivia Vol 1: p. 50-51
 NCO; 1:25, 26
 NEO; 1:50
 VOI; 1, p. 46
dolichorhiza Schltr. – Icones Pleuro XX; p. 18-19, 32
 Selbyana 10 (S); p. 17 (was anaristella)
duzenii (A.Samp.) Schltr. – Icones Pleuro XX; p. 20, 32
dussii (Cogn.) Dod = *Barbosella prorepens*
 Icones Pleuro XX; p. 24 (5/2000)
fuscata Garay – Icones Pleuro XX; p. 20-21, 32
gardneri (Lindl.) Schltr. – Icones Pleuro XX; p. 21-22, 33
gardneri var. **desenii** (A.Samp.) Hoehne = *Barbosella gardneri*
 Icones Pleuro XX; p. 21 (5/2000)
gardneri var. **genuina** Hoehne = *Barbosella gardneri*
 Icones Pleuro XX; p. 21 (5/2000)
geminata Luer - Icones Plant Trop, Fasc 14; pl. 1302
 Icones Pleuro XX; p. 22, 33
hamburgensis (Krzl.) Hoehne = *Barbosella crassifolia*
 Icones Pleuro XX; p. 15 (5/2000)
handroi Hoehne = *Barbosella cogniauxiana*
 Icones Pleuro XX; p. 14 (5/2000)
hirtzii Luer - NEO; 1:52
kegelii (Rchb.f.) Schltr. = *Chamelophyton kegelii*
 Icones Pleuro XXVIII; p. 85 (5/2006)
loefgrenii (Cogn.) Schltr. = *Barbosella australis*
 Icones Pleuro XX; p. 13 (5/2000)
longiflora (Krzl.) Schltr. = *Barbosella cucullata*
 Icones Pleuro XX; p. 16 (5/2000)
longipes Schltr. = *Barbosella cucullata*
 Icones Pleuro XX; p. 16 (5/2000)
macaheënsis (Cogn.) Luer – Icones Pleuro XX; p. 23, 33
microphylla (Barb.Rodr.) Schltr. = *Barbosella gardneri*
 Icones Pleuro XX; p. 21 (5/2000)
miersii (Lindl.) Schltr. = *Barbrodria miersii*
 Icones Pleuro XX; p. 36 (5/2000)
monstrabilis (Ames) Garay = *Barbosella prorepens*
 Icones Pleuro XX; p. 24 (5/2000)
orbicularis Luer - Lindleyana 1 (4); p. 224
 Selbyana 3(1,2); p. 10
 Icones Pleuro XX; p. 23-24, 33
 NEO; 1:48
 Orc of Ven FG 1; p. 20
porschii (Krzl.) Schltr. = *Barbosella cogniauxiana*
 Icones Pleuro XX; p. 14 (5/2000)
peruviana ? – Icones Pleuro in Color I; p. 1
portillae Luer - Icones Pleuro XXIV; p. 97-98, 115
prorepens (Rchb.f.) Schltr. - Selbyana 10 (S); p. 18
 Icones Plant Trop, Ser II, Fasc 1; pl. 9
 Icones Plant Trop, Fasc 14; pl. 1303
 Icones Pleuro XX; p. 24-26, 34
 NCO; 1:24
 NEO; 1:49, 51
 Orc of Ven FG 1; p. 21
reichenbachiana (Endres) Schltr. = *Restrepiopsis reichenbachiana*
- DI *Icones Pleuro XX; p. 11 (5/2000)*
 DI **rhynchantha** (Rchb.f. & Warsz.) Schltr. = *Barbosella cucullata*
 Icones Pleuro XX; p. 16 (5/2000)
ricii Luer & Vásquez – Icones Pleuro XX; p. 26-27, 34 DI
riograndensis Dutra apud Pabst = *Barbosella cogniauxiana*
 Icones Pleuro XX; p. 14 (5/2000)
schista Luer & Escobar - *Orquideologia XVI(1)*; p. 7, 9 DI
 Icones Pleuro XX; p. 27, 35 DI
spiritu-sanctensis (Pabst) F. Barros & Toscano – DI
 Icones Pleuro XX; p. 27-28, 35 DI
 I **trilobata** Pabst – Icones Pleuro XX; p. 28, 35 DI
 DI **tolimensis** (Knzl.) Garay = *Barbosella prorepens*
 Icones Pleuro XX; p. 24 (5/2000)
 IP **varicosa** (Lindl.) Schltr. = *Barbosella cucullata*
 Icones Pleuro XX; p. 16 (5/2000)
 P **vasquezii** Luer – Icones Pleuro XX; p. 29, 35 DI
 DI Orc of Bolivia Vol 1; p. 52 I
- ## Barbrodria
- miersii** (Lindl.) Luer - Icones Pleuro I; p. 19 I
 Icones Pleuro XX; p. 36-37 DI
 Icones Pleuro in Color I; p. 1 P
- ## Brachionidium
- alpestre** Luer & Vásquez - Icones Pleuro XII; p. 12-13 DI
 Orc of Bolivia Vol 1; p. 56, 57 IP
andreetae Luer & Andreetta - Icones Pleuro XII; p. 14-15 DI
 NEO; 1:86, 88 IP
arethusa Luer - Icones Pleuro XII; p. 16-17 DI
ballatrix Luer & Hirtz - Icones Pleuro XII; p. 18-19 DI
brachycladum Luer & Escobar - Icones Pleuro XII; p. 20-21 DI
 Orquideologia XVI(3); p. 34, 35 DI
 P **brevicaudatum** Rolfe - Icones Pleuro XII; p. 22-23 DI
 Orc of Ven FG 1; p. 35 I
calypso Luer - Icones Pleuro XII; p. 24-25 DI
capillare Luer & Hirtz - Icones Pleuro XII; p. 26-27 DI
ciliolatum Garay - Icones Pleuro XII; p. 28-29 DI
concolor Lindl. = *Brachionidium tuberculatum*
 Icones Pleuro XII; p. 126 (12/1995)
cruzae L.O.Williams - Icones Pleuro XII; p. 30-31 DI
 DI **dalstroemii** Luer - Icones Pleuro XII; p. 32-33 DI
 Lindleyana 1 (3); p. 170 DI
 NEO; 1:93 I
dentatum Luer & Dressler - Icones Pleuro XII; p. 34-35 DI
diaphanum Luer & Vásquez - Icones Pleuro XII; p. 36-37 DI
 Orc of Bolivia Vol 1; p. 56, 58 IP
dodsonii Luer - Icones Pleuro XII; p. 38-39 DI
dressleri Luer - Icones Pleuro XII; p. 40-41 DI
 DI **dungsii** Pabst = *Brachionidium restrepioides*
 Icones Pleuro XII; p. 110 (12/1995)
 I **dussii** Cogn. = *Brachionidium parvum*
 Icones Pleuro XII; p. 90 (12/1995)
 I **ecuadorensis** Garay - Icones Pleuro XII; p. 42-43 DI
 NEO; 1:77 I
 P **elegans** Luer & Hirtz - Icones Pleuro XII; p. 44-45 DI
 NEO; 1:78, 79 IP
epherum Luer & Hirtz - Icones Pleuro XII; p. 46-47 DI
 DI **escobarii** Luer - Icones Pleuro XII; p. 48-49 DI
 Lindleyana 1 (3); p. 172 DI
 DI **filamentosum** Luer & Hirtz - Icones Pleuro XII; p. 50-51 DI
 P **floribundum** Garay = *Brachionidium tuberculatum*
 Icones Pleuro XII; p. 126 (12/1995)
 IP **folsomii** Dressler - Icones Pleuro XII; p. 52-53 DI
 I Orc of Bolivia Vol 1; p. 155, 156, 157, 162 DIP

Brachionidium

NEO; 1:81			
fornicatum Luer & Hirtz - Icones Pleuro XII; p. 54-55	DI	Orc of Bolivia Vol 1; p. 60	I
furfuraceum Luer - Icones Pleuro XII; p. 56-57	DI	NCO; 5:733	P
galeatum Luer & Hirtz - Icones Pleuro XII; p. 58-59	DI	NEO; 1:92	I
haberi Luer - Icones Pleuro XII; p. 60-61	DI	VOI; 5, p. 32 (was floribundum)	DI
hirtzii Luer - Icones Pleuro XII; p. 62-63	DI	Orc of Ven FG 1; p. 36	I
Lindleyana 1 (3); p. 174	DI	uxorium Luer & Vásquez - Icones Pleuro XII; p. 1, 130-131	DIP
NEO; 1:95, 97	DI	Orc of Bolivia Vol 1; p. 61	I
imperiale Luer & Escobar - Icones Pleuro XII; p. 64-65	IP	valerioi Ames & Schweinf. - Icones Pleuro XII; p. 132-133	DI
ingramii Luer & Dalström - Icones Pleuro XIV; p. addendum 1, 2	DI	Selbyana 10 (S); p. 48	I
jesupiae Luer - Icones Pleuro XII; p. 66-67	DI	vasquezii Luer - Icones Pleuro I; p. 22	I
julianii Carnevali & Ramírez - Icones Pleuro XII; p. 68-69	DI	Icones Pleuro XII; p. 134-135	DI
kuhniarum Dressler - Icones Pleuro XII; p. 70-71	DI	Icones Plant Trop Ser II Fasc 3; pl. 202	DI
Orquideologia XV (2,3); p. 159, 164	DI	Orc of Bolivia Vol 1; p. 56, 62	IP
NEO; 1:87, 89	DIP	zunagense Luer & Hirtz - Icones Pleuro XII; p. 136-137	DI
lehmannii Luer - Icones Pleuro XII; p. 72-73	IP		
longicaudatum Ames & Schweinf. - Icones Pleuro XII; p.74-75	DI		
loxense Luer - Icones Pleuro XII; p. 76-77	DI		
NEO; 1:82	I		
lucanoideum Luer - Icones Pleuro XII; p. 78-79	DI	Brachycladium (these were Lepanthes unless noted)	
meridense Garay - Icones Pleuro XII; p. 80-81	DI	ariasianum (Luer) Luer - Icones Pleuro XVII; p. 104, 108	DI
minusculum Luer & Dressler - Icones Pleuro XII; p. 82, 83	DI	cardiochilum (Luer & Escobar) Luer - Icones Pleuro XI; p. 6, 7	DI
muscosum Luer & Vásquez - Icones Pleuro XII; p. 82, 83, 84	DI	catellum (Luer & Escobar) Luer - Icones Pleuro XI; p. 6, 8, 9	DI
Orc of Bolivia Vol 1; p. 59	DI	Orquideologia XVI(1); p. 10, 11	DI
neblinense Carnevali & Ramírez - Icones Pleuro XII; p. 84	DI	caveroi D.E.Bennett & Christ.	
operosum Luer & Hirtz - Icones Pleuro XII; p. 86, 87	I	chilopse (Luer & Hirtz) Luer - Icones Pleuro XXIV; p. 88, 94	DI
parvifolium (Lindl.) Lindl. - Icones Pleuro XII; p. 86, 88, 89	D	ciliare (Luer & Hirtz) Luer - Icones Pleuro XI; p. 8, 10	DI
NCO; 5:734	DI	compositum (Luer & Escobar) Luer - Icones Pleuro XI; p. 11, 12	DI
NEO; 1:76	DI	Orquideologia XIX(2); p. 84, 88	DI
parvum Cogn. - Icones Pleuro XII; p. 90-92	P	cordilabium (Luer) Luer - Icones Pleuro XXIV; p. 88, 94	DI
NEO; 1:80	I	dactylum (Garay) Luer - Icones Pleuro XI; p. 11, 13, 14	DI
peltarion Luer - Icones Pleuro XII; p. 92-94	DI	destitutum (Luer & Escobar) Luer - Icones Pleuro XI; p. 14, 15	DI
pepe-portillae Luer & Hirtz -	DI	Orquideologia XVII(3); p. 180, 181	DI
Icones Pleuro XXVI ; p. 233, 240	I	erepse (Luer & Hirtz) Luer - Icones Pleuro XI; p. 1, 16, 17	DIP
phalangiferum Garay - Icones Pleuro XII; p. 94-95	DI	NEO; 2:803, 804	IP
piuntzae Luer - Icones Pleuro XII; p. 96-97	DI	exigum (Luer & Jost) Luer - Icones Pleuro XXIV; p. 89, 94	DI
NEO; 1:83	DI	geminipetalum (Luer & Portilla) Luer -	
polypodium Luer - Icones Pleuro XII; p. 98-99	DI	Icones Pleuro XXIV; p. 89, 95	DI
portillae Luer - Icones Pleuro XII; p. 100-101	I	hippocrepicum (Luer & Escobar) Luer -	
Lindleyana 1 (3); p. 176	DI	Icones Pleuro XI; p. 16, 18, 19	DI
NEO; 1:85	DI	Orquideologia XVIII(1); p. 54, 55	DI
portillae Luer & Hirtz = <i>Brachionidium pepe-portillae</i>	I	Lep in Kleur; p. 24, 25 (not sure if 24 is correct)	P
<i>Icones Pleuro XXVII; p. 309 (4/2005)</i>	I	NEO; 2:819, 820	IP
pterglossum Luer - Icones Pleuro XII; p. 102-103	DI	irrasum (Luer & Escobar) Luer - Icones Pleuro XI; p. 18, 20	DI
NEO; 1:84	DI	lunare (Luer) Luer - Icones Pleuro XI; p. 21, 22	DI
puraceense Luer - Icones Pleuro XII; p. 104-105	DI	lupulum (Luer & Hirtz) Luer - Icones Pleuro XI; p. 21, 23, 24	DI
pusillum Ames & Schwiinf. - Icones Pleuro XII; p. 106-107	DI	lynnianum (Luer) Luer - Icones Pleuro XXIV; p. 91, 95	DI
renzii Luer - Icones Pleuro XII; p. 108-109	DI	micropetalum (L.O.Williams) Luer - Icones Pleuro XI; p. 24, 25, 26	DI
restrepioides (Hoehne) Pabst - Icones Pleuro XII; p. 110-111	DI	NEO; 2:836	I
rugosum Luer & Hirtz - Icones Pleuro XII; p. 112, 113	DI	monilium (Luer & Escobar) Luer - Icones Pleuro XI; p. 26, 27	DI
Lindleyana 1 (3); p. 178	DI	Orquideologia XVI(1); p. 12, 13	DI
NEO; 1:94, 96	DI	nummularium (Rchb.f.) Luer - Icones Pleuro XI; p. 28, 29, 30-31	DI
satyrium Luer - Icones Pleuro XII; p. 112, 113, 114	IP	octocornutum (Luer) Luer- Icones Pleuro XXIV; p. 91, 96	DI
serratum Schltr. - Icones Pleuro XII; p. 114	DI	pendens (Garay) Luer - Icones Pleuro XI; p. 29, 32, 33	DI
sherringii Rolfe - icones Pleuro XII; p. 116-118	DI	persimile (Luer & Sijm) Luer - Icones Pleuro XXIV; p. 92, 96	DI
sherringii var. <i>parvum</i> = <i>Brachionidium parvum</i>	DI	pholeter (Luer) Luer - Icones Pleuro XI; p. 33, 34	DI
<i>Icones Pleuro XII; p. 90 (12/1995)</i>	D	pilosellum (Rchb.f.) Luer - Icones Pleuro XI; p. 35, 36, 37	DI
simplex Garay - Icones Pleuro XII; p. 118-120	DI	Lep in Kleur; p. 40, 41, 44	P
NEO; 1:91	I	Orc of Bolivia Vol 1; p. 118	I
stellare Luer & Hirtz - Icones Pleuro XII; p. 120-121	DI	platysepalum (Luer & Escobar) Luer -	
steyermarkii Foldats = <i>Brachionidium tuberculatum</i>	DI	Icones Pleuro XI; p. 36, 38, 39	DI
<i>Icones Pleuro XII; p. 126 (12/1995)</i>	DI	NCO; 2:254, 256	P
syme-morrisii Luer - Icones Pleuro XII; p. 122-123	DI	pseudocaulescens (L.B.Smith & Harris) Luer -	
tetrapetalum (Lehm. & Krzl.) Schltr. -	DI	Icones Pleuro XI; p. 38, 40, 41	DI
Icones Pleuro XII; p. 124-125	DI	NEO; 2:843	P
NEO; 1:90	I	ricii (Luer & Vásquez) Luer - Icones Pleuro XI; p. 40, 42	DI
tuberculatum Lindl. - Icones Pleuro XII; p. 126-129	DI	Orc of Bolivia Vol 1; p. 86, 122	IP
	I	stalactites (Luer & Hirtz) Luer - Icones Pleuro XI; p. 43, 44	DI
	DI	Lindleyana 2(2); p. 105	DI

Brachycladium

Lep in Kleur; p. 49	P	Masd in Kleur; p. 32	P
NEO; 2:851	I	NCO; 2:328	P
triangulare (Luer) Luer - Icones Pleuro XI; p. 43, 45, 46	DI	Icones Pleuro XXV; p. 1251-1252	DI
tridactylum (Luer) Luer - Icones Pleuro XXIV; p. 92, 96	DI	nidifica (Rchb.f.) Luer - Icones Pleuro II; p. 14	I
ursulum (Luer & Escobar) Luer - Icones Pleuro XI; p. 46, 47, 48	DI	Thesarus Masd 10:8	DIP
viebrockianum (Luer & Jost) Luer - Icones Pleuro XVII; p. 108, 109	DI	Selbyana 11(S); p. 445	I
villosum (Løjtnant) Luer - Icones Pleuro XI; p. 48, 49	DI	Icones Plant Trop, Fasc 16; pl. 1453	DI
Lep in Kleur; p. 54	P	Masd in Kleur; p. 33	P
weneri (Luer) Luer - Icones Pleuro XXIV; p. 93, 96	DI	NEO; 3:1087	P
		NEO; 3:1152 (was <i>ventricosa</i>)	P
		Icones Pleuro XXV; p. 1253-1256	DI
Brenesia (these were Pleurothallis unless noted)		ophioglossa (Rchb.f.) Luer - Icones Pleuro II; p. 16	I
aspasicensis (Rchb.f.) Luer –		Selbyana 3(3,4); p. 214	DI
Icones Pleuro IX; p. 100, 102-104 (was <i>Myoxanthus</i>)	DI	Thesarus Masd 3:11	DIP
Selbyana 3(1,2); p. 44 (was <i>alexandrae</i>)	DI	Masd in Kleur; p. 34	P
Selbyana 3(1,2); p. 156 (was <i>pastacensis</i>)	DI	NEO; 3:1090	P
Orc of Bolivia Vol 1; p. 273	I	Icones Pleuro XXV; p. 1257-1258	DI
NEO; 4:1739	P	strigosa (Koniger) Luer - Masd in Kleur; p. 66	P
balaeniceps (Luer & Dressler) Luer –		Icones Pleuro XXV; p. 1259-1260	DI
Icones Pleuro IX; p. 94, 95 (was <i>Myoxanthus</i>)	DI	ventricosa (Schltr.) Luer - Icones Pleuro XXV; p. 1259-1260	DI
Orquideologia XVI(3); p. 47, 49, 50, 51	DIP		
herrerae (Luer) Luer - Lindleyana 6(2); p. 100	DI		
johnsonii (Ames) Luer - Selbyana 3(3,4); p. 324	DI		
Selbyana 11(S); p. 661	I		
lappiformis (A.H.Heller & L.O.Williams) Luer –		Byrsella (was <i>Masdevallia</i>)	
Icones Pleuro IX; p. 96, 97 (was <i>Myoxanthus</i>)	DI	atahualpa (Luer) Luer - Thesarus Masd 8:3	DIP
Selbyana 3(3,4); p. 330	DI	Selbyana – 7(1); p. 102	DI
Selbyana 11(S); p. 662	I	Icones Pleuro XXI; p. 275-276	DI
NCO; 6:1218	P	Masd in Kleur; p. 5	P
pan (Luer) Luer - Icones Pleuro IX; p. 1, 98, 99 (was <i>Myoxanthus</i>)	DIP	angulata (Rchb.f.) Luer - Thesarus Masd 11:1	DIP
Selbyana 3(3,4); p. 360	DI	Icones Pleuro XXI; p. 273-274	DI
sempergemmata (Luer) Luer – (sometimes spelled <i>sempergemmatus</i>)		Masd in Kleur; p. 3	P
Icones Pleuro IX; p. 104-106 (was <i>Myoxanthus</i>)	DI	NEO; 3:970	P
Selbyana 3(3,4); p. 386	DI	anomala (Luer & Sijm) Luer – Icones Pleuro XXV; p. 227a, 228a	DI
stonei (Luer) Luer –		belua (Kgr. & D'Aless.) Luer - Thesarus Masd 20:2	DIP
Icones Pleuro IX; p. 98, 100, 101 (was <i>Myoxanthus</i>)	DI	Icones Pleuro XXI; p. 277-278	DI
tomentosa (Luer) Luer – Icones Pleuro XVIII; p. 177, 180	DI	Masd in Kleur; p. 5, 6	P
Orquideologia XXI(3); p. 337-339	DI	NEO; 3:978	P
uncinata (Fawc.) Luer – (sometimes spelled <i>uncinatus</i>)		bonplandii (Rchb.f.) Luer - Treas of Masd 21:2	DIP
Icones Pleuro IX; p. 106-108 (was <i>Myoxanthus</i>)	DI	Icones Pleuro XXI; p. 279-282	DI
Selbyana 3(1,2); p. 194	DI	Masd in Kleur; p. 6	P
Selbyana 10(1); p. 105, 137	DI	NCO; 6:1094	P
Selbyana 11(S); p. 693	DI	NEO; 3:983, 984, 985	IP
NCO; 6:1219	P	bourdetteana (Luer) Luer - Lindleyana 9(2); p. 103	DI
VOI; 1, p. 354	DI	Treas of Masd 23:2	DIP
		Icones Pleuro XXI; p. 283-284	DI
		NEO; 3:986	I
		cacodes (Luer & Escobar) Luer - Thesarus Masd 8:5	DIP
		Selbyana 7(1); p. 70	D
		Icones Pleuro XXI; p. 285-286	DI
		Masd in Kleur; p. 7	P
		caesia (Roezl) Luer - Thesarus Masd 15:2	DIP
		Icones Pleuro XXI; p. 287-288	DI
		Masd in Kleur; p. 7	P
		NCO; 2:323	P
		campyloglossa (Rchb.f.) Luer - Lindleyana 3(1); p. 21, 24	DI
		Thesarus Masd 10:1	DIP
		Icones Pleuro XXI; p. 289-294	DI
		Lindleyana 3(1); p. 21, 25 (was <i>ssp. ortgiesiana</i>)	DI
		Masd in Kleur; p. 8	P
		NCO; 6:1122	P
		NEO; 3:996, 997	IP
		civilis (Rchb.f. & Warsc.) Luer - Thesarus Masd 5:4	DIP
		Icones Plant Trop, Ser II, Fasc 1; pl. 100	DI
		Icones Orchid Peru pl. 291	DI
		Icones Pleuro XXI; p. 295-296	DI

Byrsella

Masd in Kleur; p. 10	P	NEO; 3:1084	I
VOI; 4, p. 128	DI	oscarii (Luer & Escobar) Luer - Thesarus Masd 16:8	DIP
colossus (Luer) Luer - Thesarus Masd 2:5	DIP	Orquideologia XIII(2); p. 168, 175, 176, 177	DIP
Icones Pleuro XXI; p. 297-298		Icones Pleuro XXI; p. 339-340	DI
NEO; 3:1004	P	Masd in Kleur; p. 35	P
coriacea (Lindl.) Luer - Icones Pleuro II; p. 24	I	NCO; 6:1078	P
Thesarus Masd 4:4	DIP	pachyantha (Rchb.f.) Luer - Icones Pleuro XXI; p. 341-342	DI
Orquideologia XVI(1); p. 74	I	Masd in Kleur; p. 35, 36	P
Icones Pleuro XXI; p. 299-302	DI	pachysepala (Rchb.f.) Luer - Treas of Masd 22:8	DIP
Masd in Kleur; p. 12	P	Lindleyana 9(4); p. 245	DI
NCO; 6:1105	P	Icones Pleuro XXI; p. 343-344	DI
elephanticeps (Rchb.f. & Warsc.) Luer - Thesarus Masd 5:5	DIP	Orc of Ven FG 2; p. 499	I
Icones Pleuro XXI; p. 303-304	DI	pardina (Rchb.f.) Luer - Treas of Masd 21:9	DIP
Masd in Kleur; p. 16	P	Icones Pleuro XXI; p. 345-346	DI
NCO; 2:338	P	NEO; 3:1097	P
foetens (Luer & Escobar) Luer - Thesarus Masd 4:6	DIP	peristeria (Rchb.f.) Luer - Lindleyana 3(1); p. 44, 48	DI
Orquideologia XIII(2); p. 157, 160, 161, 169	DIP	Thesarus Masd 3:12	DIP
Icones Pleuro XXI; p. 305-306	DI	Lindleyana 3(1); p. 44, 49 (was ssp. <i>maematosticta</i>)	DI
Masd in Kleur; p. 19	P	Icones Pleuro XXI; p. 347-350	DI
fractiflexa (Lehm. & Krzl.) Luer - Thesarus Masd 3:6	DIP	Masd in Kleur; p. 37	P
Icones Pleuro XXI; p. 307-308	DI	NCO; 6:1076	P
Masd in Kleur; p. 19	P	NEO; 3:1102	P
NEO; 3:1038, 1039	P	picea (Luer) Luer - Treas of Masd 21:11	DIP
fragrans (Woolw.) Luer - Orquideologia XVI(1); p. 73	I	Icones Pleuro XXI; p. 351-352	DI
Icones Pleuro XXI; p. 309-310	DI	Masd in Kleur; p. 38	P
gargantua (Rchb.f.) Luer - Icones Pleuro XXI; p. 311-314	DI	platyglossa (Rchb.f.) Luer - Thesarus Masd 6:9	DIP
hylodes (Luer & Escobar) Luer - Treas of Masd 21:8	DIP	Icones Pleuro XXI; p. 353-354	DI
Orquideologia XIII(2); p. 162, 164, 165, 170	DIP	Masd in Kleur; p. 39	P
Icones Pleuro XXI; p. 315-316	DI	NEO; 3:1110	P
hystrix (Luer & Hirtz) Luer - Thesarus Masd 17:8	DIP	rigens (Luer) Luer - Thesarus Masd 5:11	DIP
Icones Pleuro XXI; p. 317-318	DI	Icones Orchid Peru pl. 300	DI
Masd in Kleur; p. 23	P	Icones Pleuro XXI; p. 355-356	DI
NEO; 3:1053	P	Masd in Kleur; p. 43	P
lappifera (Luer & Hirtz) Luer - Icones Pleuro XXIII; p. 319a-320a	DI	Selbyana 5(2); p. 150, 151	D
NEO; 3:1059	P	sanctae-rosae (Krzl.) Luer - Thesarus Masd 10:14	DIP
Treas of Masd 28:4	DIP	Icones Pleuro XXI; p. 357-358	DI
leontoglossa (Rchb.f.) Luer - Thesarus Masd 18:8	DIP	semiteres (Luer & Escobar) Luer - Thesarus Masd 9:12	DIP
Icones Pleuro XXI; p. 319-320	DI	Masd in Kleur; p. 47	P
Masd in Kleur; p. 26	P	Selbyana 5(2); p. 154	D
NCO; 6:1080	P	spilantha (Kgr.) Luer - Icones Pleuro XXI; p. 361-362	DI
liliana (Luer) Luer - Lindleyana 6(2); p. 90, 91	DI	Masd in Kleur; p. 47	P
Icones Pleuro XXI; p. 321-322	DI	sumapazensis (P. Ortiz) Luer -	
Masd in Kleur; p. 31 (was <i>melina</i>)	P	Orquideologia XIV(3); p. 223, 225, 229	DIP
macroglossa (Rchb.f.) Luer - Thesarus Masd 14:7	DIP	Icones Pleuro XXI; p. 363-364	DI
Icones Pleuro XXI; p. 323-326	DI	torta (Rchb.f.) Luer - Thesarus Masd 11:12	DIP
Masd in Kleur; p. 28	P	Icones Pleuro XXI; p. 365-366	DI
NCO; 6:1083	P	Masd in Kleur; p. 50	P
Orc of Ven FG 2; p. 494	I	NCO; 2:313	P
maloi (Luer) Luer - Thesarus Masd 10:7	DIP	velella (Luer) Luer - Icones Pleuro XXIII; p. 367a-368a	DI
Icones Pleuro XXI; p. 329-330	DI	velifera (Rchb.f.) Luer - Thesarus Masd 12:15	DIP
Masd in Kleur; p. 29	P	Orquideologia XII(2,3); p. 154	P
NEO; 3:1068	P	Icones Pleuro XXI; p. 367-368	DI
misasii (Braas) Luer - Thesarus Masd 8:10	DIP	Masd in Kleur; p. 53	P
Orquideologia XII(2,3); p. 151, 152, 153 (was <i>reflexa</i>)	DIP	NCO; 2:315	P
Icones Pleuro XXI; p. 332-332	DI	Orquideologia XXIII(1); p. 23	P
Masd in Kleur; p. 31	P		
NCO; 6:1096	P		
mooreana (Rchb.f.) Luer - Icones Pleuro XXI; p. 332-336	DI	Chamelophyton (this was <i>Pleurothallis</i>)	
Thesarus Masd 5:15 (was <i>sororcula</i>)	DIP	kegelii (Rchb.f.) Garay - VOI; 3, p. 252 (was <i>P. hexandra</i>)	DI
Masd in Kleur; p. 32	P	Orc of Ven FG 3; p. 796	I
NCO; 6:1095	P	Icones Pleuro I; p. 22	I
VOI; 5, p. 172	DI	Icones Pleuro XXVIII; p. 85	D
murex (Luer) Luer - Thesarus Masd 7:7	DIP		
Selbyana 7(1); p. 112	DI		
Icones Orchid Peru pl. 089	DI	Colombiana (all of these were <i>Pleurothallis</i>)	
Icones Pleuro XXI; p. 337-338	DI		
Masd in Kleur; p. 32	P	aspergillum (Luer & Hirtz) Luer - Icones Pleuro VI; p. 56, 57	DI

Colombiana

NEO; 4:1740			
cosmetron (Luer) Luer - Icones Pleuro IX; p. 120, 121	DI	Orc of Bolivia Vol 1; p. 298	I
garayana (Ospina) Luer - Icones Pleuro VI; p. 58, 59	DI	VOI; 2, p. 294 (was Pleurothallis pluriracemosa)	DI
penicillata (Luer) Luer - Icones Pleuro III; p. 77	DI	Orc of Ven FG 3; p. 784	I
Icones Pleuro VI; p. 60, 61	I	NEO; 4:1771	I
NCO; 3:519	DI	fons-florum (Lindl.) Luer - Icones Pleuro XVI; p. 25-26, 67	DI
ruscaria (Luer) Luer - Icones Pleuro VI; p. 62, 63	P	Selbyana 3(1,2); p. 106	DI
scoparum (Rchb.f.) Luer - Icones Pleuro VI; p. 64, 65	DI	galeata (Lindl.) Luer - Icones Pleuro XVI; p. 26-28, 67	DI
Selbyana 1(1); p. 88	DI	VOI; 4, p. 216	DI
Icones Pleuro in Color I; p. 12	DI	Orc of Ven FG 3; p. 788	I
NEO; 4:1845	P	galerasensis (Luer) Luer - Icones Pleuro XVI; p. 28, 68	DI
silverstonei Luer - Icones Pleuro IX; p. 122, 123	P	gigas (Luer & Escobar) Luer - Icones Pleuro XVI; p. 28-29, 68	DI
Orquideologia XXII(1); p. 62-64	DI	Orquideologia XX(1); p. 52, 55, 57	DI
NCO; 6:1228	DI	infundibulosa (Luer) Luer - Icones Pleuro XVI; p. 29, 68	DI
tetroxys (Luer) Luer - Icones Pleuro VI; p. 66, 67	P	Orquideologia XX(2); p. 210, 111	DI
NEO; 4:1862	DI	jamesonii (Lindl.) Luer - Icones Pleuro XVI; p. 30, 68	DI
	P	NEO; 4:1786	I
		jurisdixii (Luer & Escobar) Luer - Icones Pleuro XVI; p. 31, 69	DI
		Orquideologia XX(1); p. 64, 65	DI
		laevigata (Lindl.) Luer - Icones Pleuro III; p. 1 (was lamprochlamys)	P
	I	Icones Pleuro XVI; p. 31-33, 69	DI
	DI	Selbyana 3(3,4); p. 328 (was lamprochlamys)	DI
	DIP	laevis (Luer & Hirtz) Luer - Icones Pleuro XVI; p. 33, 69	DI
	P	NEO; 4:1789	P
	P	laminata (Luer) Luer - Icones Pleuro XVI; p. 33-34, 70	DI
		lehmanniana (Schltr.) Luer -	
		Icones Pleuro III; p. 43 (was endotrachys)	I
		Icones Pleuro XVI; p. 34, 70	DI
		Selbyana 3(1,2); p. 100 (was endotrachys)	DI
		Selbyana 11(S); p. 641 (was endotrachys)	I
		NEO; 4:1793	P
		ligulata (Lindl.) Luer - Icones Pleuro XVI; p. 35-37, 70, 71	DI
		Selbyana 3(3,4); p. 334	DI
		Orc of Bolivia Vol 1; p. 311	I
		mandonii (Rchb.f.) Luer - Icones Pleuro XVI; p. 37, 71	DI
		Orc of Bolivia Vol 1; p. 314	I
		maxima (Luer) Luer - Icones Pleuro XVI; p. 38, 71	DI
		Selbyana 3(1,2); p. 140	DI
		NEO; 4:1802	P
		molleturoi (Luer & Dodson) Luer - Icones Pleuro XVI; p. 38-39, 71	DI
		moritzii (Rchb.f.) Luer - Icones Pleuro XVI; p. 39-40, 72	DI
		Orc of Ven FG 3; p. 815	I
		nivalis (Luer) Luer - Icones Pleuro XVI; p. 40, 72	DI
		Selbyana 1(4); p. 420	DI
		orectopus (Luer) Luer - Icones Pleuro XVI; p. 40-41, 72	DI
		Selbyana 3(3,4); p. 356	DI
		pachypus (Lehm & Krzl.) Luer - Icones Pleuro XVI; p. 41, 72	DI
		Selbyana 3(3,4); p. 370 (was quadrata)	DI
		Orc of Bolivia Vol 1; p. 323	I
		patateñsis (Luer) Luer - Icones Pleuro XVI; p. 42, 73	DI
		pellucida (Luer & Hirtz) Luer - Icones Pleuro XVI; p. 42-43, 73	DI
		pennelliana (Luer) Luer - Icones Pleuro XVI; p. 43, 73	DI
		pilifera (Lindl.) Luer - Icones Pleuro XVI; p. 43-44, 73	DI
		Selbyana 3(1,2); p. 172	DI
		popayanensis (Lehm. & Krzl.) Luer -	
		Icones Pleuro XVI; p. 44-45, 74	DI
		possoae (Luer) Luer - Icones Pleuro XX; p. 129-130, 139	DI
		praealta (Luer & Hirtz) Luer - Icones Pleuro XVI; p. 45, 74	DI
		NEO; 4:1827	P
		prolificans (Luer & Hirtz) Luer - Icones Pleuro XVI; p. 45-46, 74	DI
		pulchella (H.B.K.) Luer - Icones Pleuro XVI; p. 46-48, 74	DI
		Orc of Ven FG 3; p. 858 (was tepuiensis)	I
		retusiloba (C.Schweinf.) Luer - Icones Pleuro XVI; p. 48, 75	DI
		rhodotantha (Rchb.f.) Luer - Icones Pleuro XVI; p. 49, 75	DI
		Orc of Bolivia Vol 1; p. 332	I
		rictoria (Rchb.f.) Luer - Icones Pleuro XVI; p. 50, 75	DI
		salpingantha (Luer & Hirtz) Luer - Icones Pleuro XVI; p. 50-51, 75	DI
		Orc of Ven FG 3; p. 839	I

Condylago

rodrigoii Luer - Icones Pleuro I; p. 24
Icones Pleuro IV; p. 22, 23
Orquideologia XV (2/3); p. 118, 119, 120
Icones Pleuro in Color I; p. 6
NCO; 1:96

Crocodelanthé (these were Pleurothallis unless noted)

aligera (Luer & Vásquez) Luer - Icones Pleuro XVI; p. 11, 62	DI
Orc of Bolivia Vol 1; p. 266	I
aloiisii (Schltr.) Luer - Icones Pleuro XVI; p. 11, 62	DI
apposita (Luer) Luer - Icones Pleuro XVI; p. 12, 62	DI
atwoodii (Luer) Luer - Icones Pleuro XVI; p. 12, 62	DI
Lindleyana 11(2); p. 67	DI
avirostris (Luer & Hirtz) Luer - Icones Pleuro XVI; p. 13, 63	DI
batillacea (Luer) Luer - Icones Pleuro XVI; p. 13-14, 63	DI
Selbyana 3(1,2); p. 58	DI
bucaramangae (Luer & Escobar) Luer -	
Icones Pleuro XVI; p. 14, 63	
Orquideologia XX(1); p. 38, 39	
cassidis (Lindl.) Luer - Icones Pleuro XVI; p. 14-16, 63, 64	DI
NEO; 4:1750	I
cauliflora (Lindl.) Luer - Icones Pleuro XVI; p. 16-17, 64	DI
Selbyana 3(1,2); p. 104 (was exotica)	DI
choerorhyncha (Luer) Luer - Icones Pleuro XVI; p. 17, 64	DI
Orquideologia XX(2); p. 203, 205	DI
cosangae (Luer & Hirtz) Luer - Icones Pleuro XVI; p. 18, 64	DI
croatii (Luer) Luer - Icones Pleuro XVI; p. 18-19, 65	DI
cuatrecasasii (Luer) Luer - Icones Pleuro XVI; p. 19, 65	DI
Orquideologia XX(2); 208, 209	DI
cyathiflora (C. Schweinf.) Luer - Icones Pleuro XVI; p. 19-20, 65	DI
Lindleyana 6(2); p. 94 (was cochabambae)	DI
Icones Plant Trop Ser II Fasc 3; pl. 278	DI
Orc of Bolivia Vol 1; p. 287	I
domingensis (Cogn.) Luer - Icones Pleuro XVI; p. 20-21, 66	DI
elegans (Kunth) Luer - (was Dendrobium elegans) (was H.B.K.)	
Lindl. - Icones Pleuro XVI; p. 21-22, 66	
VOI; 4, p. 214	DI
VOI; 5, p. 246 (was roseopunctata)	DI
Orc of Ven FG 3; p. 778	I
erectiflora (Luer & Hirtz) Luer - Icones Pleuro XXVI; p. 236, 241	I
expansa (Lindl.) Luer - Icones Pleuro III; p. 37	DI
Icones Pleuro XVI; p. 1, 22-23, 66	DI
Selbyana 1(3); p. 242	DI
NEO; 4:1769	P
floribunda (Poepp. & Endl.) Luer - Icones Pleuro XVI; p. 23-25, 66	DI
Selbyana 3(3,4); p. 364 (was pluriracemosa)	DI

Cryptophoranthus

scansor (Luer) Luer - Icones Pleuro XVI; p. 51-52, 76
simplicilabia (C.Schweinf.) Luer - Icones Pleuro XVI; p. 52, 76
siphonantha (Luer) Luer - Icones Pleuro XVI; p. 52-53, 76
spathosa (Luer & Escobar) Luer - Icones Pleuro XVI; p. 53, 76
 Orquideologia XX(1); p. 85, 86
steliidiopsis (Luer) Luer - Icones Pleuro XVI; p. 53-54, 77
suinii Luer - Icones Pleuro XXVIII; p. 249, 257
taxis (Luer) Luer - Icones Pleuro XVI; p. 54, 77
 Selbyana 5(2); p. 184, 185
 NEO; 4:1858
tunguraguae (Lehm. & Krzl.) Luer -
 Icones Pleuro XVI; p. 54-55, 77
 Orc of Bolivia Vol 1; p. 354
 Selbyana 1(3); p. 298
 NEO; 4:1868 (spelled tungurahuae)
vargasii (C.Schweinf.) Luer - Icones Pleuro XVI; p. 55, 77
 Orc of Bolivia Vol 1; p. 356
vegrandis (Luer & Dodson) Luer - Icones Pleuro XVI; p. 56, 78
velaticaulis (Rchb.f.) Luer - Icones Pleuro XVI; p. 57-58, 78
 Selbyana 3(3,4); p. 364 (was pichinchae)
 VOI; 2, p. 308
 Orc of Ven FG 3; p. 865
verbiformis (Luer) Luer - Icones Pleuro XVI; p. 58-59, 78
 Selbyana 2(4); p. 389
virgata (Luer) Luer - Icones Pleuro XVI; p. 59, 79
weddelliana (Rchb.f.) Luer - Icones Pleuro XVI; p. 60, 79
 Orc of Bolivia Vol 1; p. 360
xiphizusa (Rchb.f. & Warsz.) Luer -
 Icones Pleuro XVI; p. 60-61, 79
zunagensis (Luer & Hirtz) Luer - Icones Pleuro XVI; p. 61, 79

Cryptophoranthus (is now Ophidion & Zootrophion)

acaulis Kraenzl. = *Tribulago tribuloides*
 Icones Pleuro XXVIII; p. 321 (5/2006)
alvaroi Garay = *Zootrophion atropurpureum*
 Selbyana 7(1); 80 (1982)
argus Rchb.f. = *Zootrophion dayanum*
 Selbyana 7(1); 81 (1982)
atropurpureus (Lindl.) Rolfe = *Zootrophion atropurpureum*
 Selbyana 7(1); 80 (1982)
aurantiacus Dod = *Tridelta aurantiaca*
 Icones Pleuro XXVIII; p. 232 (5/2006)
beglottis Schltr. = *Zootrophion dayanum*
 Selbyana 7(1); 81 (1982)
culnabulum Luer & Escobar = *Ophidion cunabulum*
 Selbyana 7(1); 79 (1982)
cymbula Luer = *Ophidion cymbula*
 Selbyana 7(1); 80 (1982)
dasyglossa Luer & Escobar = *Ophidion dasyglossum*
 Selbyana 7(1); 80 (1982)
dayanus (Rchb.f.) Rolfe = *Zootrophion dayanum*
 Selbyana 7(1); 81 (1982)
dodsonii Luer = *Zootrophion dodsonii*
 Selbyana 7(1); 81 (1982)
endresianum Krzl. = *Zootrophion endresianum*
 Selbyana 7(1); 81 (1982)
erosus Garay = *Dondodia erosa*
 Icones Pleuro XXVIII; 86 (5/2006)
gracilentus (Rchb.f.) Rolfe = *Zootrophion gracilentum*
 Selbyana 7(1); 81 (1982)
hoehnei Schltr. = *Apoda-Prorepentia hystrix*
 Icones Pleuro XXIX; p. 86 (08/2007)
hologlottis Schltr. = *Zootrophion dayanum*
 Selbyana 7(1); 81 (1982)
hypodiscus Rchb.f. = *Zootrophion hypodiscus*

DI *Selbyana* 7(1); 84 (1982)
 DI **hystrix** (Kraenzl.) Garay = *Apoda-Prorepentia hystrix*
 Icones Pleuro XXIX; p. 86 (08/2007)
 DI **lehmannii** Rolfe = *Zootrophion dayanum*
 DI *Selbyana* 7(1); 81 (1982)
 DI **lepidotus** L.O.Williams = *Zootrophion hypodiscus*
 DI *Selbyana* 7(1); 84 (1982)
 DI **moorei** Rolfe = *Zootrophion moorei*
 D *Selbyana* 7(1); 84 (1982)
 I **oblongifolius** Rolfe = *Zootrophion oblongifolium*
Selbyana 7(1); 84 (1982)
 DI **pleurothallopsis** Krzl. = *Ophidion pleurothallopsis*
 I *Selbyana* 7(1); 80 (1982)
 DI **rolfeanus** Krzl. = *Zootrophion hypodiscus*
 I *Selbyana* 7(1); 84 (1982)
 DI **trivalvis** Luer & Escobar = *Zootrophion trivalvis*
 I *Selbyana* 7(1); 84 (1982)
 DI **vulturiceps** Luer = *Zootrophion vulturiceps*
 DI *Selbyana* 7(1); 84 (1982)

Cucumeria (this was Pleurothallis)

DI **cucumeris** (Luer) Luer - Icones Pleuro III; p. 82 I
 D *Selbyana* 5(2); p. 162, 163 D
 DI Icones Pleuro XXIX; p. 94 D
 DI I

Didactylus (these were Pleurothallis)

DI **butcheri** (L.O.Williams) Luer - *Selbyana* 3(3,4); p. 252 DI
 DI Icones Pleuro XXVI; p. 77-78, 109 DI
oscitans (Ames) Luer - *Selbyana* 3(1,2); p. 154 DI
 DI Icones Pleuro XXVI; p. 78, 109 DI
 NEO; 4:1816 P
paradoxa (Luer & Dalström) Luer - *Lindleyana* 11(34); p. 177, 178 DI
 DI Icones Pleuro XXVI; p. 78-79, 109
 NEO; 4:1820 P
thysana (Luer & J. Portilla) Luer - *Bolivia Rev* 3(1,2); p. 62-63 DI
 DI Icones Pleuro XXVI; p. 79-109 DI
 NEO; 4:1863 P

Diodonopsis (these were Masdevallia)

anachaeta (Rchb.f.) Pridgeon & M.W.Chase - *Thesaurus Masd* 3:2 DIP
 DI Icones Orchid Peru pl. 083
 DI Icones Pleuro XXI; p. 439-442
 IP Orc of Bolivia Vol 1; p. 145, 152
 P Masd in Kleur; p. 3
 IP NEO; 3:965, 966
erinacea (Rchb.f.) Pridgeon & M.W.Chase - *Icones Pleuro* II; p. 17 I
 DIP *Thesaurus Masd* 13:4
 DI *Selbyana* 3(3,4); p. 210
 DI Icones Plant Trop, Fasc 16; pl. 1548
 DI Icones Pleuro XXI; p. 457-460
 P Masd in Kleur; p. 16
 P NCO; 2:316
 IP NEO; 3:1030, 1031
pygmaea (Krzl.) Pridgeon & M.W.Chase - *Thesaurus Masd* 13:12 DIP
 DI Icones Plant Trop, Fasc 16; pl. 1554
 DI Icones Pleuro XXI; p. 487-488
 P Masd in Kleur; p. 41
 I NEO; 3:1118

Dondodia (was Cryptophoranthus, then Specklinia)

DI **erosa** (Garay) Luer - *Icones Pleuro* XXVIII; p. 86, 92

Draconanthes

Draconanthes

- aberrans** (Schltr.) Luer - Icones Pleuro XIV; p. 3-4, 5 DI
 Lindleyana 2(2); p. 102 (was Lepanthes prionota) DI
 Orc of Bolivia Vol 1; p. 65 I
 VOI; 6, p. 212 (was Lepanthes trachysepala) DI
 Orc of Ven FG 1; p. 168 I
bufonis (Luer & Hirtz) - Icones Pleuro XIV; p. 1, 4, 5 DIP
 Lindleyana 2(2); p. 96 (was Lepanthes) DI

Dracontia (these were Pleurothallis)

- carnosilabia** (Heller & Hawkes) Luer - Selbyana 11(S); p. 628 I
 Selbyana 3(1,2); p. 74 (was caligularis) DI
 Icones Pleuro XVII; p. 69, 80 DI
cobanensis (Schltr.) Luer = *Rhynchopera cobanensis*
Icones Pleuro XXIX; p. 121 (8/2007)
conochila (Luer) Luer - Lindleyana 11(2); p. 75 DI
 Icones Pleuro XVII; p. 70, 80 DI
dracontea (Luer) Luer - Icones Pleuro III; p. 39 I
 Icones Pleuro XVII; p. 71, 80 DI
fortunae (Luer & Dressler) Luer - Lindleyana 6(2); p. 97 DI
 Icones Pleuro XVII; p. 71, 81 DI
grandis (Rolfe) Luer - Icones Pleuro XVII; p. 72, 81 DI
ingramii (Luer) Luer - Lindleyana 11(2); p. 81 DI
 Icones Pleuro XVII; p. 72-73, 81 DI
macrantha (L.O.Williams) Luer - Selbyana 3(3,4); p. 342 DI
 Icones Pleuro XVII; p. 73, 81 DI
oblongifolia (Lindl.) Luer = *Rhynchopera oblongifolia*
Icones Pleuro XXIX; p. 121 (8/2007)
pachyglossa (Lindl.) Luer - Selbyana 1(2); p. 202 DI
 Icones Plant Trop, Fasc 15; pl. 1482 DI
 Icones Pleuro XVII; p. 75, 82 DI
papillifera (Rolfe) Luer - Icones Pleuro XVII; p. 75-76, 82 DI
perennis (Luer) Luer - Lindleyana 11(2); p. 86 DI
 Icones Pleuro XVII; p. 76, 83 DI
powellii (Schltr.) Luer - Selbyana 3(1,2); p. 174 DI
 Icones Pleuro XVII; p. 76-77, 83 DI
ramonensis (Schltr.) Luer - Selbyana 3(3,4); p. 372 DI
 Icones Pleuro XVII; p. 77, 83 DI
thymochila (Luer) Luer - Selbyana 3(3,4); p. 398 DI
 Icones Pleuro XVII; p. 78, 83 DI
tintinnabula (Luer) Luer - Lindleyana 11(2); p. 94 DI
 Icones Pleuro XVII; p. 78, 84 DI
tuerckheimii (Schltr.) Luer - Selbyana 1(3); p. 322 DI
 Selbyana 11(S); p. 692 I
 Icones Pleuro XVII; p. 79, 84 DI

Dracula

- adrianae** Luer - Icones Pleuro XVII; p. 103-104, 105 DI
alcithoë Luer & Escobar - Icones Pleuro X; p. 24, 25 DI
 Orquideologia XV(1); p. 3,4,5 DI
 Thesarus Drac 3:2 DIP
 Icones Pleuro in Color I; p. 20, 30 P
 NCO; 1:124 P
amaliae Luer & Escobar - Icones Pleuro X; p. 26, 27 DI
 Orquideologia XIII(1); p. 5-9, 58 DIP
 Thesarus Drac 1:1 DIP
 Icones Pleuro in Color I; p. 20 P
 NCO; 1:152 P
andreettae (Luer) Luer - Icones Pleuro X; p. 28, 29 DI
 Thesarus Drac 2:1 DIP

- Icones Pleuro in Color I; p. 19 P
 NCO; 1:122 P
 NEO; 1:350, 352 IP
anicula Luer & Escobar - Icones Pleuro X; p. 30, 31 DI
 Orquideologia XV(1); p. 6, 7, 8, 9 DIP
 Thesarus Drac 5:1 DIP
 NCO; 5:817 P
anthracina Luer & Escobar - Icones Pleuro X; p. 32, 33 DI
 Thesarus Drac 5:2 DIP
 Selbyana 7 (1); p. 64 D
 Icones Pleuro in Color I; p. 19 P
 NCO; 1:137 P
antonii Luer & Hirtz - Icones Pleuro XXIV; p. 98, 115 DI
aphrodes Luer & Escobar - Icones Pleuro X; p. 34, 35 DI
 Thesarus Drac 6:1 DIP
 Icones Pleuro in Color I; p. 19 P
 NCO; 1:143 P
astuta (Rchb.f.) Luer - Icones Pleuro X; p. 36, 37 DI
 Thesarus Drac 6:2 DIP
 Icones Pleuro in Color I; p. 19 P
barrowii Luer - Icones Pleuro XXIV; p. 98-99, 115 DI
bella (Rchb.f.) Luer - Icones Pleuro X; p. 38, 39 DI
 Thesarus Drac 1:2 DIP
 Icones Pleuro in Color I; p. 19 P
 NCO; 1:121 P
bellerophon Luer & Escobar - Icones Pleuro X; p. 40, 41 DI
 Thesarus Drac 2:2 DIP
 Orquideologia XIII(1); p. 9-13, 63 DIP
 Icones Pleuro in Color I; p. 19 P
 NCO; 5:827 P
benedictii (Rchb.f.) Luer - Icones Pleuro X; p. 42-44 DI
 Thesarus Drac 2:3 DIP
 Icones Pleuro in Color I; p. 20 P
 NCO; 1:139 P
berthae Luer & Escobar - Icones Pleuro X; p. 44-46 DI
 Orquideologia XIII(2); p.115, 116, 117, 167 DIP
 Thesarus Drac 1:3 DIP
 Icones Pleuro in Color I; p. 20 P
 NCO; 1:144 P
brangeri Luer - Icones Pleuro X; p. 46, 47 DI
 Thesarus Drac 5:3 DIP
 Icones Pleuro in Color I; p. 20 P
burbridgeana (Rolfe) Luer = *Dracula erythrochaete*
Icones Pleuro X; p. 82 (12/1993)
callifera (Schltr.) Luer = *Dracula houtteana*
Icones Pleuro X; p. 106 (12/1993)
carcinopsis Luer & Escobar - Icones Pleuro X; p. 48, 49 DI
 Thesarus Drac 4:1 DIP
 Icones Pleuro in Color I; p. 19, 30 P
 NCO; 5:821 P
carderi (Rchb.f.) Luer = *Dracula inaequalis*
Icones Pleuro X; p. 109 (12/1993)
carderriopsis (Krzl.) Luer = *Dracula houtteana*
Icones Pleuro X; p. 106 (12/1993)
carlueri Hermans & P.J.Cribb - DI
 Icones Pleuro XVIII; p. 135-136, 138 DI
 Icones Pleuro in Color I; p. 30 P
chestertonii (Rchb.f.) Luer - Icones Pleuro X; p. 50, 51 DI
 Thesarus Drac 1:5 DIP
 Orquideologia XIII(1); p. 61 P
 Icones Pleuro in Color I; p. 19 P
 NCO; 1:141 P
chimaera (Rchb.f.) Luer - Icones Pleuro X; p. 52-55 DI
 Thesarus Drac 3:2 DIP
 Icones Pleuro in Color I; p. 19 P
 NCO; 1:123 P
chimaera var robledorum P.Ortiz = *Dracula robledorum*

Dracula

				NEO; 1:358	P
	DI	erythrochaete (Rchb.f.) Luer - Icones Pleuro X; p. 82-84			DI
chiroptera Luer & Malo - Icones Pleuro X; p. 56, 57	DIP	Thesarus Drac 6:5			DIP
Thesarus Drac 6:3	D	Selbyana 3(3,4); p. 212 (was Masdevallia)			DI
Selbyana 2 (4); p. 367	P	Icones Pleuro in Color I; p. 22			P
Icones Pleuro in Color I; p. 21	P	exasperata Luer & Escobar - Icones Pleuro X; p. 84-86			DI
NCO; 5:820	I	Thesarus Drac 4:4			DIP
NEO; 1:339	DI	Icones Pleuro in Color I; p. 24			P
christineana Luer - Icones Pleuro XXIV; p. 99-100, 115	DI	NCO; 1:142			P
circe Luer & Escobar - Icones Pleuro X; p. 58, 59	DIP	fafnir Luer - Icones Pleuro X; p. 86-88			DI
Orquideologia XV(1); p. 11, 12, 13	DIP	Thesarus Drac 7:2			DIP
Thesarus Drac 5:4	P	felix (Luer) Luer - Icones Pleuro X; p. 88-90			DI
Icones Pleuro in Color I; p. 21	DI	Thesarus Drac 4:5			DIP
citrina Luer & Escobar - Icones Pleuro X; p. 60- 61	DIP	Icones Pleuro in Color I; p. 24			P
Thesarus Drac 3:3	D	NCO; 5:812			P
Selbyana 7 (1); p. 64	P	NEO; 1:344			I
Icones Pleuro in Color I; p. 21	P	fuligifera Luer - Icones Pleuro X; p. 90-92			DI
NCO; 5:826	DI	Thesarus Drac 4:6			DIP
cochliops Luer & Escobar - Icones Pleuro X; p. 62, 63	DI	Icones Pleuro in Color I; p. 24			P
Orquideologia XIII(2); p. 119, 120, 121	DIP	NEO; 1:365			P
Thesarus Drac 4:2	P	fuliginosa (Luer) Luer = <i>Dracula fuligifera</i>			
Icones Pleuro in Color I; p. 21	P	<i>Icones Pleuro X; p. 90 (12/1993)</i>			
NCO; 1:155	DI	gaskelliana (Rchb.f.) Luer = <i>Dracula erythrochaete</i>			
cordobae Luer - Icones Pleuro X; p. 64, 65	DIP	<i>Icones Pleuro X; p. 82 (12/1993)</i>			
Thesarus Drac 5:5	P	gastrophora Luer & Hirtz - Icones Pleuro X; p. 92, 93			DI
Icones Pleuro in Color I; p. 21	D	Thesarus Drac 5:6			DIP
Selbyana 5(2); p. 146, 147	P	NEO; 1:355			P
NEO; 1:349	DI	gigas (Luer & Andreetta) Luer - Icones Pleuro X; p. 94, 95			DI
cutis-bufonis Luer & Escobar - Icones Pleuro X; p. 66, 67	DIP	Thesarus Drac 1:7			DIP
Thesarus Drac 2:4	DIP	Icones Pleuro in Color I; p. 22			P
Orquideologia XIII(1); p. 13-17, 61	P	NEO; 1:338			P
Icones Pleuro in Color I; p. 21	P	gorgo (Rchb.f.) Luer = <i>Dracula astuta</i>			
NCO; 1:140	DI	<i>Icones Pleuro X; p. 36 (12/1993)</i>			
dalessandroi Luer - Icones Pleuro X; p. 68, 69	DIP	gorgona (Veitch) Luer & Escobar - Icones Pleuro X; p. 96, 97			DI
Thesarus Drac 4:3	P	Thesarus Drac 2:6			DIP
Icones Pleuro in Color I; p. 21	P	Orquideologia XIII(1); p. 22-26, 63			DIP
NEO; 1:369	DI	Icones Pleuro in Color I; p. 20, 30			P
dalstroemii Luer - Icones Pleuro X; p. 70, 71	DIP	NCO; 1:147, 148			P
Thesarus Drac 3:4	I	gorgonella Luer & Escobar - Icones Pleuro X; p. 98, 99			DI
NEO; 1:336	DI	Orquideologia XV(1); p. 19, 20, 21			DIP
decussata Luer & Escobar - Icones Pleuro X; p. 72, 73	DIP	Thesarus Drac 7:3			DIP
Thesarus Drac 6:4	DI	Icones Pleuro in Color I; p. 22			P
Icones Pleuro XI; p. 112, 113 (was niesseniae)	DIP	NCO; 5:823			P
Thesarus Drac 7:8 (was niesseniae)	DIP	hawleyi Luer - Icones Pleuro X; p. 100, 101			DI
Orquideologia XIX(3); p. 3, 7 (was niesseniae)	DI	Thesarus Drac 7:4			DIP
Orquideologia XX(1); p. 11, 12, 14	DIP	Selbyana 2 (4); p. 368			D
Orquideologia XIII(1); p. 18-21, 62	P	NEO; 1:337			I
Icones Pleuro in Color I; p. 30 (was niessenii)	DI	hirsuta Luer & Andreetta - Icones Pleuro X; p. 102, 103			DI
deltoidea (Luer) Luer - Icones Pleuro X; p. 74, 75	DIP	Thesarus Drac 3:6			DIP
Thesarus Drac 1:6	P	Icones Pleuro in Color I; p. 24			P
Icones Pleuro in Color I; p. 21	P	NEO; 1:361			P
NEO; 1:366	DI	hirtzii Luer - Icones Pleuro X; p. 104, 105			DI
deniseana Luer - Icones Pleuro XXIV; p. 100, 116	DI	Thesarus Drac 4:7			DIP
diabola Luer & Escobar - Icones Pleuro X; p. 76, 77	DIP	Icones Pleuro in Color I; p. 22			P
Orquideologia XIII(2); p. 124, 126, 127, 167	DIP	NEO; 1:347			P
Thesarus Drac 3:5	P	houtteana (Rchb.f.) Luer - Icones Pleuro X; p. 106-108			DI
Icones Pleuro in Color I; p. 22	P	Thesarus Drac 6:6			DIP
NCO; 1:154	DI	Icones Pleuro in Color I; p. 24			P
diana Luer & Escobar - Icones Pleuro X; p. 78, 79	DIP	NCO; 1:151			P
Orquideologia XV(1); p. 15, 16, 17	DIP	NCO; 5:815 (cf. houtteana)			P
Thesarus Drac 7:1	P	hubeinii Luer = <i>Dracula benedictii</i>			
Icones Pleuro in Color I; p. 21	P	<i>Icones Pleuro X; p. 42 (12/1993)</i>			
NCO; 5:824	DI	inaequalis (Rchb.f.) Luer & Escobar - Icones Pleuro X; p. 109-111			DI
dodsonii (Luer) Luer - Icones Pleuro X; p. 80, 81	DIP	Thesarus Drac 1:4 (was <i>Dracula carderi</i>)			DIP
Thesarus Drac 2:5	DI	Thesarus Drac 6:16			DIP
Selbyana 3(1,2); p. 18 (was Masdevallia)	P	Icones Pleuro in Color I; p. 22			P
Icones Pleuro in Color I; p. 22	P	NCO; 1:159 (was <i>Dracula carderi</i>)			P
NCO; 1:160					

Dracula

incognita Luer & Escobar - Icones Pleuro X; p. 112, 113 Thesarus Drac 4:8 NCO; 1:132	DI DIP P	Thesarus Drac 2:8 Icones Pleuro in Color I; p. 23 NCO; 1:157	DIP P P
insolita Luer & Escobar - Icones Pleuro X; p. 114, 115 Thesarus Drac 4:9 Icones Pleuro in Color I; p. 22 NCO; 1:153	DI DIP P P	mopsus (Lehm. & Krzl.) Luer - Icones Pleuro X; p. 140, 141 Thesarus Drac 1:10 Selbyana 3(3,4); p. 222 (misidentified as <i>M. triceratops</i>) Icones Pleuro in Color I; p. 25 NEO; 1:370	DI DIP DI P I
iricolor (Rchb.f.) Luer & Escobar - Icones Pleuro X; p. 116-118 Thesarus Drac 2:7 Icones Pleuro in Color I; p. 22 NCO; 1:135 NEO; 1:356	DI DIP P P I	morleyi Luer & Dalström - Icones Pleuro X; p. 142, 143 Thesarus Drac 7:7 Icones Pleuro in Color I; p. 30	DI DIP DIP P
janetiae (Luer) Luer - Icones Pleuro X; p. 118, 119 Thesarus Drac 1:8 Icones Pleuro in Color I; p. 23	DI DIP P	mosquerae (Lehm. & Krzl.) Luer = <i>Dracula houtteana</i> <i>Icones Pleuro X; p. 106 (12/1993)</i>	
kareniae Luer & Dalström - Icones Pleuro XV; p. 123, 124	DI	navarroorum Luer & Hirtz - Icones Pleuro X; p. 144, 145 Thesarus Drac 6:9 (also spelled navarrorum)	DI DIP
lactea (Krzl.) Luer = <i>Dracula velutina</i> <i>Icones Pleuro X; p. 214 (12/1993)</i>	DI	Icones Pleuro in Color I; p. 23 NEO; 1:343	P I
lafleurii Luer & Dalström - Icones Pleuro X; p. 1, 120, 121 Thesarus Drac 7:5 Icones Pleuro in Color I; p. 23	DIP DIP P	niesseniae P. Ortiz = <i>Dracula decussata</i> <i>Orquideologia XX(1); p. 14 (3/1996)</i>	
lehmanniana Luer & Escobar - Icones Pleuro X; p. 122-123 Thesarus Drac 6:7 Selbyana 7 (1); p. 66 NCO; 5:814	DI DIP DIP D P	nigritella Luer - Icones Pleuro XXIV; p. 100-101, 116 nosferatu Luer & Escobar - Icones Pleuro X; p. 146, 147 Thesarus Drac 4:11	DI DI DIP DI DIP
lemurella Luer & Escobar - Icones Pleuro X; p. 124, 125 Orquideologia XV(1); p. 23, 24, 25 Thesarus Drac 3:7 Icones Pleuro in Color I; p. 25 NCO; 1:150	DI DIP DIP DIP P	Icones Pleuro in Color I; p. 23 NCO; 1:156	P P P P
leonum Luer = <i>Dracula erythrochaete</i> <i>Icones Pleuro X; p. 82 (12/1993)</i>		nycterina (Rchb.f.) Luer - Icones Pleuro X; p. 148, 149 Thesarus Drac 3:8	DI DIP
levii Luer - Icones Pleuro X; p. 126, 127 Thesarus Drac 3:8 Selbyana 2 (4); p. 369 Icones Pleuro In Color I; p. 24 NCO; 5:809 NEO; 1:368	DI DIP D P P P	Icones Pleuro in Color I; p. 23 NCO; 5:818	DI DIP DI P
ligiae Luer & Escobar - Icones Pleuro X; p. 128, 129 Thesarus Drac 7:6 Icones Pleuro in Color I; p. 23 NCO; 1:126	DI DIP D P	octavioi Luer & Escobar - Icones Pleuro X; p. 150, 151 Orquideologia XIII(2); p. 128, 130, 131 Thesarus Drac 3:9 Icones Pleuro in Color I; p. 26 NCO; 1:149	DI DI DIP DI DIP P P
lindstroemii Luer & Dalström - Icones Pleuro X; p. 130, 131 Thesarus Drac 4:10 Icones Pleuro in Color I; p. 30 NEO; 1:342	DI DIP P I	olmosii Luer & Maduro – Icones Pleuro XVIII; p. 136, 138 ophioceps Luer & Escobar - Icones Pleuro X; p. 152, 153 Thesarus Drac 1:11	DI DI DIP DI DIP
lotax (Luer) Luer - Icones Pleuro X; p. 132, 133 Thesarus Drac 1:9 Icones Pleuro in Color I; p. 23 NEO; 1:360	DI DIP P P	Orquideologia XIII(1); p. 26-30, 58 Icones Pleuro in Color I; p. 25 NCO; 5:822	DIP DI DIP P P
lowii (Rolfe) Luer = <i>Dracula platycrater</i> <i>Icones Pleuro X; p. 162 (12/1993)</i>		orientalis Luer & Escobar - Icones Pleuro X; p. 154, 155 Thesarus Drac 5:9 Selbyana 7 (1); p. 67 Orquideologia XVI(1); p. 88	DI DIP D I
maduroi Luer – Icones Pleuro XXVI; p. 234, 240	DI	Icones Pleuro in Color I; p. 26 NCO; 5:816	P
mantissa Luer & Escobar - Icones Pleuro X; p. 134, 135 Thesarus Drac 5:7 NEO; 1:341	DI DI DIP I	ortiziana Luer & Escobar - Icones Pleuro X; p. 156, 157 Thesarus Drac 7:9	DI DIP DIP
marsupialis Luer & Hirtz - Icones Pleuro X; p. 136, 137 Thesarus Drac 5:8 Icones Pleuro in Color I; p. 23 NEO; 1:353	DI DIP P I	Orquideologia XIX(1); p. 41, 42, 44 NCO; 5:811	D P P
medellinensis (Krzl.) Luer = <i>Dracula radiosa</i> <i>Icones Pleuro X; p. 184 (12/1993)</i>		papillosa Luer & Dodson - Icones Pleuro X; p. 158, 159 Thesarus Drac 7:10	DI DIP
mendozae Luer & V.N.M.Rao – Icones Pleuro XXVI; p. 234, 240	DI	pholeodytes Luer & Escobar - Icones Pleuro X; p. 160, 161 Thesarus Drac 4:12	DI DIP
microglochis (Rchb.f.) Luer = <i>Dracula velutina</i> <i>Icones Pleuro X; p. 214 (12/1993)</i>		Selbyana 7 (1); p. 68 Icones Pleuro in Color I; p. 26 NCO; 5:813	D P P
minax Luer & Escobar - Icones Pleuro X; p. 138, 139 Orquideologia – XV(1); p. 27, 28, 29, 30	DI DIP	pileus Luer & Escobar - Icones Pleuro X; p. 162, 163 Orquideologia XIII(2); p. 132, 134, 135, 170 Thesarus Drac 7:11 Icones Pleuro in Color I; p. 26	DI DIP DIP P
		platycrater (Rchb.f.) Luer - Icones Pleuro X; p. 162, 164, 165 Thesarus Drac 2:9	DI DIP
		Icones Pleuro in Color I; p. 25 NCO; 1:158 NCO; 5:810	P P P
		polyphemus (Luer) Luer - Icones Pleuro X; p. 166, 167 Thesarus Drac 1:12	DI DIP

Dracula

Icones Pleuro in Color I; p. 25 NEO; 1:348	P	sergioi Luer & Escobar - Icones Pleuro X; p. 194-196	DI
portillae Luer & Andreetta - Icones Pleuro X; p. 168, 169	P	Thesarus Drac 2:11	DIP
Thesarus Drac 3:10	DI	Orquideologia XIII(1); p. 35-39, 58	DIP
Icones Pleuro in Color I; p. 26	DIP	Icones Pleuro in Color I; p. 27	P
NEO; 1:357	P	NCO; 1:131	P
posadarum Luer & Escobar - Icones Pleuro X; p. 170, 171	P	severa (Rchb.f.) Luer - Icones Pleuro X; p. 196-198	DI
Orquideologia XV(1); p. cov, 31, 32, 33	DI	Thesarus Drac 2:12	DIP
Thesarus Drac 3:11	DIP	Icones Pleuro in Color I; p. 29	P
Icones Pleuro in Color I; p. 28 (misspelled possadorum)	DIP	NCO; 5:819	P
NCO; 1:134	P	sibundoyënsis Luer & Escobar - Icones Pleuro X; p. 198, 199	DI
presbys Luer & Escobar - Icones Pleuro X; p. 172, 173	P	Orquideologia XIII(2); p. 137, 139	DI
Thesarus Drac 7:12	DI	Thesarus Drac 7:18, 5:11 (text)	DIP
Icones Pleuro in Color I; p. 26	DIP	Icones Pleuro in Color I; p. 27	P
psittacina (Rchb.f.) Luer & Escobar - Icones Pleuro X; p. 174-176	P	NCO; 1:146	P
Thesarus Drac 6:10	DI	NEO; 1:335	I
Icones Pleuro in Color I; p. 26	DIP	sijmii Luer - Icones Pleuro XXIV; p. 101, 116	DI
psyche (Luer) Luer - Icones Pleuro X; p. 176- 177	P	simia (Luer) Luer - Icones Pleuro X; p. 200, 201	DI
Thesarus Drac 2:10	DI	Thesarus Drac 2:13	DIP
Icones Pleuro in Color I; p. 30	DIP	Icones Pleuro in Color I; p. 28	P
NEO; 1:354	P	NEO; 1:362	P
pubescens Luer & Dalström - Icones Pleuro XI; p. 114, 115	I	sodiroy (Schltr.) Luer - Icones Pleuro X; p. 202, 203	DI
Thesarus Drac 7:13	DI	Thesarus Drac 1:14	DIP
pusilla (Rolfe) Luer - Icones Pleuro X; p. 178, 179	DIP	Icones Pleuro in Color I; p. 27	P
Orquideologia XV(1); p. 35, 36, 37 (was vagabunda)	DI	NEO; 1:371, 372	IP
Thesarus Drac 7:14	DIP	sodiroy (Schltr.) Luer ssp. erythrocodon Luer & Dalström –	
Selbyana 3(3,4); p. 220	DIP	Icones Pleuro XV; p. 125, 126	DI
Selbyana 10 (S); p. 133	DI	syndactyla Luer - Icones Pleuro X; p. 204, 205	DI
Icones Pleuro in Color I; p. 25, 30	I	Thesarus Drac 6:12	DIP
Orquidea Feb 92; p. 277-280	P	tarantula (Luer) Luer = <i>Dracula tubeana</i>	
quilichaoënsis (Lehm. & Krzl.) Luer = <i>Dracula iricolor</i>	DIP	<i>Icones Pleuro X; p. 208 (12/1993)</i>	
<i>Icones Pleuro X; p. 116 (12/1993)</i>		terborchii Luer & Hirtz – Icones Pleuro XVIII; p. 137, 138	DI
radiella Luer - Icones Pleuro X; p. 180, 181	DI	trinema (Rchb.f.) Luer = <i>Dracula velutina</i>	
Thesarus Drac 3:12	DIP	<i>Icones Pleuro X; p. 214 (12/1993)</i>	
Selbyana 2 (4); p. 370	DIP	trinympharum Luer - Icones Pleuro X; p. 206, 207	DI
Icones Pleuro in Color I; p. 26	D	Thesarus Drac 7:15	DIP
NEO; 1:363	P	troglogytes (Morren) Luer = <i>Dracula benedictii</i>	
radio-syndactyla Luer - Icones Pleuro X; p. 182, 183	P	<i>Icones Pleuro X; p. 42 (12/1993)</i>	
Thesarus Drac 6:11	DI	tsubotae Luer - Icones Pleuro XXIV; p. 102, 116	DI
Icones Pleuro in Color I; p. 28	DIP	tubeana (Rchb.f.) Luer - Icones Pleuro X; p. 208, 209	DI
radiosa (Rchb.f.) Luer - Icones Pleuro I; p. 25	P	Thesarus Drac 2:14	DIP
Icones Pleuro X; p. 184-186	I	Icones Pleuro in Color I; p. 27	P
Thesarus Drac 3:13	DI	NEO; 1:364	P
Icones Pleuro in Color I; p. 26	DIP	ubangina Luer & Andreetta - Icones Pleuro X; p. 210, 211	DI
NCO; 1:136	P	Thesarus Drac 6:13	DIP
rezekiana Luer & Hawley - Icones Pleuro X; p. 186, 187	P	NEO; 1:346	P
Thesarus Drac 4:13	DI	vagabunda Luer & Escobar = <i>Dracula pusilla</i>	
Icones Pleuro in Color I; p. 28	DIP	<i>Icones Pleuro X; p. 178 (12/1993)</i>	
NEO; 1:359	P	vampira (Luer) Luer - Icones Pleuro X; p. 212-214	DI
ripleyana Luer - Icones Pleuro X; p. 188, 189	P	Thesarus Drac 2:15	DIP
Thesarus Drac 3:14	DI	Icones Pleuro in Color I; p. 27	P
Icones Pleuro in Color I; p. 27	DIP	NEO; 1:345	P
Selbyana 5(2); p. 147, 148	P	veleziana Luer & V.N.M.Rao - Icones Pleuro XXVII; p. 276, 280	DI
robledorum (P. Ortiz) Luer & Escobar –	D	velutina (Rchb.f.) Luer - Icones Pleuro X; p. 214-216	DI
Icones Pleuro X; p. 190, 191	DI	Thesarus Drac 6:14	DIP
Thesarus Drac 1:13	DIP	Icones Pleuro in Color I; p. 28, 29	P
Orquideologia XIII(1); p. 30-35, 63	DIP	NCO; 1:161	P
Icones Pleuro in Color I; p. 27	DIP	NCO; 5:825	P
NCO; 1:125	P	venefica Luer & Escobar - Icones Pleuro X; p. 216-218	DI
roezlii (Rchb.f.) Luer - Icones Pleuro X; p. 192-194	P	Orquideologia XV(1); p. 39, 40, 41, 42	DIP
Thesarus Drac 5:10	DI	Thesarus Drac 5:12	DIP
Icones Pleuro in Color I; p. 27	DIP	Icones Pleuro in Color I; p. 27	P
NCO; 1:128	P	venosa (Rolfe) Luer - Icones Pleuro X; p. 218-220	DI
saulii Luer & Sijm – Icones Pleuro XXVIII; p. 249-250, 257	P	Thesarus Drac 5:13	DIP
schudelii Luer & Hirtz – Icones Pleuro XVIII; p. 136-137, 138	DI	Icones Pleuro in Color I; p. 29	P
senilis (Rchb.f.) Luer = <i>Dracula chimaera</i>	DI	NEO; 1:367	P
<i>Icones Pleuro X; p. 52 (12/1993)</i>		verticulosa Luer & Escobar - Icones Pleuro X; p. 220, 221	DI
		Thesarus Drac 4:14	DIP

Dryadella

Icons Pleuro XXVII; P. 27-28, 50	DI	amparoana (Schltr.) Luer - Icones Plant Trop, Fasc 15; pl. 1480	DI
misasii (Luer & R.Escobar) Luer = <i>Dryadella gnoma</i>		Icons Pleuro XX; p. 59, 90	DI
Icons Pleuro XXVII; p 5 (3/2004)		brenneri (Luer) Luer - Selbyana 3(1,2); p. 64	DI
mocoana Luer & R.Escobar - Icones Pleuro XXVII; P. 28, 50	DI	Icons Pleuro XX; p. 60-61, 90	DI
nasuta Luer & Hirtz - Icones Pleuro XXVII; P. 28-29, 50	DI	chlorina (Luer) Luer - Icones Pleuro XX; p. 61, 90	DI
nortonii Luer - Icones Pleuro XXVII; P. 29, 50	DI	cocornaensis (Luer & Escobar) Luer -	
obrieniana (Rolfe) Luer = <i>Dryadella aviceps</i>		Orquideologia XX(1); p. 45, 47, 58	DIP
Icons Pleuro XXVII; p 5 (3/2004)		Icons Pleuro XX; p. 61-62, 91	DI
odontostele Luer - Lindleyana 11(2); p. 54	DI	NCO; 6:1229	P
Icons Pleuro XXVII; P. 29-30, 51	DI	convallaria (Schltr.) Luer - Selbyana 3(3,4); p. 274	DI
osmariniana (Braga) Garay & Dunst. - Lindleyana 1(4); p. 242	DI	Selbyana 11(S); p. 636	I
Icons Pleuro XXVII; P. 30, 51	DI	Icons Pleuro XX; p. 62, 91	DI
(probably <i>Dryadella guatemalensis</i>)		convoluta (Lindl.) Luer - Icones Pleuro XX; p. 63-64, 91	DI
pachyrhiza Luer & Hirtz - Icones Pleuro XVIII; p. 163	D	Orquideologia XXI(2); p. 122, 123 (was <i>espalinii</i>)	DI
NEO; 2:404	I	cypripedioides (Luer) Luer - Selbyana 1(1); p. 70	DI
Pleuro XVIII; p. 159 (was <i>acuminata</i>)	D	Icons Pleuro XX; p. 64, 92	DI
NEO; 2:388 (was <i>acuminata</i>)	I	NEO; 4:1759	P
Icons Pleuro XXVII; P. 30-31, 51	DI	dilatata (C.Schweinf.) Luer - Icones Pleuro XX; p. 65, 92	DI
paranaensis (Schltr.) Luer = <i>Dryadella lilliputiana</i>		diminuta (Luer) Luer - Icones Pleuro XX; p. 65, 92	DI
Icons Pleuro XXVII; p 5 (3/2004)		erucosa (Luer & Escobar) Luer - Orquideologia XXI(1); p. 88, 89	DI
perpusilla (Kraenzl.) Luer - Icones Pleuro XXVII; P. 31	D	Icons Pleuro XX; p. 66, 92	DI
No holotype - excluded		flexuosa (Poepp. & Endl.) Lindl. - Selbyana 1(2); p. 182	DI
popayanensis (F.Lehm. & Kraenzl.) Luer = <i>Dryadella simula</i>		Icons Pleuro XX; p. 66-67, 93	DI
Icons Pleuro XXVII; p 5 (3/2004)		Icons Orchid Peru pl. 352	DI
pusiola (Rchb.f.) Luer - Selbyana 10(1); p. 82, 120	DI	Orc of Bolivia Vol 1; p. 254, 297	IP
NEO; 2:405	I	NCO; 6:1237	P
Icons Pleuro XXVII; P. 32, 51	DI	VOI; 1, p. 322	DI
rodrigoii Luer - Icones Pleuro XVIII; p. 163-164	D	Orc of Ven FG 3; p. 783	I
Icons Pleuro XXVII; P. 33, 52	DI	NEO; 4:1770	P
simula (Rchb.f.) Luer - Selbyana 10(1); p. 83, 120	DI	fornicata (Luer) Luer - Icones Pleuro XX; p. 68, 93	DI
Selbyana 10(S); p. 139, 140	I	Lindleyana 11(3); p. 160, 161	DI
Icons Orchid Peru pl. 228	DI	hamiltonii Luer - Icones Pleuro XXIX; p. 108, 113	DI
NCO; 1:165	P	immersa (Linden & Rchb.f.) Luer - Selbyana 3(1,2); p. 124	DI
NEO; 2:406	I	Selbyana 11(S); p. 660	I
Icons Pleuro XXVII; P. 33-34, 52	DI	Icons Pleuro XX; p. 70-71, 92	DI
simulatrix (Kraenzl.) Luer = <i>Dryadella pusiola</i>		NCO; 6:1236	P
Icons Pleuro XXVII; p 5 (3/2004)		VOI; 3, p. 254	DI
sororcula Luer - Lindleyana 11(2); p. 56	DI	Orc of Ven FG 3; p. 800	I
Icons Pleuro XXVII; P. 34-35, 52	DI	imraei (Lindl.) Luer - Selbyana 1(2); p. 188	DI
sublata Luer & J.J.Portilla - Icones Pleuro XXVII; P. 35, 53	DI	Icons Orchid Peru pl. 160	DI
summersii (L.O. Williams) Luer - NEO; 2:407, 408	IP	Icons Pleuro XX; p. 71-73, 95	DI
Icons Pleuro XXVII; P. 35-36, 53	DI	Orc of Bolivia Vol 1; p. 255, 308	IP
susanae (Pabst) Luer - Icones Pleuro XXVII; P. 36, 53	DI	VOI; 2, p. 280	DI
sylvana F.Barros = <i>Dryadella aviceps</i>	DI	Orc of Ven FG 3; p. 801	I
Icons Pleuro XXVII; p 5 (3/2004)		NEO; 4:1784	P
toscanoii Luer - Icones Pleuro XXVII; P. 37, 53	DI	jalapensis (Kraenzl.) Luer - (was <i>Masdevallia jalapensis</i>)	
vasquezii Luer - Icones Pleuro XXVII; P. 37-38, 54	DI	Lindleyana 6(2); p. 103	DI
verrucosa Luer & Escobar - Icones Pleuro XVIII; p. 164	D	Icons Pleuro XX; p. 73, 95	DI
Icons Pleuro XXVII; P. 38, 54	DI	lehmanneptis (Luer & Escobar) Luer -	
vitorinoii Luer & Tuscano - Selbyana 23(2); p. 181-183	DI	Orquideologia XXI(1); p. 100, 101	DI
Icons Pleuro XXVII; P. 38-39, 54	DI	Icons Pleuro XX; p. 74, 95	DI
wernerii Luer - Selbyana 22(2); p. 103-104	DI	NCO; 3:508	P
Icons Pleuro XXVII; P. 39, 54	DI	listerophora (Schltr.) Luer - Icones Pleuro XX; p. 74-75, 95	DI
wuerstlei Luer - Icones Pleuro XXVII; P. 39-40, 55	DI	Selbyana 5(2); p. 161, 162 (was <i>campicola</i>)	D
zebrina (Porsch) Luer - Icones Orchid Peru pl. 229	DI	longispicata (L.O. Williams) Luer - Icones Pleuro XX; p. 75, 96	DI
Icons Pleuro XXVII; P. 40-41, 55	DI	niesseniae (Luer) Luer - Orquideologia XXII(1); p. 59-61	DI
		nigriflora (L.O. Williams) Luer - Icones Pleuro XX; p. 75-76, 96	DI
		nonresupinata (Solano & Soto Arenas) Luer	
		oestlundiana (L.O. Williams) Luer - Icones Pleuro XX; p. 76, 96	DI
		ornata (Rchb.f.) Luer - Icones Pleuro XX; p. 76-77, 97	DI
	DI	Selbyana 11(S); p. 686 (misidentified as <i>schiedei</i>)	I
	D	Icons Pleuro in Color I; p. 2 (was <i>schiedei</i>)	P
	P	petiolaris (Luer) Luer - Orquideologia XX(2); p. 220, 221	DI
		Icons Pleuro XX; p. 77, 97	DI
		platystylis (Schltr.) Luer - Selbyana 1(3); p. 318	DI
		Selbyana 11(S); p. 679	I
		Icons Pleuro XX; p. 78, 97	DI

Echinosepala (these were Pleurothallis)

shuarii (Luer) Luer - Icones Pleuro XI; p. 106, 107	DI	Selbyana 7(1); p. 122	
NEO; 4:1848	D		
vittata (Pupulin & M.A.Blanco)	P		

Effusiella (these were Pleurothallis)

Effusiella

prolixa (Luer & Hirtz) Luer – Icones Pleuro XX; p. 78-79, 97 Lindleyana 11(3); p. 179, 180	DI DI
pseudocheila (Luer & Escobar) Luer – Orquideologia XVI(2); p. 173, 174 Icones Pleuro XX; p. 79, 98	DI DI
resupinata (Ames) Luer - Icones Orchid, Fasc 1; pl. 91 Icones Pleuro XX; p. 81, 98	DI DI
retusa (La Llave) Lindl. – Icones Pleuro XX; p. 82, 98	DI
rostratissima (Luer & Portilla) Luer – Icones Pleuro XXIV; p. 108, 119	DI
scabrata (Lindl.) Luer - Selbyana 1(3); p. 280 Icones Pleuro XX; p. 83, 99 Orc of Bolivia Vol 1; p. 256 (was humboldtiana) Selbyana 3(1,2); p. 120 (was humboldtiana) Orc of Bolivia Vol 1; p. 339	DI DI DI P DI I
skolnikiae Luer & Endara – Icones Pleuro XXIX; p. 108-109, 113	DI
tarantula (Luer & Hirtz) Luer – Icones Pleuro XX; p. 83-84, 99 Lindleyana 11(3); p. 186, 187 NCO; 3:515 NEO; 4:1857	DI DI P P
thomasiae (Luer) Luer – Icones Pleuro XX; p. 84, 99, 130	DI
tortilis (Luer & R.Escobar) Luer – Orquideologia XIV(2); p. 180, 181 Icones Pleuro XX; p. 84-85, 99	DI DI
trichostoma (Luer) Luer - Icones Pleuro III; p. 83 Icones Pleuro XX; p. 85, 100 Selbyana 5(2); p. 185, 186	I DI D
trulla (Rchb.f. & Warsz.) Luer – Icones Pleuro XX; p. 87, 100	DI
vaginata (Schltr.) Luer – Icones Pleuro XX; p. 88, 101	DI
villosa (Knowles & Westc.) Luer – Icones Pleuro XX; p. 88-89, 101 Selbyana 11(S); p. 657 (was hirsuta)	DI I
ximena (Luer & Hirtz) Luer – Icones Pleuro XXVI; p. 238, 242	DI
Elongatia (these were Pleurothallis)	
atrohiatus (Dod) Luer - Icones Pleuro XVI; p. 116, 117	DI
carpintera (Schltr.) Luer - Icone Pleuro XI; p. 72,73 Selbyana 3(3,4); p. 258	DI DI
excelsa (Garay) Luer - Icones Pleuro XI; p. 74, 75 Selbyana 3(3,4); p. 298 NCO; 6:1208	DI DI P
guttata (Luer) Luer - Icones Pleuro XI; p. 76, 77 Selbyana 3(1,2); p. 116	DI DI
holtonii (Luer) Luer - Icones Pleuro XI; p. 76, 78, 79	DI
janetiae (Luer) Luer - Icones Pleuro III; p. 42 Icones Pleuro XI; p. 78, 80, 81 Selbyana 5(2); p. 169, 170	I DI D
macrophylla (H.B.K.) Luer - Icones Pleuro XI; p. 80, 82, 83 NCO; 6:1207	DI P
restrepioides (Lindl.) Luer - Icones Pleuro XI; p. 84, 85, 86 Selbyana 1(1); p. 84 NCO; 6:1209, 1210 NEO; 4:1838	DI DI P P
sijmii (Luer) Luer - Icones Pleuro XXIV; p. 109, 120	DI
superbiens (Luer) Luer - Icones Pleuro XI; p. 86, 87	DI
Empusella (this was Pleurothallis)	
endotrachys (Rchb.f.) Luer - Icones Pleuro III; p. 43 Selbyana 3(1,2); p. 100 Selbyana 11(S); p. 641 VOI; 3, p. 250 Orc of Ven FG 3; p. 779 Icones Pleuro XXIX; p. 95-96	I DI I DI I D

Epibator

hirtzii (Luer) Luer - Icones Pleuro XXVI; p. 202 AOS Bulletin 53(12); p. 1293, 1294, 1295 (was Zootrophion hirtzii)	DI DI DIP
serpentinus (Luer & Hirtz) Luer - Icones Pleuro XXVI; p. 203 AOS Bulletin 53(12); p. 1295, 1296, 1297 (was Zootrophion serpentinum)	DI DIP
ximinae Luer & Hirtz - Icones Pleuro XXVI; p. 204 NEO; 4:2570 (was Z. ximena)	P DI P

Expedicula (these were Lepadanthopsis)

apoda (Garay & Dunst.) Luer - Icones Pleuro VIII; p. 68, 69 Orc of Bolivia Vol 1; p. 134 VOI; 3, p. 246 (was Pleurothallis apoda) Orc of Ven FG 2; p. 442	DI I DI I
dewildei (Luer & Escobar) - Icones Pleuro XI; p. 116, 117	DI

Fissia (these were Masdevallia)

mutica (Luer & Escobar) Luer – Orquideologia XIII(1); p. 60, 88-92 Masd in Kleur; p. 32 Icones Pleuro XXV; p. 1201-1202	DIP P DI
picturata (Rchb.f.) Luer - Icones Pleuro II; p. 13 Thesarus Masd 3:13 Selbyana 3(3,4); p. 216 Icones Plant Trop, Fasc 16; pl. 1553 Icones Plant Trop, Fasc 6; pl. 549 Orc of Bolivia Vol 1; p. 150, 181 Masd in Kleur; p. 39 NCO; 2:317, 318 VOI; 3, p. 168 NEO; 3:1105, 1106 Orc of Ven FG 2; p. 400 Icones Pleuro XXV; p. 1203-1208	I DIP DI DI DI IP P P DI P I DI
pleurothalloides (Luer) Luer - Selbyana 3(3,4); p. 218 Icones Pleuro XXV; p. 1209-1210 Treas of Masd 27:10	DI DI DIP

Fronitaria

caulescens (Lindl.) Luer - Icones Pleuro I; p. 30 Selbyana 1(1); p. 64 (was Pleurothallis) Orc of Bolivia Vol 1; p. 72 NCO; 5:924 NEO; 2:652, 653	I DI I P IP
--	-------------------------

Garayella (is now Chamelophyton)

hexandra (Garay & Dunst.) Brieger = *Chamelophyton kegelii*
Icones Pleuro XXVIII; p. 85 (5/2006)

Gerardoia (was Pleurothallis, then Specklinia)

montezumae (Luer) Luer – Icones Pleuro XXVIII; p. 86-87, 92 Lindleyana 11(2); p. 83 (was Pleurothallis)	DI DI
---	----------

Gerardo

Incaea (was Pleurothallis, then Specklinia)

yupanki (Luer & Vásquez) Luer –
Icones Pleuro XXVIII; p. 87-88, 93
Orc of Bolivia Vol 1; p. 262, 362 (was Pleurothallis)

Jostia

teaguei (Luer) Luer = *Masdevallia teaguei*
Icones Pleuro XXV; p. 1265 (3/2003)

Kraenzlinella (these were Pleurothallis)

anfracta (Luer) Luer - Icones Pleuro XI; p. 92, 93
Orquideologia XX(3); p. 317, 324,
NCO; 6:1230
echinocarpa (C.Schweinf.) Luer - Icones Pleuro XI; p. 92, 94, 95
erinacea (Rchb.f.) Luer - Icones Pleuro III; p. 45
Icones Pleuro XI; p. 94, 96-98
Selbyana 11(S); p. 642
Icones Plant Trop, Ser II, Fasc 2; pl. 156
Icones Orchid Peru pl. 157
Icones Orchid, Fasc 1; pl. 89
Orc of Bolivia Vol 1; p. 254, 296
VOI; 1, p. 320
Orc of Ven FG 3; p. 781
NEO; 4:1766
gigantea (Lindl.) Luer - Icones Pleuro XI; p. 98-100
hintonii (L.O.Williams) Luer - Icones Pleuro XI; p. 100, 101
lappago (Luer) Luer - Icones Pleuro XI; p. 102, 103
NEO; 4:1792
otopetalum (Schltr.) Luer - Icones Pleuro XI; p. 104-106
Selbyana 1(1); p. 80
Icones Orchid Peru pl. 162
phrynoglossa (Luer & Hirtz) Luer - Icones Pleuro XVI; p. 116, 118
shuarrii (Luer) = *Echinosepala shuarrii*
Icones Pleuro XXIX; p. 119 (8/2007)
sigmoidea (Ames & Schweinf.) Luer - Icones Pleuro XI; p. 108, 109
smaragdina (Luer) Luer - Selbyana 1(3); p. 290

Lepanthes

aberrans Schltr. = *Draconanthes aberrans*
Icones Pleuro XIV; p. 3 (12/1996)
abitaguae Luer & Jost – Icones Pleuro XVIII; p. 139, 144
abortiva Luer & Escobar – Orquideologia XVIII(1); p. 22-23,31
absens Luer & Hirtz - Icones Pleuro XIV; p. 28, 185
acarina Luer - Icones Pleuro XIV; p. 28-29, 185
Orc of Bolivia Vol 1; p. 87
Lep in Kleur; p. 1, 3
aciculifolia Luer – Orquideologia XX(2); p. 194, 195
acostaei Schltr. – Lep in Kleur; p. 1 (spelling)
acrochordonia ? – Lep in Kleur; p. 2, 3
acrogenia Luer & Escobar - Orquideologia XVIII(1); p. 24, 25
actias-luna Luer & Hirtz - Icones Pleuro XIV; p. 29-30, 185
Lindleyana 2(1); p. 30
NEO; 2:773
aculeata Luer - Icones Pleuro XIV; p. 30, 185
Lep in Kleur; p. 2
NEO; 2:774
acuminata Schltr. – Selbyana 10(S); p. 370, 371
Icones Orchid, Fasc 1; pl. 54
Lep in Kleur; p. 3
VOI; 4, p. 118
acutissima Luer & Escobar - Orquideologia XIX(2); p. 76, 79, 83

NCO; 5:962
adelphe Luer & Hirtz - Icones Pleuro XIV; p. 31, 186
NEO; 2:775
adrianae Luer – Lep in Kleur; p. 1
Selbyana 23(1); p. 1,2
aduncata Luer & Escobar - Orquideologia XIX (1); p. 17, 20, 31
NCO; 5:992
aeora Luer & Hirtz - Icones Pleuro XIV; p. 31-32, 186
Lindleyana 2(1); p. 32
Lep in Kleur; p. 3
affinis Luer & Escobar - Orquideologia XVII(3); p. 146, 147
Lep in Kleur; p. 1, 4 (lower left is affinis, not aristata)
NCO; 2:265
aggeris Luer & Escobar - Orquideologia XIX(1); p. 17, 20, 32
NCO; 5:1009
agglutinata Luer - Icones Pleuro XIV; p. 32-33, 186
AOS Bulletin 53(9); p. 922, 923 (was porphyrea)
Lep in Kleur; p. 1, 3, 41, 43 (41 and 43 were porphyrea)
NCO; 2:279 (was *Lepanthes porphyrea*)
NCO; 5:960
NEO; 2:776
aithalos Carnevali & I.Ramirez - Orc of Ven FG 2; p. 400
alcicornis Luer & Escobar - NCO; 5:1008
allector Luer - Icones Pleuro XIV; p. 33, 186
almolongae Luer & Behar - Lindleyana 6(2); p. 64
alopex Luer & Hirtz - Icones Pleuro XIV; p. 33-34, 187
NEO; 2:777
alticola C.Schweinf. - Icones Pleuro XIV; p. 34, 187
Lindleyana 2(2); p. 96 (was dipteryx)
Lep in Kleur; p. 4
amphioxa Luer & Hirtz - Icones Pleuro XIV; p. 35, 187
amplectens Luer & J. Hermans. – Lep in Kleur; p. 2
amplior Luer & Escobar - Orquideologia XVIII(1); p. 26, 27, 31
NCO; 5:994
amplisepala Luer & Escobar - Orquideologia XIX(2); p. 77,83
anatina Luer & Escobar – Orquideologia XX(3); p. 281, 282
ancyclopetala Dressler – Selbyana 10(S); p. 372
andreettae Luer & Hirtz - Icones Pleuro XIV; p. 35-36, 187
andrenoglossa Rchb.f. = *Lepanthes mucronata*
Icones Pleuro XIV; p. 122 (12/1996)
anfracta Garay & Dunst. – Lep in Kleur; p. 3, 4
VOI; 6, p. 168
Orc of Ven FG 2; p. 401
angulata Luer & Hirtz - Icones Pleuro XIV; p. 36, 188
ankistra Luer & Dressler - Orquideologia XVI(3); p. 13, 14, 24
antennata Luer & Escobar - Orquideologia XIX(2); p. 78, 81, 83
Lep in Kleur; p. 3, 5
NCO; 5:998
antennifera Luer & Escobar - NCO; 5:982
antilocapra Luer & Dressler - Orquideologia XVI(3); p. 16, 17, 25
antiopa Luer - Icones Pleuro XIV; p. 36-37, 188
appendiculata Ames - Selbyana 10(S); p. 373
Lep in Kleur; p. 3
applanata Luer & Sijm - Selbyana 23(1); p. 1, 2-4
aprina Luer & Jost – Icones Pleuro XVIII; p. 139-140, 144
aquila-borussiae Rchb.f. - VOI; 6, p. 170
Orc of Ven FG 2; p. 402
arachnion Luer & Dressler - Orquideologia XVI(3); p. 7, 8, 20, 21
arbaceae Luer & Cloes - Selbyana 23(1); p. 4, 5
arbuscula Luer & Escobar - Orquideologia XIX(1); p. 20, 22, 33
NCO; 5:965
archilae Luer & Behar - Lindleyana 5(3); p. 182
arethusa Luer & Escobar – Orquideologia XXI(2); p. 135, 137
argentata Luer & Escobar –
Orquideologia XVII(3); p. 149, 151, 152
ariasianua Luer & L.Jost = *Brachycladium ariasianum*
Icones Pleuro XXVII; p. 307 (4/2005)

Lepanthes

aries Luer - Icones Pleuro XIV; p. 37, 188	DI	Lep in Kleur; p. 7	P
aristata Luer & Escobar - Lep in Kleur; p. 4 (center right only) NCO; 5:1046	P	NCO; 5:1000	P
asoma Luer & Hirtz - Icones Pleuro XIV; p. 37-38, 189	P	caesariata Luer & Escobar - Orquideologia XIX(2); p. 82, 83	DI
athena Luer - Icones Pleuro XIV; p. 38, 189	DI	calimae P. Ortiz - Orquideologia XXI(1); p. 69, 70	DIP
atomifera Luer & Escobar - Lep in Kleur; p. 4 NCO; 5:975	DI	caliope Luer & Hirtz - Icones Pleuro XIV; p. 46-47, 192	DI
atrata Endres ex Luer - Lindleyana 10(3); p. 135	P	Lep in Kleur; p. 6	P
atwoodii Luer - Lindleyana 7(2); p. 100	P	callisto Luer & Hirtz - Icones Pleuro XIV; p. 47, 192	DI
aubryi Luer & Jesup - 4, 5-7	DI	NEO; 2:786	I
auditor Luer & Escobar - Orquideologia XVII(3); p. 149, 155, 156	DI	calocodon Luer - Orc of Ven FG 2; p. 404	I
aures-asini Luer & Escobar - NCO; 5:1007	DIP	calodictyon Hook. - Icones Pleuro XIV; p. 48, 193	DI
auriculata Luer - Icones Pleuro XIV; p. 39, 189	P	Lep in Kleur; p. 5, 6, 9	P
aurita Luer & Escobar - Icones Pleuro XIV; p. 39-40, 189	P	NCO; 5:1012	P
auspicata Luer & Escobar - Orquideologia XXI(2); p. 138, 139	DI	NEO; 2:783, (784 ???)	IP
avicularia Luer & Hirtz - Icones Pleuro XIV; p. 40, 190 Lindleyana 2(1); p. 32 NEO; 2:778, 779	DI	caloura Luer & Hirtz - Icones Pleuro XIV; p. 48-49, 193	DI
ballatrix Luer - Icones Pleuro XIV; p. 40-41, 190 Lep in Kleur; p. 5 NCO; 5:956	DI	NEO; 2:785	I
barbae Schltr. - Lep in Kleur; p. 6	DI	calypso Luer & Hirtz - Icones Pleuro XIV; p. 49, 193	DI
barbatula Luer & Vásquez - Lindleyana 7(2); p. 100 Orc of Bolivia vol 1; p. 82, 88	DI	calyprata Luer - Lindleyana 7(2); p. 103	DI
barbelifera Luer & Hirtz - Icones Pleuro XIV; p. 41, 190	IP	Orc of Bolivia Vol 1; p. 89	I
barbigera Luer & Jost - Icones Pleuro XVIII; p. 140, 144	DI	campodostele Luer & Hirtz - Icones Pleuro XIV; p. 50, 193	DI
barbosae Luer - Lindleyana 10(3); p. 135	P	camptica Luer & Hirtz - Icones Pleuro XIV; p. 50-51, 194	DI
beatrizae Luer & Escobar - Orquideologia XX(3); p. 282, 283, 300 NCO; 5:1050	P	canaliculata Luer & Escobar - Orquideologia XX(3); p. 287, 290	DI
beharii Luer - Lindleyana 5(3); p. 185	P	candida Endres ex Luer - Lindleyana 10(3); p. 138	DI
benzingii Luer - Icones Pleuro XIV; p. 42, 190	DI	capistrata Luer & Sijm - Selbyana 23(1); p. 8, 9	DI
biappendiculata Luer - Orc of Ven FG 2; p. 403	IP	capitanea Rchb.f. - Icones Pleuro XIV; p. 51, 194	DI
bibarbullata Luer - Icones Pleuro XXIV; p. 87, 94	DI	Lep in Kleur; p. 8	P
bifalcis Luer - Icones Pleuro XIV; p. 42, 191	DI	VOI; 5, p. 140	DI
bifaria Luer = <i>Lepanthes brachypogon</i> <i>Icones Pleuro XIV; p. 45 (12/1996)</i>	DI	caprimulgus Luer - Icones Pleuro XIV; p. 4, 10	DI
bifida Luer & Behar - Lindleyana 12(1); p. 34, 35	DIP	Selbyana 3(1,2); p. 12	DI
bifurcata Luer & Escobar - Orquideologia XXI(2); p. 140, 141	P	Orquideologia XIX(2); p. 84, 86 (misspelled cardiocheila)	DI
biglomeris Luer & Escobar - Orquideologia XIX(1); p. 20, 22, 34 NCO; 5:963	DI	cardiochila Luer & R.Escobar = <i>Brachycladium cardiochilum</i> <i>Icones Pleuro XXVII; p. 307 (4/2005)</i>	
biloba Lindl. - Icones Pleuro XIV; p. 43-44, 191 Icones Pleuro XIV; p. 119, 223 (was metaxy) NCO; 5:1002 NEO; 2:780	I	carinata Luer & Hirtz - Icones Pleuro XIV; p. 52, 194	DI
binaria Luer & Hirtz - Icones Pleuro XIV; p. 44-45, 191 NEO; 2:781	DI	carinifera Barb.Rodr. = <i>Pabstiella carinifera</i> <i>Icones Pleuro XXIX; p. 119 (8/2007)</i>	
bipinnatula Luer & Escobar - Orquideologia XX(3); p. 282, 284	DI	carunculigera Rchb.f. - Icones Pleuro XIV; p. 5, 10	DI
bituberculata Luer & Hirtz - Icones Pleuro XIV; p. 45, 191 Lindleyana 2(3); p. 125 NEO; 2:782	DI	Lep in Kleur; p. 9	P
bivalvis Luer & Sijm - Selbyana 23(1); p. 7-8	DI	NCO; 2:267	P
blepharistes Rchb.f. - Selbyana 10(S); p. 374 Lep in Kleur; p. 3, 6, 7	DI	casajalensis Ames = <i>Lepanthes eciliata</i>	
boyacensis Luer & Escobar - AOS Bulletin 53(8); p. 820, 821 NCO; 2:270	DIP	cassidea Rchb.f. - Icones Pleuro XIV; p. 52-53, 194	DI
brachypogon Luer - Icones Pleuro XIV; p. 45-46, 192	P	NEO; 2:787	P
brasiliensis Pabst - Lep in Kleur; p. 6 (spelling)	DI	catella Luer & R.Escobar = <i>Brachycladium catellum</i> <i>Icones Pleuro XXVII; p. 307 (4/2005)</i>	
brenesii Schltr. - Lep in Kleur; p. 7	P	cauda-avis Luer - Icones Pleuro XIV; p. 53, 195	DI
brenneri Luer - Icones Pleuro XIV; p. 46, 192	P	caudata Luer & Escobar - Icones Pleuro XIV; p. 53-54, 195	DI
brevipetala Fawc. & Rendle = <i>Lepanthes melanantha</i> <i>Icones Pleuro VIII; p. 43 (8/1991)</i>	DI	caudatisepala C.Schweinf. - Icones Pleuro XIV; p. 54-55, 195	DI
brevis Luer & Vásquez - Lindleyana 6(2); p. 64	I	Lep in Kleur; p. 8	P
bufonis Luer & Hirtz = <i>Draconanthes bufonis</i> <i>Icones Pleuro XIV; p. 4 (12/1996)</i>	DI	NEO; 2:788, (842 was profusa)	IP
cacique-tone Luer & Escobar - Orquideologia XX(3); p. 282, 286, 301	DI	caudigera Luer & Hirtz - Icones Pleuro XVI; p. 101, 106	DI
cactoura Luer & Escobar - Orquideologia XVIII(1); p. 28, 29	I	caveroi D.E.Bennett & Christ. = <i>Brachycladium caveroi</i>	
	DIP	celox Luer & Hirtz - Icones Pleuro XIV; p. 55, 195	DI
	DI	Lindleyana 2(1); p. 36	DI
	P	cerambyx Luer & Escobar - Orquideologia XVIII(1); p. 32, 33, 39	DIP
	P	NCO; 5:995	P
	DIP	cercion Luer & Escobar - Orquideologia XVII(3); p. 159, 160	DI
	P	Lep in Kleur; p. 7	P
	DI	NCO; 5:1021	P
	P	Orc of Ven FG 2; p. 405, 406	I
	P	chameleon Ames - Lep in Kleur; p. 8	P
	DI	chapina Luer & Behar - Lindleyana 5(3); p. 185	DI
	DI	chelonion Luer & Escobar - Lep in Kleur; p. 10	P
		NCO; 5:990	P
	DI	chilopsis Luer & Hirtz = <i>Brachycladium chilopse</i> <i>Icones Pleuro XXVII; p. 307 (4/2005)</i>	
	DI	chimaera Luer & Escobar - Icones Pleuro XIV; p. 55-56, 196	DI
	DI	Orquideologia XVI(2); p. 130, 131	DI
	DIP	chorista Luer & Hirtz - Icones Pleuro XIV; p. 56, 196	DI
	DI		

Lepanthes

NEO; 2:795	I	craticia Luer - Icones Pleuro XIV; p. 64-65, 200	DI
chrycina Luer & Hirtz - Icones Pleuro XIV; p. 56-57, 196	DI	crebrifolia Barb.Rodr. = <i>Anathallis crebrifolia</i>	
Lindleyana 2(3); p. 128	DI	<i>Icones Pleuro XXIX; p. 118 (8/2007)</i>	
Lep in Kleur; p. 9, 10	P	cremasta Luer & Hirtz - Icones Pleuro XIV; p. 65, 200	DI
chrysosepala Barb.Rodr. = <i>Pleurothallis arcuata</i>		crista-piscis Luer & Vásquez - Orc of Bolivia Vol 1; p. 91	I
<i>Icones Pleuro XX; p. 59 (5/2000)</i>		Lep in Kleur; p. 11 (misspelled?)	P
ciliaris Luer & Hirtz = <i>Brachycladium cilare</i>		crista-pulli Luer & Escobar - Icones Pleuro XIV; p. 65-66, 200	DI
<i>Icones Pleuro XXVII; p. 307 (4/2005)</i>		cristata Barb.Rodr. = <i>Acianthera cristata</i>	
ciliicampa Luer & Hirtz - Icones Pleuro XIV; p. 57, 196	DI	<i>Icones Pleuro XXVI; p. 253 (2/2004)</i>	
ciliispala Schltr. - Lep in Kleur; p. 7, 9	P	crossota Luer - Lindleyana 2(4); p. 188	DI
cincinnata Luer & Escobar - Orquideologia XIX(1); p. 20, 23, 35	DIP	cryptantha Barb.Rodr. = <i>Specklinia cryptantha</i>	
Lep in Kleur; p. 10	P	<i>Icones Pleuro XXVI; p. 260 (2/2004)</i>	
NCO; 5:969	P	cryptophytos Barb.Rodr. = <i>Pabstiella parvifolia</i>	
cingens Luer & Escobar - Orquideologia XIX(2); p. 79, 84, 87	DIP	<i>Icones Pleuro XXVIII; p. 139 (5/2006)</i>	
Lep in Kleur; p. 10	P	ctenophora Luer & Hirtz - Icones Pleuro XIV; p. 66, 200	DI
NCO; 5:1043	P	Lindleyana 2(3); p. 129	DI
circularis Luer - Lindleyana 10(3); p. 140	DI	NEO; 2:793, 794	IP
clandestina Luer & Hirtz - Icones Pleuro XIV; p. 57-58, 197	DI	cuatrecasasii Luer - Icones Pleuro XXIX; p. 109, 113	DI
NEO; 2:789	I	cucullata Luer & Escobar - Orquideologia XIX(2); p. 84, 89	DI
clareae Luer & J. Hermans - Lep in Kleur; p. 11 (spelling)	P	culex Luer & Escobar - NCO; 5:981	P
clarkii Luer - Icones Pleuro XIV; p. 58, 197	DI	cuneiformis Luer & Escobar - Orquideologia XVI(2); p. 135, 136	DI
clausa Luer & Escobar - NCO; 5:1017	P	cunicularis Luer & Escobar -	
climax Luer & Escobar - Orquideologia XVII(3); p. 163, 164	DI	Orquideologia XX(3); p. 289, 290, 300	DIP
cloesii Luer - Icones Pleuro XVIII; p. 165, 169	DI	curiosa Luer - Icones Pleuro XX; p. 117-118, 134	DI
Lep in Kleur; p. 11, 56	P	cuspidata Luer - Lindleyana 10(3); p. 140	DI
cocculifera Luer & Escobar - Orquideologia XVI(2); p. 133, 134	DI	cyclochila Luer & Escobar - Orquideologia XIX(2); p. 79, 90, 93	DIP
cochlearifolia (Sw.) Sw. - Lep in Kleur; p. 52	P	NCO; 5:1010	P
cochliops Luer & Vásquez - Lindleyana 6(2); p. 68	DI	cymbium Luer & Escobar - Icones Pleuro XIV; p. 66-67, 201	DI
cogolloi Luer & Escobar - Orquideologia XVIII(1); p. 34, 35	DI	Orquideologia XIX(2); p. 80, 91, 93	DIP
collaris Luer - Lindleyana 2(4); p. 185	DI	NCO; 5:1033	P
columbar Luer - Icones Pleuro XIV; p. 58-59, 197	DI	cyrillicola Luer & Llamacho - Selbyana 22(2); p. 104-106	DI
Lep in Kleur; p. 11, 12	P	cyrtostele Luer & Hirtz - Icones Pleuro XVI; p. 102-103, 106	DI
comadresina Luer - Lindleyana 13(3); p. 138	DI	Lep in Kleur; p. 11	P
comet-halleyi Luer - Lindleyana 2(4); p. 185	DI	dactyla Garay = <i>Brachycladium dactylum</i>	
complicata Luer & Vásquez - Orc of Bolivia Vol 1; p. 82, 90	IP	<i>Icones Pleuro XXVII; p. 307 (4/2005)</i>	
composita Luer & R.Escobar = <i>Brachycladium compositum</i>		dactylina Luer - Icones Pleuro XVIII; p. 166, 169	DI
<i>Icones Pleuro XXVII; p. 307 (4/2005)</i>		dalessandroi Luer - Icones Pleuro XIV; p. 67, 201	DI
conchilabia Luer & Hirtz - Icones Pleuro XVI; p. 102, 106	DI	dalstroemii Luer = <i>Lepanthes wagneri</i>	
condorensis Luer & Hirtz - Icones Pleuro XIV; p. 59, 197	DI	<i>Icones Pleuro XIV; p. 180 (12/1996)</i>	
NEO; 2:790	I	darioi Luer & Escobar - Orquideologia XX(3); p. 290, 291, 300	DIP
confusa Ames & C.Schweinf. - Icones Pleuro XIV; p. 60, 198	DI	NCO; 5:1020	P
Lep in Kleur; p. 11	P	dasyphylla Rchb.f. = <i>Lepanthes pilosella</i>	
confusoides Luer - Icones Pleuro XVIII; p. 165, 169	DI	<i>Icones Pleuro XI; p. 35 (12/1994)</i>	
conjuncta Luer & Hirtz - Icones Pleuro XIV; p. 60-61, 198	DI	dasyura Luer & Escobar - Orquideologia XVIII(1); p. 40, 41	DI
Lindleyana 2(3); p. 128	DI	dauidsei Luer - Lindleyana 11(2); p. 56	DI
NEO; 2:791	I	debilis Luer & Escobar - Orquideologia XVII(3); p. 170, 171, 173	DIP
contingens Luer - Icones Pleuro XIV; p. 61-62, 198	DI	Lep in Kleur; p. 11	P
NEO; 2:792	P	decipiens Ames & C. Schweinf. - VOI; 6, p. 172	DI
corazonis Schltr. = <i>Trichosalpinx chamaelepanthes</i>		declivis Luer & Escobar - Orquideologia XXI(2); p. 142, 143	DI
<i>Icones Pleuro XV; p. 50 (12/1997)</i>		decoris Luer & Llamacho - Selbyana 22(2); p. 106-107	DI
cordata Luer & Escobar - Orquideologia XVII(3); p. 166, 167	DI	decurva Luer & Hirtz - Icones Pleuro XIV; p. 68, 201	DI
cordeliae Luer - Lindleyana 7(2); p. 103	DI	Lep in Kleur; p. 13	P
cordilabia Luer = <i>Brachycladium cordilabium</i>		NEO; 2:796	I
<i>Icones Pleuro XXVII; p. 307 (4/2005)</i>		deficiens Luer & Escobar - Orquideologia XVII(3); p. 173, 175, 177	DIP
corkyae Luer & Hirtz - Icones Pleuro XIV; p. 62, 198	DI	NCO; 5:1019	P
Lep in Kleur; p. 9, 12	P	deformis Luer & Hirtz - Icones Pleuro XIV; p. 68, 201	DI
cornualis Luer & Escobar - Icones Pleuro XIV; p. 62-63, 199	DI	NEO; 2:797	I
Orquideologia XVIII(1); p. 36, 37	DI	deleastes Luer - Icones Pleuro XIV; p. 69, 202	DI
corrugata Luer & Dalström - Icones Pleuro XIV; p. 63, 199	DI	Lep in Kleur; p. 11	P
cosmos Luer & Escobar = <i>Lepanthes vespertilio</i>		delhierroi Luer & Hirtz - Icones Pleuro XIV; p. 69-70, 202	DI
<i>Icones Pleuro XIV; p. 178 (12/1996)</i>		NEO; 2:798	P
costaricensis Schltr. - Selbyana 10(S); p. 375, 376	I	deliciasensis Luer & Escobar - Orquideologia XIX(2); p. 93, 95	DI
Lep in Kleur; p. 9	P	deliqua Luer - Icones Pleuro XIV; p. 70, 202	DI
cotyledon Luer - Icones Pleuro XIV; p. 63-64, 199	DI	delphax Luer = <i>Lepanthes jamesonii</i>	
cotylicsa Luer & Hirtz - Icones Pleuro XIV; p. 64, 199	DI	<i>Icones Pleuro XIV; p. 106 (12/1996)</i>	
crassicaulis Barb.Rodr. = <i>Pabstiella crassicaulis</i>		denticulata Luer & Behar - Lindleyana 6(2); p. 68	DI
<i>Icones Pleuro XXIX; p. 119 (8/2007)</i>		destituta Luer & R.Escobar = <i>Brachycladium destitutum</i>	

Lepanthes

				Lindleyana 2(3); p. 132	DI
dewildei Luer & Escobar – Orquideologia XX(3); p. 290, 292	DI			elata Rchb.f. - Lep in Kleur; p. 16	P
diabolica Luer & Escobar - Orquideologia XVIII(1); p. 42, 43	DI			NCO; 2:266	P
diaziae Luer - Lindleyana 13(3); p. 138	DI			electilis Luer - Icones Pleuro XIV; p. 76, 205	DI
dichroma Luer - Lindleyana 11(2); p. 59	DI			Lep in Kleur; p. 17	P
dictydion Luer & Hirtz - Icones Pleuro XIV; p. 70-71, 202	DI			elegans Luer - Lindleyana 10(3); p. 146	DI
Lep in Kleur; p. 14	P			elegantula Schltr. - Icones Pleuro XIV; p. 77, 205	DI
dictyota Luer & Vásquez - Icones Plant Trop Ser II Fasc 3; pl. 242	DI			Lep in Kleur; p. 17	P
Orc of Bolivia Vol 1; p. 82, 92	I			elephantina Luer & Escobar - Icones Pleuro XIV; p. 77, 205	DI
Lep in Kleur; p. 12, 13, 14	P			Orquideologia XVI(2); p. 141, 142	DI
dicycla Luer & Hirtz – Icones Pleuro XXIX; p. 115, 117	DI			elongata Luer & Hirtz - Icones Pleuro XIV; p. 78, 205	DI
didactyla Luer & Escobar - Orquideologia XVI(2); p. 137, 138	DI			Lindleyana 2(2); p. 99	DI
didyma Luer & Hirtz - Icones Pleuro XIV; p. 71, 203	DI			elytrifera Luer & Jost – Icones Pleuro XVIII; p. 140-141, 144	DI
dielsii Mansf. = <i>Andinia dielsii</i>				embreei Luer & Hirtz - Icones Pleuro XIV; p. 78-79, 206	DI
<i>Icones Pleuro XX; p. 6 (5/2000)</i>				Lindleyana 2(3); p. 132	DI
dipteryx Luer & Hirtz = <i>Lepanthes alticola</i>				Lep in Kleur; p. 13	P
<i>Icones Pleuro XIV; p. 34 (12/1996)</i>				empticia Luer & Béhar – Icones Pleuro XVIII; p. 166, 169	DI
discolor Luer & Escobar - Orquideologia XVII(3); p. cov, 185, 187	DIP			endresii Luer - Lindleyana 7(2); p. 106	DI
NCO; 5:1041, 1042	P			equicalceolata Luer & Escobar - Icones Pleuro XIV; p. 6, 10	DI
disjuncta Luer & Hirtz - Icones Pleuro XIV; p. 72, 203	DI			Orquideologia XIX(1); p. 20, 23, 36	DIP
Lindleyana 2(3); p. 129	DI			Lep in Kleur; p. 18	P
disticha (A.Rich. & Gal.) Schultes & Garay – Selbyana 10(S); p. 377	I			NCO; 5:1011	P
Lep in Kleur; p. 13, 14, 15	P			erepsis Luer & Hirtz = <i>Brachycladium erepse</i>	
divaricata Fawc. & Rendl. - Lep in Kleur; p. 13	P			<i>Icones Pleuro XXVII; p. 307 (4/2005)</i>	
dodsonii Luer - Icones Pleuro XIV; p. 72-73, 203	DI			eriocampa Luer & Hirtz - Icones Pleuro XIV; p. 79, 206	DI
NEO; 2:799	P			eros Luer & Escobar - Lep in Kleur; p. 16	P
dolabrata Luer & Escobar – Orquideologia XX(3); p. 294, 296	DI			NCO; 5:976	P
dolabriformis Luer - Lindleyana 11(2); p. 59	DI			eruca Luer & Hirtz - Icones Pleuro XIV; p. 79-80, 206	DI
dolichopus Schltr. = <i>Lepanthes monoptera</i>				Lindleyana 2(3); p. 135	DI
<i>Icones Pleuro XIV; p. 121 (12/1996)</i>				erucifera Luer & Sijm - Selbyana 23(1); p. 8, 9-11	DI
doloma Luer & Vásquez = <i>Lepanthes intonsa</i>				erythrocles Luer & Escobar - Orquideologia XVIII(1); p. 44, 45	DI
<i>Icones Pleuro XIV; p. 103 (12/1996)</i>				erythroantha ? - Lep in Kleur; p. 16	P
dotae Endres ex Luer - Lindleyana 10(3); p. 143	DI			(misspelled??? erythrostanga???)	
droseroides Luer - Lindleyana 2(4); p. 188	DI			escifera Luer & Escobar - Lep in Kleur; p. 19	P
dryads Luer & Escobar – AOS Bulletin 53(9); p. 918, 919	DIP			NCO; 5:1023	P
Lep in Kleur; p. 14 (spelling)	P			escobariana Garay - Lep in Kleur; p. 16, 18	P
NCO; 5:980 (spelling)	P			NCO; 2:260	P
drymocharis Luer & Hirtz = <i>Lepanthes ophioglossa</i>				esmeralda Luer & Hirtz - Icones Pleuro XIV; p. 80-81, 206	DI
<i>Icones Pleuro XIV; p. 130 (12/1996)</i>				NEO; 2:805, 806	IP
dunstervilleorum Foldats - Icones Pleuro XIV; p. 73, 203	DI			eumeces Luer - Icones Pleuro XIV; p. 80, 207	DI
Orquideologia XVI(2); p. 146, 148 (was hispida)	DI			evansiae Luer & Hirtz - Icones Pleuro XIV; p. 81, 207	DI
Lep in Kleur; p. 15	P			NEO; 2:807	I
NCO; 5:967	P			exaltata Luer & Escobar - NCO; 2:269	P
VOI; 6, p. 174	DI			exigua Luer & L.Jost = <i>Brachycladium exiguum</i>	
Orc of Ven FG 2; p. 407	I			<i>Icones Pleuro XXVII; p. 307 (4/2005)</i>	
dussii Urban - VOI; 6, p. 176	DI			exilis C. Schweinf. - Lep in Kleur; p. 16, 20	P
Orc of Ven FG 2; p. 408	I			VOI; 4, p. 120	DI
echidion Luer & Escobar - Orquideologia XVI(2); p. 139, 140	DI			Orc of Ven FG 2; p. 410	I
echidna Luer & Vásquez – Orc of Bolivia Vol 1; p. 93	I			eximia Ames – Selbyana 10(S); p. 379	I
echinata Luer & Cloes - Selbyana 22(2); p. 107,108	DI			exogena Luer & Hirtz - Icones Pleuro XIV; p. 81-82, 207	DI
echinocarpa L.O.Williams = <i>Andinia dielsii</i>				expansa Luer & Hirtz - Icones Pleuro XIV; p. 82, 207	DI
<i>Icones Pleuro XX; p. 6 (5/2000)</i>				exposita Luer - Lindleyana 2(4); p. 191	DI
echo Luer & Hirtz - Icones Pleuro XIV; p. 74-75, 204	DI			exserta Luer & Hirtz - Icones Pleuro XVI; p. 103, 106	DI
eciliata Schltr. - Lep in Kleur; p. 15, 16	P			extrinseca Luer & Hirtz - NEO; 2:808	P
Icones Pleuro in Color I; p. 1 (misspelled casajaleanis)				falcata Luer & Vásquez – Orc of Bolivia Vol 1; p. 83, 94	IP
(was L. casajalensis)	P			Lep in Kleur; p. 16	P
edentula Luer - Lindleyana 10(3); p. 143	DI			falcifera Luer - Lindleyana 10(3); p. 148	DI
edwardsii Ames – Selbyana 10(S); p. 378	I			fascinata Luer - Lindleyana 10(3); p. 148	DI
effusa Schltr. - Icones Pleuro XIV; p. 74, 204	DI			felis Luer & Escobar - Icones Pleuro XIV; p. 7, 10	DI
Lep in Kleur; p. 31 (was millei)	P			Lep in Kleur; p. 19	P
NEO; 2:800	P			NCO; 2:268	P
VOI; 4, p. 124 (was millei)	DI			NCO; 5:972, 973	P
ejecta Luer & Hirtz - Icones Pleuro XIV; p. 75, 204	DI			ferax Luer & Escobar - Orquideologia XVIII(1); p. 39, 47, 48	DIP
NEO; 2:801 (p. 388), 802	I			NCO; 5:1015	P
elaeanorae Foldats - Lindleyana 1(4); p. 260	DI			ferrelliae Luer - Lep in Kleur; p. 19 (spelling)	P
Orc of Ven FG 2; p. 409	I			fibulifera Luer & R. Escobar - Lep in Kleur; p. 16 (spelling)	P
elaminata Luer & Hirtz - Icones Pleuro XIV; p. 76, 204	DI			filamentosa Luer & Hirtz - Icones Pleuro XIV; p. 82-83, 208	DI

Lepanthes

NEO; 2:809	P	<i>granulosa</i> Barb.Rodr. = <i>Specklinia granulosa</i>	
fiskei Luer - Icones Pleuro XIV; p. 83, 208	DI	<i>Icones Pleuro XXVI; p. 259 (2/2004)</i>	
NEO; 2:310, 311	IP	grildrig Luer & Escobar - Orquideologia XVIII(1); p. 49, 51	DI
fissa Luer & Hirtz - Icones Pleuro XIV; p. 83-84, 208	DI	grossiradix Luer & Hirtz - Icones Pleuro XIV; p. 92, 212	DI
Lep in Kleur; p. 21	P	grypha Luer - Icones Pleuro XIV; p. 92-93, 212	DI
flaccida Luer & Hirtz - Icones Pleuro XIV; p. 84, 208	DI	NEO; 2:817	P
flexuosa Luer - Icones Pleuro XIV; p. 85, 209	DI	guaduasensis Luer & Escobar - Orquideologia XXI(2); p. 145, 146	DI
florencia Dod ex Luer - Icones Pleuro XXVII; p. 278-279, 281	DI	guanacasensis Luer & Escobar - Orquideologia XIX(2); p. 94, 97	DI
floresii Luer & Hirtz - Icones Pleuro XIV; p. 85, 209	DI	guanacastensis Ames & Schweinf. - Selbyana 10(S); p. 381	I
NEO; 2:812	P	guardiana Endres ex Luer - Lindleyana 10(3); p. 156	DI
focalis Luer - Icones Pleuro XIV; p. 86, 209	DI	guatemalensis Schltr. - Selbyana 10(S); p. 382	I
Lep in Kleur; p. 19	P	Orquidea Jul 90; p. 33, 36-38	DI
fonnegrae Luer & Escobar - Orquideologia XIX(1); p. 20, 26, 36	DIP	Lep in Kleur; p. 24	P
NCO; 5:991	P	gustavo Luer & Escobar - Orquideologia XX(3); p. 296, 298	DI
forceps Luer & Escobar - NCO; 5:1022	P	gutula-sanguinis Luer & Escobar -	
forcipifera Luer - Lindleyana 10(3); p. 151	DI	Orquideologia XVII(3); p. 189, 191, 193	DIP
foveata Luer & Escobar - AOS Bulletin 53(10); p. 1044, 1045	DIP	Lep in Kleur; p. 23 (spelling)	P
Lep in Kleur; p. 21	P	NCO; 5:1027 (spelling)	P
NCO; 5:974	P	hagsateri Salazar & Soto Arenas - Orquidea Dec 99; p. 19-22	DIP
fratercula Luer & Behar - Lindleyana 5(3); p. 188	DI	hamiltonii Luer - Icones Pleuro XVIII; p. 167, 170	DI
frigida Luer - Icones Pleuro XIV; p. 86-87, 209	DI	hamulifera Luer - Lindleyana 19(3); p. 156	DI
fuchsii Luer - Lindleyana 6(2); p. 70	DI	harrisii Fawc. & Rendle = <i>Lepanthopsis melanantha</i>	
fugiens Luer - Lindleyana 10(3); p. 151	DI	<i>Icones Pleuro VIII; p. 43 (8/1991)</i>	
funerea Barb.Rodr. = <i>Specklinia funerea</i>		hastata Luer - Lindleyana 7(2); p. 108	DI
<i>Icones Pleuro XXVI; p. 259 (2/2004)</i>		Orc of Bolivia Vol 1; p. 97	I
furcata Luer & Escobar - Orquideologia XIX(1); p. 20, 26, 37	DIP	helcium Luer & Hirtz - Icones Pleuro XIV; p. 93, 212	DI
NCO; 5:993	P	NEO; 2:818	I
fusiformis Luer - Icones Pleuro XIV; p. 87, 210	DI	helgae Luer & Escobar - Orquideologia XVIII(1); p. 52, 53	DI
gaileana Luer & Hirtz - Icones Pleuro XIV; p. 87-88, 210	DI	Lep in Kleur; p. 23	P
NEO; 2:813	P	NCO; 2:253	P
garayi Hashimoto - Orc of Bolivia Vol 1; p. 83, 95	IP	helicocephala Rchb.f. - Icones Pleuro XIV; p. 93-94, 213	DI
gargantua Rchb.f. - Icones Pleuro XIV; p. 88-89, 210	DI	Icones Orchid Peru pl. 275	DI
Lindleyana 2(3); p. 138 (was pachyrhiza)	DI	Lep in Kleur; p. 21	P
Lep in Kleur; p. 21, 22	P	VOI; 5, p. 142	DI
NCO; 2:271	P	Orc of Ven FG 2; p. 412	I
gargoyla Luer & Hirtz - Icones Pleuro XIV; p. 89, 210	DI	helleri Hawkes - Selbyana 10(S); p. 383	I
Lep in Kleur; p. 20, 21, 22	P	hemirhoda Garay - Lep in Kleur; p. 25	P
NEO; 2:814, 815	IP	heptapus Luer & Escobar - NCO; 5:986	P
gelata Luer & Escobar - Orquideologia XX(3); p. 295, 296	DI	hermansii Luer - Lep in Kleur; p. 23	P
gemina Luer & Escobar - Lep in Kleur; p. 20, 22	P	herrerae Luer & Behar - Lindleyana 6(2); p. 70	DI
NCO; 2:261	P	herzogii Luer - Orc of Bolivia Vol 1; p. 98	I
geminipetala Luer & J.J.Portilla = <i>Brachycladium geminipetalum</i>		hexapus Luer & Escobar - Icones Pleuro XIV; p. 94, 213	DI
<i>Icones Pleuro XXVII; p. 307 (4/2005)</i>		Orquideologia XVI(2); p. 144, 145	DI
gemma Luer & Hirtz - Icones Pleuro XIV; p. 89-90, 211	DI	hippocrepica Luer & R.Escobar = <i>Brachycladium hippocrepicum</i>	
NEO; 2:816	P	<i>Icones Pleuro XXVII; p. 307 (4/2005)</i>	
generi Luer & Hirtz - Icones Pleuro XVI; p. 103-104, 107	DI	hirpex Luer & Escobar - Lep in Kleur; p. 25	P
geniculata Luer & Behar - Lindleyana 5(3); p. 188	DI	NCO; 5:1025	P
georgii Luer & Escobar - Orquideologia XIX(2); p. 79, 93, 96	DIP	hirsutula Luer & Hirtz - Icones Pleuro XIV; p. 94-95, 213	DI
Lep in Kleur; p. 25 (misspelled jorjoi)	P	Lindleyana 2(3); p. 135	DI
NCO; 5:983	P	NEO; 2:801(p. 380, should be 821), 822	IP
gibberosa Ames - Selbyana 10(S); p. 380	I	hirtzii Luer - Icones Pleuro XIV; p. 95-96, 213	DI
Lep in Kleur; p. 21	P	NEO; 2:823	P
giraldoi Luer - Orquideologia XXII(1); p. 37-38, 39	DI	hispida Luer & Escobar = <i>Lepanthes dunstervilleorum</i>	
glabella Luer & Hirtz - Icones Pleuro XIV; p. 90, 211	DI	<i>Icones Pleuro XIV; p. 73 (12/1996)</i>	
glaberrima Luer & Vásquez - Orc of Bolivia Vol 1; p. 96	I	hispidosa Luer & Jost - Icones Pleuro XVIII; p. 141, 145	DI
glicensteinii Luer - Lindleyana 2(4); p. 191	DI	hoeijeri Luer - Icones Pleuro XIV; p. 96, 214	DI
Lep in Kleur; p. 21	P	hollymountensis Luer & Jesup - Selbyana 23(1); p. 11, 12	DI
glochidea Luer - Orc of Ven FG 2; p. 411	I	homotaxis Luer & Escobar - Icones Pleuro XIV; p. 96-97, 214	DI
glomerulosa Luer & Hirtz - Icones Pleuro XIV; p. 90-91, 211	DI	horichii Luer - Lindleyana 2(4); p. 194	DI
gloris Hirtz & Luer - Icones Pleuro XVI; p. 104, 107	DI	horribilis Luer & Hirtz - Icones Pleuro XIV; p. 97, 214	DI
glossites Luer - Icones Pleuro XVIII; p. 167, 170	DI	NEO; 2:824, 825	IP
gnoma Luer & Hirtz - Icones Pleuro XIV; p. 91, 211	DI	horrida Rchb.f. - Lep in Kleur; p. 24, 25, 26	P
golbasta Luer & Hirtz - Icones Pleuro XIV; p. 91-92, 212	DI	hortensis Luer & Escobar - Orquideologia XVII(3); p. 193, 195, 197	DI
golondrina Luer & Escobar - NCO; 5:1003	P	NCO; 5:1035	P
gossamera Luer & Hirtz - Icones Pleuro XXIX; p. 115-116, 117	DI	hubeinii Luer - Lep in Kleur; p. 26	P
gracillima Endres ex Luer - Lindleyana 10(3); p. 154	DI	hydrae Luer & Jost - Icones Pleuro XVIII; p. 141-142, 145	DI
grandiflora Ames & Schweinf. - Lep in Kleur; p. 20, 21, 23	P	hymenoptera Luer & Hirtz - Icones Pleuro XIV; p. 98, 214	DI

Lepanthes

hyphosa Luer & Escobar - Orquideologia XVII(3); p. 200, 201, 204 NCO; 5:979	DIP P	labiata Luer - Orquideologia XXII(1); p. 38, 40-42	DI
hystrix Luer & Hirtz - Icones Pleuro XIV; p. 98-99, 215 NEO; 2:826	DI I	laevis Luer - Icones Pleuro XVIII; p. 168, 170	DI
ibanezii Luer & Behar - Lindleyana 5(3); p. 191	DI	lancipetala L.O.Williams = <i>Andinia pensilis</i> <i>Icones Pleuro XX; p. 6 (5/2000)</i>	
ictalurus Luer - Icones Pleuro XIV; p. 99, 215	DI	lappacea Luer - Lindleyana 1(2); p. 61	DI
ilensis Dodson - Icones Pleuro XIV; p. 100, 215 NEO; 2:827 (spelling?)	DI I	larvina Luer & Escobar - Lep in Kleur; p. 29 NCO; 2:278	P P
ilinizae Luer & Hirtz - Icones Pleuro XIV; p. 100, 215	DI	lasiopetala Garay & Dunst. - NCO; 5:1013 VOI; 6, p. 178	P DI
illex Luer - Icones Pleuro XIV; p. 101, 216	DI	Orc of Ven FG 2; p. 414, 415, 416	I
imbricans Luer & Escobar - Orquideologia XXI(2); p. 147, 148	DI	latisepala Ames & Schweinf. - Lep in Kleur; p. 27	P
imitator Luer & Hirtz - Icones Pleuro XIV; p. 101, 216 Lep in Kleur; p. 23	DI P	laxa Luer & Portilla - Icones Pleuro XXIV; p. 90, 95	DI
implexa Luer & Hirtz - Icones Pleuro XIV; p. 102, 216 Lindleyana 2(1); p. 36	DI DI	lenticularis Luer & Behar - Lindleyana 6(2); p. 73	DI
imposita Luer & Escobar - NCO; 5:1018	P	leonii C.Schweinf. = <i>Lepanthopsis microlepanthes</i> <i>Icones Pleuro VIII; p. 74 (8/1991)</i>	
impotens Luer & Escobar - Orquideologia XX(3); p. 296, 299	DI	leptotifolia Barb.Rodr. = <i>Pabstiella leptotifolia</i> <i>Icones Pleuro XXIX; p. 120 (8/2007)</i>	
inaequalis Schltr. - Selbyana 10(S); p. 384	I	ligiae Luer & Escobar - Orquideologia XVIII(1); p. 56, 57, 65	DIP
inaequispala Luer & Portilla - Icones Pleuro XXIV; p. 90, 95	DI	Lep in Kleur; p. 27, 28, 29	P
inamoena Luer - Icones Pleuro XIV; p. 102-103, 216	DI	NCO; 2:263	P
incantata Luer - Lindleyana 2(4); p. 194	DI	ligulata Luer & Hirtz - Lindleyana 7(2); p. 111	DI
incisa Luer & Vásquez - Orc of Bolivia Vol 1; p. 99	I	Orc of Bolivia Vol 1; p. 102	I
incredibilis Luer & Vásquez - Orc of Bolivia Vol 1; p. 83, 100	IP	lilijae Foldats - VOI; 6, p. 180	DI
inescata Luer - Lindleyana 2(4); p. 197 Lep in Kleur; p. 25	DI P	Orc of Ven FG 2; p. 417	I
ingramii Luer - Lindleyana 7(2); p. 108		lilliputae Luer & Escobar - Orquideologia XVII(3); p. 209, 210	DI
ingridiana Luer - Icones Pleuro XX; p. 118, 134	DI	limbata Luer & Escobar - Orquideologia XIX(2); p. 79, 94, 98	DIP
insolita Luer & Escobar - Orquideologia XVII(3); p. 203, 205, 207 NCO; 5:984	DIP P	limbellata Endres ex Luer - Lindleyana 10(3); p. 159	DI
intonsa Luer - Icones Pleuro XIV; p. 103, 217 Orc of Bolivia Vol 1; p. 82 (was doloma) Lep in Kleur; p. 25 NCO; 5:1026	DI P P P	lindleyana Oerst. & Rchb.f. - Lep in Kleur; p. 27, 29 VOI; 4, p. 122	P DI
intricata Luer - Icones Pleuro XIV; p. 103-104, 217 NEO; 2:828	DI	linealis Luer & Escobar - Orquideologia XVIII(1); p. 58, 59	DI
ionopectera Rchb.f. - Orc of Bolivia Vol 1; p. 101 Lep in Kleur; p. 26 NCO; 5:989 VOI; 5, p. 144 Orc of Ven FG 2; p. 413	DI P P P	Lep in Kleur; p. 27	P
iricolor Luer - Icones Pleuro XIV; p. 104, 217		NCO; 5:1051	P
irrasa Luer & R.Escobar = <i>Brachycladium irrasum</i> <i>Icones Pleuro XXVII; p. 307 (4/2005)</i>	DI	lineolata Barb.Rodr. = <i>Pabstiella lineolata</i> <i>Icones Pleuro XXIX; p. 120 (8/2007)</i>	
isochila Luer - Orquideologia XX(2); p. 196, 197	P	linguifera Garay & Dunst. - VOI; 6, p. 182	DI
isosceles Luer & Escobar - NCO; 5:1006		Orc of Ven FG 2; p. 418	I
jackinpyxa Luer & Hirtz - Icones Pleuro XIV; p. 105, 217 Lindleyana 2(1); p. 38 NEO; 2:829	DI DI I	lingulosa Luer & Escobar - Orquideologia XXI(2); p. 149, 150	DI
jamboensis Luer & Hirtz - Icones Pleuro XIV; p. 105-106, 218	DI	llamachoi Luer - Lindleyana 13(3); p. 141	DI
jamesonii Lindl. - Icones Pleuro XIV; p. 106-107, 218	DI	llanganatensis Luer & Hirtz - Icones Pleuro XIV; p. 110, 219	DI
janitor Luer & Escobar - Icones Pleuro XIV; p. 107, 218	DI	llipiënsis Luer - Lindleyana 7(2); p. 111	DI
janus Luer & Escobar - NCO; 5:1038	P	Orc of Bolivia Vol 1; p. 103	I
jardinensis Luer & Escobar - Orquideologia XIX(1); p. 20, 29, 38 NCO; 5:1004	DIP P	Lep in Kleur; p. 29	P
jayandella Luer - Icones Pleuro XIV; p. 107-108, 218		lloensis Luer - Icones Pleuro XIV; p. 110-111, 220	DI
jennyi Luer - Lindleyana 6(2); p. 73	DI	lobiserrata Barb.Rodr. = <i>Specklinia lobiserrata</i> <i>Icones Pleuro XXVI; p. 261 (2/2004)</i>	
jesupii Luer - Selbyana 22(2); p. 107-109	DI	longiacuminata Luer & Hirtz - Icones Pleuro XVI; p. 104-105, 107	DI
jimburae Luer & Hirtz - Icones Pleuro XIV; p. 108, 219	DI	longiracemosa Foldats - VOI; 6, p. 184	DI
johnsonii Ames - Selbyana 10(S); p. 385	I	Orc of Ven FG 2; p. 419	I
jostii Luer - Icones Pleuro XVIII; p. 142, 145	DI	lophius Luer & Escobar - Icones Pleuro XIV; p. 111, 220	DI
juanii Luer & Behar - Lindleyana 5(3); p. 191	DI	Lep in Kleur; p. 28	P
jubata Luer - Icones Pleuro XIV; p. 108-109, 219 Lep in Kleur; p. 27, 28	DI P	NEO; 2:830	P
jugum Luer - Lindleyana 2(4); p. 197	DI	lucifer Luer & Hirtz - Icones Pleuro XIV; p. 8, 11	DI
katleri Luer - Lindleyana 6(2); p. 73 Lep in Kleur; p. 25, 27 (misspelled)	DI P	Lep in Kleur; p. 30	P
kuijtii Luer & Hirtz - Icones Pleuro XIV; p. 109-110, 219	DI	NEO; 2:831	P
		lunaris Luer = <i>Brachycladium lunare</i> <i>Icones Pleuro XXVII; p. 307 (4/2005)</i>	
		lupula Luer & Hirtz = <i>Brachycladium lupulum</i> <i>Icones Pleuro XXVII; p. 307 (4/2005)</i>	
		lycocephala Luer & Escobar - Icones Pleuro XIV; p. 111-112, 220	DI
		Orquideologia XVI(2); p. 147, 150	DI
		lynniana Luer = <i>Brachycladium lynnianum</i> <i>Icones Pleuro XXVII; p. 307 (4/2005)</i>	
		macalpinii Luer - Lindleyana 2(4); p. 197	DI
		maccombiana Luer - Icones Pleuro XIV; p. 112, 220 (misspelled maccolmiana)	DI
		macropoda Schltr. = <i>Lepanthes nanegalensis</i> <i>Icones Pleuro XIV; p. 124 (12/1996)</i>	

Lepanthes

macrostylis Luer & Escobar – Orquideologia XXI(2); p. 151, 153	DI	micropogon Luer = <i>Lepanthes megalosteles</i> <i>Icones Pleuro XIV</i> ; p. 116 (12/1996)	
macrotica Luer & Dalström - <i>Icones Pleuro XIV</i> ; p. addendum 3, 4	DI	migueliana Luer & Behar - Selbyana 23(1); p. 13-15	DI
macroua Schltr. = <i>Lepanthes mucronata</i> <i>Icones Pleuro XIV</i> ; p. 122 (12/1996)		millei Schltr. = <i>Lepanthes effusa</i> <i>Icones Pleuro XIV</i> ; p. 74 (12/1996)	
maduroi Luer - Lep in Kleur; p. 30	P	mimetica Garay & Dunst. - Lep in Kleur; p. 33	P
magnifica Luer - <i>Icones Pleuro XIV</i> ; p. 113, 221	DI	VOI; 6, p. 190	DI
mammillata Luer - <i>Icones Pleuro XIV</i> ; p. 113-114, 221	DI	minima-mundana Luer - Lindleyana 13(3); p. 142	DI
manabina Dodson - <i>Icones Pleuro XIV</i> ; p. 114, 221	DI	minutilabia Ames & Schweinf. - Lep in Kleur; p. 31, 34	P
Lep in Kleur; p. 28, 30	P	minutissima Endres ex Luer - Lindleyana 10(3); p. 159	DI
NCO; 2:272 (was <i>Lepanthes mastadon</i>)	I	minynglossa Luer - Selbyana 23(1); p. 15, 16	DI
NEO; 2:832	P	miraculum Luer & Vásquez – Orc of Bolivia Vol 1; p. 83, 106	IP
mariposa Luer - Lep in Kleur; p. 29	P	Lep in Kleur; p. 34, 35	P
marmorata Barb.Rodr. = <i>Specklinia grobyi</i> <i>Icones Pleuro XXVIII</i> ; p. 51 (5/2006)		mirador Luer & Hirtz - <i>Icones Pleuro XIV</i> ; p. 119, 224	DI
marshana Luer & Jost – <i>Icones Pleuro XVIII</i> ; p. 142-143, 145	DI	mittelstaedtii Luer & Behar - Lindleyana 5(3); p. 191	DI
martae Luer - Selbyana 22(2); p. 109-111	DI	modesta Barb.Rodr. = <i>Panmorphia brevipes</i> <i>Icones Pleuro XXVIII</i> ; p. 148 (5/2006)	
marthae Luer & Escobar - Orquideologia XVIII(1); p. 60, 61	DI	mollis Luer - Selbyana 23(1); p. 15, 16-17	DI
Lep in Kleur; p. 31	P	monilia Luer & R.Escobar = <i>Brachycladium monilium</i> <i>Icones Pleuro XXVII</i> ; p. 307 (4/2005)	
NCO; 2:255	P	monitor Luer - <i>Icones Pleuro XIV</i> ; p. 120, 224	DI
martineae Luer & Cloes - Lep in Kleur; p. 31, 32	DI	Orc of Bolivia Vol 1; p. 84, 107	IP
Selbyana 23(1); p. 11, 12-13	DI	Lep in Kleur; p. 35	P
mastix Luer & Hirtz - <i>Icones Pleuro XIV</i> ; p. 115, 221	DI	NCO; 5:957	P
Lindleyana 2(2); p. 99	DI	monoptera Lindl. - <i>Icones Pleuro XIV</i> ; p. 120-121, 224	DI
Lep in Kleur; p. 30, 32	P	Orc of Bolivia Vol 1; p. 108	I
mastodon Luer = <i>Lepanthes manabina</i> <i>Icones Pleuro XIV</i> ; p. 115 (12/1996)		NCO; 5:959	P
maxillaris Luer & Hirtz - <i>Icones Pleuro XIV</i> ; p. 115, 222	DI	VOI; 6, p. 192	DI
mayordomoensis L.J.Jost & Luer – <i>Icones Pleuro XXVII</i> ; p. 303, 306	DI	montana Barb.Rodr. = <i>Trichosalpinx montana</i> <i>Icones Pleuro XV</i> ; p. 68 (12/1997)	
medusa Luer & Escobar - Orquideologia XVIII(1); p. 63, 64, 65	DIP	monteverdensis Luer & Escobar - Lindleyana 2(4); p. 201	DI
Lep in Kleur; p. 32	P	Lep in Kleur; p. 34	P
NCO; 2:251	P	montis-rotundi Ortiz – Orquideologia XX(3); p. 317, 318, 322	DIP
mefueñsis Luer & Escobar - Orquideologia XVII(3); p. 213, 214	DI	mooreana Luer & Jost - <i>Icones Pleuro XVII</i> ; p. 106, 109	DI
megalcephala Luer & Vásquez – Orc of Bolivia Vol 1; p. 104	I	morleyi Luer & Dalström - <i>Icones Pleuro XIV</i> ; p. 122, 224	DI
megalosteles Luer - <i>Icones Pleuro XIV</i> ; p. 116, 222	DI	mucronata Lindl. - <i>Icones Pleuro XIV</i> ; p. 122-124, 225	DI
meganthera Luer & Hirtz - <i>Icones Pleuro XIV</i> ; p. 116, 222	DI	Lep in Kleur; p. 33, 34	P
Lindleyana 2(1); p. 38	DI	<i>Icones Pleuro XIV</i> ; p. 36, 188 (was <i>andrenoglossa</i>)	I
mekynochila Garay & Dunst. - VOI; 6, p. 186	DI	Orc of Bolivia Vol 1; p. 109	I
Orc of Ven FG 2; p. 420	I	NCO; 5:971	P
meleagrís Luer & Escobar - Orquideologia XIX(2); p. 94, 99	DI	mulderae Luer - Lindleyana 2(4); p. 204	DI
Lep in Kleur; p. 31	P	mulleriana Luer - <i>Icones Pleuro XVII</i> ; p. 107, 109	DI
melpomene Luer & Hirtz - <i>Icones Pleuro XIV</i> ; p. 117, 222	DI	Lep in Kleur; p. 33, 34, 35, 36	P
menatoi Luer & Vásquez - <i>Icones Pleuro XIV</i> ; p. 117-118, 223	DI	muscula Luer & Escobar - <i>Icones Pleuro XIV</i> ; p. 124, 225	DI
Orc of Bolivia Vol 1; p. 105	I	NCO; 5:1037	P
Lep in Kleur; p. 30, 33	P	myiophora Luer - Lindleyana 2(4); p. 204	DI
mendozae Luer & D'Alessandro – <i>Icones Pleuro XVII</i> ; p. 104, 106, 108		Lep in Kleur; p. 36	P
meniscophora Luer & Hirtz - <i>Icones Pleuro XIV</i> ; p. 118, 223	DI	myoxophora Luer & R. Escobar - Lep in Kleur; p. 36	P
Lep in Kleur; p. 33	DI	mystax Luer & R. Escobar - Lep in Kleur; p. 34	P
NEO; 2:833	P	nambijae Luer & Hirtz = <i>Lepanthes thylax</i> <i>Icones Pleuro XIV</i> ; p. 169 (12/1996)	
meniskos Garay & Dunst. - VOI; 6, p. 188	DI	nana Luer & Jesup - Selbyana 23(1); p. 17-19	DI
Orc of Ven FG 2; p. 421	I	nanegalensis Rchb.f. - <i>Icones Pleuro XIV</i> ; p. 124-125, 225	DI
mentosa Luer - Lindleyana 2(4); p. 201	DI	<i>Icones Pleuro XIV</i> ; p. 147, 235 (was <i>rhombipetala</i>)	I
mephistopheles Luer & Hirtz - <i>Icones Pleuro XIV</i> ; p. 118-119, 223	DI	NCO; 5:968 (was <i>rhombipetala</i>)	P
NEO; 2:834, 835	IP	narcissus Luer & Hirtz - <i>Icones Pleuro XIV</i> ; p. 125-126, 225	DI
mesochlora Rchb.f. = <i>Lepanthes mucronata</i> <i>Icones Pleuro XIV</i> ; p. 122 (12/1996)		nautilus Luer & Escobar – AOS Bulletin 53(10); p. 1046, 1047	DIP
metaxy Luer & Hirtz = <i>Lepanthes biloba</i> <i>Icones Pleuro XIV</i> ; p. 43 (12/1996)		Lep in Kleur; p. 34, 35	P
micellilabia Luer & Escobar - Orquideologia XIX(2); p. 79, 94, 101	DIP	NCO; 2:257	P
micrantha ? - Lep in Kleur; p. 31	P	navicularis Luer - Orc of Ven FG 2; p. 401	I
micronyx Luer & Escobar – Orquideologia XX(3); p. 302, 306	DI	nebulina Luer & Vásquez – Orc of Bolivia Vol 1; p. 85, 110	IP
micropetala L.O.Williams = <i>Brachycladium micropetalum</i> <i>Icones Pleuro XXVII</i> ; p. 307 (4/2005)	DI	Lep in Kleur; p. 38	P
microphyta Barb.Rodr. = <i>Anathallis microphyta</i> <i>Icones Pleuro XXIX</i> ; p. 118 (8/2007)		necopina Luer & Hirtz - <i>Icones Pleuro XIV</i> ; p. 126, 226	DI
		Lindleyana 2(1); p. 42	DI
		NEO; 2:837	I
		nematodes Luer & Escobar - Orquideologia XVIII(1); p. 66, 67	DI
		Lep in Kleur; p. 34	P

Lepanthes

nematostele Luer - Icones Pleuro XIV; p. 126-127, 226	DI	otostalix Rchb.f. = <i>Lepanthes biloba</i>	
nicholasii Luer & Escobar - Orquideologia XX(3); p. 301, 304, 306	DIP	<i>Icones Pleuro XIV; p. 43 (12/1996)</i>	
NCO; 5:1049	P	ovalis (Sw.) Fawc. & Rendl. - Lep in Kleur; p. 38, 39, 42	P
niphias Luer & Escobar - Orquideologia XVIII(1); p. 68, 69	DI	ova-rajae Luer - Lindleyana 2(4); p. 207	DI
Lep in Kleur; p. 37	P	Lep in Kleur; p. 39	P
nivea Luer - Icones Pleuro XIV; p. 127, 226	DI	oxybaphon Luer & Escobar - NCO; 5:1036	P
NEO; 2:838	P	oxypetala Luer & Hirtz - Icones Pleuro XIV; p. 133, 229	DI
noelii Luer & Behar - Orquideologia XXI(3); p. 318,319,321	DIP	NCO; 5:988	P
nontecta Luer - Icones Pleuro XIV; p. 128, 226	DI	oxyphylla Luer & Vásquez - Orc of Bolivia Vol 1; p. 113	I
norae Foldats - NCO; 2:273	P	Lep in Kleur; p. 39	P
VOI; 5, p. 146	DI	pabloi Luer & Behar - Orquideologia XXI(3); p. 319,321-323	DIP
Orc of Ven FG 2; p. 423	I	pachoi Luer & Escobar - Orquideologia XIX(2); p. 79, 104, 109	DIP
nulla Luer & Escobar - Orquideologia XIX(2); p. 102, 109	DI	NCO; 5:996	P
nummularia Rchb.f. = <i>Brachycladium nummularium</i>		pachyphylla Luer & Behar - Lindleyana 5(3); p. 194	DI
<i>Icones Pleuro XXVII; p. 307 (4/2005)</i>		pachyrhiza Luer & Hirtz = <i>Lepanthes gargantua</i>	
nycteris Luer & Vásquez - Orc of Bolivia Vol 1; p. 85, 111	IP	<i>Icones Pleuro XIV; p. 88 (12/1996)</i>	
Lep in Kleur; p. 37	P	paivaeana Rchb.f. - Icones Plant Trop Ser II Fasc 3; pl. 243	DI
obovata Luer & Escobar - AOS Bulletin 53(8); p. 823, 824, 825	DIP	Orc of Bolivia Vol 1; p. 114	I
Lep in Kleur; p. 37	P	palagera ? - Lep in Kleur; p. 39	P
NCO; 5:1048	P	(misspelled??? palaga???)	
octavioi Luer & Escobar - Orquideologia XVIII(2); p. 128, 129	DI	palmaritoënsis Garay = <i>Lepanthes pilosella</i>	
Lep in Kleur; p. 37	P	<i>Icones Pleuro XI; p. 35 (12/1994)</i>	
NCO; 5:1044	P	palpebralis Luer - Lindleyana 13(3); p. 143	DI
octocornuta Luer = <i>Brachycladium octocornutum</i>		pan Luer & Dalström - Icones Pleuro XIV; p. 133-134, 229	DI
<i>Icones Pleuro XXVII; p. 307 (4/2005)</i>		Lep in Kleur; p. 40	P
octopus Luer & Escobar -		panicellus Luer & Vásquez - Orc of Bolivia Vol 1; p. 85	P
Orquideologia XX(3); p. 300, 305, 306	DIP	panope Luer & Escobar - Lep in Kleur; p. 40	P
odobenella Luer & Hirtz - Icones Pleuro XIV; p. 128-129, 227	DI	NCO; 2:264	P
odontocera Luer & Hirtz - Icones Pleuro XIV; p. 129, 227	DI	NCO; 5:958	P
odontolabis Luer - Lindleyana 2(4); p. 207	DI	pantomima Luer & Dressler - Orquideologia XVI(3); p. 4, 5, 18, 19	DIP
Lep in Kleur; p. 37 (misspelled)	P	papallactae Luer & Hirtz - Icones Pleuro XIV; p. 134, 229	DI
odontostemma Garay & Dunst. - VOI; 6, p. 194	DI	Lindleyana 2(2); p. 102	DI
ollaris Luer & Escobar - Icones Pleuro XIV; p. 129-130, 227	DI	papilio Luer & Vásquez - Orc of Bolivia Vol 1; p. 115	I
AOS Bulletin 53(9); p. 920, 921	DIP	Lep in Kleur; p. 42	P
NCO; 2:258	P	papillipetala Dressler - Selbyana 10(S); p. 387, 388	I
omnifera Luer & Hirtz - Icones Pleuro XVI; p. 105, 107	DI	papyrophylla Rchb.f. - Icones Pleuro XIV; p. 134-135, 229	DI
opetidion Luer & Escobar - Orquideologia XVIII(2); p. 131, 132	DI	Lep in Kleur; p. 42	P
ophelma Luer & Escobar - Lep in Kleur; p. 38	P	VOI; 1, p. 188	DI
NCO; 2:252	P	paradoxa Luer - Icones Pleuro XIV; p. 135, 230	DI
ophioglossa Luer - Icones Pleuro XIV; p. 130, 227	DI	parahyburnensis Barb.Rodr. = <i>Acianthera parahyburnensis</i>	
Lep in Kleur; p. 37	P	<i>Icones Pleuro XXVI; p. 254 (2/2004)</i>	
ophiostele Luer - Orc of Ven FG 2; p. 424	I	pariaënsis Foldats - VOI; 6, p. 196	DI
orbella Luer - Lindleyana 11(2); p. 64	DI	Orc of Ven FG 2; p. 425	I
orbiculata Lindl. = <i>Trichosalpinx orbicularis</i>		parmata Luer & Escobar - Orquideologia XVIII(2); p. 136, 137	DI
<i>Icones Pleuro XV; p. 29 (12/1997)</i>		parvilabia Luer - Lindleyana 10(3); p. 162	DI
orchestris Luer & Vásquez - Icones Pleuro XIV; p. 131, 228	DI	pastoensis Schltr. - Lep in Kleur; p. 40	P
Orc of Bolivia Vol 1; p. 112	I	NCO; 2:277	P
Lep in Kleur; p. 39	P	pectinata Luer - Orc of Ven FG 2; p. 426	I
ordonezii Luer & Behar - Lindleyana 12(1); p. 34, 35, 36	DI	pecunialis Luer & Hirtz - Icones Pleuro XIV; p. 136, 230	DI
oreibates Luer & Escobar -		Lep in Kleur; p. 39	P
Orquideologia XVIII(2); p. 133, 134, 135		pedunculata Luer & Sijm - Selbyana 23(1); p. 19, 20	DI
NCO; 5:961	DIP	pellifeloides Barb.Rodr. = <i>Specklinia pellifeloides</i>	
oreocharis Schltr. - Selbyana 10(S); p. 386	P	<i>Icones Pleuro XXVI; p. 262 (2/2004)</i>	
Lep in Kleur; p. 39	I	pelyx Luer & Hirtz - Icones Pleuro XIV; p. 136-137, 230	DI
orion Luer & Escobar - Icones Pleuro XIV; p. 131, 228	P	pendens Garay = <i>Brachycladium pendens</i>	
Lep in Kleur; p. 36, 38	DI	<i>Icones Pleuro XXVII; p. 307 (4/2005)</i>	
NCO; 2:276	P	pendula Luer & Jost - Icones Pleuro XX; p. 118-119, 134	DI
ornithocephala L.J.Jost & Luer -		peniculus Luer = <i>Lepanthes biloba</i>	
Icones Pleuro XXVII; p. 303-304, 306	DI	<i>Icones Pleuro XIV; p. 43 (12/1996)</i>	
ortegae Luer & Hirtz - Icones Pleuro XIV; p. 132, 228	DI	pensilis Schltr. = <i>Andinia pensilis</i>	
NEO; 2:839	P	<i>Icones Pleuro XX; p. 6 (5/2000)</i>	
osiris Luer & Escobar - Orquideologia XIX(2); p. 103, 109	DI	pentoxys Luer - Icones Pleuro XIV; p. 137, 230	DI
ospinae Garay = <i>Lepanthes nummularia</i>		Lep in Kleur; p. 42	P
<i>Icones Pleuro XI; p. 28 (12/1994)</i>		peperomioides Schltr. = <i>Lepanthes pilosella</i>	
otara Luer - Icones Pleuro XIV; p. 132-133, 228	DI	<i>Icones Pleuro XI; p. 35 (12/1994)</i>	
oteroi Luer - Orquideologia XXII(1); p. 42-45	DI	perdita Luer & Hirtz - Icones Pleuro XIV; p. 138, 231	DI
otopetala Luer - Lindleyana 6(2); p. 76	DI	persimilis Luer & Sijm = <i>Brachycladium persimile</i>	

Lepanthes

		<i>Icones Pleuro XXVII; p. 307 (4/2005)</i>			
petalolenta	Luer & Escobar - Orquideologia XVIII(2); p. 139, 140		DI	Lep in Kleur; p. 44	P
petalopteryx	Luer & Escobar – Orquideologia XIX(2); p. 80, 106, 109		DIP	VOI; 5, p. 148	DI
	NCO; 5:966		P	pterygion Luer & Escobar - Lep in Kleur; p. 44	P
pexa	Luer - Lindleyana 2(4); p. 181		DI	NCO; 5:1032	P
	Lep in Kleur; p. 39, 42		P	ptyxis Luer & Vásquez – Orc of Bolivia Vol 1; p. 119	I
phalloides	Luer & Escobar – Orquideologia XXI(2); p. 154, 155		DI	pubes Luer & Escobar - Icones Pleuro XIV; p. 144, 233	DI
pholeter	Luer = <i>Brachycladium pholeter</i>			pubescens Luer - Icones Pleuro XIV; p. 144-145, 234	DI
	<i>Icones Pleuro XXVII; p. 307 (4/2005)</i>			puck Luer & Vásquez – Orc of Bolivia Vol 1; p. 120	I
phrixothrix	Luer & Hirtz - Icones Pleuro XIV; p. 138, 231		DI	pulchella (Sw.) Sw. - Lep in Kleur; p. 43	P
	Lep in Kleur; p. 39		P	punctatifolia Barb.Rodr. = <i>Specklinia punctatifolia</i>	
pileata	Luer & Vásquez – Orc of Bolivia Vol 1; p. 116		I	<i>Icones Pleuro XXVI; p. 263 (2/2004)</i>	
pilosa	Luer & Vásquez – Orc of Bolivia Vol 1; p. 86, 117		IP	purpurea Luer - Lindleyana 10(3); p. 164	DI
pilosella	Rchb.f. = <i>Brachycladium pilosellum</i>			pynogenia Luer - Lindleyana 7(2); p. 114	DI
	<i>Icones Pleuro XXVII; p. 307 (4/2005)</i>			pygmaea Luer - Lindleyana 2(4); p. 210	DI
pinnatula	Luer & Escobar – Orquideologia XX(3); p. 306, 307		DI	pyramidalis Luer & Escobar - NCO; 5:977	P
planadensis	Luer & Escobar - Orquideologia XVIII(2); p. 141, 142		DI	quadricornis Luer & Escobar - Icones Pleuro XIV; p. 8-9, 11	DI
platysepala	Luer & R.Escobar = <i>Brachycladium platysepalum</i>			Orquideologia XIX(2); p. 108, 110	DI
	<i>Icones Pleuro XXVII; p. 308 (4/2005)</i>			Lep in Kleur; p. 45	P
plettilis	Luer & Hirtz - Icones Pleuro XIV; p. 139, 231		DI	quadridentata Barb.Rodr. = <i>Pabstiella quadridentata</i>	
pleurorachis	Luer - Icones Pleuro XIV; p. 139-140, 231		DI	<i>Icones Pleuro XXIX; p. 120 (8/2007)</i>	
pleurothalloopsis	Luer & Escobar – Orquideologia XIX(2); p. 80, 107, 110		DIP	quandi Luer & Escobar – AOS Bulletin 83(9); p. 924, 925	DIP
	NCO; 5:964		P	Lep in Kleur; p. 43	P
plumifera	Luer - Icones Pleuro XIV; p. 140, 232		DI	quartzicola Barb.Rodr. = <i>Trichosalpinx montana</i>	
pluriflora	Barb.Rodr. = <i>Specklinia picta</i>			<i>Icones Pleuro XV; p. 68 (12/1997)</i>	
	<i>Icones Pleuro XXVIII; p. 62 (5/2006)</i>			quaternaria Luer - Icones Pleuro XIV; p. 145, 234	DI
poasensis	Luer - Lindleyana 10(3); p. 164		DI	NEO; 2:844	P
politilabia	Dod ex Luer – Selbyana 24(1); p.22		DI	quetzalensis Luer & Behar - Lindleyana 5(3); p. 194	DI
pollex	Luer = <i>Lepanthes pteropogon</i>			Lep in Kleur; p. 43	P
	<i>Icones Pleuro XIV; p. 143 (12/1996)</i>			rabei Foldats - NCO; 5:1034	P
polygonoides	L.B.Smith & Harris = <i>Lepanthes nummularia</i>			Orc of Ven FG 2; p. 428	I
	<i>Icones Pleuro XI; p. 28 (12/1994)</i>			ramosii Luer – Orquideologia XXII(1); p. 45-47	DI
polytricha	Luer - Icones Pleuro I; p. 1		P	rauhii Luer - Lep in Kleur; p. 46	P
	Icones Pleuro XIV; p. 140-141, 232		DI	recurva Luer & Hirtz - Lindleyana 7(2); p. 114	DI
	NEO; 2:840		P	Orc of Bolivia Vol 1; p. 121	I
popayanensis	Luer & Escobar – Orquideologia XXI(2); p. 156, 157		DI	recurvipetala Barb.Rodr. = <i>Panmorpha recurvipetala</i>	
porcula	Luer = <i>Lepanthes jamesonii</i>			<i>Icones Pleuro XXVIII; p. 177 (5/2006)</i>	
	<i>Icones Pleuro XIV; p. 106 (12/1996)</i>			reflexa Luer & Hermans - Lindleyana 10(3); p. 167	DI
porphyrea	Luer & Escobar = <i>Lepanthes agglutinata</i>			refracta Luer – Orquideologia XXII(1); p. 48-50	DI
	Icones Pleuro XIV; p. 32 (12/1996)			regularis Luer - Lindleyana 2(4); p. 210	DI
porracea	Luer & Escobar – Orquideologia XX(3); p. 301, 309, 312		DIP	rekoii R.E. Schult. - Lep in Kleur; p. 45, 46	P
portillae	Luer – Icones Pleuro XVIII; p. 143, 146		DI	renipetala Barb.Rodr. = <i>Acianthera renipetala</i>	
	NEO; 2:841		P	<i>Icones Pleuro XXVI; p. 254 (2/2004)</i>	
posadae	Luer & Escobar - Icones Pleuro I; p. 33		I	repens Luer - Icones Pleuro XIV; p. 145-146, 234	DI
	Icones Pleuro XIV; p. 141, 232		DI	reticulata Luer & Escobar - NCO; 5:1001	P
	Lep in Kleur; p. 41, 43		DI	reventador Luer & Hirtz - Icones Pleuro XIV; p. 146, 234	DI
	NCO; 5:1029		P	revoluta Luer & Cloes - Selbyana 22(2); p. 111, 112	DI
posthon	Luer - Lindleyana 2(4); p. 210		DI	rhodophylla Schltr. - Icones Pleuro XIV; p. 147, 235	DI
praemorsa	Luer & Escobar - Orquideologia XVIII(2); p. 143, 144		DI	rhombipetala Schltr. = <i>Lepanthes nanegalensis</i>	
prionota	Luer & Hirtz = <i>Draconanthes aberrans</i>			<i>Icones Pleuro XIV; p. 124 (12/1996)</i>	
	<i>Icones Pleuro XIV; p. 3 (12/1996)</i>			rhynchion Luer - Icones Pleuro XIV; p. 147-148, 235	DI
privigna	Luer & Jost – Icones Pleuro XVIII; p. 143, 146, 147		DI	Lep in Kleur; p. 45	P
proboscidis	Luer & Hirtz - Icones Pleuro XIV; p. 141-142, 232		DI	NCO; 5:999	P
profusa	Luer & Hirtz = <i>Lepanthes caudatisepala</i>			NEO; 2:845	P
	<i>Icones Pleuro XIV; p. 54 (12/1996)</i>			ribes Luer - Icones Pleuro XIV; p. 9-10, 11	DI
prolifera	Foldats - VOI; 6, p. 198		DI	Selbyana 3(1,2); p. 14	DI
	Orc of Ven FG 2; p. 427		I	Lep in Kleur; p. 44, 45, 47	P
protuberans	Luer & P.Jesup - Icones Pleuro XIV; p. 142, 233		DI	NCO; 5:1047	P
pseudocaulescens	L.B.Sm. & Harris = <i>Brachycladium pseudocaulescens</i>			NEO; 2:846	P
	<i>Icones Pleuro XXVII; p. 308 (4/2005)</i>			ricaurtensis Luer & Escobar - Orquideologia XIX(2); p. 110, 111	DI
pseudomucronata	L.J.Jost & Luer – Icones Pleuro XXVII; p. 304-305, 306		DI	ricii Luer & R.Vásquez = <i>Brachycladium ricii</i>	
psomion	Luer & Hirtz - Icones Pleuro XIV; p. 143, 233		DI	<i>Icones Pleuro XXVII; p. 308 (4/2005)</i>	
psyche	Luer - Lep in Kleur; p. 43, 44		P	ricina Luer & Dalström - Icones Pleuro XIV; p. 148-149, 235	DI
pteropogon	Rchb.f. - Icones Pleuro XIV; p. 143-144, 233		DI	ridicula Luer – Icones Pleuro XVIII; p. 168, 170	DI
				rigidigitata Luer & Hirtz – Icones Pleuro XXVI; p. 235, 240	DI
				ringens Luer & Vásquez - Lindleyana 7(2); p. 118	DI
				Orc of Bolivia Vol 1; p. 123	I
				rodrigoi Luer – Orquideologia XX(2); p. 198, 199	DI

Lepanthes

roeziana Luer & Escobar - Orquideologia XVII(3); p. 217, 218	DI	NCO; 5:970	P
roseola Rchb.f. = <i>Lepanthes monoptera</i> <i>Icones Pleuro XIV; p. 121 (12/1996)</i>		sobrina Luer & Hirtz - <i>Icones Pleuro XIV; p. 157, 239</i> Lindleyana 2(3); p. 141	DI DI
rosoria Luer & Hirtz - <i>Icones Pleuro XX; p. 119, 134</i>	DI	solicitor Luer & Escobar - NCO; 5:978	P
rotundata Griseb. - Lep in Kleur; p. 46 (spelling)	P	sororcula Luer & Hirtz - <i>Icones Pleuro XIV; p. 158, 240</i> Lindleyana 2(3); p. 144	DI DI
rudicula Luer & Hirtz - <i>Icones Pleuro XIV; p. 149, 236</i> Lep in Kleur; p. 47	DI	speciosa Luer & Hirtz - <i>Icones Pleuro XIV; p. 158-159, 240</i>	DI
rupestris Stimson - Lep in Kleur; p. 46	P	spelynx Luer & Escobar - NCO; 5:1052	P
rupicola Schltr. - Orc of Bolivia Vol 1; p. 124	I	splendida Luer & Hirtz - <i>Icones Pleuro XIV; p. 159, 240</i>	DI
ruscifolia Rchb.f. - Orc of Ven FG 2; p. 429	I	spruceana L.J.Jost & Luer - <i>Icones Pleuro XXVII; p. 305, 306</i>	DI
ruthiana Luer & Jost - <i>Icones Pleuro XVIII; p. 146, 147</i>	DI	staatsiana Luer & Jost - <i>Icones Pleuro XVIII; p. 146, 147-148</i>	DI
rutkisi Foldats - VOI; 6, p. 200 Orc of Ven FG 2; p. 430	DI	stalactites Luer & Hirtz = <i>Brachycladium stalactites</i> <i>Icones Pleuro XXVII; p. 308 (4/2005)</i>	
rutrum Luer & Escobar - Orquideologia XIX(2); p. 88, 110, 112	DIP	stegastes Luer & Hirtz - <i>Icones Pleuro XIV; p. 159-160, 240</i> Lindleyana 2(3); p. 144	DI DI
saccata Luer & Escobar - Orquideologia XVII(3); p. 221, 222	DI	stelidantha Garay & Dunst. - VOI; 6, p. 202 Orc of Ven FG 2; p. 432	DI I
saccosepala L.B.Smith & Harris = <i>Lepanthes pilosella</i> <i>Icones Pleuro XI; p. 35 (12/1994)</i>		stelidilabia Luer & Escobar - Orquideologia XVIII(2); p. 146, 147 NCO; 5:1030	DI P
saltator Luer - <i>Icones Pleuro XIV; p. 149-150, 236</i>	DI	stelidipetala Luer - <i>Icones Pleuro XIV; p. 160, 241</i>	DI
saltatrix Luer & Hirtz - <i>Icones Pleuro XIV; p. 150, 236</i>	DI	stenophylla Schltr. - Lep in Kleur; p. 49 VOI; 2, p. 184	P DI
samacensis Ames - Selbyana 10(S); p. 389 VOI; 4, p. 126	I	stenocheila Luer - <i>Icones Pleuro XIV; p. 160, 241</i>	DI
sanguinea Hook. - Lep in Kleur; p. 46	P	stenorhyncha Luer - Lindleyana 10(3); p. 170 Lep in Kleur; p. 47, 49	DIP P
sannio Luer & Escobar - Lindleyana 2(4); p. 214	DI	stenosepala Luer & Behar - Lindleyana 12(1); p. 36, 38, 39	DI
sarcopetala Barb.Rodr. = <i>Pabstiella sarcopetala</i> <i>Icones Pleuro XXIX; p. 120 (8/2007)</i>		steyermarkii Foldats - Lep in Kleur; p. 47, 49 (lower center photo is ???)	
satyrica Luer & Hirtz - <i>Icones Pleuro XIV; p. 151, 236</i> Lindleyana 2(3); p. 141 NEO; 2:847, 848	DI	stimsonii Luer - Selbyana 23(1); p. 22, 23-24	P DI
scalaris Luer - <i>Icones Pleuro XIV; p. 151, 237</i>	DI	strumosa Luer & Escobar - <i>Icones Pleuro XIV; p. 160-161, 241</i> Orquideologia XVI(2); p. 151, 152	DI DI
scansor Luer & Escobar - <i>Icones Pleuro XIV; p. 152, 237</i>	DI	stupenda Luer - <i>Icones Pleuro XIV; p. 161, 241</i> Lep in Kleur; p. 50 NCO; 5:997	DI P P
scapha Luer & Hirtz - <i>Icones Pleuro XIV; p. 152, 237</i>	DI	suavium Luer & Hirtz - <i>Icones Pleuro XIV; p. 162, 241</i>	DI
schizix Luer - <i>Icones Pleuro XIV; p. 153, 237</i> Lep in Kleur; p. 46, 48 NEO; 2:849, 850	DI	sucula Luer & Hirtz = <i>Lepanthes frigida</i> <i>Icones Pleuro XIV; p. 86 (12/1996)</i>	
schizura Luer - <i>Icones Pleuro XIV; p. 153, 238</i>	DI	sucumbiensis Luer & Hirtz - <i>Icones Pleuro XXIX; p. 116, 117</i>	DI
scolex Luer - Orc of Ven FG 2; p. 431	DIP	sulcata Luer & Hirtz - <i>Icones Pleuro XIV; p. 162-163, 242</i>	DI
scopula Schltr. - Orquidea Jul 90; p. 32-33, 34-35, 39	DI	surrogata Luer & Hirtz - <i>Icones Pleuro XIV; p. 163, 242</i> Lindleyana 2(1); p. 42	DI DI
scopulifera Luer & Escobar - Orquideologia XX(3); p. 310, 312	DI	sybax Luer & Hirtz - <i>Icones Pleuro XIV; p. 164, 242</i>	DI
scrotifera Luer & Hirtz - <i>Icones Pleuro XIV; p. 154, 238</i>	DI	synema Luer & Hirtz - <i>Icones Pleuro XIV; p. 164, 242</i>	DI
secunda Barb.Rodr. = <i>Lepanthopsis floripecten</i> <i>Icones Pleuro VIII; p. 32 (8/1991)</i>	DI	tabacina Barb.Rodr. = <i>Pabstiella tabacina</i> <i>Icones Pleuro XXIX; p. 120 (8/2007)</i>	
selenipetala Rchb.f. ssp. ackermanii Luer - Lep in Kleur; p. 46 Selbyana 23(1); p. 19 20-22	DIP	tachirensis Foldats - <i>Icones Pleuro XIV; p. 165, 243</i> Lep in Kleur; p. 47, 52 NCO; 5:1040	DI P P
selliana Endres ex Luer - Lindleyana 10(3); p. 167	P	tamaensis Foldats - VOI; 6, p. 208 Orc of Ven FG 2; p. 435	DI I
semilaminata Luer & Hirtz - <i>Icones Pleuro XIV; p. 154-155, 238</i>	DI	teagui Luer - <i>Icones Pleuro XIV; p. 165-166, 243</i>	DI
serialina Luer & Jost - <i>Icones Pleuro XVII; p. 107, 109</i>	DI	tecpanica Luer & Behar - Lindleyana 5(3); p. 198	DI
sericinitens Luer & Escobar - AOS Bulletin 53(10); p. 1048, 1049 NCO; 5:1024	DI	tectorum Luer & Hirtz - <i>Icones Pleuro XIV; p. 166, 243</i> Lindleyana 2(3); p. 147	DI DI
series Luer & Hirtz - <i>Icones Pleuro XIV; p. 155, 238</i> Lindleyana 2(2); p. 105	P	telipogoniflora Schuiteman & A. de Wilde. - Orquideologia XX(1); p. 28, 29, 31	DI DIP
serriola Luer & Vásquez - Orc of Bolivia Vol 1; p. 86, 125	DI	tenera Barb.Rodr. = <i>Pabstiella tenera</i> <i>Icones Pleuro XXIX; p. 120 (8/2007)</i>	P
serrulata Cogn. = <i>Lepanthopsis serrulata</i> <i>Icones Pleuro VIII; p. 58 (8/1991)</i>	IP	tentaculata Luer & Hirtz - <i>Icones Pleuro XIV; p. 167, 243</i> Lep in Kleur; p. 47, 51	DI P
setifera Luer & Escobar - AOS Bulletin 53(8); p. 822, 823 <i>Icones Pleuro XIV; p. 155-156, 239</i> Lep in Kleur; p. 46, 48 NCO; 2:262	DIP		
sigsigensis Luer & Hirtz - <i>Icones Pleuro XIV; p. 156, 239</i>	DI		
sijmii Luer & Sijm - Selbyana 23(1); p. 22,23	DI		
silenus Luer & Hirtz - <i>Icones Pleuro XIV; p. 156-157, 239</i>	DI		
silverstonei Luer - Orquideologia XXII(1); p. 50-53	DI		
similis Luer - Lindleyana 11(2); p. 64	DI		
sinuosa Luer & Escobar - Orquideologia XIX(2); p. 80, 113, 117 Lep in Kleur; p. 48 NCO; 5:1031	DIP		
smaragdina Luer & Escobar - Orquideologia XIX(2); p. 80, 115, 117	P		

Lepanthes

NEO; 2:852	I	unitrinervis Carnvali & I.Ramirez - Orc of Ven FG 2; p. 438	I
tenuilobia R.E.Schult. & Dillon - Lep in Kleur; p. 50	P	urania Luer & Hirtz - Icones Pleuro XIV; p. 174, 246	DI
terborchii Luer & Sijm - Lep in Kleur; p. 52	P	urotepala Rchb.f. - Icones Pleuro XIV; p. 174-175, 247	DI
Selbyana 22(2); p. 111, 112-113	DI	NEO; 2:855	P
teres Luer - Icones Pleuro XIV; p. 167-168, 244	DI	ursula Luer & R.Escobar = <i>Brachycladium ursulum</i>	
terpsichore Luer & Hirtz - Icones Pleuro XIV; p. 168, 244	DI	<i>Icones Pleuro XXVII; p. 308 (4/2005)</i>	
tetrachaeta Luer & Jost - Icones Pleuro XX; p. 119-120, 135	DI	usitata Luer & Vásquez - Orc of Bolivia Vol 1; p. 126	I
tetracola Luer & Escobar - Orquideologia XIX(2); p. 116, 117	DI	uxoria Luer & Hirtz - Icones Pleuro XIV; p. 175, 247	DI
tetroptera Luer - Lindleyana 2(4); p. 214	DI	NEO; 2:856	P
Lep in Kleur; p. 52, 53	P	vaginans Luer & Hirtz - Icones Pleuro XIV; p. 175-176, 247	DI
thalia Luer & Hirtz - Icones Pleuro XIV; p. 168-169, 244	DI	valenciae Luer & Escobar - AOS Bulletin 53(2); p. 825, 826	DIP
thoerlae Luer - Lindleyana 12(1); p. 39,40	DI	valerioi Luer - Lindleyana 11(2); p. 67	DI
thylax Luer & Hirtz - Icones Pleuro XIV; p. 169, 244	DI	vareshchii Garay - VOI; 3, p. 156	DI
Lindleyana 2(1); p. 45	DI	Orc of Ven FG 2; p. 439	I
Lindleyana 2(3); p. 138 (was nambijae)	DI	vasquezii Luer - Icones Plant Trop Ser II Fasc 3; pl. 244	DI
tibouchinicola Luer & Escobar - NCO; 5:987	P	Orc of Bolivia Vol 1; p. 127	I
tipulifera Rchb.f. - Lep in Kleur; p. 51	P	vatrax Luer - Icones Pleuro XIV; p. 176, 247	DI
titanica Luer & Hirtz - Icones Pleuro XIV; p. 169-170, 245	DI	velata Luer & Hirtz - Icones Pleuro XIV; p. 176-177, 248	DI
Lindleyana 2(3); p. 147	DI	Lindleyana 2(2); p. 108	DI
NEO; 2:853	I	veleziana Stimson - Lep in Kleur; p. 52	P
tomentosa Luer - Lindleyana 6(2); p. 76	DI	velifera Luer & Behar - Lindleyana 6(2); p. 79	DI
tortilis Luer & Hirtz - Icones Pleuro XIV; p. 170, 245	DI	vellicata Luer & Hirtz - Icones Pleuro XIV; p. 177, 248	DI
tracheia Rchb.f. - Icones Pleuro XIV; p. 171, 245	DI	Lep in Kleur; p. 54	P
Lep in Kleur; p. 51	P	NCO; 5:1028	P
NEO; 2:854	I	venusta Luer & Escobar - Orquideologia XIX(2); p. 118, 120	DI
VOI; 6, p. 210	DI	vermicularis Luer - Icones Pleuro XIV; p. 177-178, 248	DI
Orc of Ven FG 2; p. 436	I	versicolor Luer & Vásquez - Orc of Bolivia Vol 1; p. 86, 128	IP
trachysepala Schltr. = <i>Draconanthes aberrans</i>		Lep in Kleur; p. 52, 53, 54	P
<i>Icones Pleuro XIV; p. 3 (12/1996)</i>		vespa Luer & Vásquez - Orc of Bolivia Vol 1; p. 86, 129	IP
transparens Luer - Icones Pleuro XIV; p. 171-172, 245	DI	vespertilio Rchb.f. - Icones Pleuro XIV; p. 178-179, 248	DI
triangularis Luer = <i>Brachycladium triangulare</i>		viahöensis Luer & Escobar -	
<i>Icones Pleuro XXVII; p. 308 (4/2005)</i>		Orquideologia XX(3); p. 301, 311, 312	DIP
tricarinata Barb.Rodr. = = <i>Pabstiella tripterantha</i>		via-incarum Luer & Hirtz - Icones Pleuro XIV; p. 179, 249	DI
<i>Icones Pleuro XXVIII; p. 140 (5/2006)</i>		Lindleyana 2(3); p. 151	DI
trichocaulis Luer & Escobar - Orquideologia XVII(3); p. 225, 227	DI	vibrissa Luer & Hirtz - Icones Pleuro XIV; p. 179-180, 249	DI
tricolor Barb.Rodr. = <i>Pabstiella tricolor</i>	DI	Lindleyana 2(3); p. 155	DI
<i>Icones Pleuro XXIX; p. 120 (8/2007)</i>		NCO; 5:1039	P
tricuspidata Luer & Sijm - Selbyana 23(1); p. 24, 26	DI	viebrockiana Luer & L.Jost = <i>Brachycladium viebrockianum</i>	
tridactyla Luer = <i>Brachycladium tridactylum</i>		<i>Icones Pleuro XXVII; p. 308 (4/2005)</i>	
<i>Icones Pleuro XXVII; p. 308 (4/2005)</i>		vieirae Luer & Escobar - Orquideologia XVII(3); p. 229, 231	DI
trifurcata Luer & Escobar - Orquideologia XIX(2); p. 80, 117, 119	DIP	villosa Løjtnant = <i>Brachycladium villosum</i>	
NCO; 5:985	P	<i>Icones Pleuro XXVII; p. 308 (4/2005)</i>	
trilineata (Barb.Rodr.) Barb.Rodr. = <i>Specklinia grobyi</i>		vogelii Luer & Vásquez - Lindleyana 6(2); p. 83	DI
<i>Icones Pleuro XXVIII; p. 51 (5/2006)</i>		volador Luer & Hirtz - Icones Pleuro XIV; p. 180, 249	DI
trimerinx Luer - Icones Pleuro XIV; p. 172, 246	DI	Lep in Kleur; p. 54	P
trinaria Luer & Escobar -	DIP	volvox Luer & Escobar - Lep in Kleur; p. 53	P
Orquideologia XX(3); p. 301, 311, 312	P	NCO; 2:274	P
triura (Lindl.) Schltr. - VOI; 3, p. 154	DI	voodoo Tremblay & Ackerman - Lindleyana 16(1); p. 15-16	DI
Orc of Ven FG 2; p. 437	I	vulpina Luer & Sijm - Selbyana 23(1); p. 24, 25, 27	DI
trogodytes Luer & Escobar - NCO; 5:1045	P	wageneri Rchb.f. - Icones Pleuro XIV; p. 180-181, 249	DI
troxis Luer & Escobar - Orquideologia XVIII(2); p. 135, 150, 151	DIP	Lep in Kleur; p. 55	P
NCO; 5:1016	P	VOI; 1, p. 190	DI
truncata Luer & Dressler - Orquideologia XVI(3); p. 10, 11, 22, 23	DIP	Orc of Ven FG 2; p. 440	I
tsubotae Luer & Escobar - Orquideologia XIX(1); p. 20, 29, 39	DIP	wendlandii Rchb.f. - Lep in Kleur; p. 55	P
NCO; 5:1005	P	weneri Luer = <i>Brachycladium weneri</i>	
tungurahuae Luer & Hirtz - Icones Pleuro XIV; p. 172-173, 246	DI	<i>Icones Pleuro XXVII; p. 308 (4/2005)</i>	
Lindleyana 2(3); p. 151	DI	williamsii Salazar & Soto - Orquidea Feb 92; p. 139-143	DIP
Lep in Kleur; p. 51	P	Lep in Kleur; p. 55	P
turalvae Rchb.f. - Lindleyana 2(4); p. 181	DI	woodburyana Stimson - Lep in Kleur; p. 55	P
Selbyana 10(S); p. 390	I	woodfredensis Luer - Lindleyana 13(3); p. 145	DI
Lep in Kleur; p. 51, 52	P	xenos Luer & Hirtz - Icones Pleuro XIV; p. 181-182, 250	DI
VOI; 6, p. 214	DI	NEO; 2:857	P
umbonata Luer & Escobar - AOS Bulletin 53(10); p. 1050, 1051	DIP	ximena Luer - Icones Pleuro XIV; p. 182, 250	DI
umbonifera Endres ex Luer - Lindleyana 10(3); p. 172	DI	NEO; 2:858	P
uncifera Luer & Escobar - NCO; 2:275	P	yanganae Luer & Hirtz - Icones Pleuro XIV; p. 182-183, 250	DI
unijuga Luer & Dalström - Icones Pleuro XIV; p. 173, 246	DI	Lindleyana 2(2); p. 108	DI
Lep in Kleur; p. 54	P	yauaperyensis Barb.Rodr. = <i>Pabstiella yauaperyensis</i>	

Lepanthes

Icones Pleuro XXVIII; p. 141 (5/2006)
yunckeri Ames – Selbyana 10(S); p. 391
 Lep in Kleur; p. 56
yuvilensis Catling – Orquidea Jul 90; p. 23-26
zamorensis Luer & Hirtz - *Icones Pleuro XIV*; p. 183, 250
 Lep in Kleur; p. 50
zapatae Luer & Escobar - *Orquideologia XIX(2)*; p. 79, 118, 121
 NCO; 5:1014
zettleri Foldats - *VOI*; 6, p. 216
 Orc of Ven FG 2; p. 441
zunagensis Luer & Hirtz - *Icones Pleuro XIV*; p. 184, 251
zygion Luer - *Icones Pleuro XIV*; p. 184, 251

Lepanthopsis

abbreviata Luer & Hirtz - *Icones Pleuro VIII*; p. 8, 9
 NEO; 3:859, 860
acetabulum Luer - *Icones Pleuro I*; p.36
Icones Pleuro VIII; p. 8, 10, 11
 Orc of Bolivia Vol 1; p. 133
 NCO; 2:282
 NEO; 3:861, 862
acuminata Ames - *Icones Pleuro VIII*; p. 10, 12-13
Icones Orchid Peru pl. 074
 NCO; 2:280
 NEO; 3:863
anthoetenium (Rchb.f.) Ames - *Icones Pleuro VIII*; p. 14, 15
apoda (Garay & Dunst.) Luer = *Expedicula apoda*
Icones Pleuro XXVII; p. 308 (4/2005)
aristata Dod - *Icones Pleuro VIII*; p. 16, 17
astrophora (Rchb.f. ex Krzl.) Garay - *Icones Pleuro VIII*; p. 18, 19
VOI; 3, p. 158
 Orc of Ven FG 2; p. 443
atrosetifera Dod - *Icones Pleuro VIII*; p. 20, 21
barahonensis (Cogn.) Garay - *Icones Pleuro VIII*; p. 22, 23
blepharophylla (Griseb.) Garay = *Lepanthes blepharophylla*
Icones Pleuro VIII; p. 5 (8/1991)
calva Dod ex Luer - *Icones Pleuro XXIV*; p. 103-104, 117
comet-halleyi Luer - *Icones Pleuro VIII*; p. 70, 71
congestiflora (Cogn.) C.Porto & Brade = *Lepanthopsis densiflora*
Icones Pleuro VIII; p. 30 (8/1991)
constanzensis (Cogn.) Garay - *Icones Pleuro VIII*; p. 24, 25
cucullata Dod - *Icones Pleuro VIII*; p. 26, 27
culiculosa Luer - *Icones Pleuro VIII*; p. 28, 29
 Orc of Bolivia Vol 1; p. 135
 NEO; 3:864
densiflora (Barb.Rodr.) Ames - *Icones Pleuro VIII*; p. 30, 31
dentifera (L.O.Williams) Garay = *Lepanthopsis barahonensis*
Icones Pleuro VIII; p. 22 (8/1991)
dewildei (Luer & R.Escobar) Luer = *Expedicula dewildei*
Icones Pleuro XXVII; p. 308 (4/2005)
dodii Garay - *Icones Pleuro VIII*; p. 30, 32, 33
domingensis Dod = *Lepanthopsis anthoetenium*
Icones Pleuro VIII; p. 14 (8/1991)
farrago (Luer & Hirtz) Luer - *Icones Pleuro VIII*; p. 72, 73
 NEO; 3:865, 866
floripecten (Rchb.f.) Ames - *Icones Pleuro VIII*; p. 32, 34-36
 Selbyana 10 (S); p. 393
Icones Plant Trop, Fasc 16; pl. 1542
Icones Pleuro in Color I; p. 1
 NCO; 2:283
VOI; 2, p. 186
 NEO; 3:867
 Orc of Ven FG 2; p. 444
fuertesii (Cogn.) Garay = *Lepanthopsis barahonensis*
Icones Pleuro VIII; p. 22 (8/1991)

glandulifera Dod - *Icones Pleuro VIII*; p. 36, 37
 DI
haitiensis Dod = *Lepanthopsis aristata*
 P
Icones Pleuro VIII; p. 16 (8/1991)
hirtzii Luer - *Icones Pleuro VIII*; p. 38, 39
 DI
 NEO; 3:868
 P
hotteana (Mansf.) Garay - *Icones Pleuro VIII*; p. 38, 40, 41
 DI
lilliputalis Luer & Hirtz - *Icones Pleuro XI*; p. 118, 119
 DI
lingulata Dod - *Icones Pleuro VIII*; p. 40, 42
 P
melanantha (Rchb.f.) Ames - *Icones Pleuro VIII*; p. 1, 43, 44
 DI
micheleae Dod - *Icones Pleuro VIII*; p. 45, 46
 DI
microlepanthes (Griseb.) Ames - *Icones Pleuro VIII*; p. 74, 75
 DI
moniliformis Dod - *Icones Pleuro VIII*; p. 45, 47, 48
 DI
obliquipetala (Ames & Schweinf.) Luer –
Icones Pleuro VIII; p. 76, 77
 DI
 NEO; 3:869, 870
 IP
 Selbyana 11(S); p. 607 (was *Physosiphon obliquipetalus*)
 I
ornipteridion Dod - *Icones Pleuro VIII*; p. 48, 49
 DI
paryskii Dod = *Lepanthopsis cucullata*
 I
Icones Pleuro VIII; p. 26 (8/1991)
peniculus (Schltr.) Garay - *Icones Pleuro VIII*; p. 50, 51
 DI
 NCO; 2:281
 P
pristis Luer & Escobar - *Icones Pleuro VIII*; p. 50, 52, 53
 DI
Orquideologia XVI(3); p. 28, 29
 DI
prolifera Garay - *Icones Pleuro VIII*; p. 52, 54
 DI
pulchella Garay & Dunst. - *Icones Pleuro VIII*; p. 55, 56
 DI
VOI; 3, p. 160
 DI
 Orc of Ven FG 2; p. 445
 I
purpurata Dod ex Luer - *Icones Pleuro XXIV*; p. 104, 117
 DI
pygmaea C.Schweinf. - *Icones Pleuro VIII*; p. 55, 57, 58
 DI
quisqueyana Dod = *Lepanthopsis melanantha*
Icones Pleuro VIII; p. 43 (8/1991)
rinkei Luer - *Icones Pleuro XXIV*; p. 104-105, 118
 DI
secunda (Barb.Rodr.) Hoehne = *Lepanthopsis floripecten*
 I
Icones Pleuro VIII; p. 32 (8/1991)
 DI
serrulata (Cogn.) Hesperheide & Garay -
Icones Pleuro VIII; p. 58-60
 DI
stellaris Dod - *Icones Pleuro VIII*; p. 60, 61
 DI
steyermarkii Foldats - *Icones Pleuro VIII*; p. 62, 63
 DI
VOI; 6, p. 218
 DI
 Orc of Ven FG 2; p. 446
 I
ubangii Luer - *Icones Pleuro VIII*; p. 64, 65
 DI
 NEO; 3:871, 872
 IP
unilateralis (Cogn.) C.Porto & Brade = *Lepanthopsis floripecten*
Icones Pleuro VIII; p. 32 (8/1991)
vinacea C.Schweinf. - *Icones Pleuro VIII*; p. 66, 67
 DI
VOI; 1, p. 192
 DI
 NEO; 3:873
 P
 Orc of Ven FG 2; p. 447
 I
woodsiana Luer - *Icones Pleuro XXIV*; p. 105, 118
 DI

Lindleyalis (these were Pleurothallis)

fustifera (Luer) Luer – *Icones Pleuro XVIII*; p. 173, 179
 DI
Icones Pleuro XX; p. 107, 113
 DI
glossopogon (Rchb.f.) Luer – *Icones Pleuro XX*; p. 108, 113
 DI
 NCO; 3:488 (was *biserrula*)
 P
 NCO; 6:1235
 P
VOI; 3, p. 248 (was *biserrula*)
 DI
VOI; 6, p. 348 (was *insignis*)
 DI
 Orc of Ven FG 3; p. 757 (was *biserrula*)
 I
hemirhoda (Lindl.) Luer - *Icones Pleuro III*; p. 71
 I
 Selbyana 1(1); p. 76
 DI
Icones Orchid Peru pl. 159
 DI
Icones Plant Trop Ser II Fasc 3; pl. 280
 DI
Icones Pleuro XX; p. 109-110, 113
 DI
 Orc of Bolivia Vol 1; p. 305
 I

Lindleyalis

NCO; 6:1223	P	Icones Pleuro XXI; p. 449-450	DI
VOI; 1, p. 326	DI	Masd in Kleur; p. 6	P
Orc of Ven FG 3; p. 795	I	NEO; 3:979	P
NEO; 4:1776, 1777	P	carmenensis (Luer & Malo) Luer - Thesarus Masd 15:3	DIP
medinae (Luer & Portilla) Luer – Icones Pleuro XX; p. 110, 114	DI	Icones Pleuro XXI; p. 451-452	DI
NEO; 4:1803	P	Masd in Kleur; p. 8	P
sirene (Rchb.f.) Luer – Icones Pleuro XX; p. 110-111, 114	DI	NEO; 3:998	P
Orc of Ven FG 3; p. 849	I	chaucacae (Luer & Hirtz) Luer - Icones Pleuro XXVII; p. 287-288	DI
talpinarioides (Garay and Dunst.) Luer –		Listed as chaucana, should be chaucacae	
Icones Pleuro XX; p. 111, 114	DI	chimboënsis (Krzl.) Luer - Thesarus Masd 17:3	DIP
VOI; 6, p. 368	DI	Icones Pleuro XXI; p. 453-454	DI
Orc of Ven FG 3; p. 856	I	Masd in Kleur; p. 10	P
tentaculata (Poep. & Endl.) Luer –		collantesi (D.E.Benn. & Christenson) Luer –	
Icones Pleuro XX; p. 111-112, 114	DI	Icones Pleuro XXI; p. 455-456	DI
NEO; 4:1860	P	expers (Luer & Andreetta) Luer - Thesarus Masd 16:3	DIP
		Lindleyana 3(1); p. 29	DI
		Icones Pleuro XXI; p. 461-462	DI
		NEO; 3:1035	P
Loddigesia (this was Pleurothallis)		gemmula Luer & V.N.M.Rao – Icones Pleuro XXVIII; p. 263, 264	DI
quadrifida La Llave & Lex. –		henniae (Luer & Dalström) Luer - Treas of Masd 21:7	DIP
Icones Pleuro XX; p. 79- 81, 98 (was P. racemiflora)	DI	Lindleyana 9(2); p. 108	DI
Selbyana 1(2); p. 204 (was P. racemiflora)	DI	Icones Pleuro XXI; p. 463-464	DI
Selbyana 11(S); p. 684, 685	I	NEO; 3:1047	I
VOI; 2, p. 298	DI	indecora (Luer & Escobar) Luer – Icones Pleuro XXI; p. 467-468	DI
Orc of Ven FG 3; p. 834 (was P. racemiflora)	I	lynniana (Luer) Luer – Icones Pleuro XXVI; p. 247, 248	DI
		Treas of Masd 28:7	DIP
Lomax (was Physosiphon, then Specklinia)		manchinazae (Luer & Andreetta) Luer - Lindleyana 3(4); p. 201	DI
punctulata (Rchb.f.) Luer - Selbyana 11(S); p. 670 (was P. minor)	I	Icones Orchid Peru pl. 087	DI
Orc of Ven FG 3; p. 812 (was P. minor)	I	Treas of Masd 24:8	DIP
Icones Pleuro XXVIII; p. 88-89, 93	DI	Icones Pleuro XXI; p. 469-470	DI
		mataxa (Kgr. & H.Mend.) Luer – Icones Pleuro XXI; p. 471-472	DI
		Masd in Kleur; p. 64	P
		NEO; 3:1070	I
Lueranthos (was Pleurothallis)		mentosa (Luer) Luer - Icones Pleuro II; p. 40	I
vestigipetalus (Luer) Szlach. - Icones Pleuro III; p. 28	I	Lindleyana 4(3); p. 111, 113, 114 (was glossacles)	DI
Icones Pleuro XI; p. 66, 67, 68	DI	Icones Pleuro XXI; p. 473-474	DI
Selbyana 3(3,4); p. 404	DI	Masd in Kleur; p. 64	P
Orc of Bolivia Vol 1; p. 358	I	NEO; 3:1076	I
NEO; 4:1873	P	Treas of Masd 28:8	DIP
Icones Pleuro XXVIII; p. 89	D	merinoi (Luer & Portilla) Luer – Icones Pleuro XVIII; p. 151, 156	DI
		Icones Pleuro XXI; p. 475-476	DI
		Masd in Kleur; p. 64	P
		NEO; 3:1077, 1078	IP
		Treas of Masd 27:8	DIP
Luerella		paquishae (Luer & Hirtz) Luer - Treas of Masd 22:9	DIP
pelecaniceps Luer - Icones Pleuro II; p. 54 (was Masdevallia)	I	Lindleyana 3(4); p. 204	DI
Thesarus Masd 1:7 (was Masdevallia)	DIP	Icones Pleuro XXI; p. 479-480	DI
Selbyana 3(1,2); p. 22 (was Masdevallia)	DI	Masd in Kleur; p. 36, 37	P
		NEO; 3:1096	P
Luzama (this was Masdevallia)		patula (Luer & Malo) Luer - Icones Pleuro II; p. 19	I
amaluzae (Luer & Malo) Luer - Thesarus Masd 5:1	DIP	Thesarus Masd 18:13	DIP
Icones Pleuro XXI; p. 437-438	DI	Icones Pleuro XXI; p. 481-482	DI
Masd in Kleur; p. 2	P	Masd in Kleur; p. 37	P
NEO; 3:962	P	NEO; 3:1101	P
aphanes (Kgr.) Luer - Icones Pleuro II; p. 20	I	plantaginea (Poep. & Endl.) Luer - Treas of Masd 21:12	DIP
Thesarus Masd 2:1	DIP	Selbyana 7(1); p. 104 (was capillaris)	DI
Icones Plant Trop, Ser II, Fasc 1; pl. 99	DI	Icones Pleuro XXI; p. 483-484	DI
Icones Pleuro XXI; p. 443-444	DI	NEO; 3:1109	I
Masd in Kleur; p. 4	P	pyknosepala (Luer & Cloes) Luer – Icones Pleuro XXI; p. 489-490	DI
NEO; 3:972	I	sanchezii (Luer & Andreetta) Luer - Treas of Masd 22:12	DIP
audax (Kgr.) Luer - Treas of Masd 22:1	DIP	Icones Pleuro XXI; p. 491-492	DI
Icones Pleuro XXI; p. 445-446	DI	Masd in Kleur; p. 45	P
Masd in Kleur; p. 59	P	NEO; 3:1127	P
aurorae (Luer & Chase) Luer - Lindleyana 8(1); p. 39	DI	scalpellifera (Luer) Luer – Icones Pleuro XXI; p. 493-494	DI
Icones Pleuro XXI; p. 447-448	DI	NEO; 3:1130	I
berthae (Luer & Andreetta) Luer - Lindleyana 4(3); p. 105	DI	schizostigma (Luer) Luer - Icones Pleuro XVII; p. 114, 119	DI
	DI	Icones Pleuro XXI; p. 499-500	DI

Luzama

scopaea (Luer & Vásquez) Luer - Treas of Masd 21:13 Icones Pleuro XXI; p. 501-502 Orc of Bolivia Vol 1; p. 186	DIP DI I	amabilis Rchb.f. - Thesarus Masd 9:2 Icones Orchid Peru pl. 287 Masd in Kleur; p. 2	DIP DI P
setipes (Schltr.) Luer – Icones Pleuro XXI; p. 503-504 Orc of Bolivia Vol 1; p. 188 Masd in Kleur; p. 47	DI I P	Icones Pleuro XXV; p. 1053-1058 amabilis var. lineata Linden = <i>Masdevallia amabilis</i> Rchb.f. Icones Pleuro XXV; p. 1053 (3/2003)	DI
smallmaniana (Luer) Luer - Icones Pleuro XXIII; p. 505a-506a	DI	amanda Rchb.f. = <i>Spilotantha amanda</i> Icones Pleuro XXVIII; p. 15 (5/2006)	
strattoniana (Luer & Hirtz) Luer – Icones Pleuro XXIII; p. 505b-506b	DI	amazulae Luer & Malo = <i>Luzama amazulae</i> Icones Pleuro XXVIII; p. 10 (5/2006)	
trifurcata (Luer) Luer - Treas of Masd 22:14 Lindleyana 9(4); p. 252 Icones Pleuro XXI; p. 505-506 Masd in Kleur; p. 51 NEO; 3:1145	DIP DI DI P P	amethystina Rchb.f. = <i>Porroglossum amethystina</i> Icones Pleuro IV; p. 36 (11/1987) ametroglossa Luer & Hirtz = <i>Alaticaulia ametroglossa</i> Icones Pleuro XXVIII; p. 4 (5/2006)	
Madisonia (this was <i>Pleurothallis</i>)		amoena Luer – Icones Pleuro XVIII; p. 148, 155 Masd in Kleur; p. 58 Icones Pleuro XXIII; p. 923-924 Treas of Masd 28:1	DI P DI DIP
kerrii (Braga) Luer – Icones Pleuro XXVIII; p. 90, 93	DI	amplexa Luer = <i>Alaticaulia amplexa</i> Icones Pleuro XXVIII; p. 4 (5/2006)	
Masdevallia		ampullacea Luer & Andreetta - Thesarus Masd 12:2 Masd in Kleur; p. 3 Icones Pleuro XXIII; p. 985-986 NEO; 3:964	DIP P DI P
abbreviata Rchb.f. = <i>Spilotantha abbreviata</i> Icones Pleuro XXVIII; p. 15 (5/2006)		anachaeta Rchb.f. = <i>Diodonopsis anachaeta</i> Icones Pleuro XXVIII; p. 9 (5/2006)	
acaroi Luer & Hirtz – Icones Pleuro XXV; p. 789a-790a	DI	anaristella Krzl. = <i>Barbosella dolichorhiza</i> Icones Pleuro XX; p. 18 (5/2000)	
acrochordonia Rchb.f. = <i>Alaticaulia acrochordonia</i> Icones Pleuro XXVIII; p. 4 (5/2006)		anceps Luer & Hirtz = <i>Spilotantha anceps</i> Icones Pleuro XXVIII; p. 15 (5/2006)	
adamsii Luer = <i>Acinopetala adamsii</i> Icones Pleuro XXVIII; p. 3 (5/2006)		anchorifera Rchb.f. = <i>Scaphosepalum anchoriferum</i> Icones Pleuro V; p. 30 (11/1988)	
adrianae Luer = <i>Alaticaulia adrianae</i> Icones Pleuro XXVIII; p. 4 (5/2006)		andreettae Luer = <i>Dracula andreettae</i> Icones Pleuro X; p. 28 (12/1993)	
aenigma Luer & Escobar = <i>Alaticaulia aenigma</i> Icones Pleuro XXVIII; p. 4 (5/2006)		andreettana Luer - Thesarus Masd 19:1 Masd in Kleur; p. 3 Icones Pleuro XXIII; p. 925-926 NEO; 3:968	DIP P DI P
aequatorialis Lehm & Krzl. = <i>Masdevallia pardina</i> Rchb.f. Icones Pleuro XXI; p. 345 (11/2000)		andresiana Luer & Maduro = <i>Alaticaulia andresiana</i> Icones Pleuro XXIX; p. 118 (8/2007)	
aequiloba Regel = <i>Masdevallia civilis</i> Thesarus Masd 5:4 (1985)		anemone Luer - Icones Pleuro XXIII; p. 987-988 NEO; 3:969	DI I
affinis Lindl. ssp. <i>affinis</i> = <i>Masdevallia laevis</i> Icones Pleuro XXII; p. 601 (9/2001)		anfracta Kgr. = <i>Alaticaulia anfracta</i> Icones Pleuro XXVIII; p. 4 (5/2006)	DIP
affinis Lindl. ssp. <i>maculigera</i> (Schltr.) Luer = <i>Masdevallia laevis</i> Icones Pleuro XXII; p. 601 (9/2001)		angulata Rchb.f. = <i>Byrsella angulata</i> Icones Pleuro XXVIII; p. 7 (5/2006)	DI P
affinis Lindl. ssp. <i>petiolaris</i> (Schltr.) Luer = <i>Masdevallia laevis</i> Icones Pleuro XXII; p. 601 (9/2001)		angulifera Rchb.d. ex Krzl. - Thesarus Masd 8:1 Masd in Kleur; p. 3, 4, 58 NCO; 2:336 NCO; 6:1121	DIP P P P
agaster Luer - Thesarus Masd 6:1 Icones Orchid Peru pl. 286 Masd in Kleur; p. 1 Icones Pleuro XXIII; p. 983-984 NEO; 3:959	DI P DI P	Icones Pleuro XXIII; p. 989-990	DI
aguirrei Luer & Escobar = <i>Alaticaulia aguirrei</i> Icones Pleuro XXVIII; p. 4 (5/2006)		anisomorpha Garay = <i>Rodrigoa anismophora</i> Icones Pleuro XXVIII; p. 14 (5/2006)	
albella Luer & Teague - Lindleyana 6(2); p. 84, 85 Masd in Kleur; p. 58 Icones Pleuro XXIII; p. 921-922 NEO; 3:960	DI P DI I	anomala Luer & Sijm = <i>Byrsella anomala</i> Icones Pleuro XXVIII; p. 7 (5/2006)	
albicans Luer = <i>Dryadella albicans</i> Icones Pleuro XXVII; p. 9 (3/2004)		antioquiensis Lehm. & Krzl. = <i>Masdevallia molossus</i> Thesarus Masd 7:6 (1986)	
albida Lemaire = <i>Masdevallia infracta</i> Icones Pleuro XIX; p. 101 (1/2000)		antonii Koniger – Treas of Masd 25:2 Masd in Kleur; p. 59 Icones Pleuro XXIII; p. 791-792	DIP P DI
alexandri Luer = <i>Rodrigoa alexandri</i> Icones Pleuro XXVIII; p. 14 (5/2006)		anura Kraenzl. = <i>Masdevallia molossooides</i> Icones Pleuro XXV, p. 1249 (03/2003)	
alismifolia Krzl. - Thesarus Masd 14:5 (Treas Masd. 26 changed this back to valid species - 2001) Icones Pleuro XXIII; p. 789-790	DIP DI	aops Luer & Malo = <i>Masdevallia klabochiorum</i> Icones Pleuro XXIII; p. 845 (4/2002)	
allenii L.O. Williams = <i>Trisetella triglochis</i> Icones Pleuro VI; p. 113 (8/1989)		aperta Krzl. = <i>Pabstiella tripterantha</i> Icones Pleuro XXVIII; p. 140 (5/2006)	
Xalvaroi Luer & Escobar = <i>Spilotantha Xalvaroi</i> Icones Pleuro XXVIII; p. 15 (5/2006)		aphanes Kgr. = <i>Luzama aphanes</i>	

Masdevallia

- Icones Pleuro XXVIII; p. 10 (5/2006)*
- apparitio** Luer - Thesarus Masd 17:1
Orquideologia XIII(2); p. 145, 146, 147, 170
Masd in Kleur; p. 4
NCO; 2:309
Icones Pleuro XXIII; p. 793-794
- aptera** Luer & L. O'Shaughn. - *Icones Pleuro XXVI; p. 243, 244*
- aquirrei** ? - Masd in Kleur; p. 4
- arangoi** Luer & R.Escobar = *Acinopetala arangoi*
Icones Pleuro XXVIII; p. 3 (5/2006)
- argus** Rchb.f. ex Kraenzl. = *Zootrophion argus*
Icones Pleuro XXVI; p. 215 (2/2004)
- ariasii** Luer - Thesarus Masd 16:1
Masd in Kleur; p. 4
Icones Pleuro XXIII; p. 927-928
NEO; 3:973
- aristata** Barb.Rodr. = *Masdevallia infracta*
Icones Pleuro XIX; p. 101 (1/2000)
- arminii** Lind. & Rchb.f. - Thesarus Masd 8:2
Masd in Kleur; p. 5
NCO; 6:1091, 1092
Icones Pleuro XXIII; p. 795-798
- aspera** Rchb.f. ex Krzl. = *Masdevallia paivaiana*
Thesarus Masd 10:10 (1987)
- asperrima** Krzl. = *Masdevallia melanoxantha*
Icones Pleuro XIX; p. 123 (1/2000)
- assurgens** Luer & Escobar - Treas of Masd 21:1
Orquideologia - XIII(2); p. 153, 154, 155, 168
Icones Pleuro XXII; p. 529-530
- asterotricha** Kgr. - Thesarus Masd 14:2
Masd in Kleur; p. 5
Icones Pleuro XXIII; p. 799-800
- astuta** Rchb.f. = *Dracula astuta*
Icones Pleuro X; p. 36 (12/1993)
- atahualpa** Luer = *Byrsella atahualpa*
Icones Pleuro XXVIII; p. 7 (5/2006)
- atropurpurea** Krzl. = *Masdevallia mooreana*
Icones Pleuro XXI; p. 333 (11/2000)
- attenuata** Rchb.f. = *Acinopetala attenuata*
Icones Pleuro XXVIII; p. 3 (5/2006)
- audax** Kgr. = *Luzama audax*
Icones Pleuro XXVIII; p. 10 (5/2006)
- aurantiaca** Lindl. = *Masdevallia infracta*
Icones Pleuro XIX; p. 101 (1/2000)
- aurea** Luer - Thesarus Masd 20:10
Icones Pleuro XXIII; p. 991-992
NEO; 3:975
- aureodactyla** Luer = *Masdevallia pachyura*
Thesarus Masd 13:10 (1988)
- aureo-rosea** Weberbauer = *Masdevallia bicolor*
Icones Pleuro XIX; p. 35 (1/2000)
- auriculigera** (Rchb.f.) Rchb.f. = *Dryadella auriculigera*
Icones Pleuro XXVII; p. 10 (3/2004)
- auropurpurea** Rchb.f. & Warsz. = *Masdevallia bicolor*
Icones Pleuro XIX; p. 35 (1/2000)
- aurorae** Luer & Chase = *Luzama aurorae*
Icones Pleuro XXVIII; p. 10 (5/2006)
- aviceps** (Rchb.f.) Rchb.f. = *Dryadella gnoma*
Icones Pleuro XXVII; p. 11 (3/2004)
- ayabacana** Luer = *Regalia ayabacana*
Icones Pleuro XXVIII; p. 12 (5/2006)
- backhousiana** Rchb.f. = *Dracula chimaera*
Icones Pleuro X; p. 52 (12/1993)
- bangii** Schltr. = *Triotosiphon bangii*
Icones Pleuro XXVIII; p. 16 (5/2006)
- barlaeana** Rchb.f. - Thesarus Masd 9:4
Masd in Kleur; p. 5
- Icones Pleuro XXV; p. 1059-1060*
- DIP **barrowii** Luer = *Alaticaulia barrowii*
- DIP *Icones Pleuro XXVIII; p. 4 (5/2006)*
- P **bathyschista** Schltr. = *Masdevallia fasciata*
- P *Icones Pleuro XXV; p. 1219 (03/2003)*
- DI **bella** Rchb.f. = *Dracula bella*
- DI *Icones Pleuro X; p. 38 (12/1993)*
- P **belua** Kgr. & D'Aless. = *Byrsella belua*
Icones Pleuro XXVIII; p. 7 (5/2006)
- benedictii** Rchb.f. = *Dracula benedictii*
Icones Pleuro X; p. 42 (12/1993)
- bennettii** Luer = *Alaticaulia bennettii*
- DIP *Icones Pleuro XXVIII; p. 4 (5/2006)*
- P **berthae** Luer & Andreetta = *Luzama berthae*
- DI *Icones Pleuro XXVIII; p. 10 (5/2006)*
- I **bicolor** Poepp. & Endl. = *Alaticaulia bicolor*
Icones Pleuro XXVIII; p. 4 (5/2006)
- bicornis** Luer - *Icones Pleuro XV; p. 128, 129, 130*
- DI Treas of Masd 24:2
- DIP Masd in Kleur; p. 59
- P NEO; 3:982
- P
- DI *Icones Pleuro XXV; p. 1263-1264*
- biflora** Morren = *Masdevallia bicolor*
Icones Pleuro XIX; p. 35 (1/2000)
- biflora** Regel = *Masdevallia caloptera*
Thesarus Masd 5:2 (1985)
- DIP **bilabiata** (Krzl.) Garay = *Byrsella platyglossa*
- DI *Thesarus Masd 6:9 (1985)*
- DI **blanda** Koniger = *Masdevallia crassicaudis*
- DIP *Icones Pleuro XXII; p. 547 (9/2001)*
- P **boddaertii** Linden ex André = *Masdevallia ignea*
- DI *Icones Pleuro XXV; p. 1075 (3/2003)*
- bogotensis** Hort. ex. Gentil = *Masdevallia coriacea*
Thesarus Masd 4:4 (1984)
- boliviensis** Schltr. - Lindleyana 3(1); p. 21, 22
- DI Thesarus Masd 17:2
- DI Lindleyana 3(1); p. 21, 23 (was ssp. leucophaea)
- IP Orc of Bolivia Vol 1; p. 145, 155 (was ssp. leucophaea)
- P Masd in Kleur; p. 6 (was ssp. leucophaea)
- DI *Icones Pleuro XXIII; p. 801-802*
- boliviensis** Schltr. ssp. *leucophaea* (Luer & Vásquez) Luer =
Masdevallia boliviensis *Icones Pleuro XXIII; p. 801 (4/2002)*
- bomboiza** Fiske = *Dracula lotax*
Icones Pleuro X; p. 132 (12/1993)
- DIP **bonplandii** Rchb.f. = *Byrsella bonplandii*
- DI *Icones Pleuro XXVIII; p. 8 (5/2006)*
- I **borucana** P.H.Allen = *Masdevallia lata*
Icones Pleuro XIX; p. 239 (1/2000)
- bottae** Luer & Andreetta - Treas of Masd 21:3
- DI Masd in Kleur; p. 6
- P *Icones Pleuro XXIII; p. 803-804*
- DI
- bourdetteana** Luer = *Byrsella bourdetteana*
Icones Pleuro XXVIII; p. 8 (5/2006)
- brasii** Mohr = *Masdevallia teaguei*
Icones Pleuro XXV; p. 1265 (3/2003)
- brachyantha** Schltr. = *Alaticaulia brachyantha*
Icones Pleuro XXVIII; p. 4 (5/2006)
- brachyura** Lehm. & Krzl. = *Alaticaulia brachyura*
Icones Pleuro XXVIII; p. 4 (5/2006)
- brenneri** Luer = *Alaticaulia brenneri*
Icones Pleuro XXVIII; p. 4 (5/2006)
- brevis** Rchb.f. = *Scaphosepalum breve*
Icones Pleuro V; p. 42 (11/1988)
- brockmuelleri** Luer - *Icones Pleuro XXIII; p. 805-806*
- DI
- bruckmuelleri** Lind. & André = *Masdevallia coriacea*
Thesarus Masd 4:4 (1984)
- DIP
- P **bryophila** Luer = *Alaticaulia bryophila*

Masdevallia

- Icones Pleuro XXVIII; p. 4 (5/2006)*
buccinator Rchb.f. & Warsc. = *Alaticaulia buccinator*
Icones Pleuro XXVIII; p. 4 (5/2006)
- bucculenta** Luer & Hirtz = *Buccella bucculenta*
Icones Pleuro XXVIII; p. 7 (5/2006)
- buchtienii** Rolfe = *Masdevallia scandens*
Icones Pleuro XXII; p. 663 (9/2001)
- bufordiensis** hort. = *Masdevallia angulata*
Thesarus Masd 11:1 (1988)
- bulbophyllopsis** Krzl. = *Spilotantha bulbophyllopsis*
Icones Pleuro XXVIII; p. 15 (5/2006)
- burbidgeana** Rolfe = *Dracula erythrochaete*
Icones Pleuro X; p. 82 (12/1993)
- burianii** Luer & Dalström – *Icones Pleuro XX; p. 120, 135*
Treas of Masd 25:3
Icones Pleuro XXII; p. 531-532
- burzlaffiana** Kngr. = *Masdevallia floribunda*
Icones Pleuro XXII; p. 739 (9/2001)
- butcheri** Luer = *Trisetella tenuissima*
Icones Pleuro VI; p. 108 (8/1989)
- cacodes** Luer & Escobar = *Byrsella cacodes*
Icones Pleuro XXVIII; p. 8 (5/2006)
- caesia** Roetzl = *Byrsella caesia*
Icones Pleuro XXVIII; p. 8 (5/2006)
- calagrasalis** Luer = *Alaticaulia calagrasalis*
Icones Pleuro XXVIII; p. 4 (5/2006)
- calcarata** Luer & V.N.M.Rao - *Icones Pleuro XXVII; p. 285-286*
Treas of Masd 28:2
- callifera** Schltr. = *Dracula houtteana*
Icones Pleuro X; p. 106 (12/1993)
- calocalix** Luer - *Icones Pleuro XXIII; p. 533a-534a*
NEO; 3:994
- calocodon** Luer & Vásquez = *Masdevallia yungasensis*
Icones Pleuro XXII; p. 711 (9/2001)
- caloptera** Rchb.f. = *Spilotantha caloptera*
Icones Pleuro XXVIII; p. 15 (5/2006)
- calopterocarpa** Rchb.f. = *Masdevallia amanda*
Thesarus Masd 12:1 (1988)
- calosiphon** Luer – *Icones Pleuro XX; p. 120-121, 135*
Thesarus Masd 7:2
Icones Pleuro XXIII; p. 993-994
- calura** Rchb.f. = *Reichantha calura*
Icones Pleuro XXVIII; p. 13 (5/2006)
- calyptata** Krzl. = *Masdevallia corniculata*
Thesarus Masd 10:2 (1987)
- campyloglossa** Rchb.f. = *Byrsella campyloglossa*
Icones Pleuro XXVIII; p. 8 (5/2006)
- campyloglossa** Rchb.f. ssp. *ortgiesiana* (Rolfe) Luer =
Masdevallia campyloglossa
Icones XXI; p. 289 (11/2000)
- candida** Klotsch & H.Karst. ex Rchb.f. = *Masdevallia towarensis*
Icones Pleuro XIX; p. 193 (1/2000)
- capillaris** Luer = *Masdevallia plantaginea*
Thesarus Masd 21:12 (1996)
- carderi** Rchb.f. = *Dracula inaequalis*
Icones Pleuro X; p. 109 (12/1993)
- carderi** var. *mosquerae* Lehm. & Krzl. = *Dracula houtteana*
Icones Pleuro X; p. 106 (12/1993)
- carderiopsis** Krzl. = *Dracula houtteana*
Icones Pleuro X; p. 106 (12/1993)
- cardiantha** Kgr. = *Alaticaulia cardiantha*
Icones Pleuro XXVIII; p. 4 (5/2006)
- carinata** Cogn. = *Dryadella zebrina*
Icones Pleuro XXVII; p. 40 (3/2004)
- carmenensis** Luer & Malo = *Luzama carmenensis*
Icones Pleuro XXVIII; p. 10 (5/2006)
- carolloi** Luer & Andreetta = *Alaticaulia carolloi*
Icones Pleuro XXVIII; p. 4 (5/2006)
- carpishica** Luer & Cloes – *Icones Pleuro XXVIII; p. 148-149, 155*
Icones Pleuro XXII; p. 533-534
Treas Masd 26:1
- carpophora** Krzl. = *Pabstiella tripterantha*
Icones Pleuro XXVIII; p. 140 (5/2006)
- carruthersiana** Lehm. & Krzl. = *Alaticaulia carruthersiana*
Icones Pleuro XXVIII; p. 4 (5/2006)
- casta** Krzl. = *Masdevallia tubulosa*
Thesarus Masd 11:14 (1988)
- castor** Luer & Cloes - *Icones Pleuro XXIII; p. 929-930*
Selbyana 22(2); p. 112,113-114
- catepheres** Kgr. - *Treas of Masd 24:4*
Masd in Kleur; p. 9
- caudata** Lindl. - *Icones Pleuro II; p. 30*
Thesarus Masd 15:4
Masd in Kleur; p. 9
NCO; 2:311
VOI; 5, p. 162
Icones Pleuro XXIII; p. 807-810
Masd in Kleur; p. 67 (was M. tricolor)
VOI; 5, p. 176 (was M. tricolor)
Orc of Ven FG 2; p. 484
Orc of Ven FG 2; p. 510 (was tricolor)
- caudata** var. *gudotti* Rchb.f. = *Masdevallia caudata*
Thesarus Masd. 15:4 (1990)
- caudata** var. *shuttleworthii* (Rchb.f.) Rchb.f. = *Masdevallia caudata*
Thesarus Masd. 15:4 (1990)
- caudata** var. *xanthocorys* (Rchb.f.) Veitch = *Masdevallia caudata*
Thesarus Masd. 15:4 (1990)
- caudivolvula** Krzl. = *Streptoura caudivolvula*
Icones Pleuro XXVIII; p. 16 (5/2006)
- cayennensis** Rchb.f. = *Masdevallia cuprea*
Icones Pleuro XIX; p. 63 (1/2000)
- cerastes** Luer & Escobar = *Megema cerastes*
Icones Pleuro XXVIII; p. 11 (5/2006)
- chaetostoma** Luer = *Spilotantha chaetostoma*
Icones Pleuro XXVIII; p. 15 (5/2006)
- chaparensis** Hashimoto - *Thesarus Masd 4:3*
Icones Plant Trop Fasc 6; pl. 542 (was hajekii)
Orc of Bolivia Vol 1; p. 146, 157
Masd in Kleur; p. 9
Icones Pleuro XXII; p. 535-536
- chasei** Luer = *Reichantha chasei*
Icones Pleuro XXVIII; p. 13 (5/2006)
- chaucae** Luer & Hirtz = *Luzama chaucae*
Icones Pleuro XXVIII; p. 10 (5/2006)
- cheloglossa** Luer & Dalström = *Alaticaulia cheloglossa*
Icones Pleuro XXIX; p. 118 (8/2007)
- chimaera** Linden & André = *Dracula nycterina*
Icones Pleuro X; p. 148 (12/1993)
- chimaera** Rchb.f. var. *severa* (Rchb.f.) Veitch = *Dracula severa*
Icones Pleuro X; p. 196 (12/1993)
- chimaera** Rchb.f. var. *wallisii* (Rchb.f.) = *Dracula wallisii*
Icones Pleuro X; p. 228 (12/1993)
- chimboënsis** Krzl. = *Luzama chimboënsis*
Icones Pleuro XXVIII; p. 10 (5/2006)
- chiquidensis** Krzl. = *Masdevallia leucantha*
Thesarus Masd 4:9 (1984)
- chloracra** Rchb.f. = *Masdevallia striatella*
Icones Pleuro XIX; p. 255 (1/2000)
- chlorotica** Krzl. = *Masdevallia laevis*
Icones Pleuro XXII; p. 601 (9/2001)
- chontalensis** Rchb.f. = *Acinopetala chontalensis*
Icones Pleuro XXVIII; p. 3 (5/2006)
- chrysochaete** Lehm. = *Masdevallia strumifera*

Masdevallia

- Thesarus Masd 16:13 (1991)*
- chrysonaura** Lehm. & Krzl. = *Masdevallia uncifera*
Icones Pleuro XXII; p. 697 (9/2001)
- chuspipatae** Luer & Teague - *Treas of Masd 21:5*
 Lindleyana 9(2); p. 103
 Orc of Bolivia Vol 1; p. 158
Icones Pleuro XXIII; p. 995-996
- cinnamomea** Rchb.f. = *Alaticaulia cinnamomea*
Icones Pleuro XXVIII; p. 4 (5/2006)
- citrinella** Luer & Malo - *Thesarus Masd 19:2*
 Masd in Kleur; p. 10
Icones Pleuro XXIII; p. 933-934
 NEO; 3:1003
- civilis** Rchb.f. & Warsc. = *Byrsella civilis*
Icones Pleuro XXVIII; p. 8 (5/2006)
- clandestina** Luer & Escobar - *Thesarus Masd 16:5*
 Orquideologia XVI(1); p. 95
 Selbyna 7(1); p. 71
 Masd in Kleur; p. 10
Icones Pleuro XXII; p. 537-538
- cleistogama** Luer - Lindleyana 4(3); p. 105
 Masd in Kleur; p. 11
Icones Pleuro XXII; p. 539-540
- cloesii** Luer - Lindleyana 8(1); p. 39
Treas of Masd 25:4
 Masd in Kleur; p. 11
Icones Pleuro XXIII; p. 811-812
- cocapatae** Luer, Teague & Vásquez = *Alaticaulia cocapatae*
Icones Pleuro XXVIII; p. 4 (5/2006)
- coccinea** Lind. ex Lindl. - *Icones Pleuro II; p. 33*
Thesarus Masd 13:2
 Orquideologia XVI(1); p. 97 (was *militaris*)
 Masd in Kleur; p. 11
 NCO; 2:322
Icones Pleuro XXV; p. 1061-1066
- coccinea** Regel = *Masdevallia ignea*
Thesarus Masd. 9:8 (1987)
- coccinea** var **acanthifolia** Bull ex Sander = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1063 (03/2003)
- coccinea** var **armeniaca** B.S. Williams = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1061 (03/2003)
- coccinea** var **atropurpurea** hort. ex Sander = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1063 (03/2003)
- coccinea** var **atrosanguinea** B.S. Williams = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1061 (03/2003)
- coccinea** var **Bull's Blood** hort. ex Sander = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1063 (03/2003)
- coccinea** var **coerulescens** B.S. Williams = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1061 (03/2003)
- coccinea** var **conchiflora** (Rchb.f.) Veitch. = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1061 (03/2003)
- coccinea** var **decora** B.S. Williams = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1061 (03/2003)
- coccinea** var **denisoniana** hort. ex Sander = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1063 (03/2003)
- coccinea** var **flambeau** hort. ex Sander = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1063 (03/2003)
- coccinea** var **flammea** hort. ex Sander = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1063 (03/2003)
- coccinea** var **formosa** hort. ex Sander = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1063 (03/2003)
- coccinea** var **gemma** hort. ex Sander = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1063 (03/2003)
- coccinea** var **gloriosa** hort. ex Sander = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1063 (03/2003)
- coccinea** var **harryana** (Rchb.f.) Veitch. = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1061 (03/2003)
- coccinea** var **illustris** Linden ex Sander = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1063 (03/2003)
- coccinea** var **lilacina** Linden ex Sander = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1063 (03/2003)
- coccinea** var **lindeni** André = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1061 (03/2003)
- coccinea** var **luteo-oculata** hort. ex Sander = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1063 (03/2003)
- coccinea** var **magnifica** hort. ex Sander = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1063 (03/2003)
- coccinea** var **mars** hort. ex Sander = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1063 (03/2003)
- coccinea** var **maxima** hort. ex Sander = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1063 (03/2003)
- coccinea** var **meteor** hort. ex Sander = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1063 (03/2003)
- coccinea** var **miniatus** B.S. Williams = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1061 (03/2003)
- coccinea** var **oculata** hort. ex Sander = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1063 (03/2003)
- coccinea** var **purpurea** hort. ex Sander = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1063 (03/2003)
- coccinea** var **regalis** hort. ex Sander = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1063 (03/2003)
- coccinea** var **rosea** hort. ex Sander = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1063 (03/2003)
- coccinea** var **rotundiflora** hort. ex Sander = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1063 (03/2003)
- coccinea** var **sanguinea** hort. ex Sander = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1063 (03/2003)
- coccinea** var **splendens** Sander = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1061 (03/2003)
- coccinea** var **versicolor** Veitch. = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1061 (03/2003)
- coccinea** var **violacea** hort. ex Sander = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1063 (03/2003)
- coccinea** var **walkeriana** hort. ex Sander = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1063 (03/2003)
- colibri** Burbidge = *Masdevallia trochilus*
Icones Pleuro XIX; p. 195 (1/2000)
- collantesi** D.E.Benn. & Christenson = *Luzama collantesi*
Icones Pleuro XXVIII; p. 10 (5/2006)
- collina** L.O.Williams = *Petalodon collina*
Icones Pleuro XXVIII; p. 11 (5/2006)
- colombiana** (Schltr.) P.H.Allen ex Hodge & Gutier =
Porroglossum mordax
Icones Pleuro IV; p. 58 (11/1987)
- colossus** Luer = *Byrsella colossus*
Icones Pleuro XXVIII; p. 8 (5/2006)
- concinna** Kgr. = *Alaticaulia concinna*
Icones Pleuro XXVIII; p. 4 (5/2006)
- condorensis** Luer & Hirtz - Lindleyana 1(3); p. 180
Treas of Masd 23:4
 Masd in Kleur; p. 12
Icones Pleuro XXII; p. 541-542
 NEO; 3:1005
- confusa** Krzl. = *Masdevallia laevis*
Icones Pleuro XXII; p. 601 (9/2001)
- constricta** Luer - *Icones Pleuro II; p. 37 (was urosalpinx)*
Icones Orchid Peru pl. 292
 Masd in Kleur; p. 12
 Masd in Kleur; p. 60 (not sure of this)
 Masd in Kleur; p. 67 (was urosalpinx)
Icones Pleuro XXIII; p. 997-1000
 NEO; 3:1006
- corazonica** Schltr. = *Spilotantha corazonica*
Icones Pleuro XXVIII; p. 15 (5/2006)

Masdevallia

cordeliana Luer – Icones Pleuro XXIII; p. 813-814	DI	Masd in Kleur; p. 13	P
corderoana F.Lehm. & Krzl. - Treas of Masd 22:3	DIP	Icones Pleuro XXII; p. 549-550	DI
Masd in Kleur; p. 12	P	davisii Rchb.f. - Thesarus Masd 2:7	DIP
Icones Pleuro XXII; p. 543-544	DI	AOS Bulletin 49(12); p. 1340, 1342, 1344	DIP
NEO; 3:1007, 1008	IP	Masd in Kleur; p. 13	P
coriacea Lindl. = <i>Byrsella coriacea</i>		Icones Pleuro XXV; p. 1067-1068	DI
<i>Icones Pleuro XXVIII; p. 8 (5/2006)</i>		dayana Rchb.f. = <i>Zootrophion dayanum</i>	
coriacea Lindl. ssp. bonplandii (Rchb.f.) Luer = <i>Masdevallia bonplandii</i>		<i>Selbyana 7(1); 81 (1982)</i>	
<i>Thesarus Masd 21:2 (1996)</i>		deceptrix Luer & Würstle = <i>Alaticaulia deceptrix</i>	
corniculata Rchb.f. = <i>Megema corniculata</i>		<i>Icones Pleuro XXVIII; p. 4 (5/2006)</i>	
<i>Icones Pleuro XXVIII; p. 11 (5/2006)</i>		decumana Kgr. - Thesarus Masd 15:9	DIP
corniculata var. inflata (Rchb.f.) Veitch = <i>Masdevallia corniculata</i>		Masd in Kleur; p. 14	P
<i>Thesarus Masd 10:2 (1987)</i>		Icones Pleuro XXIII; p. 819-820	DI
cosmia Kgr. = <i>Alaticaulia cosmia</i>		NEO; 3:1016	P
<i>Icones Pleuro XXVIII; p. 4 (5/2006)</i>		deformis Krzl. - Thesarus Masd 9:5	DIP
costaricensis Rolfe = <i>Masdevallia marginella</i>		<i>Selbyana 7(1); p. 110</i>	I
<i>Thesarus Masd. 8:8 (1986)</i>		<i>Selbyana 7(1); p. 108, 111 (was exaltata)</i>	DI
cranion Luer - Thesarus Masd 15:7	DIP	Masd in Kleur; p. 14	P
Lindleyana 4(3); p. 108	DI	NEO; 3:1017	P
Masd in Kleur; p. 60	P	Icones Pleuro XXV; p. 1069-1072	DI
Icones Pleuro XXII; p. 545-546	DI	delhierroi Luer & Hirtz = <i>Megema delhierroi</i>	
crassicaudis Luer & Portilla – Icones Pleuro XVIII; p. 149, 155	DI	<i>Icones Pleuro XXVIII; p. 11 (5/2006)</i>	
(first published as <i>M. crassicaulis</i>)		delphina Luer = <i>Spilotantha delphinia</i>	
Icones Pleuro XXII; p. 547-548	DI	<i>Icones Pleuro XXVIII; p. 15 (5/2006)</i>	
(first published as <i>M. crassicaulis</i>)		demissa Rchb.f. = <i>Reichantha demissa</i>	
Masd in Kleur; p. 60	P	<i>Icones Pleuro XXVIII; p. 13 (5/2006)</i>	
(first published as <i>M. crassicaulis</i>)		demissa var. superflua Krzl. = <i>Masdevallia striatella</i>	
Treas Masd 26:2	DIP	<i>Icones Pleuro XIX; p. 255 (1/2000)</i>	
NEO; 3:1010	P	deniseana Luer & J. Portilla – Icones Pleuro XXII; p. 551-552	DI
crenulata Pabst = <i>Dryadella crenulata</i>		NEO; 3:1021	P
<i>Icones Pleuro XXVII; p. 15 (3/2004)</i>		Treas of Masd 27:2	DIP
crenaticola Lehm. & Kraenzl. = <i>Acinopetala crenaticola</i>		denisonii D'Ombr. = <i>Masdevallia coccinea</i>	
<i>Icones Pleuro XXVIII; p. 3 (5/2006)</i>		<i>Thesarus Masd 13:2 (1988)</i>	
cretata Luer - Icones Pleuro XXIII; p. 935-936	DI	densiflora Schltr. = <i>Spilotantha densiflora</i>	
cryptocopis Rchb.f. ex Krzl. = <i>Masdevallia picturata</i>		<i>Icones Pleuro XXVIII; p. 15 (5/2006)</i>	
<i>Thesarus Masd 3:13 (1984)</i>		deorsum Rolfe = <i>Masdevallia caesia</i>	
cucullata Lindl. = <i>Megema cucullata</i>		<i>Thesarus Masd. 15:2 (1990)</i>	
<i>Icones Pleuro XXVIII; p. 11 (5/2006)</i>		dermatantha Krzl. = <i>Masdevallia campyloglossa</i>	
cucutillensis Kraenzl. = <i>Masdevallia caudata</i>		<i>Thesarus Masd 10:1 (1987)</i>	
<i>Icones Pleuro XXIII; p. 807 (4/2002)</i>		descendens Luer & Andreetta = <i>Alaticaulia descendens</i>	
culex Rchb.f. = <i>Muscarella macroblepharis</i>		<i>Icones Pleuro XXVIII; p. 5 (5/2006)</i>	
<i>Icones Pleuro XXVIII; p. 110 (5/2006)</i>		diantha Schltr. = <i>Masdevallia chontolensis</i>	
cuprea Lindl. = <i>Alaticaulia cuprea</i>		<i>Thesarus Masd 1:1 (1983)</i>	
<i>Icones Pleuro XXVIII; p. 4 (5/2006)</i>		dimorphotricha Luer & Hirtz = <i>Spilotantha dimorphotricha</i>	
cuprea ssp. hepatica (Luer) Luer = <i>Masdevallia cuprea</i>		<i>Icones Pleuro XXVIII; p. 15 (5/2006)</i>	
<i>Icones Pleuro XIX; p. 63 (1/2000)</i>		discoidea Luer & Würstle = <i>Alaticaulia discoidea</i>	
cupularis Rchb.f. = <i>Alaticaulia cupularis</i>		<i>Icones Pleuro XXVIII; p. 5 (5/2006)</i>	
<i>Icones Pleuro XXIX; p. 118 (8/2007)</i>		discolor Luer & Escobar - Thesarus Masd 11:2	DIP
curtipes Barb.Rodr. = <i>Alaticaulia curtipes</i>		Orquideologia – XV(2,3); p. 129, 130	DI
<i>Icones Pleuro XXVIII; p. 4 (5/2006)</i>		Masd in Kleur; p. 15	P
cyathogastra Schltr. = <i>Masdevallia nidifica</i>		NCO; 6:1085	P
<i>Thesarus Masd 10:8 (1987)</i>		Icones Pleuro XXIII; p. 821-822	DI
cyclotega Kgr. - Thesarus Masd 10:3	DIP	dispar Luer = <i>Masdevallia sanctae-fidei</i>	
Masd in Kleur; p. 13	P	<i>Icones Pleuro XIX; p. 165 (1/2000)</i>	
Icones Pleuro XXIII; p. 815-816	DI	diversifolia Krzl. = <i>Masdevallia parvula</i>	
cylix Luer & Malo - Lindleyana 3(4); p. 195	DI	<i>Thesarus Masd 13:11 (1988)</i>	
Treas of Masd 23:5	DIP	dolichopoda Luer = <i>Dryadella pusiola</i>	
Masd in Kleur; p. 60	P	<i>Icones Pleuro XXVII; p. 32 (3/2004)</i>	
Icones Pleuro XXIII; p. 817-818	DI	don-quijote Luer & Andreetta = <i>Alaticaulia don-quijote</i>	
NEO; 3:1013	P	<i>Icones Pleuro XXVIII; p. 5 (5/2006)</i>	
dalessandroi Luer - Thesarus Masd 20:15 (was <i>velox</i>)	DIP	dorisiae Luer = <i>Alaticaulia dorisiae</i>	
Icones Pleuro XXIII; p. 937-938	DI	<i>Icones Pleuro XXVIII; p. 5 (5/2006)</i>	
NEO; 3:1014	P	draconis Luer & Andreetta = <i>Alaticaulia draconis</i>	
dalstroemii Luer = <i>Spilotantha dalstroemii</i>		<i>Icones Pleuro XXVIII; p. 5 (5/2006)</i>	
<i>Icones Pleuro XXVIII; p. 15 (5/2006)</i>		dreisei Luer – Icones Pleuro XXII; p. 553-554	DI
datura Luer & Vásquez - Thesarus Masd 19:3	DIP	Bolivia Rev 3(1,2); p. 37-39	DI
Orc of Bolivia Vol 1; p. 160	I	dryada Luer & Escobar = <i>Petalodon dryada</i>	

Masdevallia

		<i>Icones Pleuro XXVIII; p. 11 (5/2006)</i>	
dudleyi	Luer – <i>Icones Pleuro XXII; p. 555-556</i>		
dunstervillei	Luer = <i>Alaticaulia dunstervillei</i> <i>Icones Pleuro XXVIII; p. 5 (5/2006)</i>		
dura	Luer = <i>Regalia dura</i> <i>Icones Pleuro XXVIII; p. 12 (5/2006)</i>		
dynastes	Luer = <i>Buccella dynastes</i> <i>Icones Pleuro XXVIII; p. 7 (5/2006)</i>		
eburnea	Luer & Maduro = <i>Reichantha eburnea</i> <i>Icones Pleuro XXVIII; p. 13 (5/2006)</i>		
ecaudata	Schltr. = <i>Masdevallia tubuliflora</i> <i>Thesarus Masd 11:13 (1988)</i>		
echinata	Luer & Andreetta = <i>Masdevallia rosea</i> ssp. <i>echinata</i> <i>Thesarus Masd. 16:10 (1991)</i>		
echinocarpa	Schltr = <i>Masdevallia erinacea</i> <i>Thesarus Masd 13:4 (1988)</i>		
echo	Luer = <i>Alaticaulia echo</i> <i>Icones Pleuro XXVIII; p. 5 (5/2006)</i>		
edwallii	Cogn. = <i>Dryadella edwallii</i> <i>Icones Pleuro XXVII; p 17 (3/2004)</i>		
ejiriana	Luer & Portilla – <i>Icones Pleuro XVIII; p. 150, 156</i> Masd in Kleur; p. 61 Treas Masd 26:3 <i>Icones Pleuro XXIII; p. 939-940</i>	DI P DIP DI DIP	
elachys	Luer - <i>Thesarus Masd 16:2</i> Selbyana 2(4); p. 373 Orc of Bolivia Vol 1; p. 147, 161 <i>Icones Pleuro XXII; p. 557-558</i>	DI P DIP DI IP DI	
elata	Luer = <i>Dryadella elata</i> <i>Icones Pleuro XXVII; p 18 (3/2004)</i>		
elegans	Luer & Escobar - <i>Thesarus Masd 11:3</i> Masd in Kleur; p. 16 <i>Icones Pleuro XXII; p. 559-560</i> Selbyana 5(2); p. 153, 154	DIP P DI D	
elephanticeps	Rchb.f. & Warsc. = <i>Byrsella elephanticeps</i> <i>Icones Pleuro XXVIII; p. 8 (5/2006)</i>		
elephanticeps var. pachysepala	= <i>Masdevallia pachysepala</i> <i>Treas of Masd 22:8 (1997)</i>		
ellipes	Rchb.f. = <i>Masdevallia peristeria</i> Rchb.f. <i>Icones Pleuro XXI; p. 347 (11/2000)</i>		
empusa	Luer = <i>Alaticaulia empusa</i> <i>Icones Pleuro XXVIII; p. 5 (5/2006)</i>		
encephala	Luer & Escobar - <i>Thesarus Masd 17:4</i> <i>Orquideologia XIII(1); p. 56, 57, 67-70</i> Masd in Kleur; p. 16 <i>Icones Pleuro XXII; p. 561-562</i> NCO; 2:308	DIP DIP P DI P	
endotrachys	Krzl. = <i>Masdevallia bonplandii</i> <i>Thesarus Masd 21:1 (1996)</i>		
enallax	Kgr. – <i>Icones Pleuro XXI; p. 409-410</i> <i>Thesarus Masd 20:3 (was epallax)</i> Masd in Kleur; p. 16 (was epallax) <i>Icones Pleuro XXI; p. 563-564</i>	DI DIP P DI	
ensata	Rchb.f. - VOI; 5, p. 166 Orc of Ven FG 2; p. 487	DI DI I	
epallax	Kgr. = <i>Masdevallia enallax</i> Kgr. <i>Icones Pleuro XXI; p. 409 (11/2000)</i>		
ephelota	Luer & Cloes – <i>Icones Pleuro XXIII; p. 823-824</i>	DI	
ephippium	Rchb.f. = <i>Masdevallia trochilus</i> <i>Icones Pleuro XIX; p. 195 (1/2000)</i>		
ephippium var. acrochordonia	(Rchb.f.) Woolw. = <i>Masdevallia acrochordonia</i> <i>Icones Pleuro XXII; p. 23a (9/2001)</i>		
erinacea	Rchb.f. = <i>Diodonopsis erinacea</i> <i>Icones Pleuro XXVIII; p. 9 (5/2006)</i>		
erinaceum	(Rchb.f.) Schltr. = <i>Masdevallia erinacea</i> Rchb.f. <i>Icones Pleuro XXI; p. 457 (11/2000)</i>		
	erythrochaete Rchb.f. var. astuta (Rchb.f.) Woolw. = <i>Dracula astuta</i> <i>Icones Pleuro X; p. 36 (12/1993)</i>	DI	
	estradae Rchb.f. - <i>Thesarus Masd 5:6</i> Masd in Kleur; p. 16, 17 NCO; 2:307 <i>Icones Pleuro XXIII; p. 825-826</i>		DIP P P DI
	estradae var. delicata Rchb.f. = <i>Masdevallia estradae</i> <i>Icones Pleuro XXIII; p. 825 (4/2002)</i>		
	estradae var. ludibunda (Rchb.f.) Godefroy = <i>Masdevallia ludibunda</i> <i>Thesarus Masd. 16:5 (1991)</i>		
	estradae var. xanthina (Rchb.f.) Veitch = <i>Masdevallia xanthina</i> <i>Icones Pleuro XXIII; p. 911 (4/2002)</i>		
	eucharis Luer - Masd in Kleur; p. 17 <i>Icones Pleuro XXIII; p. 827-828</i> NEO; 3:1032		P DI I
	eumeces Luer = <i>Alaticaulia eumeces</i> <i>Icones Pleuro XXVIII; p. 5 (5/2006)</i>		
	eumeliae Luer - Lindleyana 8(1); p. 44 <i>Icones Orchid Peru pl. 085</i> Treas of Masd 23:7 Masd in Kleur; p. 17		DI DI DIP P
	eurynogaster Luer & Andreetta - <i>Thesarus Masd 14:3</i> Lindleyana 3(1); p. 29 Masd in Kleur; p. 17 <i>Icones Pleuro XXIII; p. 1001-1002</i> NEO; 3:1033	DI P DIP DI DIP DI IP DI	
	exaltata Luer = <i>Masdevallia deformis</i> <i>Thesarus Masd. 9:5 (1987)</i>		
	excelsior Luer & Andreetta = <i>Alaticaulia excelsior</i> <i>Icones Pleuro XXVIII; p. 5 (5/2006)</i>	DIP	
	exigua Ames & Schweinf. = <i>Masdevallia pygmaea</i> <i>Thesarus Masd 13:12 (1988)</i>	P DI	
	expansa Rchb.f. - <i>Icones Pleuro XXIII; p. 831-832</i> Masd in Kleur; p. 17	D	DI P
	expers Luer & Andreetta = <i>Luzama expers</i> <i>Icones Pleuro XXVIII; p. 10 (5/2006)</i>		
	exquisita Luer & Hirtz - <i>Treas of Masd 22:4</i> Lindleyana 8(1); p. 44 Orc of Bolivia Vol 1; p. 162 Masd in Kleur; p. 18 <i>Icones Pleuro XXII; p. 565-566</i>		DIP DI I P DI
	falcago Rchb.f. - <i>Thesarus Masd 4:5</i> Masd in Kleur; p. 18 <i>Icones Pleuro XXII; p. 567-568</i> NCO; 6:1118	DIP DIP P DI	DIP P DI P
	fasciata Rchb.f. = <i>Rodrigoa fasciata</i> <i>Icones Pleuro XXVIII; p. 14 (5/2006)</i>		
	fenestrata Lindl. ex Hook. = <i>Zootrophion atropurpureum</i> Selbyana 7(1); 80 (1982)	DI DIP	
	fertilis Krzl. = <i>Masdevallia campyloglossa</i> <i>Thesarus Masd 10:1 (1987)</i>	P	
	figueroae Luer - <i>Thesarus Masd 14:4</i> <i>Icones PleuroXXII; p. 569-572</i> Masd in Kleur; p. 18 NEO; 3:1026	DI DI I	DIP DI P P
	filamentosa Krzl. = <i>Masdevallia pumila</i> <i>Thesarus Masd 7:10 (1986)</i>	DI	
	filaria Luer & Escobar - Masd in Kleur; p. 18 <i>Orquideologia XIII(1); p. 64, 70-75</i> <i>Icones Pleuro XXIII; p. 1003-1004</i> NEO; 3:1037		P DIP DI P
	fimbriata Ames & C.Schweinf. = <i>Muscarella fimbriata</i> <i>Icones Pleuro XXVIII; p. 103 (5/2006)</i>		
	fissa Krzl. = <i>Masdevallia heteroptera</i> <i>Thesarus Masd 11:5 (1988)</i>		
	flaccida Krzl. = <i>Masdevallia uncifera</i>		

Masdevallia

- Thesarus Masd 17:13(1992)*
- flammula** Mohr Braas = *Masdevallia amabilis*
Thesarus Masd 9:2 (1987)
- flaveola** Rchb.f. = *Acinopetala flaveola*
Icones Pleuro XXVIII; p. 3 (5/2006)
- floribunda** Lindl. = *Acinopetala floribunda*
Icones Pleuro XXVIII; p. 3 (5/2006)
- floribunda** Lindl. ssp. **tuerckheimii** Ames = *Masdevallia floribunda*
Icones Pleuro XXII; p. 739 (9/2001)
- foeda** Luer & Vásquez = *Masdevallia menatoi*
Icones Pleuro XIX; p. 245 (1/2000)
- foetens** Luer & Escobar = *Byrsella foetens*
Icones Pleuro XXVIII; p. 8 (5/2006)
- fonsecae** Kngr. = *Masdevallia attenuata*
Icones Pleuro XXII; p. 727 (9/2001)
- forgetiana** Krzl. = *Masdevallia infracta*
Icones Pleuro XIX; p. 101 (1/2000)
- formosa** Luer & Cloes – *Icones Pleuro XX; p. 121-122, 135*
Icones Pleuro XXIII; p. 941-942
- fosterae** Luer = *Alaticaulia fosterae*
Icones Pleuro XXVIII; p. 5 (5/2006)
- fractiflexa** Lehm. & Krzl. = *Byrsella fractiflexa*
Icones Pleuro XXVIII; p. 8 (5/2006)
- fragrans** Woolw. = *Byrsella fragrans*
Icones Pleuro XXVIII; p. 8 (5/2006)
- frilehmannii** Luer & Vasquez = *Alaticaulia frilehmannii*
Icones Pleuro XXVIII; p. 5 (5/2006)
- frontinoënsis** Krzl. = *Masdevallia herradurae*
Thesarus Masd 1:3 (1983)
- fuchsii** Luer – *Treas of Masd 25:7*
Masd in Kleur; p. 19
Masd in Kleur; p. 66 (was saulii)
Icones Pleuro XXIII; p. 1005-1006
- fuliginosa** Luer = *Dracula fuligifera*
Thesarus Drac 4:6 (1991)
- fulvescens** Rolfe = *Reichantha fulvescens*
Icones Pleuro XXVIII; p. 13 (5/2006)
- funnebris** Endres ex Krzl. = *Masdevallia reichenbachiana*
Thesarus Masd 5:10 (1985)
- galleottiana** Rich. & Gal. = *Masdevallia floribunda*
Icones Pleuro XXII; p. 739 (9/2001)
- garciae** Luer = *Alaticaulia garciae*
Icones Pleuro XXVIII; p. 5 (5/2006)
- gargantua** Rchb.f. = *Byrsella gargantua*
Icones Pleuro XXVIII; p. 8 (5/2006)
- gaskelliana** Rchb.f. = *Dracula erythrochaete*
Icones Pleuro X; p. 82 (12/1993)
- gastrodes** Luer & Sijm – *Icones Pleuro XXVIII; p. 265, 266*
- geminiflora** P.Ortiz = *Acinopetala geminiflora*
Icones Pleuro XXVIII; p. 3 (5/2006)
- gerlachii** Kgr. = *Masdevallia macroglossa* Rchb.f.
Icones Pleuro XXI; p. 323 (11/2000)
- gilbertoi** Luer & Escobar - *Thesarus Masd 9:7*
Orquideologia XIII(1); p. 59, 75-79
Icones Pleuro XXII; p. 573-574
Masd in Kleur; p. 20
NCO; 2:2306
- glandulosa** Kgr. - *Thesarus Masd 13:5*
Icones Orchid Peru pl. 293
Icones Pleuro XXII; p. 575-576
Masd in Kleur; p. 20
NEO; 3:1040
- glomerosa** Luer & Andreetta - *Treas of Masd 21:6*
Lindleyana 6(2); p. 87
Icones Pleuro XXII; p. 577-578
Masd in Kleur; p. 20
- glossacles** Luer = *Masdevallia mentosa*
Icones Pleuro XXI; p. 473 (11/2000)
- gloriae** Luer & Maduro = *Reichantha gloriae*
Icones Pleuro XXVIII; p. 13 (5/2006)
- gnoma** Sweet = *Triotosiphon gnoma*
Icones Pleuro XXVIII; p. 16 (5/2006)
- goliath** Luer & Andreetta = *Regalia goliath*
Icones Pleuro XXVIII; p. 12 (5/2006)
- gomes-ferreirae** Pabst = *Dryadella gomes-ferreirae*
Icones Pleuro XXVII; p. 21 (3/2004)
- gomeziana** Lehm. & Krzl. = *Masdevallia laevis*
Icones Pleuro XXII; p. 601 (9/2001)
- gorgo** Rchb.f. ex Krzl. = *Dracula astuta*
Icones Pleuro X; p. 36 (12/1993)
- gracilenta** Rchb.f. = *Zootrophion gracilentum*
Selbyana 7(1); 81 (1982)
- gracilior** Königer & J.Portilla = *Masdevallia lenae*
Icones Pleuro XIX; p. 109 (1/2000)
- DI **graminea** Luer = *Spilotantha graminea*
DI *Icones Pleuro XXVIII; p. 15 (5/2006)*
- grandiflora** C.Schweinf. = *Masdevallia pumilla*
Thesarus Masd 7:10 (1986)
- grossa** Luer = *Masdevallia ophioglossa*
Icones Pleuro XXV, p. 1257 (03/2003)
- guatemalensis** Schltr. = *Dryadella gnoma*
Icones Pleuro XXVII; p. 22 (3/2004)
- guayanensis** Lindl. ex Benth. - *Treas of Masd 22:5*
Icones Pleuro XXII; p. 579-580
Masd in Kleur; p. 20
- guerrieri** Luer & Andreetta = *Alaticaulia guerrieri*
Icones Pleuro XXVIII; p. 5 (5/2006)
- DIP **gustavii** Rchb.f. = *Masdevallia amanda*
P *Thesarus Masd 12:1 (1988)*
P
- DI **gutierrezii** Luer = *Acinopetala gutierrezii*
Icones Pleuro XXVIII; p. 3 (5/2006)
- guttulata** Rchb.f. = *Alaticaulia guttulata*
Icones Pleuro XXVIII; p. 5 (5/2006)
- guttulata** Rolfe = *Masdevallia guttulata* Rchb.f.
Icones Pleuro XIX; p. 93 (1/2000)
- haematosticta** Rchb.f. = *Masdevallia peristeria*
Thesarus Masd 3:12 (1984)
- hajekii** Luer = *Masdevallia chaparensis*
Thesarus Masd 4:2 (1984)
- harlequina** Luer - *Icones Pleuro XV; p. 130, 131, 132*
Thesarus Masd 20:11 (was shiraishii)
Masd in Kleur; p. 61 (misspelled harlequin)
Icones Pleuro XXIII; p. 833-834
- DI **harryana** Rchb.f. = *Masdevallia coccinea*
DI *Thesarus Masd 13:2 (1988)*
- harryana** var **acanthifolia** Bull = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1061 (03/2003)
- harryana** var **alba-maculata** hort. ex R.Warner = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1063 (03/2003)
- DIP **harryana** var **armeniaca** B.S. Williams = *Masdevallia coccinea*
DIP *Icones Pleuro XXV, p. 1063 (03/2003)*
- DI **harryana** var **atrosanguinea** B.S. Williams = *Masdevallia coccinea*
P *Icones Pleuro XXV, p. 1063 (03/2003)*
- P **harryana** var **carnea** Linden = *Masdevallia coccinea*
DIP *Icones Pleuro XXV, p. 1061 (03/2003)*
- DI **harryana** var **coerulescens** Bull = *Masdevallia coccinea*
DI *Icones Pleuro XXV, p. 1061 (03/2003)*
- P **harryana** var **conchiflora** Bull = *Masdevallia coccinea*
P *Icones Pleuro XXV, p. 1061 (03/2003)*
- DIP **harryana** var **decora** B.S. Williams = *Masdevallia coccinea*
DI *Icones Pleuro XXV, p. 1063 (03/2003)*
- DI **harryana** var **denisoniana** hort. = *Masdevallia coccinea*
P *Icones Pleuro XXV, p. 1061 and 1063 (03/2003)*
- harryana** var **grandiflora** B.S. Williams = *Masdevallia coccinea*

Masdevallia

- Icones Pleuro XXV, p. 1063 (03/2003)*
- harryana** var **gravesiae** hort. = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1063 (03/2003)
- harryana** var **illustris** Linden = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1063 (03/2003)
- harryana** var **imperialis** Burbridge = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1061 (03/2003)
- harryana** var **kegeljani** Linden = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1061 (03/2003)
- harryana** var **laeta** Rchb.f. = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1061 (03/2003)
- harryana** var **lilacina** Linden = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1061 (03/2003)
- harryana** var **longiflora** Cogn. = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1063 (03/2003)
- harryana** var **maculata** hort. ex R. Warner = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1063 (03/2003)
- harryana** var **regalis** Bull = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1061 (03/2003)
- harryana** var **reginae** Linden = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1061 (03/2003)
- harryana** var **rosea** hort. ex R. Warner = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1063 (03/2003)
- harryana** var **sanguinea** hort. = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1061 (03/2003)
- harryana** var **versicolor** T. Moore = *Masdevallia coccinea*
Icones Pleuro XXV, p. 1063 (03/2003)
- hartman-filii** Luer, Hirtz & V.N.M.Rao –
Icones Pleuro XXVII; p. 289-290
- hartmanii** Luer - Lindleyana 9(2); p. 106
Treas of Masd 23:9
Icones Pleuro XXII; p. 581-582
Masd in Kleur; p. 21 (this is not hartmanii)
NEO; 3:1045
- heideri** Kgr. - Thesarus Masd 18:5
Orc of Bolivia Vol 1; p. 147
Icones Pleuro XXII; p. 583-584
Masd in Kleur; p. 21
- helenae** Luer - Thesarus Masd 4:7
Selbyana 2(4); p. 374
Icones Pleuro XXI; p. 585-586
Orc of Bolivia Vol 1; p. 165
Masd in Kleur; p. 21
- helgae** Kgr. & J.Portilla = *Alaticaulia helgae*
Icones Pleuro XXVIII; p. 5 (5/2006)
- henniae** Luer & Dalström = *Luzama henniae*
Icones Pleuro XXVIII; p. 10 (5/2006)
- hepatica** Luer = *Masdevallia cuprea*
Icones Pleuro XIX; p. 63 (1/2000)
- hercules** Luer & Andreetta = *Megema hercules*
Icones Pleuro XXVIII; p. 11 (5/2006)
- herradurae** Lehm. & Kraenzl. = *Acinopetala herradurae*
Icones Pleuro XXVIII; p. 3 (5/2006)
- herzogii** Schltr. = *Masdevallia bicolor*
Icones Pleuro XIX; p. 35 (1/2000)
- heteroptera** Rchb.f. = *Rodrigoa heteroptera*
Icones Pleuro XXVIII; p. 14 (5/2006)
- heterotepala** Rchb.f. = *Masdevallia campyloglossa*
Thesarus Masd 10:1 (1987)
- hians** Linden & Rchb.f. – *Icones Pleuro XXII; p. 5887-588*
- hieroglyphica** Rchb.f. - Thesarus Masd 2:8
Icones Pleuro XXII; p. 589-590
Masd in Kleur; p. 22
NCO; 2:310
- hirtzii** Luer & Andreetta - Thesarus Masd 18:6
Masd in Kleur; p. 22
Icones Pleuro XXIII; p. 1007-1008
- NEO; 3:1049
- hoeijeri** Luer & Hirtz = *Pteroon hoeijeri*
Icones Pleuro XXVIII; p. 12 (5/2006)
- hoppii** Schltr. = *Masdevallia pachyantha* Rchb.f.
Icones Pleuro XXI; p. 341 (11/2000)
- hornii** Königler = *Incaea yupanki*
Icones Pleuro XXVIII; p. 87 (5/2006)
- horrida** Teuscher & Garay = *Masdevallia erinacea*
Thesarus Masd 13:4 (1988)
- hortensis** Luer & Escobar = *Rodrigoa hortensis*
Icones Pleuro XXVIII; p. 14 (5/2006)
- hubeinii** Luer & Würstle -Thesarus Masd 17:7
Masd in Kleur; p. 23
Icones Pleuro XXIII; p. 835-836
- huebneri** Schltr. = *Trisetella trigloch*
Icones Pleuro VI; p. 113 (8/1989)
- huebschiana** Kraenzl. = *Masdevallia polysticta*
Icones Pleuro XXV, p. 1157 (03/2003)
- humilis** Luer = *Masdevallia zahlbruckneri*
Thesarus Masd. 15:15 (1990)
- hydrae** Luer = *Spilotantha hydrae*
Icones Pleuro XXVIII; p. 15 (5/2006)
- hylodes** Luer & Escobar = *Byrsella hylodes*
Icones Pleuro XXVIII; p. 8 (5/2006)
- hymenantha** Rchb.f. - Thesarus Masd 6:7
Icones Orchid Peru pl. 295
Icones Pleuro XXII; p. 591-592
Masd in Kleur; p. 23, 61
- DI **hypodiscus** Rchb.f. = *Zootrophion hypodiscus*
DI *Selbyana 7(1); 84 (1982)*
- DIP **hystrix** Luer & Hirtz = *Byrsella hystrix*
DI *Icones Pleuro XXVIII; p. 8 (5/2006)*
- P **icterina** Kgr. - Thesarus Masd 20:6
P Masd in Kleur; p. 61, 62
- DIP **idae** Luer & Arias – *Icones Pleuro XXII; p. A-1*
DI *Treas Masd 26:4*
P *Icones Pleuro XXV; p. 1073-1074*
- DIP **ignea** Rchb.f. - Thesarus Masd 9:8
D *Orquideologia XVI(1); p. 71*
DI *Masd in Kleur; p. 23*
I *Icones Pleuro XXV; p. 1075-1078*
P **ignea** var **armeniaca** B.S. Williams = *Masdevallia ignea*
Icones Pleuro XXV, p. 1075 (03/2003)
- ignea** var **aurantiaca** B.S. Williams = *Masdevallia ignea*
Icones Pleuro XXV, p. 1075 (03/2003)
- ignea** var **boddaertii** Linden ex André = *Masdevallia ignea*
Icones Pleuro XXV, p. 1075 (03/2003)
- ignea** var **citrina** hort. ex Stein = *Masdevallia ignea*
Icones Pleuro XXV, p. 1075 (03/2003)
- ignea** var **coccinea** hort. ex Stein = *Masdevallia ignea*
Icones Pleuro XXV, p. 1075 (03/2003)
- ignea** var **goorii** hort. ex Sander = *Masdevallia ignea*
Icones Pleuro XXV, p. 1075 (03/2003)
- ignea** var **grandiflora** B.S. Williams = *Masdevallia ignea*
Icones Pleuro XXV, p. 1075 (03/2003)
- ignea** var **hobartii** hort. ex Stein = *Masdevallia ignea*
Icones Pleuro XXV, p. 1075 (03/2003)
- ignea** var **marshalliana** Rchb.f. = *Masdevallia ignea*
Icones Pleuro XXV, p. 1075 (03/2003)
- DI **ignea** var **massandeana** B.S. Williams = *Masdevallia ignea*
DIP *Icones Pleuro XXV, p. 1075 (03/2003)*
- DI **ignea** var **militaris** (Rchb.f. & Warsz) ex Sander = *Masdevallia coccinea*
P *Icones Pleuro XXV, p. 1063 (03/2003)*
- P **ignea** var **pulchra** Vuylsteke ex Cogn. = *Masdevallia ignea*
DIP *Icones Pleuro XXV, p. 1075 (03/2003)*
- DI **ignea** var **rubescens** Linden ex Kraenzl. = *Masdevallia ignea*

Masdevallia

- Icones Pleuro XXV, p. 1075 (03/2003)*
igneae var **splendens** hort. ex Stein = *Masdevallia ignea*
Icones Pleuro XXV, p. 1075 (03/2003)
igneae var **stobartiana** Rchb.f. = *Masdevallia ignea*
Icones Pleuro XXV, p. 1075 (03/2003)
igneae var **superba** Linden ex Kraenzl. = *Masdevallia ignea*
Icones Pleuro XXV, p. 1075 (03/2003)
igneae var **thomasi** hort. ex Gentile = *Masdevallia ignea*
Icones Pleuro XXV, p. 1075 (03/2003)
igneae var **vuykstekeana** Cogn. = *Masdevallia ignea*
Icones Pleuro XXV, p. 1075 (03/2003)
immensa Luer – *Icones Pleuro XX*; p. 122, 136
Icones Pleuro XXIII; p. 839-840
Treas of Masd 27:4
imposter Luer & Escobar = *Alaticaulia imposter*
Icones Pleuro XXVIII; p. 5 (5/2006)
indecora Luer & Escobar = *Luzama indecora*
Icones Pleuro XXVIII; p. 10 (5/2006)
inflata Rchb.f. = *Masdevallia corniculata*
Thesarus Masd 10:2 (1987)
infracta Lindl. = *Alaticaulia infracta*
Icones Pleuro XXVIII; p. 5 (5/2006)
infracta var. **aristata** (Barb.Rodr.) Cogn. = *Masdevallia infracta*
Icones Pleuro XIX; p. 101 (1/2000)
infracta ssp. **curtipes** (Barb.Rodr.) Luer = *Masdevallia curtipes*
Icones Pleuro XIX; p. 231 (1/2000)
infracta ssp. **obscurans** = *Masdevallia obscurans*
Icones Pleuro XIX; p. 133 (1/2000)
infracta ssp. **oscitans** = *Masdevallia oscitans*
Icones Pleuro XIX; p. 139 (1/2000)
infracta var. **purpurea** Rchb.f. = *Masdevallia infracta*
Icones Pleuro XIX; p. 101 (1/2000)
ingridiana Luer & J.J.Portilla = *Alaticaulia ingridiana*
Icones Pleuro XXVIII; p. 5 (5/2006)
instar Luer & Andreetta - *Icones Orchid Peru* pl. 296
Masd in Kleur; p. 24
Icones Pleuro XXIII; p. 841-842
NEO; 3:1055, 1056
Treas of Masd 27:5
invenusta Luer = *Masdevallia bulbophyllopsis*
Icones Pleuro XXV; p. 1127 (03/2003)
ionocharis Rchb.f. - *Thesarus Masd 16:4*
Icones Pleuro XXII; p. 593-594
Masd in Kleur; p. 34
ionocharis var. **approviata** hort ex Woodward =
Masdevallia ionocharis
Icones Pleuro XXII; p. 593 (9/2001)
irapana Sweet = *Triotosiphon irapana*
Icones Pleuro XXVIII; p. 16 (5/2006)
iris Luer & Escobar - *Thesarus Masd 9:9*
Selbyana 7(1); p. 71
Masd in Kleur; p. 25
NCO; 6:1089
Icones Pleuro XXIII; p. 843-844
ishikoi Luer - *Lindleyana 10(2)*; p. 117
Icones Pleuro XXII; p. 595-596
Orc of Bolivia Vol 1; p. 167
isos Luer = *Alaticaulia isos*
Icones Pleuro XXVIII; p. 5 (5/2006)
ivanii Luer & V.N.M.Rao – *Icones Pleuro XXVIII*; p. 267, 268
jalapensis Kraenzl. = *Specklinia jalapensis*
Icones Pleuro XXVI; p. 261 (2/2004)
jarae Luer = *Alaticaulia jarae*
Icones Pleuro XXVIII; p. 5 (5/2006)
jimenezii Kgr. = *Masdevallia empusa*
Icones Pleuro XIX; p. 83 (1/2000)
johannis Schltr. = *Dracula pusilla*
Icones Pleuro X; p. 178 (12/1993)
josei Luer - *Masd in Kleur*; p. 62
Icones Pleuro XXIII; p. 943-944
NEO; 3:1057
Treas of Masd 28:3
juan-albertoi Luer & Arias – *Icones Pleuro XX*; p. 122-123, 136
Icones Pleuro XXII; p. 597-598
jubar Luer & Malo = *Masdevallia tridens*
Selbyana 7(1); p. 78 (8/1982)
kalbreyeri Kraenzl. = *Masdevallia urceolaris*
Icones Pleuro XXII; p. 701 (9/2001)
karineae Nauray ex Luer – *Icones Pleuro XX*; p. 123, 136
Treas of Masd 25:8
Icones Pleuro XXII; p. 599-600
Masd in Kleur; p. 62
kautskyi Pabst. = *Dryadella kautskyi*
Icones Pleuro XXVII; p. 23 (3/2004)
klabochiorum Rchb.f. – *Icones Pleuro XXIII*; p. 845-848
Lindleyana 3(1); p. 64, 66 (was ssp. *klabochorum* -
different spelling)
Orquideologia XVI(1); p. 93 (was aops)
NCO; 6:1087 (was ssp. *klabochiorum*)
NEO; 3:971 (was aops)
kuhniorum Luer = *Alaticaulia kuhniorum*
Icones Pleuro XXVIII; p. 5 (5/2006)
kyphonantha Sweet = *Triotosiphon kyphonantha*
Icones Pleuro XXVIII; p. 16 (5/2006)
lactea Krzl. = *Dracula velutina*
Icones Pleuro X; p. 214 (12/1993)
laevis Lindl. - *Icones Pleuro II*; p. 1
Icones Pleuro XXII; p. 601-608
Masd in Kleur; p. 25, 62
(Thesarus Masd 14:5 was *M. laevis*, but *Treas Masd 26*
changed this to *M. alismifolia* - 2001)
(Thesarus Masd 15:1 was *M. affinis*, but *Treas Masd 26*
changed this to *M. laevis* - 2001)
Icones Pleuro XXII; p. F
Orquideologia XVI(1); p. 80 (was *affinis* ssp. *affinis*)
Icones Pleuro I; p. 37 (was *affinis* ssp. *affinis*)
Masd in Kleur; p. 1 (was *affinis* ssp. *affinis*)
Lindleyana 3(1); p. 17, 19 (was *affinis* ssp. *maculigera*)
Lindleyana 3(1); p. 17, 20 (was *affinis* ssp. *petiolaris*)
Orquideologia XVI(1); p. 100 (was *lepida*)
Masd in Kleur; p. 26 (was *lepida*)
NCO; 6:1081 (was *lepida*)
NCO; 6:1109 (was *affinis*), 1110
VOI; 5, p. 158 (was *affinis*)
NEO; 3:1058
Orc of Ven FG 2; p. 493 (was *lepida*)
lamia Luer & Hirtz = *Buccella lamia*
Icones Pleuro XXVIII; p. 7 (5/2006)
lamprotyria Kgr. - *Thesarus Masd 1:4*
Icones Pleuro XXII; p. 609-610
Masd in Kleur; p. 25
lankesteriana Luer = *Reichantha lankesteriana*
Icones Pleuro XXVIII; p. 13 (5/2006)
lansbergii Rchb.f. = *Triotosiphon lansbergii*
Icones Pleuro XXVIII; p. 16 (5/2006)
lappifera Luer & Hirtz = *Byrsella lappifera*
Icones Pleuro XXVIII; p. 8 (5/2006)
lata Rchb.f. = *Alaticaulia lata*
Icones Pleuro XXVIII; p. 5 (5/2006)
laucheana Fraser = *Acinopetala laucheana*
Icones Pleuro XXVIII; p. 3 (5/2006)
lawrencei Krzl. = *Masdevallia guttulata* Rchb.f.
Icones Pleuro XIX; p. 93 (1/2000)
leathersii Luer = *Spilotantha leathersii*

Masdevallia

- Icones Pleuro XXVIII; p. 15 (5/2006)*
lehmannii Rchb.f. = *Spilotantha lehmannii*
Icones Pleuro XXVIII; p. 15 (5/2006)
- lenae** Luer & Hirtz = *Alaticaulia lenae*
Icones Pleuro XXVIII; p. 5 (5/2006)
- leonardoii** Luer – *Icones Pleuro XXII; p. 611-612*
Treas of Masd 28:5
- leonii** D.E.Benn. – *Icones Pleuro XXIII; p. 849-850*
Treas of Masd 28:6
- leontoglossa** Rchb.f. = *Byrsella leontoglossa*
Icones Pleuro XXVIII; p. 8 (5/2006)
- lepida** Rchb.f. = *Masdevallia laevis*
Icones Pleuro XXII; p. 601 (9/2001)
- leptoura** Luer = *Spilotantha leptoura*
Icones Pleuro XXVIII; p. 15 (5/2006)
- leucantha** Lehm. & Krzl. - *Thesaurus Masd 4:9*
Icones Pleuro XXII; p. 613-614
Masd in Kleur; p. 26, 27
NEO; 3:1064
- leucophaea** Luer & Vásquez = *Masdevallia boliviensis*
Icones Pleuro XXIII; p. 801 (4/2002)
- lewisii** Luer & Vásquez - *Lindleyana 8(1); p. 47*
Icones Pleuro XXII; p. 615-616
Orc of Bolivia Vol 1; p. 169
- Xligiae** Luer & Escobar - *Icones Pleuro II; p. 28*
Orquideologia XV(2,3); p. 131, 132
Thesaurus Masd 11:7
Lindleyana 4(3); p. 114 (could be a natural hybrid)
Masd in Kleur; p. 27
Icones Pleuro XXIII; p. 1009-1010
- lilacina** Königler - *Masd in Kleur; p. 27*
Icones Pleuro XXII; p. 617-618
- liliana** Luer = *Byrsella liliana*
Icones Pleuro XXVIII; p. 8 (5/2006)
- lilliputiana** Cogn. = *Dryadella lilliputiana*
Icones Pleuro XXVII; p. 24 (3/2004)
- limax** Luer - *Thesaurus Masd 9:10*
Lindleyana 3(1); p. 40
Masd in Kleur; p. 27
Icones Pleuro XXIII; p. 1011-1012
NEO; 3:1065
- limax ssp. maxilimax** Luer = *Masdevallia maxilimax*
Thesaurus Masd 18:11(1993)
- lindeniana** Rich. & Gal. = *Masdevallia floribunda*
Icones Pleuro XXII; p. 739 (9/2001)
- lindenii** André = *Masdevallia coccinea*
Thesaurus Masd 13:2 (1988)
- lindenii** var **grandiflora** Linden = *Masdevallia coccinea*
Icones Pleuro XXV; p. 1061 (03/2003)
- lindenii** var **harryana** André = *Masdevallia coccinea*
Icones Pleuro XXV; p. 1061 (03/2003)
- linearifolia** Ames = *Dryadella linearifolia*
Icones Pleuro XXVII; p. 25 (3/2004)
- lineolata** Kgr. - *Thesaurus Masd 18:9*
Icones Pleuro XXII; p. 619-620
Masd in Kleur; p. 27
- lintrricula** Kgr. = *Alaticaulia lintrricula*
Icones Pleuro XXVIII; p. 5 (5/2006)
- listroglossa** Luer & Dalström = *Alaticaulia listroglossa*
Icones Pleuro XXIX; p. 118 (8/2007)
- livingstoneana** Rchb.f. & Roetzl. = *Acinopetala livingstoneana*
Icones Pleuro XXVIII; p. 3 (5/2006)
- livingstoneana** Schltr. *sensu* Ames = *Masdevallia livingstoneana*
Thesaurus Masd 7:5 (1986)
- longicaudata** Lemaire = *Masdevallia infracta*
Icones Pleuro XIX; p. 101 (1/2000)
- longiflora** (Cogn.) Kraenzl. = *Masdevallia coccinea*
Thesaurus Masd 13:2 (1988)
- longiflora** var **lindenii** André ex Kraenzl. = *Masdevallia coccinea*
Icones Pleuro XXV; p. 1063 (03/2003)
- longiflora** Krzl. = *Barbosella cucullata*
Icones Pleuro XX; p. 16 (5/2000)
- DI **loui** Luer & Dalström = *Alaticaulia loui*
DIP *Icones Pleuro XXVIII; p. 5 (5/2006)*
- DI **lowii** Rolfe = *Dracula platycrater*
DIP *Icones Pleuro X; p. 162 (12/1993)*
- lucernula** Kgr. - *Thesaurus Masd 14:6*
Icones Pleuro XXII; p. 621-622
Masd in Kleur; p. 62
- ludibunda** Rchb.f. - *Thesaurus Masd 16:6*
Masd in Kleur; p. 28
NCO; 6:1090
- DIP *Icones Pleuro XXIII; p. 851-852*
- DI **ludibundella** Luer & Escobar - *Lindleyana 10(2); p. 120*
P *Icones Pleuro XXIII; p. 853-854*
P **luziae-mariae** Luer & Vásquez = *Alaticaulia luziae-nariae*
Icones Pleuro XXVIII; p. 5 (5/2006)
- lychniphora** Kgr. - *Thesaurus Masd 2:9*
DI *Masd in Kleur; p. 28*
DI *Icones Pleuro XXIII; p. 855-856*
I **lynniana** Luer = *Luzama lynniana*
I *Icones Pleuro XXVIII; p. 10 (5/2006)*
- DI **macrochila** Regel = *Dracula chestertonii*
DIP *Icones Pleuro X; p. 50 (12/1993)*
- P **macrogenia** (Arango) Luer & Escobar = *Petalodon macrogenia*
DI *Icones Pleuro XXVIII; p. 11 (5/2006)*
- P **macroglossa** Rchb.f. = *Byrsella macroglossa*
DI *Icones Pleuro XXVIII; p. 8 (5/2006)*
- DI **macropus** Lehm. & Krzl. - *Thesaurus Masd 18:10*
Icones Pleuro XXII; p.
Masd in Kleur; p. 28
NEO; 3:1067
- macrura** Rchb.f. = *Megema macrura*
DIP *Icones Pleuro XXVIII; p. 11 (5/2006)*
- DI **maculata** Klotzsch & H.Karst. = *Alaticaulia maculata*
P *Icones Pleuro XXVIII; p. 5 (5/2006)*
- DI **maculata** var. **flava** Hort. Ex Stein = *Masdevallia maculata*
P *Icones Pleuro XIX; p. 113 (1/2000)*
- maculigera** Schltr. = *Masdevallia affinis ssp. maculigera*
Thesaurus Masd. 15:1 (1990)
- maduroi** Luer = *Alaticaulia maduroi*
Icones Pleuro XXIX; p. 118 (8/2007)
- magalina** Luer & V.N.M.Rao – *Icones Pleuro XXVIII; p. 269, 270* DI
- mallii** Luer = *Masdevallia virgo-cuencae*
Thesaurus Masd 28:14 (2006)
- maloi** Luer = *Byrsella maloi*
Icones Pleuro XXVIII; p. 8 (5/2006)
- manarana** Carnevali & Ramírez = *Masdevallia guayanensis*
Thesaurus Masd 22:5 (1997)
- manchinazae** Luer & Andreetta = *Luzama manchinazae*
DIP *Icones Pleuro XXVIII; p. 10 (5/2006)*
- DI **mandarina** (Luer & Escobar) Luer –
P *Icones Pleuro XXIII; p. 857-858*
DI *Lindleyana 3(1); p. 64, 67 (was xanthina ssp. mandarina)*
DI *Masd in Kleur; p. 56 (was xanthina ssp. mandarina)*
P *NCO; 6:1088 (was xanthina ssp. mandarina)*
P *NEO; 3:1162 (was xanthina ssp. mandarina)*
- manoloi** Luer & Arias - *Icones Pleuro XVI; p. 108, 109*
DI *Icones Pleuro XXII; p. 625-626*
DI *Masd in Kleur; p. 25, 63*
P *Treas Masd 26:5*
DIP
- manta** Kgr. - *Masd in Kleur; p. 63, 64*
P *Icones Pleuro XXIII; p. 945-946*
DI
- margaretae** Luer = *Masdevallia carruthersiana*

Masdevallia

- Icones Pleuro XIX; p. 53 (1/2000)*
- marginella** Rchb.f. = *Reichantha marginella*
Icones Pleuro XXVIII; p. 13 (5/2006)
- marizae** Luer & Rolando – *Icones Pleuro XX; p. 124, 136*
Treas of Masd 25:9
Masd in Kleur; p. 64
Icones Pleuro XXIII; p. 859-860
- marthae** Luer & Escobar - *Thesarus Masd 4:10*
Orquideologia XIII(1); p. 64, 84-88
Masd in Kleur; p. 29
NCO; 2:334
Icones Pleuro XXIII; p. 1013-1014
- martineae** Luer = *Alaticaulia martineae*
Icones Pleuro XXVIII; p. 5 (5/2006)
- martiniana** Luer = *Alaticaulia martiniana*
Icones Pleuro XXVIII; p. 5 (5/2006)
- mascarata** Luer & Vásquez = *Alaticaulia mascarata*
Icones Pleuro XXVIII; p. 5 (5/2006)
- mastodon** Rchb.f. - *Thesarus Masd 14:8*
Orquideologia XVI(1); p. 77
Icones Pleur XXII; p. 627-628
Masd in Kleur; p. 29, 30
- mataxa** Kgr. & H.Mend. = *Luzama mataxa*
Icones Pleuro XXVIII; p. 10 (5/2006)
- maxilimax** (Luer) Luer - *Thesarus Masd 18:11*
Lindleyana 3(1); p. 40 (put to subspecies)
Lindleyana 4(3); p. 114 (put back to species)
Masd in Kleur; p. 27
Icones Pleuro XXIII; p. 1015-1016
NEO; 3:1071
- maxillariiformis** Lehm. & Krzl. = *Masdevallia strumifera*
Thesarus Masd 16:13 (1991)
- mayaycu** Luer & Hirtz = *Alaticaulia mayaycu*
Icones Pleuro XXVIII; p. 5 (5/2006)
- medellinensis** Krzl. = *Dracula radiosa*
Icones Pleuro X; p. 184 (12/1993)
- medinae** Luer & Portilla – *Icones Pleur XXII; p. 629-630*
NEO; 3:1073
Treas of Masd 27:7
- medusa** Luer & Escobar = *Alaticaulia medusa*
Icones Pleuro XXVIII; p. 5 (5/2006)
- megaloglossa** Luer & Escobar = *Masdevallia vargasii*
Icones Pleuro XIX; p. 201 (1/2000)
- meiracyllium** Rchb.f. = *Dryadella meiracyllium*
Icones Pleuro XXVII; p. 26 (3/2004)
- mejiana** Garay = *Reichantha mejiana*
Icones Pleuro XXVIII; p. 13 (5/2006)
- melanopus** Rchb.f. = *Spilotantha melanopus*
Icones Pleuro XXVIII; p. 15 (5/2006)
- melanoglossa** Luer - Lindleyana 4(3); p. 114
Icones Pleuro XXII; p. 631-632
Treas Masd 26:8
- melanoxantha** Linden & Rchb.f. = *Alaticaulia melanoxantha*
Icones Pleuro XXVIII; p. 5 (5/2006)
- meleagris** Lindl. = *Rodrigoa meleagris*
Icones Pleuro XXVIII; p. 14 (5/2006)
- meleagris** Lindl. sensu Rchb.f. = *Masdevallia picturata*
Thesarus Masd 3:13 (1984)
- melina** Kgr. & Meza. = *Masdevallia lilianae*
Icones Pleuro XXI; p. 321 (11/2000)
- melloi** Pabst = *Dryadella lilliputiana*
Icones Pleuro XXVII; p. 24 (3/2004)
- menatoi** Luer & Vásquez = *Alaticaulia menatoi*
Icones Pleuro XXVIII; p. 5 (5/2006)
- mendozae** Luer - *Thesarus Masd 14:9*
Masd in Kleur; p. 31
Icones Pleuro XXIII; p. 1017-1018
- NEO; 3:1075
- mentosa** Luer = *Luzama mentosa*
Icones Pleuro XXVIII; p. 10 (5/2006)
- DI **merinoi** Luer & Portilla = *Luzama merinoi*
DIP *Icones Pleuro XXVIII; p. 10 (5/2006)*
- P **metallica** Lehm. & Krzl. = *Masdevallia caesia*
DI *Thesarus Masd. 15:2 (1990)*
- DIP **mezae** Luer = *Alaticaulia mezae*
DIP *Icones Pleuro XXVIII; p. 5 (5/2006)*
- P **microglochis** Rchb.f. = *Dracula velutina*
P *Icones Pleuro X; p. 214 (12/1993)*
- DI **microptera** Luer & Würstle - Lindleyana 4(3); p. 116
DI *Icones Pleuro XXIII; p. 947-948*
- microsiphon** Luer = *Spilotantha microsiphon*
Icones Pleuro XXVIII; p. 15 (5/2006)
- midas** Luer – *Icones Pleuro XXII; p. 633-634*
Treas Masd 26:9
NEO; 3:1080
DI
DIP
P
- DIP **mijahuangae** D.E. Benn. = *Masdevallia cyclotega*
I *Icones Pleuro XXIII; p. 815 (4/2002)*
- DI **milagroii** Luer & Hirtz = *Rodrigoa milagroii*
P *Icones Pleuro XXVIII; p. 14 (5/2006)*
- militaris** Rchb.f. & Warsc. = *Masdevallia coccinea*
Thesarus Masd 13:2 (1988)
- DIP **minuta** Lindl. = *Acinopetala minuta*
DI *Icones Pleuro XXVIII; p. 3 (5/2006)*
- P **misasii** Braas = *Byrsella misasii*
DI *Icones Pleuro XXVIII; p. 8 (5/2006)*
- P **molossoides** Krzl. = *Buccella molossoides*
DI *Icones Pleuro XXVIII; p. 7 (5/2006)*
- P **molossus** Rchb.f. = *Buccella molossus*
Icones Pleuro XXVIII; p. 7 (5/2006)
- monicana** Luer - *Icones Pleuro XVII; p. 111, 118*
DI
- monogona** Kgr. = *Alaticaulia monogona*
Icones Pleuro XXVIII; p. 5 (5/2006)
- mooreana** Rchb.f. = *Byrsella mooreana*
DI *Icones Pleuro XXVIII; p. 8 (5/2006)*
- P **morenoi** Luer = *Masdevallia schizopetala*
DIP *Thesarus Masd 11:10 (1988)*
- morochoi** Luer & Andreetta - *Treas of Masd 22:7*
DI Lindleyana 4(3); p. 116
DI Masd in Kleur; p. 32
P *Icones Pleuro XXIII; p. 1019-1020*
DI NEO; 3:1083
P
- mosquerae** Lehm. & Krzl. = *Dracula houtteana*
Icones Pleuro X; p. 106 (12/1993)
- moyobambae** Kgr. = *Masdevallia weberbaueri*
Icones Pleuro XIX; p. 213 (1/2000)
- munae** Luer & R.Barrow = *Alaticaulia munae*
DI *Icones Pleuro XXVIII; p. 5 (5/2006)*
- DI **murex** Luer = *Byrsella murex*
DIP *Icones Pleuro XXVIII; p. 8 (5/2006)*
- muriculata** Krzl. = *Masdevallia pygmaea*
Thesarus Masd 13:12 (1988)
- mutica** Luer & Escobar = *Fissia mutica*
Icones Pleuro XXVIII; p. 9 (5/2006)
- myriostigma** Morren = *Masdevallia floribunda*
Icones Pleuro XXII; p. 739 (9/2001)
- Xmystica** Luer - Lindleyana 4(3); p. 119
DI *Treas of Masd 24:9*
DIP Masd in Kleur; p. 33
P *Icones Pleuro XXIII; p. 1021-1022*
DI
- naevia** Luer & V.N.M.Rao - *Icones Pleuro XXVII; p. 293-294*
DI *Treas of Masd 28:9*
DIP
- DIP **naranjapatae** Luer = *Zahleria naranjapatae*
P *Icones Pleuro XXVIII; p. 17 (5/2006)*
- DI **navicularis** Garay & Dunst. = *Alaticaulia navicularis*

Masdevallia

- Icones Pleuro XXVIII; p. 14 (5/2006)*
- papillosa** Luer - Lindleyana 10(4); p. 232
Treas of Masd 24:11
Icones Pleuro XXIII; p. 865-866
NEO; 3:1095
- paquishae** Luer & Hirtz = *Luzama paquishae*
Icones Pleuro XXVIII; p. 10 (5/2006)
- paranaënsis** Pabst = *Dryadella lilliputiana*
Icones Pleuro XXVII; p. 24 (3/2004)
- pardina** Rchb.f. = *Byrsella pardina*
Icones Pleuro XXVIII; p. 8 (5/2006)
- Xparlatoreana** Rchb.f. = *Masdevallia Xsplendida*
Icones Pleuro XXV, p. 1085 (03/2003)
- parvula** Schltr. = *Rodrigoa parvula*
Icones Pleuro XXVIII; p. 14 (5/2006)
- pastensis** Krzl. = *Masdevallia uncifera*
Thesarus Masd 17:13(1992)
- pastinata** Luer = *Alaticaulia pastinata*
Icones Pleuro XXVIII; p. 5 (5/2006)
- patchicutzae** Luer & Hirtz = *Alaticaulia patchicutzae*
Icones Pleuro XXVIII; p. 5 (5/2006)
- patriciana** Luer - *Thesarus Masd 1:6*
Icones Pleuro XXII; p. 647-648
Masd in Kleur; p. 37
NEO; 3:1100
- patula** Luer & Malo = *Luzama patula*
Icones Pleuro XXVIII; p. 10 (5/2006)
- paulensis** Barb.Rodr. = *Dryadella aviceps*
Icones Pleuro XXVII; p. 20 (3/2004)
- pelecaniceps** Luer = *Luerella pelecaniceps*
PA News 1998 pg. 34 (Early Results of Studies of DNA)
- peristeria** Rchb.f. *ssp. haematosticta* (Rchb.f.) Luer =
Masdevallia peristeria Rchb.f.
Icones Pleuro XXI; p. 347 (1/2000)
- peristeria** Rchb.f. = *Byrsella peristeria*
Icones Pleuro XXVIII; p. 8 (5/2006)
- pernix** Kgr. - *Thesarus Masd 11:9*
Masd in Kleur; p. 37, 64
Icones Pleuro XXIII; p. 867-868
- perpusilla** Kraenzl. = *Dryadella perpusilla*
Icones Pleuro XXVII; p. 24 (3/2004)
- persicina** Luer - *Thesarus Masd 19:8*
Masd in Kleur; p. 38
Icones Pleuro XXIII; p. 953-954
NEO; 3:1103
- peruviana** Rolfe = *Masdevallia bicolor*
Icones Pleuro XIX; p. 35 (1/2000)
- pescadöensis** Luer & R.Escobar = *Acinopetala pescadöensis*
Icones Pleuro XXVIII; p. 3 (5/2006)
- petiolaris** Schltr. = *Masdevallia laevis*
Icones Pleuro XXII; p. 601 (9/2001)
- phachopsis** Luer & Dalström - *Treas of Masd 21:10*
Orc of Bolivia Vol 1; p. 149, 180
Icones Pleuro XXII; p. 649-650
Lindleyana 9(4); p. 245
Masd in Kleur; p. 38
- phasmatodes** Kgr. - *Thesarus Masd 14:12*
Treas of Masd 24:12
Masd in Kleur; p. 38
Icones Pleuro XXIII; p. 955-956
- phlogina** Luer - Lindleyana 8(1); p. 47
Masd in Kleur; p. 38
Icones Pleuro XXIII; p. 869-870
- phoebe** Luer & Hirtz = *Alaticaulia phoebe*
Icones Pleuro XXVIII; p. 5 (5/2006)
- phoenix** Luer = *Alaticaulia phoenix*
Icones Pleuro XXVIII; p. 5 (5/2006)
- picea** Luer = *Byrsella picea*
Icones Pleuro XXVIII; p. 8 (5/2006)
- DI *Icones Pleuro XXVIII; p. 8 (5/2006)*
- DIP **picata** Luer - *Thesarus Masd 17:10*
- DI *Icones Pleuro XXII; p. 651-652*
- P *Masd in Kleur; p. 64*
- NEO; 3:1104
- picturata** Rchb.f. = *Fissia picturata*
Icones Pleuro XXVIII; p. 9 (5/2006)
- picturata** var. or *ssp. minor* Cogn. = *Masdevallia picturata*
Thesarus Masd 3:13 (1984)
- pileata** Luer & Würstle - *Thesarus Masd 19:9*
- DIP *Masd in Kleur; p. 39*
- P *NCO; 2:305*
- P *Icones Pleuro XXIII; p. 871-872*
- DI **pinocchio** Luer & Andreetta = *Alaticaulia pinocchio*
Icones Pleuro XXVIII; p. 5 (5/2006)
- planadensis** Luer & Escobar = *Rodrigoa planadensis*
Icones Pleuro XXVIII; p. 14 (5/2006)
- plantaginea** (Poepp. & Endl.) Cogn. = *Luzama plantaginea*
Icones Pleuro XXVIII; p. 10 (5/2006)
- platyglossa** Rchb.f. = *Byrsella platyglossa*
Icones Pleuro XXVIII; p. 8 (5/2006)
- DIP *Icones Pleuro XXVIII; p. 8 (5/2006)*
- DI **platytrachis** Rolfe = *Empusella endotrachys*
- P *Icones Pleuro XXIX; p. 95 (8/2007)*
- P **pleurothalloides** Luer = *Fissia pleurothalloides*
Icones Pleuro XXVIII; p. 9 (5/2006)
- plynophora** Luer = *Alaticaulia plynophora*
Icones Pleuro XXVIII; p. 5 (5/2006)
- polita** Lure & Sijm - *Icones Pleuro XXI; p. 419-420*
- DI *Masd in Kleur; p. 65*
- P **pollex** Luer - *Icones Pleuro XXIII; p. 957-958*
- DI **pollux** Luer & Cloes - NEO; 3:1111
- P *Treas of Masd 28:11*
- DIP **polyantha** Lindl. = *Masdevallia schlimii*
Icones Pleuro XIX; p. 253 (1/2000)
- polychroma** Luer - *Treas of Masd 24:13*
- DIP *Icones Pleuro XVII; p. 113, 119*
- P *Icones Pleuro XXIII; p. 873-874*
- DI **polysticta** Rchb.f. = *Spilotantha polysticta*
Icones Pleuro XXVIII; p. 15 (5/2006)
- polysticta** var. *crassicaudata* Rchb.f. = *Masdevallia pachyura*
Icones Pleuro XXV, p. 1155 (03/2003)
- DIP **polysticta** *ssp. spatulifolia* (Kraenzl.) Luer = *Masdevallia polysticta*
Icones Pleuro XXV, p. 1157 (03/2003)
- DI **popowiana** J.G.Weinmann - *Thesarus Masd 20:7*
- P *Icones Pleuro XXII; p. 653-654*
- DI *Masd in Kleur; p. 40*
- popayanensis** F.Lehm. & Kraenzl. = *Dryadella simula*
Icones Pleuro XXVII; p. 33 (3/2004)
- porcellicept** Rchb.f. = *Masdevallia macroglossa*
Thesarus Masd. 14:7 (1989)
- DIP **porcellicept** Rchb.f. var. *sulphurea* = *Masdevallia bonplandii*
Thesarus Masd 21:1 (1996)
- IP **porphyrea** Luer = *Spilotantha porphyrea*
Icones Pleuro XXVIII; p. 15 (5/2006)
- DI **portillae** Luer & Andreetta = *Alaticaulia portillae*
Icones Pleuro XXVIII; p. 5 (5/2006)
- P **posadae** Luer & Escobar = *Alaticaulia posadae*
Icones Pleuro XXVIII; p. 5 (5/2006)
- DIP **pozoi** Kgr. = *Spilotantha pozoi*
Icones Pleuro XXVIII; p. 15 (5/2006)
- DI **princeps** Luer = *Regalia princeps*
Icones Pleuro XXVIII; p. 12 (5/2006)
- P **priscellana** Luer = *Alaticaulia priscellana*
Icones Pleuro XXVIII; p. 6 (5/2006)
- DI **proboscoidea** Luer & V.N.M. = *Alaticaulia proboscoidea*
Icones Pleuro XXVIII; p. 6 (5/2006)

Masdevallia

- prodigiosa** Kgr. - Thesarus Masd 1:8
Masd in Kleur; p. 40
Icones Pleuro XXIII; p. 875-876
- prolixa** Luer = *Alaticaulia prolixa*
Icones Pleuro XXVIII; p. 6 (5/2006)
- prosartema** Königler = *Alaticaulia prosartema*
Icones Pleuro XXVIII; p. 6 (5/2006)
- pseudominuta** Sweet = *Masdevallia kyphonantha*
Thesarus Masd 12:7 (1988)
- pteroglossa** Schltr. - Thesarus Masd 10:13
Masd in Kleur; p. 41
NCO; 6:1124
Icones Pleuro XXIII; p. 959-960
- pterygiophora** Luer & Escobar = *Pteroon pterygiophora*
Icones Pleuro XXVIII; p. 12 (5/2006)
- pulcherrima** Luer & Andreetta = *Spilotantha pulcherrima*
Icones Pleuro XXVIII; p. 15 (5/2006)
- pulex** hort. ex. Rchb.f. = *Muscarella macroblepharis*
Icones Pleuro XXVIII; p. 110 (5/2006)
- pumila** Poepp. & Endl. - Thesarus Masd 7:10
Icones Plant Trop, Fasc 6; pl. 550
Icones Pleuro XXII; p. 655-656
Orc of Bolivia Vol 1; p. 182
Masd in Kleur; p. 41
NEO; 3:1117
- punctata** Rolfe = *Scaphosepalum anchoriferum*
Icones Pleuro V; p. 30 (11/1988)
- purpurina** Schltr. = *Masdevallia amabilis* Rchb.f.
Icones Pleuro XXV; p. 1053 (3/2003)
- purpurella** Luer & Escobar **ssp. nivea** Luer & Escobar =
Masdevallia nivea - Thesarus Masd 13:9 (1988)
- purpurella** Luer & Escobar - Lindleyana 3(1); p. 55
Thesarus Masd 8:13
Orquideologia XV(2,3); p. 136, 137, 138
Masd in Kleur; p. 41
NCO; 6:1084
Icones Pleuro XXIII; p. 877-878
- purpurina** Schltr. = *Masdevallia amabilis*
Thesarus Masd 9:2 (1987)
- pusiola** Rchb.f. = *Dryadella pusilola*
Icones Pleuro XXVII; p. 323(2004)
- pygmaea** Krzl. = *Diodonopsis pygmaea*
Icones Pleuro XXVIII; p. 9 (5/2006)
- pyknosepala** Luer & Cloes = *Luzama pyknosepala*
Icones Pleuro XXVIII; p. 10 (5/2006)
- pyxis** Luer = *Alaticaulia pyxis*
Icones Pleuro XXVIII; p. 6 (5/2006)
- quasimodo** Luer & Teague - Treas of Masd 22:10
Lindleyana 8(1); p. 50
Icones Pleuro XXII; p. 657-658
Orc of Bolivia Vol 1; p. 183
Masd in Kleur; p. 42
- quilichaoënsis** Lehm. & Krzl = *Dracula iricolor*
Icones Pleuro X; p. 116 (12/1993)
- racemosa** Lindl. = *Spectaculum racemosum*
Icones Pleuro XXVIII; p. 14 (5/2006)
- racemosa** var. **crossii** hort. = *Masdevallia racemosa*
Thesarus Masd 23:10 (1998)
- rafaeliana** Luer = *Spilotantha rafaeliana*
Icones Pleuro XXVIII; p. 15 (5/2006)
- rana-aurea** Luer - Icones Pleuro XVIII; p. 151-152, 156
Treas of Masd 27:12
- rauhii** Sengh. & Braas = *Masdevallia mezae*
Icones Pleuro XIX; p. 125 (1/2000)
- receptrix** Luer & Vásquez = *Alaticaulia receptrix*
Icones Pleuro XXVIII; p. 6 (5/2006)
- rechingeriana** Kraenzl. = *Alaticaulia rechingeriana*
- DIP *Icones Pleuro XXVIII; p. 6 (5/2006)*
- P **recurvata** Luer & Dalström = *Alaticaulia recurvata*
- DI *Icones Pleuro XXVIII; p. 6 (5/2006)*
- reflexa** G.Misas = *Masdevallia misasii*
Thesarus Masd 8:10 (1986)
- reflexa** Schltr. = *Masdevallia cupularis*
Icones Pleuro XIX; p. 229 (1/2000)
- regina** Luer = *Regalia regina*
Icones Pleuro XXVIII; p. 12 (5/2006)
- DIP **reichenbachiana** Endres ex Rchb.f. = *Reichantha reichenbachiana*
- P *Icones Pleuro XXVIII; p. 13 (5/2006)*
- P **reichenbachiana** var. **aurantiaca** Rchb.f. =
Masdevallia reichenbachiana
Thesarus Masd 5:10 (1985)
- DI **reichenbachiana** var. **funebri** (Endres ex Krzl.) Krzl. =
Masdevallia reichenbachiana
Thesarus Masd 5:10 (1985)
- remotiflora** Krzl. = *Masdevallia amanda*
Thesarus Masd 12:1 (1988)
- DIP **renzii** Luer - Lindleyana 10(4); p. 232
- DI *Icones Pleuro XXIII; p. 879-880*
- DI **repanda** Luer & Hirtz - Icones Pleuro XXIII; p. 659a-660a
- I NEO; 3:1119
- P **replicata** Kgr. - Thesarus Masd 20:9
- P Masd in Kleur; p. 42
Icones Pleuro XXIII; p. 881-882
- restrepiodea** Krzl. = *Masdevallia fasciata*
Icones Pleuro XXV; p. 1219 (03/2003)
- revoluta** Kgr. = *Alaticaulia revoluta*
Icones Pleuro XXVIII; p. 6 (5/2006)
- rex** Luer & Hirtz - Thesarus Masd 19:11
- DI Lindleyana 4(3); p. 122
- DIP Masd in Kleur; p. 43
- DIP **rex** Luer & Hirtz - Icones Pleuro XXIII; p. 1027-1028
- P NEO; 3:1121
- P **rhizophora** Luer & Escobar - Lindleyana 10(2); p. 126
- DI NCO; 6:1093
Icones Pleuro XXIII; p. 883-884
- rhodehameliana** Luer - Treas of Masd 25:12
- Masd in Kleur; p. 43, 66
- DI **rhodehameliana** Luer - Treas of Masd 25:12
- P Masd in Kleur; p. 43, 66
- DI **rhodehameliana** Luer - Treas of Masd 25:12
- P Masd in Kleur; p. 43, 66
- rhopaloura** Schltr. = *Masdevallia molossoides*
Thesarus Masd. 16:6 (1991)
- richardsoniana** Luer = *Alaticaulia richardsoniana*
Icones Pleuro XXVIII; p. 6 (5/2006)
- richteri** Pabst = *Masdevallia vargasii*
Icones Pleuro XIX; p. 201 (1/2000)
- DIP **ricii** Luer & Vásquez - Orc of Bolivia Vol 1; p. 150
- DI Masd in Kleur; p. 43
- DI **ricii** Luer & Vásquez - Orc of Bolivia Vol 1; p. 150
- I **rigens** Luer = *Byrsella rigens*
- P *Icones Pleuro XXVIII; p. 8 (5/2006)*
- rimarima-alba** Luer - Thesarus Masd 5:12
- DI **rimarima-alba** Luer - Thesarus Masd 5:12
- DI **rimarima-alba** Luer - Thesarus Masd 5:12
- P Masd in Kleur; p. 43
- robusta** Luer = *Regalia robusta*
Icones Pleuro XXVIII; p. 12 (5/2006)
- rodolfoi** (Braas) Luer **ssp. ortalis** (Luer) Luer = *Masdevallia ortalis*
Icones Pleuro XXIII; p. 951 (4/2002)
- rodolfoi** (Braas) Luer - Lindleyana 3(1); p. 59, 60
- DI **rodolfoi** (Braas) Luer - Lindleyana 3(1); p. 59, 60
- DIP **rodolfoi** (Braas) Luer - Lindleyana 3(1); p. 59, 60
- DI **rodolfoi** (Braas) Luer - Lindleyana 3(1); p. 59, 60
- P Masd in Kleur; p. 43
- DI **rodolfoi** (Braas) Luer - Lindleyana 3(1); p. 59, 60
- DI **rodolfoi** (Braas) Luer - Lindleyana 3(1); p. 59, 60
- P Masd in Kleur; p. 43
- DI **rodolfoi** (Braas) Luer - Lindleyana 3(1); p. 59, 60
- rodrigueziana** Mansf. = *Masdevallia wendlandiana*
Icones Pleuro XXII; p. 773 (9/2001)
- rolandorum** Luer & Sijm = *Alaticaulia rolandorum*

Masdevallia

- Icones Pleuro XXVIII; p. 6 (5/2006)*
rolfeana Krzl. = *Reichanthea rolfeana*
Icones Pleuro XXVIII; p. 13 (5/2006)
rosea Woolw. = *Masdevallia rosea* ssp. *echinata*
Thesarus Masd. 16:10 (1991)
rosea Veitch = *Masdevallia rosea* ssp. *echinata*
Thesarus Masd. 16:10 (1991)
rosea Lindl. **ssp. echinata** (Luer & Andreetta) Luer -
Lindleyana 3(1); p. 59, 63
Selbyana 2(4); p. 371 (was *echinata*)
Icones Pleuro XXV; p. 1083-1084
rosea Lindl. **ssp. rosea** - Lindleyana 3(1); p. 59, 62
Thesarus Masd 16:10
Masd in Kleur; p. 44
NCO; 2:324
NEO; 3:1123
Icones Pleuro XXV; p. 1081-1082
roseola Luer - *Thesarus Masd 16:11*
Icones Pleuro XXII; p. 661-662
Masd in Kleur; p. 44
NEO; 3:1124
rubeola Luer & Vásquez - *Treas of Masd 22:11*
Masd in Kleur; p. 44
Icones Pleuro XXIII; p. 965-966
rubiginosa Kgr. - *Thesarus Masd 7:12*
Masd in Kleur; p. 44
Icones Pleuro XXIII; p. 967-968
NEO; 3:1125
rufescens Kgr. - Masd in Kleur; p. 44, 45
Treas Masd 26:11
Icones Pleuro XXIII; p. 885-886
NEO; 3:1126
rufolutea Lindl. ex Gard. = *Masdevallia picea*
Thesarus Masd 21:11 (1996)
saltatrix Rchb.f. - *Thesarus Masd 5:13*
Masd in Kleur; p. 45
NCO; 6:1102
Icones Pleuro XXIII; p. 1031,1040 (replaced by IP XXV)
(illustration for this should be page 1040)
Icones Pleuro XXV; p 1031(1)-1032(1)
(replaces IP XXIII)
sanchezii Luer & Andreetta = *Luzama sanchezii*
Icones Pleuro XXVIII; p. 10 (5/2006)
sanctae-fidei Krzl. = *Alaticaulia sanctae-fidei*
Icones Pleuro XXVIII; p. 6 (5/2006)
sanctae-inesiae Luer & Malo - *Thesarus Masd 3:15*
(spelling was *sanctae-inesae*)
Masd in Kleur; p. 45 (spelling was *sanctae-inesae*)
Icones Pleuro XXIII; p. 887-888
NEO; 3:1128 (spelling was *sanctae-inesae*)
sanctae-rosae Krzl. = *Byrsella sanctae-rosae*
Icones Pleuro XXVIII; p. 8 (5/2006)
sanguinea Luer = *Alaticaulia sanguinea*
Icones Pleuro XXVIII; p. 6 (5/2006)
santiagoöorum Kgr. = *Masdevallia aurea*
Thesarus Masd 20:10 (1998)
sarcophylla Krzl. = *Masdevallia campyloglossa*
Thesarus Masd 10:1 (1987)
saullii Kgr. = *Masdevallia fuchsii*
Treas of Masd 25:7 (2000)
scabringuis Luer = *Acinopetala scabringuis*
Icones Pleuro XXVIII; p. 3 (5/2006)
scalpellifera Luer = *Luzama scalpellifera*
Icones Pleuro XXVIII; p. 10 (5/2006)
scandens Rolfe - Orc of Bolivia Vol I; p. 185
Icones Pleuro XXII; p. 663-664
scapha Braas = *Masdevallia navicularis*
Icones Pleuro XIX; p. 129 (1/2000)
sceptrum Rchb.f. = *Alaticaulia sceptrum*
Icones Pleuro XXVIII; p. 6 (5/2006)
schizantha Kraenzl. - Masd in Kleur; p. 45
Icones Pleuro XXIII; p. 889-890
schizopetala Kraenzl. = *Acinopetala schizopetala*
Icones Pleuro XXVIII; p. 3 (5/2006)
schizostigma Luer = *Luzama schizostigma*
Icones Pleuro XXVIII; p. 10 (5/2006)
schlimii Linden ex Lindl. = *Alaticaulia schlimii*
Icones Pleuro XXVIII; p. 6 (5/2006)
schlimii var. **polyantha** (Lindl.) Woolw. = *Masdevallia schlimii*
Icones Pleuro XIX; p. 253 (1/2000)
schlimii var. **sceptrum** (Rchb.f.) Woolw. = *Masdevallia sceptrum*
Icones Pleuro XIX; p. 169 (1/2000)
schmidtchenii Krzl. = *Masdevallia molossus*
Thesarus Masd 7:6 (1986)
schmidt-mummii Luer & Escobar - *Thesarus Masd 5:14*
Orquideologia XIII(1); p. 59, 96-100
Masd in Kleur; p. 47
NCO; 2:329
Icones Pleuro XXIII; p. 891-892
schoonenii Luer - Lindleyana 8(1); p. 53
Treas of Masd 23:12
Icones Pleuro XXII; p. 665-666
Masd in Kleur; p. 46 (misspelled *schoonii*)
schroederiana Veitch = *Reichanthea schroederiana*
Icones Pleuro XXVIII; p. 13 (5/2006)
schroederiana var. **fulvescens** = *Masdevallia fulvescens*
Thesarus Masd 11:4 (1988)
schudelii Luer = *Alaticaulia schudelii*
Icones Pleuro XXVIII; p. 6 (5/2006)
scitula Kgr. = *Alaticaulia scitula*
Icones Pleuro XXVIII; p. 6 (5/2006)
scobina Luer & Escobar = *Alaticaulia scobina*
Icones Pleuro XXVIII; p. 6 (5/2006)
scopaea Luer & Vásquez = *Luzama scopaea*
Icones Pleuro XXVIII; p. 10 (5/2006)
segrex Luer & Hirtz = *Spilotantha segrex*
Icones Pleuro XXVIII; p. 15 (5/2006)
segurae Luer & Escobar = *Rodrigoa segurae*
Icones Pleuro XXVIII; p. 14 (5/2006)
selenites Kgr. - *Thesarus Masd 13:13*
Icones Pleuro XXII; p. 667-668
Masd in Kleur; p. 46
semiteres Luer & Escobar = *Byrsella semiteres*
Icones Pleuro XXVIII; p. 8 (5/2006)
senghasiana Luer - Lindleyana 9(4); p. 248
senilis Rchb.f. = *Dracula chimaera*
Icones Pleuro X; p. 52 (12/1993)
serendipita Luer & Teague = *Alaticaulia serendipita*
Icones Pleuro XXVIII; p. 6 (5/2006)
sernae Luer & Escobar = *Alaticaulia sernae*
Icones Pleuro XXVIII; p. 6 (5/2006)
sertula Luer & Andreetta = *Spilotantha sertula*
Icones Pleuro XXVIII; p. 15 (5/2006)
sessilis Barb.Rodr. = *Dryadella aviceps*
Icones Pleuro XXVII; p 11 (3/2004)
setacea Luer & Malo - *Thesarus Masd 14:14*
Selbyana 2(4); p. 379
Icones Orchid Peru pl. 302
Masd in Kleur; p. 47
Icones Pleuro XXIII; p. 893-894
NEO; 3:1134
setipes Schltr. = *Luzama setipes*
Icones Pleuro XXVIII; p. 10 (5/2006)
shiraiishii Kgr. & M.Arias = *Masdevallia harlequina*

Masdevallia

	<i>Icones Pleuro XXIII; p. 833 (4/2002)</i>		<i>Icones Pleuro XXII; p. 673-674</i>		DI
shuttleworthii Rchb.f. = <i>Masdevallia caudata</i>			<i>Masd in Kleur; p. 66</i>		P
	<i>Thesarus Masd. 15:4 (1990)</i>		strumifera Rchb.f. - <i>Thesarus Masd 16:13</i>		DIP
shuttleworthii var. xanthocorys Rchb.f. = <i>Masdevallia caudata</i>			<i>Icones Pleuro XXII; p. 675-678</i>		DI
	<i>Thesarus Masd. 15:4 (1990)</i>		<i>Masd in Kleur; p. 48, 67</i>		P
sijmiana Kgr. = <i>Masdevallia posadae</i>			<i>VOI; 6, p. 238</i>		DI
	<i>Icones Pleuro XIX; p. 151 (1/2000)</i>		<i>NEO; 3:1137</i>		P
simula Rchb.f. = <i>Dryadella simula</i>			<i>Orc of Ven FG 2; p. 507</i>		I
	<i>Icones Pleuro XXVII; p 33 (3/2004)</i>		strumosa P.Ortiz & E.Calderón -		
simula var obrieniana (Rolfe) Kraenzl. = <i>Dryadella gnoma</i>			<i>Orquideologia XXII(2); p. 122-125</i>		DIP
	<i>Icones Pleuro XXVII; p 20 (3/2004)</i>		<i>Icones Pleuro XXV; p. 679a-680a</i>		DI
simula var guatemalensis (Schltr.) Kraenzl. = <i>Dryadella guatemalensis</i>			stumpfleii Braas - <i>Thesarus Masd 17:12</i>		DIP
	<i>Icones Pleuro XXVII; p 22 (3/2004)</i>		<i>Orquideologia XIII(2); p. 192, 193, 197, 203</i>		DIP
simulatrix Kraenzl. = <i>Dryadella pusiola</i>			<i>Masd in Kleur; p. 48</i>		P
	<i>Icones Pleuro XXVII; p 32 (3/2004)</i>		<i>Icones Pleuro XXV; p. 1089-1090</i>		DI
siphonantha Luer - <i>Icones Pleuro XXIII; p. 1033-1034</i>	DI		subumbellata Krzl. = <i>Masdevallia bicolor</i>		
smallmaniana Luer = <i>Luzama smallmaniana</i>			<i>Icones Pleuro XIX; p. 35 (1/2000)</i>		
	<i>Icones Pleuro XXVIII; p. 10 (5/2006)</i>		suinii Luer & Hirtz – <i>Icones Pleuro XXII; p. 679-680</i>		DI
soennemarkii Luer & Dalström - <i>Treas of Masd 22:13</i>	DIP		sulphurea Lehm. & Krzl. = <i>Masdevallia bonplandii</i>		
	<i>Lindleyana 9(4); p. 252</i>	DI	<i>Thesarus Masd 21:1 (1996)</i>		
	<i>Icones Pleuro XXII; p. 669-670</i>	DI	sulphurella Kgr. - <i>Masd in Kleur; p. 49</i>		P
	<i>Orc of Bolivia Vol 1; p. 189</i>	I	<i>Icones Pleuro XXIII; p. 969-970</i>		DI
	<i>Masd in Kleur; p. 47</i>	P	sumapazensis P. Ortiz = <i>Byrsella sumapazensis</i>		
solomonii Luer & Vásquez - <i>Thesarus Masd 19:13</i>	DIP		<i>Icones Pleuro XXVIII; p. 8 (5/2006)</i>		
	<i>Lindleyana 3(4); p. 204</i>	DI	summersii L.O.Williams = <i>Dryadella summersii</i>		
	<i>Icones Pleuro XXII; p. 671-672</i>	DI	<i>Icones Pleuro XXVII; p 35 (3/2004)</i>		
	<i>Orc of Bolivia Vol 1; p. 190</i>	I	superbiens Luer & Hirtz = <i>Spilotantha superbiens</i>		
	<i>Masd in Kleur; p. 47</i>	P	<i>Icones Pleuro XXVIII; p. 15 (5/2006)</i>		
sororcula Rchb.f. = <i>Masdevallia mooreana</i> Rchb.f.			superflua Krzl. = <i>Masdevallia striatella</i>		
	<i>Icones Pleuro XXI; p. 333 (11/2000)</i>		<i>Icones Pleuro XIX; p. 255 (1/2000)</i>		
spathulifolia Krzl. = <i>Masdevallia polysticta</i>			surinamensis Focke = <i>Masdevallia minuta</i>		
	<i>Thesarus Masd 7:9 (1986)</i>		<i>Thesarus Masd 4:11 (1984)</i>		
speciosa Luer & Malo - <i>Selbyana 2(4); p. 380</i>	D		susanae Pabst = <i>Dryadella susanae</i>		
spectrum Rchb.f. = <i>Dracula severa</i>			<i>Icones Pleuro XXVII; p 36 (3/2004)</i>		
	<i>Icones Pleuro X; p. 196 (12/1993)</i>		synthesis Luer = <i>Alaticaulia synthesis</i>		
sphenopetala Krzl. = <i>Masdevallia corazonica</i>			<i>Icones Pleuro XXVIII; p. 6 (5/2006)</i>		
	<i>Thesarus Masd 12:4 (1988)</i>		syringodes Luer & Andreetta. = <i>Masdevallia tubulosa</i>		
spilantha Kgr. = <i>Byrsella spilantha</i>			<i>Thesarus Masd 11:14 (1988)</i>		
	<i>Icones Pleuro XXVIII; p. 8 (5/2006)</i>		tarantula Luer = <i>Dracula tubeana</i>		
Xsplendida Rchb.f. - <i>Icones Pleuro XXV; p. 1085-1088</i>	DI		<i>Selbyana 7(1); p. 78 (8/1982)</i>		
	<i>Treas of Masd 27:13</i>	DIP	teaguei Luer – <i>Icones Pleuro XX; p. 1-3, 4</i>		DI
sprucei Rchb.f. = <i>Alaticaulia sprucei</i>			<i>Icones Pleuro II; p. 55</i>		I
	<i>Icones Pleuro XXVIII; p. 6 (5/2006)</i>		<i>Thesarus Masd 13:14</i>		DIP
staaliana Luer & Hirtz = <i>Spilotantha staaliana</i>			<i>Selbyana 2(4); p. 381</i>		D
	<i>Icones Pleuro XXVIII; p. 15 (5/2006)</i>		<i>Masd in Kleur; p. 49</i>		P
stenantha Lehm. & Krzl. = <i>Masdevallia tubulosa</i>			<i>NEO; 2:735-737</i>		IP
	<i>Thesarus Masd 11:14 (1988)</i>		<i>Icones Pleuro XXV; p. 1265-1266</i>		DI
stenorhynchos Krzl. = <i>Alaticaulia stenorhynchos</i>			telloi Luer & Hirtz = <i>Alaticaulia telloi</i>		
	<i>Icones Pleuro XXVIII; p. 6 (5/2006)</i>		<i>Icones Pleuro XXVIII; p. 6 (5/2006)</i>		
stercorea Kgr. = <i>Masdevallia rigens</i> Luer			tentaculata Luer = <i>Spilotantha tentaculata</i>		
	<i>Thesarus Masd 5:11 (1985)</i>		<i>Icones Pleuro XXVIII; p. 15 (5/2006)</i>		
stigii Luer & Jost – <i>Icones Pleuro XXV; p. 895a-896a</i>	DI		tenuicaudata Schltr. = <i>Masdevallia nidifica</i>		
	<i>Treas of Masd 27:14</i>	DIP	<i>Thesarus Masd 10:8 (1987)</i>		
stirpis Luer = <i>Alaticaulia stirpis</i>			tenuipes Schltr. = <i>Masdevallia herradurae</i>		
	<i>Icones Pleuro XXVIII; p. 6 (5/2006)</i>		<i>Icones Pleuro XXII; p. 749</i>		
strattoniana Luer & Hirtz = <i>Luzama strattoniana</i>			terborchii Luer – <i>Icones Pleuro XXII; p. 681-682</i>		DI
	<i>Icones Pleuro XXVIII; p. 10 (5/2006)</i>		<i>Bolivia Rev 3(1,2); p. 41, 43, 44</i>		DI
striatella Rchb.f. = <i>Reichantha striatella</i>			theleüra Luer = <i>Alaticaulia theleüra</i>		
	<i>Icones Pleuro XXVIII; p. 13 (5/2006)</i>		<i>Icones Pleuro XXVIII; p. 6 (5/2006)</i>		
strigosa Koniger = <i>Buccella strigosa</i>			thienii Dodson = <i>Alaticaulia thienii</i>		
	<i>Icones Pleuro XXVIII; p. 7 (5/2006)</i>		<i>Icones Pleuro XXIX; p. 118 (8/2007)</i>		
strobilii Sweet & Garay - <i>Thesarus Masd 1:9</i>	DIP		tinekeae Luer & Vásquez - <i>Treas of Masd 21:14</i>		DIP
	<i>Masd in Kleur; p. 48</i>	P	<i>Lindleyana 3(4); p. 207</i>		DI
	<i>Icones Pleuro XXIII; p. 1035-1036</i>	DI	<i>Icones Pleuro XXII; p. 683-684</i>		DI
	<i>NEO; 3:1136</i>	P	<i>Orc of Bolivia Vol 1; p. 191</i>		I
Xstrumella Luer - <i>Thesarus Masd 19:5</i>	P		<i>Masd in Kleur; p. 50</i>		P
	<i>Treas of Masd 21:16</i>	DI	titan Luer = <i>Regalia titan</i>		

Masdevallia

<i>Icones Pleuro XXVIII; p. 12 (5/2006)</i>			
tokachiorum Luer = <i>Reichantha tokachiorum</i>			
<i>Icones Pleuro XXIX; p. 121 (8/2007)</i>			
tonduzii Woolw. = <i>Reichantha tonduzii</i>			
<i>Icones Pleuro XXVIII; p. 13 (5/2006)</i>			
torulosa Kgr. & J.Portilla = <i>Alaticaulia sernae</i>			
<i>Icones Pleuro XXVIII; p. 6 (5/2006)</i>			
torta Rchb.f. = <i>Byrsella torta</i>			
<i>Icones Pleuro XXVIII; p. 8 (5/2006)</i>			
tovarensis Rchb.f. = <i>Alaticaulia towarensis</i>			
<i>Icones Pleuro XXVIII; p. 6 (5/2006)</i>			
trautmänniana Luer & Portilla – <i>Icones Pleuro XVIII; p. 153, 157</i>	DI		
<i>Icones Pleuro XXII; p. 685-686</i>	DI		
NEO; 3:1141	P		
Treas of Masd 28:13	DIP		
trechsliniana Kgr. = <i>Masdevallia bryophila</i>			
<i>Icones Pleuro XIX; p. 45 (1/2000)</i>			
triangularis Lindl. - <i>Thesaurus Masd 19:15</i>	DIP		
<i>Masd in Kleur; p. 50</i>	P		
VOI; 1, p. 214	DI		
<i>Icones Pleuro XXIII; p. 895-898</i>	DI		
NEO; 3:1142	I		
Orc of Ven FG 2; p. 509	I		
tricallosa Kgr. - <i>Thesaurus Masd 20:14</i>	DIP		
<i>Masd in Kleur; p. 50</i>	P		
<i>Icones Pleuro XXIII; p. 899-900</i>	DI		
tricarinata Lehm. & Krzl. = = <i>Pabstiella tripterantha</i>			
<i>Icones Pleuro XXVIII; p. 140 (5/2006)</i>			
triceratops Luer = <i>Dracula mopsis</i>			
<i>Icones Pleuro X; p. 140 (12/1993)</i>			
trichaete Rchb.f. = <i>Trisetella triglochis</i>			
<i>Icones Pleuro VI; p. 113 (8/1989)</i>			
trichroma Schltr = <i>Dracula iricolor</i>			
<i>Icones Pleuro X; p. 116 (12/1993)</i>			
tricolor Rchb.f. = <i>Masdevallia caudata</i>			
<i>Icones Pleuro XXIII; p. 807 (4/2002)</i>			
tricycla Luer - <i>Icones Pleuro XXIII; p. 971-972</i>	DI		
NEO; 3:1143	P		
tridactylites Rchb.f. = <i>Trisetella triglochis</i>			
<i>Icones Pleuro VI; p. 113 (8/1989)</i>			
tridens Rchb.f. = <i>Spilotantha tridens</i>			
<i>Icones Pleuro XXVIII; p. 15 (5/2006)</i>			
tridentata Lindl. = <i>Masdevallia infracta</i>			
<i>Icones Pleuro XIX; p. 101 (1/2000)</i>			
trifurcata Luer = <i>Luzama trifurcata</i>			
<i>Icones Pleuro XXVIII; p. 10 (5/2006)</i>			
trigonopetala Krzl. - <i>Thesaurus Masd 6:12</i>	DIP		
<i>Icones Pleuro XXII; p. 687-688</i>	DI		
<i>Masd in Kleur; p. 51</i>	P		
trinema Rchb.f. = <i>Dracula velutina</i>			
<i>Icones Pleuro X; p. 214 (12/1993)</i>			
trinemoides Krzl. = <i>Masdevallia fasciata</i>			
<i>Icones Pleuro XXV, p. 1219 (03/2003)</i>			
trionyx Krzl. = <i>Masdevallia falcago</i>			
<i>Thesaurus Masd 4:5 (1984)</i>			
trioön Sweet = <i>Masdevallia bangii</i>			
<i>Thesaurus Masd 6:2 (1985)</i>			
tripeta Rchb.f. = <i>Trisetella triglochis</i>			
<i>Icones Pleuro VI; p. 113 (8/1989)</i>			
triquetra Schweidw. = <i>Masdevallia infracta</i>			
<i>Icones Pleuro XIX; p. 101 (1/2000)</i>			
triseta Rchb.f. ex Krzl. = <i>Trisetella triglochis</i>			
<i>Icones Pleuro VI; p. 113 (8/1989)</i>			
trivenia Kgr. = <i>Masdevallia paquishae</i> Luer & Hirtz			
<i>Icones Pleuro XXI; p. 479 (11/2000)</i>			
trochilus Linden & André = <i>Alaticaulia trochilus</i>			
<i>Icones Pleuro XXVIII; p. 6 (5/2006)</i>			
truncata Luer - <i>Lindleyana 8(1); p. 55</i>			DI
<i>Treas of Masd 24:15</i>			DIP
<i>Icones Pleuro XXII; p. 689-690</i>			DI
<i>Masd in Kleur; p. 51</i>			P
NEO; 3:1147			I
tsubotae Luer = <i>Alaticaulia tsubotae</i>			
<i>Icones Pleuro XXVIII; p. 6 (5/2006)</i>			
tubata Schltr. - <i>Icones Pleuro XXIII; p. 1037-1038</i>			DI
tubuliflora Ames = <i>Acinopetala tubuliflora</i>			
<i>Icones Pleuro XXVIII; p. 3 (5/2006)</i>			
tubulosa Lindl. - <i>Icones Pleuro II; p. 39</i>			I
<i>Thesaurus Masd 11:14</i>			DIP
<i>Icones Pleuro XXII; p. 691-696</i>			DI
<i>Icones Orchid Peru pl. 303 (was syringodes)</i>			DI
<i>Orc of Ven FG 2; p. 511</i>			I
<i>Masd in Kleur; p. 49 (was syringodes)</i>			P
<i>Masd in Kleur; p. 51</i>			P
NCO; 2:333			P
VOI; 5, p. 178			DI
tubulosa ssp. syringodes (Luer & Andreetta) Luer =			
<i>Masdevallia tubulosa</i>			
<i>Thesaurus Masd 11:14 (1988)</i>			
tuerckheimii Ames = <i>Masdevallia floribunda</i>			
<i>Icones Pleuro XXII; p. 739 (9/2001)</i>			
ulei Schltr. = <i>Masdevallia wendlandiana</i>			
<i>Icones Pleuro XXII; p. 773 (9/2001)</i>			
uncifera Rchb.f. - <i>Thesaurus Masd 17:13</i>			DIP
<i>Icones Pleuro XXII; p. 697-698</i>			DI
NEO; 3:1148			P
uniflora H.B.K. = <i>Masdevallia bonplandii</i>			
<i>Thesaurus Masd 21:2 (1996)</i>			
uniflora Kunth = <i>Masdevallia coriacea</i>			
<i>Thesaurus Masd 4:4 (1984)</i>			
uniflora Ruiz & Pav. - <i>Icones Pleuro II; p. 34</i>			I
<i>Thesaurus Masd 1:11</i>			DIP
<i>Icones Pleuro XXII; p. 699-700</i>			DI
<i>Masd in Kleur; p. 51, 52</i>			P
urceolaris Krzl. - <i>Thesaurus Masd 1:12</i>			DIP
<i>Icones Pleuro XXII; p. 701-702</i>			DI
<i>Masd in Kleur; p. 52</i>			P
NCO; 6:1082			P
urosalpinx Luer = <i>Masdevallia constricta</i>			
<i>Icones Pleuro XXIII; p. 997 (4/2002)</i>			
urostachya Rchb.f. = <i>Masdevallia sceptrum</i>			
<i>Icones Pleuro XIX; p. 169 (1/2000)</i>			
ustulata Luer - <i>Treas of Masd 21:17</i>			DI
<i>Icones Pleuro XXII; p. 703-706</i>			DI
<i>Masd in Kleur; p. 52</i>			P
NEO; 3:1149			P
utriculata Luer = <i>Regalia utriculata</i>			
<i>Icones Pleuro XXVIII; p. 12 (5/2006)</i>			
valenciae Luer & Escobar - <i>Thesaurus Masd 14:15</i>			DIP
<i>Orquideologia XVI(3); p. 37, 38</i>			DI
<i>Masd in Kleur; p. 52</i>			P
NCO; 2:321			P
<i>Icones Pleuro XXIII; p. 901-902</i>			DI
vargasii C.Schweinf. = <i>Alaticaulia vargasii</i>			
<i>Icones Pleuro XXVIII; p. 6 (5/2006)</i>			
vasquezii Luer – <i>Treas of Masd 25:15</i>			DIP
<i>Icones Pleuro XXII; p. 707-708</i>			DI
<i>Orc of Bolivia Vol 1; p. 193</i>			I
veitchiana Rchb.f. - <i>Thesaurus Masd 9:14</i>			DIP
<i>Icones Orchid Peru pl. 305</i>			DI
<i>Masd in Kleur; p. 52</i>			P
<i>Icones Pleuro XXV; p. 1091-1094</i>			DI
veitchiana var <i>biflora</i> Rchb.f. = <i>Masdevallia veitchiana</i>			
<i>Icones Pleuro XXV, p. 1091</i>			

Masdevallia

- veitchiana* var **grandiflora** B.S. Williams = *Masdevallia veitchiana*
Icones Pleuro XXV, p. 1091
- velella* Luer = *Byrsella velella*
Icones Pleuro XXVIII; p. 8 (5/2006)
- velifera* Rchb.f. = *Byrsella velifera*
Icones Pleuro XXVIII; p. 8 (5/2006)
- velox* Kgr. = *Masdevallia dalessandroi*
Thesarus Masd 20:15(1998)
- venatoria** Luer & Malo - *Thesarus Masd 17:14*
Masd in Kleur; p. 53, 68
Icones Pleuro XXIII; p. 903-904
 NEO; 3:1151
- venezuelana* Sweet = *Triotosiphon venezuelana*
Icones Pleuro XXVIII; p. 16 (5/2006)
- ventricosa** Schltr. = *Masdevallia nidifica*
Thesarus Masd 10:8 (1987)
- ventricosa** Schltr. = *Buccella ventricosa*
Icones Pleuro XXVIII; p. 7 (5/2006)
- ventricularia** Rchb.f. - *Thesarus Masd 6:13*
Masd in Kleur; p. 53
 NCO; 2:335
Icones Pleuro XXIII; p. 1039, 1032 (replaced by IP XXV)
 (illustration for this should be 1032)
 NEO; 3:1153
Icones Pleuro XXV; p. 1039(1)-1040(1)
 (replaces IP XXIII)
- ventricularia ssp. filaria** (Luer & Escobar) Luer =
Masdevallia filaria
Icones Pleuro XXIII; p. 1003 (4/2002)
- ventricularia var. brevicaudata** Krzl. = *Masdevallia ventricularia*
Thesarus Masd 6:13 (1985)
- ventricularia var. longicaudata** Lehm. = *Masdevallia filaria*
Icones Pleuro XXIII; p. 1003 (4/2002)
- venus** Luer & Hirtz = *Alaticaulia venus*
Icones Pleuro XXVIII; p. 6 (5/2006)
- venusta** Schltr. – *Icones Pleuro XXV*; p. 1052
Masd in Kleur; p. 53
- verecunda** Luer - *Thesarus Masd 2:15*
Icones Pleuro XXII; p. 709-710
 Lindleyana 1(4); p. 272
Masd in Kleur; p. 53
 Orc of Ven FG 2; p. 513
- vexillifera** Luer - Lindleyana 8(1); P. 58
Icones Pleuro XXIII; p. 905-906
- vidua** Luer & Andreetta = *Megema vidua*
Icones Pleuro XXVIII; p. 11 (5/2006)
- vieirana** Luer & Escobar = *Zahleria vieirana*
Icones Pleuro XXVIII; p. 17 (5/2006)
- villegasii** Königler - *Masd in Kleur*; p. 68
- virens** Luer & Andreetta = *Alaticaulia virens*
Icones Pleuro XXVIII; p. 6 (5/2006)
- virgo-cuencae** Luer & Andreetta = *Alaticaulia virgo-cuencae*
Icones Pleuro XXVIII; p. 6 (5/2006)
- vittatula** Luer & R. Escobar = *Spilotantha vittatula*
Icones Pleuro XXVIII; p. 15 (5/2006)
- vomeris** Luer = *Alaticaulia vomeris*
Icones Pleuro XXVIII; p. 6 (5/2006)
- vulcanica** Lehm. & Krzl. = *Masdevallia anachaeta*
Thesarus Masd 3:2 (1984)
- wageneriana** Lindl. ex Lindl. - *Icones Pleuro II*; p. 35
Thesarus Masd 1:13
Masd in Kleur; p. 55
 VOI; 1, p. 216
Icones Pleuro XXIII; p. 973-974
 Orc of Ven FG 2; p. 514
- wageneriana** Lindl. ex Lindl. var. **colombiana** Braas =
Masdevallia pteroglossa
Thesarus Masd 10:13 (1987)
- wageneriana** Lindl. ex Lindl. var. **ecuadorensis** Braas =
Masdevallia persicina
Icones Pleuro XXIII; p. 953 (4/2002)
- wageneriana** Lindl. ex Lindl. var. **rodolfoi** Braas =
Masdevallia rodolfoi
Thesarus Masd 7:11 (1986)
- wallisii** Rchb.f. = *Dracula chimaera*
Icones Pleuro X; p. 52 (12/1993)
- DIP **walteri** Luer = *Reichantha walteri*
Icones Pleuro XXVIII; p. 13 (5/2006)
- DI **weberbaueri** Schltr. = *Alaticaulia weberbaueri*
Icones Pleuro XXVIII; p. 6 (5/2006)
- P **welischii** Luer - *Treas of Masd 21:15*
AOS Bulletin 49(12); p. 1340, 1345, 1346, 1347
Masd in Kleur; p. 55
 Selbyana 5(2); p. 152, 153
Icones Pleuro XXV; p. 1095-1096
- DIP **wendlandiana** Rchb.f. = *Acinopetala wendlandiana*
Icones Pleuro XXVIII; p. 3 (5/2006)
- P **whiteana** Luer = *Alaticaulia whiteana*
Icones Pleuro XXVIII; p. 6 (5/2006)
- DI **winniana** Rchb.f. = *Dracula roezlii*
Icones Pleuro X; p. 192 (12/1993)
- P **Xwubbenii** Luer - *Masd in Kleur*; p. 55
Icones Pleuro XXIII; p. 975-976
- DI **wuelfinghoffiana** Luer & Portilla – *Icones Pleuro XVIII*; p. 153, 157
Icones Pleuro XXIII; p. 907-908
Treas of Masd 28:15
- DIP **wuerstlei** Luer = *Alaticaulia wuerstlei*
Icones Pleuro XXVIII; p. 6 (5/2006)
- wurdackii** C.Schweinf. - *Thesarus Masd 6:15*
Icones Plant Trop, Ser II, Fasc 2; pl. 103
Masd in Kleur; p. 56
Icones Pleuro XXIII; p. 909-910
- DI **xanthina** Rchb.f. - Lindleyana 3(1); p. 59, 65
Thesarus Masd 16:15
Masd in Kleur; p. 56 (was ssp. *klabochorum* [spelling] is really *M. xanthina* – note the basal eye spot)
 Lindleyana 3(1); p. 64 (was *xanthina* ssp. *pallida*)
 Selbyana 2(4); p. 377 (was *pallida*)
Masd in Kleur; p. 56 (was *xanthina* ssp. *pallida*)
 NCO; 6:1086 (was *xanthina* ssp. *pallida*)
Icones Pleuro XXIII; p. 911-914
Icones Pleuro XXIII; p. F (was *xanthina* ssp. *pallida*)
 NEO; 3:1161
 NEO; 3:1163 (was *xanthina* ssp. *pallida*)
- P **xanthina** Rchb.f. ssp. **klabochorum** (Rchb.f.) Luer =
Masdevallia klabochorum
Icones Pleuro XXIII; p. 845 (4/2002)
- xanthina** Rchb.f. ssp. **mandarina** Luer & Escobar =
Masdevallia mandarina –
Icones Pleuro XXIII; p. 857 (4/2002)
- xanthina** Rchb.f. ssp. **pallida** (Woolw.) Luer = *Masdevallia xanthina*
Icones Pleuro XXIII; p. 911 (4/2002)
- xanthina** Rchb.f. var. **pallida** Woolw. = *Masdevallia xanthina*
Icones Pleuro XXIII; p. 911 (4/2002)
- xanthodactyla** Rchb.f. = *Masdevallia melanopus*
Thesarus Masd. 8:9 (1986)
- I **xanthura** Schltr. = *Masdevallia bicolor*
Icones Pleuro XIX; p. 35 (1/2000)
- DIP **xerophila** Lehm. & Krzl. = *Masdevallia pteroglossa*
Thesarus Masd 10:13 (1987)
- DI **xanthodactyla** Rchb.f. = *Spilotantha xanthodactyla*
Icones Pleuro XXVIII; p. 15 (5/2006)
- I **ximena** Luer & Hirtz = *Rodrigoa ximena*

Masdevallia

		<i>Icones Pleuro XXVIII; p. 14 (5/2006)</i>			
xipheres	Rchb.f. = <i>Porroglossum muscosum</i>				
	<i>Icones Pleuro IV; p. 58 (11/1987)</i>				
xiphium	Rchb.f. ex Krzl = <i>Masdevallia ensata</i>				
	<i>Icones Pleuro XXII; p. 563 (9/2001)</i>				
xylina	Rchb.f. = <i>Alaticaulia xylina</i>				
	<i>Icones Pleuro XXVIII; p. 6 (5/2006)</i>				
yauaperyensis	Barb. Rodr. = <i>Masdevallia wendlandiana</i>				
	<i>Icones Pleuro XXII; p. 773 (9/2001)</i>				
yungasensis	Hashimoto <i>ssp. calocodon</i> (Luer & Vásquez) Luer = <i>Masdevallia yungasensis</i>				
	<i>Icones Pleuro XXII; p. 711 (9/2001)</i>				
yungasensis	Hashimoto – Lindleyana 3(1); p. 68, 70	DI			
	Thesarus Masd 13:15	DIP			
	Orc of Bolivia Vol 1; p. 151, 194-195	IP			
	<i>Icones Pleuro XXII; p. 711-716</i>	DI			
	Masd in Kleur; p. 57	P			
	Lindleyana 3(1); p. 69, 70 (was yungasensis ssp calocodon)	DI			
	<i>Icones Plant Trop Fasc 6; pl. 541 (was calocodon)</i>	DI			
zahlbruckneri	Krzl. = <i>Zahleria zahlbruckneri</i>				
	<i>Icones Pleuro XXVIII; p. 17 (5/2006)</i>				
zamorensis	Luer & J.Portilla – <i>Icones Pleuro XXIII; p. 915-916</i>	DI			
	NEO; 3:1166	P			
	Selbyana 22(2); p. 116-117	DI			
	Treas of Masd 27:15	DIP			
zapatae	Luer & Escobar = <i>Petalodon zapatae</i>				
	<i>Icones Pleuro XXVIII; p. 11 (5/2006)</i>				
zebracea	Luer - Lindleyana 4(3); p. 126	DI			
	Treas of Masd 23:15	DIP			
	<i>Icones Pleuro XXII; p. 717-718</i>	DI			
	Masd in Kleur; p. 57	P			
zebrina	Porsch = <i>Dryadella zebrina</i>				
	<i>Icones Pleuro XXVII; p. 40 (3/2004)</i>				
zongoënsis	Luer & Hirtz - Lindleyana 10(4); p. 235	DI			
	Orc of Bolivia Vol 1; p. 196	I			
	<i>Icones Pleuro XXIII; p. 977-978</i>	DI			
zumbae	Luer = <i>Alaticaulia zumbae</i>				
	<i>Icones Pleuro XXVIII; p. 6 (5/2006)</i>				
zumbuehlerae	Luer = <i>Alaticaulia zumbuehlerae</i>				
	<i>Icones Pleuro XXXIX; p. 118 (8/2007)</i>				
zygia	Luer & Malo = <i>Spilotantha zygia</i>				
	<i>Icones Pleuro XXVIII; p. 15 (5/2006)</i>				
Masdevalliantha (these were Pleurothallis)					
longiserpens	(C.Schweinf.) Luer - <i>Icones Pleuro XXVIII; p. 91, 93</i>	DI			
masdevalliopsis	(Luer) Luer - <i>Icones Pleuro III; p. 46</i>	I			
	NEO; 4:1800	I			
	<i>Icones Pleuro XXVIII; P. 91</i>	D			
Megema (these were Masdevallia)					
cerastes	(Luer & Escobar) Luer - Thesarus Masd 5:3	DIP			
	Orquideologia XIII(1); p. 51-55, 57	DIP			
	Masd in Kleur; p. 9	P			
	<i>Icones Pleuro XXV; p. 1187-1188</i>	DI			
corniculata	(Rchb.f.) Luer - Thesarus Masd 10:2	DIP			
	Masd in Kleur; p. 12	P			
	NCO; 6:1077	P			
	NEO; 3:1009	P			
	<i>Icones Pleuro XXV; p. 1189-1190</i>	DI			
cucullata	(Lindl.) Luer - <i>Icones Pleuro II; p. 27</i>	I			
	Thesarus Masd 15:8	DIP			
	Masd in Kleur; p. 13	P			
	NCO; 2:326	P			
	NEO; 3:1011	P			
	<i>Icones Pleuro XXV; p. 1191-1192</i>				DI
delhierroi	(Luer & Hirtz) Luer - Lindleyana 8(1); p. 42	DI			
	Treas of Masd 23:6	DIP			
	Masd in Kleur; p. 14	P			
	NEO; 3:1018	P			
	<i>Icones Pleuro XXV; p. 1193-1194</i>	DI			
hercules	(Luer & Andreetta) Luer - Thesarus Masd 17:6	DIP			
	Lindleyana 3(4); p. 198	DI			
	Masd in Kleur; p. 21	P			
	NCO; 6:1074	P			
	NEO; 3:1048	P			
	<i>Icones Pleuro XXV; p. 1195-1196</i>	DI			
macrura	(Rchb.f.) Luer - Thesarus Masd 1:5	DIP			
	<i>Icones Pleuro XXI; p. 327-328</i>	DI			
	Masd in Kleur; p. 28	P			
	NCO; 2:320	P			
	Orquideologia XXIII(1); p. 7	P			
vidua	(Luer & Andreetta) Luer - Thesarus Masd 16:14	DIP			
	Lindleyana 3(4); p. 207	DI			
	Masd in Kleur; p. 54	P			
	<i>Icones Pleuro XXV; p. 1197-1198</i>	DI			
Mirandopsis (was Pleurothallis)					
miranda	(Luer) Szlach. & Marg. - <i>Icones Pleuro XXIX; p. 96,</i>	D			
	<i>Icones Pleuro III; p. 49</i>	I			
	NEO; 4:1809	P			
Mixis (this was Pleurothallis)					
incongrua	(Luer) Luer – Orquideologia XXI(2); p. 127, 128	DI			
	<i>Icones Pleuro XXIX; p. 97, 104</i>	DI			
Muscarella (these were Pleurothallis)					
ancora	(Luer & Vásquez) Luer - <i>Icones Plant Trop, Fasc 6; pl. 576</i>	DI			
	Orc of Bolivia Vol 1; p. 249, 268	IP			
	<i>Icones Pleuro XXVIII; p. 95, 126</i>	DI			
aristata	(Hook.) Luer - Selbyana 1(2); p. 172	DI			
	Selbyana 10(1); p. 102, 134	DI			
	<i>Icones Orchid Peru pl. 349</i>	DI			
	VOI; 1, p. 304 (was barberiana)	DI			
	Orc of Ven FG 3; p. 753	I			
	NEO; 4:1738	P			
	<i>Icones Pleuro XXVIII; p. 96-97, 126</i>	DI			
catoxys	(Luer & Hirtz) Luer – Lindleyana 11(3); p. 151, 152	DI			
	<i>Icones Pleuro XXVIII; p. 97, 126</i>	DI			
cestrochila	(Garay) Luer - Selbyana 3(3,4); p. 260	DI			
	NEO; 4:1753	I			
	<i>Icones Pleuro XXVIII; p. 97-98, 126</i>	DI			
claviculata	(Luer & Hirtz) Luer – Lindleyana 11(3); p. 153, 154	DI			
	NEO; 4:1754	P			
	<i>Icones Pleuro XXVIII; p. 98, 127</i>	DI			
clavigera	(Luer) Luer - Selbyana 3(3,4); p. 268	DI			
	<i>Icones Pleuro XXVIII; p. 99, 127</i>	DI			
coeloglossa	(Luer & Hirtz) Luer – Lindleyana 11(3); p. 154	DI			
	<i>Icones Pleuro XXVIII; p. 99-100, 127</i>	DI			
corynettes	(Luer & Vásquez) Luer -				
	<i>Icones Pleuro XXVIII; p. 100, 127</i>	DI			
cynocephala	(Luer) Luer - Selbyana 5(2); p. 163	D			
	<i>Icones Pleuro XXVIII; p. 100-101, 128</i>	DI			
delicatula	(Lindl.) Luer - <i>Icones Pleuro XXVIII; p. 101, 128</i>	DI			
echinodes	(Luer & Escobar) Luer – Orquideologia XVI(1); p. 24, 25	DI			
	<i>Icones Pleuro XXVIII; p. 101-102, 128</i>	DI			
exesilabia	(Heller & Hawkes) Luer –				
	Selbyana 11(S); p. 644 (spelling)	I			
	VOI; 6, p. 340 (spelling exesilabia)	DI			

Muscarella

Orc of Ven FG 3; p. 782	I	tamboënsis (Luer & Escobar) Luer –	
NEO; 4:1768	P	Orquideologia XIV(2); p. 174, 175	DI
Icones Pleuro XXVIII; p. 102-103, 128	DI	Icones Pleuro XXVIII; p. 119-120, 136	DI
fimbriata (Ames & C.Schweinf.) Luer -		tempestalis (Luer) Luer - Selbyana 3(3,4); p. 396	DI
Icones Pleuro XXVIII; p. 103, 129	DI	Icones Pleuro XXVIII; p. 120, 136	DI
fuchsii (Luer) Luer - Selbyana 1(3); p. 244	DI	trullifera (Luer & Hirtz) Luer – Lindleyana 11(3); p. 190, 191	DI
Icones Pleuro XXVIII; p. 104, 129	DI	NEO; 4:1866	P
furcatipetala (Luer & Hirtz) Luer – Bolivia Rev 3(1,2); p. 50, 51	DI	Icones Pleuro XXVIII; p. 120-121, 136	DI
NEO; 4:1772	P	Selbyana 23(1); p. 35-36, 37(was P. discalis)	DI
Icones Pleuro XXVIII; p. 104-105, 129	DI	NEO; 4:1763 (was P. discalis)	P
gongylodes (Luer) Luer- Selbyana 5(2); p. 166, 167	D	tsubotae (Luer & Escobar) Luer – Orquideologia XX(1); p. 87, 88	DI
NEO; 4:1774	P	Icones Pleuro XXVIII; p. 121-122, 137	DI
Icones Pleuro XXVIII; p. 105, 129	DI	villosilabia (Luer & Hirtz) Luer – Selbyana 23(1); p. 41, 42	DI
helenae (Fawc. & Rendle) Luer -	DI	Icones Pleuro XXVIII; p. 122, 137	DI
Icones Pleuro XXVIII; p. 105-106, 130	DI	wernerii Luer - Icones Pleuro XXVIII; p. 122-123, 137	DI
herpestes (Luer) Luer - Selbyana 5(2); p. 167, 168	D	xanthella (Luer) Luer - Icones Pleuro IX; p. 128	I
Icones Pleuro XXVIII; p. 106, 130	DI	Selbyana 1(3); p. 300	DI
ichthyonekys (Luer) Luer - Selbyana 3(3,4); p. 316	DI	NEO; 4:1878	P
NEO; 4:1781	I	Icones Pleuro XXVIII; p. 123, 137	DI
Icones Pleuro XXVIII; p. 106-107, 130	DI	xyloura Luer & Hirtz - Icones Pleuro XXVIII; p. 123-124, 138	DI
infinita (Luer & Hirtz) Luer – Orc of Bolivia Vol 1; p. 309	I	zephyrina (Rchb.f.) Luer - Orc of Ven FG 3; p. 870	I
Icones Pleuro XXVIII; p. 107, 130	DI	Icones Pleuro XXVIII; p. 124-125, 138	DI
intonsa (Luer & Escobar) Luer – Orquideologia XIV(2); p. 156, 157	DI	Selbyana 1(3); p. 288 (was P. setigera)	DI
NCO; 3:502	P	Icones Plant Trop, Ser II, Fasc 2; pl. 159 (was P. setigera)	DI
Icones Pleuro XXVIII; p. 107-108, 131	DI	Icones Orchid Peru pl. 356 (was P. setigera)	DI
kennedyi (Luer) Luer - Selbyana 3(3,4); p. 326	DI	Orc of Bolivia Vol 1; p. 344 (was P. setigera)	I
Icones Pleuro XXVIII; p. 108, 131	DI	VOI; 4, p. 242 (was P.setigera)	DI
latilabris (Foldats) Luer - VOI; 6, p. 350	DI		
Orc of Ven FG 3; p. 805	I		
Icones Pleuro XXVIII; p. 108-109, 131	DI		
lipothrix (Luer) Luer - Icones Pleuro XXVIII; p. 109, 131	DI		
llamachoi (Luer) Luer - Lindleyana 13(3); p. 146	DI		
Icones Pleuro XXVIII; p. 109-110, 132	DI		
longilabris (Lindl.) Luer - Icones Pleuro XXVIII; p. 110, 132	DI		
macroblepharis (Rchb.f.) Luer - NEO; 4:1799	P		
Icones Pleuro XXVIII; p. 110-111, 132	DI		
marginata (Rich.) Luer - Icones Pleuro XXVIII; p. 111-112, 132	DI	affinoides Luer = <i>Myoxanthus herzogii</i>	
Icones Pleuro III; p. 90 (was P. hastata)	I	<i>Icones Pleuro XI; p. 120 (12/1994)</i>	
Selbyana 11(S); p. 655 (was P. hastata)	I	antennifer Luer & Hirtz - Icones Pleuro IX; p. 18, 19	DI
megalops (Luer) Luer - Selbyana 7(1); p. 118	D	NEO; 3:1323	P
NEO; 4:1804	P	aspasicensis (Rchb.f.) Luer = <i>Pleurothallis aspasicensis</i>	
Icones Pleuro XXVIII; p. 113, 133	DI	<i>Icones Pleuro XII; p. 146 (12/1995)</i>	
oblonga (Luer & Hirtz) Luer – Lindleyana 11(3); p. 174	DI	balaeniceps (Luer & Dressler) Luer = <i>Pleurothallis balaeniceps</i>	
NEO; 4:1813	P	<i>Icones Pleuro XII; p. 146 (12/1995)</i>	
Icones Pleuro XXVIII; p. 113, 133	DI	beyrichii (Rchb.f.) Luer = <i>Pleurothallis scabripes</i>	
perangusta (Luer) Luer - Selbyana 3(1,2); p. 162	DI	<i>Icones Pleuro IX; p. 6 (11/1992)</i>	
NEO; 4:1823	I	ceratothallis (Rchb.f.) Luer - Icones Pleuro IX; p. 20-22	DI
Icones Pleuro XXVIII; p. 114, 133	DI	Orc of Bolivia Vol 1; p. 202	I
quinqusetata (Ames) Luer - Icones Pleuro XXVIII; p. 114, 133	DI	NCO; 6:1162	P
rojohnii Luer - Icones Pleuro XXVIII; p. 115, 134	DI	VOI; 1, p. 312 (was <i>Pleurothallis ceratothallis</i>)	DI
samacensis (Ames) Luer - Selbyana 1(3); p. 278	DI	VOI; 2, p. 284 (was <i>Pleurothallis lancipetala</i>)	DI
VOI; 4, p. 240	DI	NEO; 3:1324	P
Orc of Ven FG 3; p. 840	I	chloë (Luer & Vásquez) Luer - Icones Pleuro IX; p. 22-24	DI
NEO; 4:1840	P	Selbyana 7(1); p. 37	I
Icones Pleuro XXVIII; p. 115-116, 134	DI	Orc of Bolivia Vol 1; p. 203	I
schudelii (Luer & Hirtz) Luer – Selbyana 23(1); p. 40-41	DI	cimex Luer & Escobar - Icones Pleuro IX; p. 24, 25	DI
NEO; 4:1847	P	Orquideologia XIV(2); p. 140, 141	DI
Icones Pleuro XXVIII; p. 116, 134	DI	colothrix (Luer) Luer - Icones Pleuro IX; p. 26, 27	DI
semperflorens (Lindl.) Luer - VOI; 1, p. 348	DI	Selbyana 7(1); p. 38	I
Orc of Ven FG 3; p. 845	I	NEO; 3:1325	I
Icones Pleuro XXVIII; p. 117, 134	DI	dasyllis Luer & Hirtz - Icones Pleuro IX; p. 28, 29	DI
sibatensis (Lehm. & Kraenzl.) Luer -	DI	NEO; 3:1326	I
Icones Pleuro XXVIII; p. 117-118, 135	DI	ephelis (Luer) Luer - Icones Pleuro IX; p. 30, 31	DI
strumosa (Ames) Luer - Icones Pleuro XXVIII; p. 118-119, 135	DI	Selbyana 1(4); p. 416 (was <i>Pleurothallis</i>)	DI
stumpfleii (Luer) Luer - Selbyana 5(2); p. 182, 183	D	NEO; 3:1327	I
Icones Pleuro XXVIII; p. 119, 135-136	DI	epibator Luer & Escobar - Icones Pleuro IX; p. 30, 32, 33	DI
Icones Orchid Peru pl. 357 (was P. stumpfleii)	DI	NEO; 3:1328	I

Myoxanthus

eumeces (Luer) Luer - Icones Pleuro IX; p. 32, 34, 35 Selbyana 7(1); p. 39 Selbyana 5(2); p. 164, 165 (was <i>Pleurothallis eumeces</i>) NEO; 3:1329	DI I D I	Selbyana 3(3,4); p. 354 <i>pan</i> (Luer) Luer = <i>Pleurothallis pan</i> <i>Icones Pleuro XII</i> ; p. 146 (12/1995)	DI DI
exasperatus (Lindl.) Luer - Icones Pleuro IX; p. 34, 36-37 Selbyana 1(3); p. 260 (was <i>Pths peduncularis</i>) Selbyana 4; p. 180 (was <i>Pths peduncularis</i>) Selbyana 7(1); p. 40 Selbyana 11(S); p. 643 (was <i>Pths exasperata</i>) VOI; 2, p. 292 (was <i>Pleurothallis peduncularis</i>) NEO; 3:1330, 1331 Orc of Ven FG 2; p. 608	DI DI DI I I DI IP I	<i>parahybunensis</i> (Barb.Rodr.) Luer = <i>Myoxanthus exasperatus</i> <i>Icones Pleuro IX</i> ; p. 34 (11/1992) parvilabius (C.Schweinf.) Luer - Icones Pleuro IX; p. 68, 69 Selbyana 7(1); p. 46 NEO; 3:1341 <i>pastacensis</i> (Luer) Luer = <i>Myoxanthus aspasicensis</i> <i>Icones Pleuro IX</i> ; p. 100 (11/1992) priapus Luer - Icones Pleuro IX; p. 70, 71 NEO; 3:1342	DI DI DI I I DI P
fimbriatus Luer & Hirtz - Icones Pleuro IX; p. 38, 39 NEO; 3:1332	DI P	pulvinatus (Barb.Rodr.) Luer - Icones Pleuro IX; p. 72, 73 punctatus (Barb.Rodr.) Luer - Icones Pleuro IX; p. 74, 75	DI DI
frutex (Schltr.) Luer - Icones Pleuro IX; p. 40, 41 Selbyana 7(1); p. 41 Orc of Bolivia Vol 1; p. 200, 204	DI I IP	Selbyana 7(1); p. 48 reymondii (Karst) Luer - Icones Pleuro IX; p. 74, 76-77 NCO; 3:393	I DI P
georgei (Luer) Luer - Icones Pleuro IX; p. 42, 43 Selbyana 1(3); p. 246 (was <i>Pleurothallis</i>) NEO; 3:1333	DI DI P	VOI; 1, p. 342 (was <i>Pleurothallis reymondii</i>) NEO; 3:1343 Orc of Ven FG 2; p. 612 (spelled <i>reymondii</i>)	DI DI I
gorgon Luer - Icones Pleuro IX; p. 44, 45 NEO; 3:1334, 1335	DI IP	sarcodactylae (Luer) Luer - Icones Pleuro IX; p. 78, 79 NEO; 3:1344	DI P
gyas (Luer & Vásquez) Luer - Icones Pleuro IX; p. 46, 47 Selbyana 7(1); p. 42 Orc of Bolivia Vol 1; p. 205	DI I I	<i>scabripes</i> (Lindl.) Luer = <i>Pleurothallis scabripes</i> <i>Icones Pleuro IX</i> ; p. 7 (11/1992) scandens (Ames) Luer - Icones Pleuro IX; p. 78, 80-81	DI DI DI
herzogii (Schltr.) Luer - Icones Pleuro XI; p. 120 Icones Pleuro IX; p. 16 (was <i>affinoides</i>) Orc of Bolivia Vol 1; p. 206	D DI I	Selbyana 3(1,2); p. 160 (was <i>Pleurothallis pennellia</i>) Selbyana 3(1,2); p. 180 Selbyana 10(1); p. 98, 132 NEO; 3:1345, 1346	DI DI DI IP
hirsuticaulis (Ames & Schweinf.) Luer - Icones Pleuro IX; p. 48, 49 Selbyana 3(3,4); p. 314 (was <i>Pleurothallis</i>)	DI DI	seidelii (Pabst) Luer - Icones Pleuro XV; p. 132, 134, 135 <i>sempergemmatus</i> (Luer) Luer = <i>Pleurothallis sempergemmatus</i> <i>Icones Pleuro XII</i> ; p. 146 (12/1995)	DI DI
<i>hirtipes</i> (Schltr.) Luer = <i>Pleurothallis hirtipes</i> <i>Icones Pleuro IX</i> ; p. 7 (11/1992)			
hirtzii Luer - NEO; 3:1336	P	serripetalus (Krzl.) Luer - Icones Pleuro IX; p. 82, 83	DI
hystrix (Rchb.f.) Luer - Icones Pleuro IX; p. 50, 51 Icones Pleuro in Color I; p. 2 NCO; 3:391 VOI; 4, p. 220 (was <i>Pleurothallis hystrix</i>) Orc of Ven FG 2; p. 609	DI P P DI I	Selbyana 7(1); P. 50 NEO; 3:1347 simplicicaulis (C.Schweinf.) Luer - Icones Pleuro IX; p. 84, 85 Selbyana 3(3,4); p. 388 Orc of Ven FG 2; p. 613	I P DI DI I
lancipetalus (Karst.) Luer = <i>Myoxanthus ceratothallis</i> <i>Icones Pleuro IX</i> ; p. 7 (11/1992)		speciosus (Luer) Luer - Icones Pleuro IX; p. 86, 87 Selbyana 3(3,4); p. 392	DI DI
lappiformis (Heller & L.O.Williams) Luer = <i>Pleurothallis lappiformis</i> <i>Icones Pleuro XII</i> ; p. 146 (12/1995)		spilanthus (Barb.Rodr.) Luer = <i>Pleurothallis spilantha</i> <i>Icones Pleuro IX</i> ; p. 7 (11/1992)	
lonchophyllus (Barb. Rodr.) Luer - Icones Pleuro IX; p. 52, 53 Selbyana 7(1); p. 44	DI I	<i>stonei</i> (Luer) Luer = <i>Pleurothallis stonei</i> <i>Icones Pleuro XII</i> ; p. 146 (12/1995)	
mejiae (Garay & Dunst.) Luer - Icones Pleuro IX; p. 54, 55 VOI; 6, p. 354 (was <i>Pleurothallis mejiae</i>) Orc of Ven FG 2; p. 610	DI DI I	trachyclamys (Schltr.) Luer - Icones Pleuro IX; p. 88, 89 Selbyana 3(1,2); p. 192 Selbyana 11(S); p. 515	DI DI I
melittanthus (Schltr.) Luer - Icones Pleuro I; p. 39 Icones Pleuro IX; p. 56, 57 Selbyana 7(1); p. 45 NCO; 3:392	I DI I P	VOI; 4, p. 246 (was <i>Pleurothallis trachyclamys</i>) NEO; 3:1348 Orc of Ven FG 2; p. 614	DI DI I
merae (Luer) Luer - Icones Pleuro IX; p. 58, 59 Selbyana 3(1,2); p. 144 (was <i>Pleurothallis</i>) NEO; 3:1337, 1338	DI DI IP	uncinatus (Fawc.) Luer = <i>Pleurothallis uncinatus</i> <i>Icones Pleuro XII</i> ; p. 146 (12/1995)	DI DI
monophyllus Poepp. & Endl. - Icones Pleuro IX; p. 58, 60-61 Selbyana 1(3); p. 264 (was <i>Pleurothallis poeppigii</i>) NEO; 3:1339	DI DI I P	uxorius (Luer) Luer - Icones Pleuro IX; p. 90, 91 Selbyana 7(1); p. 52 Selbyana 5(2); p. 186, 187 (was <i>Pleurothallis uxoria</i>) NEO; 3:1349	DI DI D P
montanus Ortiz – Orquideologia XX(3); p. 317, 320, 322	DIP	vittatus Pupulin & M.A.Blanco = <i>Echinosepala vittata</i> <i>Icones Pleuro XXIX</i> ; p. 119 (8/2007)	
neillii Luer & Dodson - Icones Pleuro IX; p. 62, 63 NEO; 3:1340	DI I	wernerii Luer – Icones Pleuro XXVIII; p. 251, 258	DI
octomeriae (Schltr.) Luer - Icones Pleuro IX; p. 62, 64-66 Selbyana 1(3); p. 312 (misidentified as <i>octomerioides</i>) Selbyana 1(4); p. 426 (was <i>Pths octomeriae</i>) Selbyana 11(S); p. 514 VOI; 6, p. 364 (was <i>Pleurothallis ramentacea</i>) Orc of Ven FG 2; p. 611	DI DI D I DI I	xiphion Luer - Icones Pleuro IX; p. 92, 93 Selbyana 7(1); p. 51 NEO; 3:1350	DI DI I
octomerioides (Lindl.) Luer - Icones Pleuro IX; p. 66, 67	DI	Mystacorchis (was <i>Pleurothallis</i>)	
		mystax Luer - Icones Pleuro III; p. 51	I

Octomeria

Selbyana 3(1,2); p. 146
 Icones Pleuro XXIX; p. 98

Nephantha (was Pleurothallis)

gelida (Lindl.) Luer - Lindleyana 1(4); p. 306
 Selbyana 3(3,4); p. 306
 Selbyana 1(S); p. 650, 651
 Icones Pleuro XX; p. 68-69, 94
 Selbyana 4; p. 184 (was univaginata)
 Orc of Ven FG 3; p. 790
pidax (Luer) Luer = Selbyana 5(2); p. 174, 175

Octomeria

albo-rosea Kraenzl. = *Acianthera albo-rosea*
Icones Pleuro XXVI; p. 253 (2/2004)
anomala Garay & Dunst. - VOI; 6, p. 284
 Orc of Ven FG 2; p. 630
auriculata Luer & Dalström - Selbyana 23(1); p. 26, 27-29
boliviensis Rolfe - Icones Plant Trop Ser II Fasc 3; pl. 265
 Orc of Bolivia Vol 1; p. 211
bomboizae Luer - NEO; 3:1369, 1370
 Selbyana 23(1); p. 29, 30
brevifolia Cogn. - Icones Pleuro I; p. 41
 Orc of Bolivia Vol 1; p. 212
 VOI; 2, p. 234
 NEO; 3:1371, 1372
callosa Luer - NEO; 3:1373
complanata C. Schweinf. - VOI; 5, p. 200
connellii Rolfe - Orc of Ven FG 2; p. 631
cordilabia C. Schweinf. - VOI; 4, p. 165
 Orc of Ven FG 2; p. 632
dalstroemii Luer - NEO; 3:1374, 1375
 Selbyana 22(2); p. 117, 118
deltoglossa Garay - VOI; 1, p. 254
dentifera C. Schweinf. - Orc of Ven FG 2; p. 633
erosilabia Schweinf. - VOI; 1, p. 256
 Orc of Ven FG 2; p. 634
excentrica Luer = *Atopoglossum excentricum*
Icones Pleuro XXVI; p. 255 (2/2004)
exigua C. Schweinf. - Orc of Ven FG 2; p. 635, 636
ffrenchiana Ph. Feldmann & Barré - Lindleyana 11(3); p. 198, 201
filifolia C. Schweinf. - VOI; 2, p. 236
 Orc of Ven FG 2; p. 637
flaviflora C. Schweinf. - VOI; 5, p. 202
 Orc of Ven FG 2; p. 638
graminiflora (L.) R.Br. - Selbyana 10(1); p. 99, 133
 Selbyana 11(S); p. 534
 VOI; 4, p. 164
 NEO; 3:1376, 1377
 Orc of Ven FG 2; p. 639
grandiflora Lindl. - VOI; 6, p. 286
 NEO; 3:1378, 1379
 Orc of Ven FG 2; p. 640
hirtzii Luer - NEO; 3:1380
 Selbyana 23(1); p. 29, 30, 31
integrilabia C. Schweinf. - VOI; 3, p. 202
 Orc of Ven FG 2; p. 641
kestrochila Garay & Dunst. - VOI; 6, p. 288
lamellaris Luer - Selbyana 23(1); p. 30, 32-33
lancipetala C. Schweinf. - VOI; 5, p. 205
 Orc of Ven FG 2; p. 642
medinae Luer & Hirtz - NEO; 3:1381
 Selbyana 23(1); p. 33, 34

DI **minor** C. Schweinf. - VOI; 5, p. 206 DI
 D Orc of Ven FG 2; p. 643 I
monetalis Luer = *Restrepiopsis monetalis*
Icones Pleuro VIII; p. 102 (8/1991)
nana C. Schweinf. - VOI; 4, p. 166 DI
 Orc of Ven FG 2; p. 644 I
nemorosa (Barb.Rodr.) Luer - Icones Pleuro I; p. 49 I
 Icones Pleuro VIII; p. 80, 81 (was Pleurothallopsis) DI
oncidioides Luer - Orc of Bolivia Vol 2; p. 405 I
parvifolia Rolfe - VOI; 6, p. 290 DI
 Orc of Ven FG 2; p. 645 I
portillae Luer & Hirtz - Icones Pleuro XXVI; p. 235, 241 DI
prostrata H. Stenzel = *Atopoglossum prostratum*
Icones Pleuro XXVI; p. 255 (2/2004)
rotundata Luer - NEO; 3:1382 I
 Selbyana 22(2); p. 117-119 DI
scirpoidea (Poepp. & Endl.) Rchb.f. - Orc of Ven FG 2; p. 646 I
semiconnata C. Schweinf. - NEO; 3:1383 I
spathulata Rchb.f. - VOI; 4, p. 168 DI
 Orc of Ven FG 2; p. 647 I
splendida Garay & Dunst. - VOI; 6, p. 292 DI
 Orc of Ven FG 2; p. 648 I
steyermarkii Garay & Dunst. - VOI; 3, p. 204 DI
 Orc of Ven FG 2; p. 649 I
surinamensis Focke - Selbyana 11(S); p. 535 I
 NCO; 3:398, 399 P
 VOI; 1, p. 258 DI
 Orc of Ven FG 2; p. 650 I
taracuana Schltr. - VOI; 3, p. 206 DI
 Orc of Ven FG 2; p. 651 I
valerioi Ames & Schweinf. - Selbyana 11(S); p. 536 I
ximeneae Luer & Hirtz - NEO; 3:1384 P
 Selbyana 23(1); p. 33, 34-35 DI
yauperyensis Barb.Rodr. - NEO; 3:1385, 1386 IP
 Orc of Ven FG 2; p. 652 I
Ogygia (was Pleurothallis)
unguicallosa (Ames & C. Schweinf.) Luer -
 Icones Pleuro XXVIII; p. 252 D
Ophidion
cunabulum (Luer & Escobar) Luer - Icones Pleuro I; p. 44 I
 Orquideologia XIV (2); p. 114, 115 (was Cryptophoranthus) DI
 NCO; 3:449 P
 Icones Pleuro XXVI; p. 207, 209 DI
cymbula (Luer) Luer - Icones Pleuro XXVI; p. 207, 209 DI
 NEO; 4:1574 P
dasyglossum Luer & Escobar -
 Orquideologia XIV (2); p. 116, 117 (was Cryptophoranthus) DI
 NCO; 3:451 (spelling - dasyglossa) P
 Icones Pleuro XXVI; p. 208, 209 DI
pleurothallopsis (Krzl.) Luer - Selbyana 7 (1); p. 81 I
 Orc of Bolivia Vol 1; p. 216, 217 IP
 Icones Pleuro in Color I; p. 2 P
 NCO; 3:450 P
 VOI; 6, p. 100 (was Cryptophoranthus pleurothallopsis) DI
 Orc of Ven FG 2; p. 707 I
 Icones Pleuro XXVI; p. 208, 209 DI
 NEO; 4:1575 P
Orbis (was Pleurothallis)
truncata (Lindl.) Luer - Icones Pleuro III; p. 68 I
 Selbyana 1(1); p. 98 DI

Pabstiella

Icones Pleuro XVII; pl. 3-4, 47
NEO; 4:1867

Pabstiella (was Pleurothallis)

aryter (Luer) F.Barros = *Ronaldella aryter*
Icones Pleuro XXVIII; p. 195 (5/2006)

determannii (Luer) F.Barros = *Ronaldella determannii*
Icones Pleuro XXVIII; p. 196 (5/2006)

alligatorifera (Rchb.f.) Luer

arcuata (Lindl.) Luer – *Icones Pleuro XX*; p. 59-60, 90

avenacea (Ames) Luer

aveniformis (Hoehne) Luer

bacillaris (Pabst) Luer

bowmannii (Rchb.f.) Luer

bradei (Schltr.) Luer

calcarata (Cogn.) Luer

campestris (Barb.Rodr.) Luer

carinifera (Barb.Rodr.) Luer (was *Lepanthes carinifera*)

carrisi (Brade) Luer

castellensis (Brade) Luer

conspersa (Hoehne) Luer

cordilabia (Pabst) Luer

crassicaulis (Barb.Rodr.) Luer

crenata (Lindl.) Luer – *Icones Pleuro XX*; p. 63-64, 91

crinita (Barb.Rodr.) Luer - *Selbyana* 3(3,4); p. 280
Orc of Bolivia Vol 1; p. 253, 286

curt-bradei (Pabst) Luer

dutrai (Pabst) Luer

elegantula (Cogn.) Luer

ephemera (Lindl.) Luer - *Selbyana* 3(3,4); p. 296

ezechiasi (Hoehne) Luer

fasciata (Seehawer) Luer

filiformis (Cogn.) Luer

fluminensis (Pabst) Luer

garayi (Pabst) Luer

ghillanyi (Pabst) Luer

gonzalesii (Pabst) Luer

gomes-ferreiraei (Pabst) Luer

gracilicaulis (Seehawer) Luer

hains (Lindl.) Luer

hymenantha (Lindl.) Luer

hypnicola (Lindl.) Luer

leptotifolia (Barb.Rodr.) Luer

leucopyramis (Rchb.f.) Luer

lineolata (Barb.Rodr.) Luer - (was *Lepanthes lineolata*)

lingua (Lindl.) Luer

matinhensis (Hoehne) Luer

miniato-lineolata (Hoehne) Luer

miragliae (Leite) Luer

mouraeoides (Hoehne) Luer

parvifolia (Lindl.) Luer – *Icones Plant Trop Ser II Fasc 3*; pl. 282
Orc of Bolivia Vol 1; p. 325
VOI; 5, p. 242
Orc of Ven FG 3; p. 821
NEO; 4:1821
Icones Pleuro XXVIII; p. 139, 143

pauloënsis (Hoehne & Schltr.) Luer

pleurothalloides (Cogn.) Luer

podoglossa (Hoehne) Luer

pristeoglossa (Rchb.f.) Luer

punctatifolia (Barb.Rodr.) Luer

quadridentata (Barb.Rodr.) Luer

robertoi (Luer & Tuscano) Luer - *Selbyana* 23(2); p. 186, 189-190

rostriflora (Rchb.f.) Luer

rubrolineata (Hoehne) Luer

DI **ruschii** (Hoehne) Luer

P **sarcopetala** (Barb.Rodr.) Luer

sordida (Kraenzl.) Luer

sparsiflora (Schltr.) Luer

spathuliglossa (Hoehne) Luer

tabacina (Barb.Rodr.) Luer

tenera (Barb.Rodr.) Luer

transparens (Schltr.) Luer

trimeropetala (Pabst) Luer

trifida (Lindl.) Luer

DI **tricolor** (Barb.Rodr.) Luer

tripterantha (Rchb.f.) Luer - *Icones Pleuro III*; p. 95

Selbyana 1(1); p. 96

Icones Plant Trop Ser II Fasc 3; pl. 286

Icones Pleuro XX; p. 86-87, 100

Orc of Bolivia Vol 1; p. 261, 353

VOI; 1, p. 340 (was *procumbens*)

Orc of Ven FG 3; p. 863 (was *tripterygia*)

Icones Pleuro XXVIII; p. 140-141, 143

truncicola (Rchb.f.) Luer

uniflora Lindl. - VOI; 6, p. 370

variegata (Barb.Rodr.) Luer

vellozoana (Schltr.) Luer

verboonenii (Luer & Tuscano) Luer –

Selbyana 23(2); p. 193,194-195

DI **versicolor** (Porsch) Luer

DI **wacketii** (Handro & Pabst) Luer

I **yauaperyensis** (Barb.Rodr.) F.Barros –

VOI; 4, p. 250 (spelled *yauaperiensis*)

Orc of Ven FG 3; p. 869 (spelled *yauaperiensis*)

Icones Pleuro XXVI; p. 74-75, 108

DI VOI; 2, p. 272 (was *P. consimilis*)

DI *Icones Pleuro XXVIII*; p. 141-142, 143

DI *Selbyana* 3(1,2); p. 142 (was *P. mentosa*)

DI Orc of Bolivia Vol 1; p. 258, 318 (was *P. mentosa*)

IP VOI; 1, p. 334 (was *P. mentosa*)

DI Orc of Ven FG 3; p. 809 (was *P. mentosa*)

I

Panmorphia (was Pleurothallis)

OTHER THAN BRAZIL

abbreviata (Schltr.) Luer - *Selbyana* 1(3); p. 220

Orc of Bolivia Vol 1; p. 263

NEO; 4:1727

Icones Pleuro XXVIII; p. 145-146, 178

DI **angulosa** (Luer & Hirtz) Luer – *Lindleyana* 11(3); p. 146, 147

Icones Pleuro XXVIII; p. 146, 178

DI **barbulata** (Lindl.) Luer - *Selbyana* 1(1); p. 60

Orc of Bolivia Vol 1; p. 276

I VOI; 1, p. 306

DI Orc of Ven FG 3; p. 754

I *Icones Pleuro XXVIII*; p. 146-148, 178

DI *Selbyana* 11(S); p. 620 (was *P. abjecta*)

I DI *Orquideologia XX*(2); p. 218, 219 (was *P. minutissima*)

DI **brevipes** (Focke) Luer - *Selbyana* 3(1,2); p. 66

DI Orc of Bolivia Vol 1; p. 250

P VOI; 6, p. 330

DI Orc of Ven FG 3; p. 760

I *Icones Pleuro XXVIII*; p. 148, 179

DI **burzlaffiana** (Luer & Sijm) Luer – *Bolivia Rev* 3(1,2); p. 43, 45, 46

DI *Icones Pleuro XXVIII*; p. 149, 179

DI **casualis** (Ames) Luer - *Icones Pleuro XXVIII*; p. 149-150, 179

DI **caudatipetala** (C.Schweinf.) Luer

Icones Pleuro XXVIII; p. 150, 179

DI **clandestina** (Lindl.) Luer -

Myoxanthus

Icones Pleuro XXVIII; p. 150-151, 180	DI	Icones Pleuro XXVIII; p. 166-167, 186	DI
Selbyana 5(2); p. 188 (was <i>P. zorrochensis</i>)	D	minima (C.Schweinf.) Luer = VOI; 6, p. 358	DI
comayaguensis (Ames) Luer - Icones Orchid, Fasc 1; p. 88	DI	Orc of Ven FG 3; p. 811	I
Icones Pleuro XXVIII; p. 151-152, 180	DI	Icones Pleuro XXVIII; p. 167, 187	DI
cuspidata (Luer) Luer - Selbyana 3(3,4); p. 282	DI	minutalis (Lindl.) Luer - Selbyana 1(3); p. 308	DI
NCO; 3:511	P	Selbyana 11(S); p. 671	I
Icones Pleuro XXVIII; p. 152, 180	DI	Icones Pleuro XXVIII; p. 167-168, 187	DI
dalessandroi (Luer) Luer - Selbyana 7(1); p. 116	D	muricaudata (Luer) Luer - Selbyana 7(1); p. 119	D
Icones Pleuro XXVIII; p. 152-153, 180	DI	Icones Pleuro XXVIII; p. 168-169, 187	DI
duplooyi (Luer & Sayers) Luer - Bolivia Rev 3(1,2); p. 48-49	DI	nanifolia (Foldats) Luer - Selbyana 3(3,4); p. 348	DI
Icones Pleuro XXVIII; p. 153, 181	DI	Orc of Bolivia Vol 1; p. 321	I
endresii (Luer) Luer - Icones Pleuro XVIII; p. 172-173, 178	DI	VOI; 6, p. 360	DI
Orquideologia XXI(3); p. 330, 331-332	DI	Orc of Ven FG 3; p. 817	I
Icones Pleuro XXVIII; p. 153-154, 181	DI	Icones Pleuro XXVIII; p. 169, 188	DI
escalerensis (Carnevali & Luer) Luer -		oblanceolata (L.O.Williams) Luer -	
Icones Pleuro XXVIII; p. 154, 181	DI	Icones Pleuro XXVIII; p. 169-170, 188	DI
fractiflexa (Ames & C.Schweinf.) Luer		pachyphyta (Luer) Luer - Icones Pleuro III; p. 92	I
Icones Pleuro XXVIII; p. 154-155, 181	DI	Selbyana 1(2); p. 192 (misidentified as <i>lasioglossa</i>)	DI
francesiana (Luer) Luer - Icones Pleuro XXVIII; p. 155, 182	DI	Selbyana 1(3); p. 302	D
funerea (Barb.Rodr.) Luer - Orc of Ven FG 3; p. 787		NEO; 4:1817	I
(author printed incomplete)	I	Icones Pleuro XXVIII; p. 170, 188	DI
Icones Pleuro XXVIII; p. 156-157, 182	DI	polygonoides (Griseb.) Luer - Selbyana 3(3,4); p. 366	DI
Selbyana 1(2); p. 176 (was <i>P. breviscapa</i>)	DI	Orc of Bolivia Vol 1; p. 326	I
Icones Plant Trop Ser II Fasc 3; pl. 277 (was <i>P. breviscapa</i>)	DI	VOI; 4, p. 232	DI
Orc of Bolivia Vol 1; p. 278 (was <i>P. breviscapa</i>)	I	Orc of Ven FG 3; p. 828	I
VOI; 1, p. 308 (was <i>P. breviscapa</i>)	DI	Icones Pleuro XXVIII; p. 171, 188	DI
Selbyana 2(4); p. 388 (was <i>P. praemorsa</i>)	D	rabei (Foldats) Luer - Orc of Ven FG 3; p. 833	I
NEO; 4:1829 (was <i>P. praemorsa</i>)	P	NEO; 4:1745	P
grayumii (Luer) Luer - Lindleyana 11(2); p. 78	DI	Icones Pleuro XXVIII; p. 171-172, 189	DI
Icones Pleuro XXVIII; p. 157, 182	DI	reptilis (Luer & Dalström) Luer - Lindleyana 11(3); p. 183	DI
haberi (Luer) Luer - Selbyana 23(1); p. 36, 38	DI	NEO; 4:1837	I
Icones Pleuro XXVIII; p. 158, 183	DI	Icones Pleuro XXVIII; p. 172, 189	DI
herpethophyton (Schltr.) Luer -		ricii (Luer & Vásquez) Luer - Orc of Bolivia Vol 1; p. 259, 333	I
Icones Pleuro XXVIII; p. 158-159, 183	DI	Icones Pleuro XXVIII; p. 173, 189	DI
holstii (Carnevali & I.Ramírez) Luer		sanchezii (Luer & Hirtz) Luer - Selbyana 23(1); p. 36, 37-39	DI
Icones Pleuro XXVIII; p. 159, 183	DI	NEO; 4:1841	P
Orc of Ven FG 3; p. 823 (was <i>P. pemonum</i>)	I	Icones Pleuro XXVIII; p. 173, 190	DI
humilis (C. Schweinf.) Luer - VOI; 6, p. 342	DI	seriata (Lindl.) Luer - VOI; 6, p. 366	DI
Orc of Ven FG 3; p. 799	I	Orc of Ven FG 3; p. 846	I
Icones Pleuro XXVIII; p. 160, 183	DI	Icones Pleuro XXVIII; p. 174, 190	DI
Icones Pleuro XVIII; p. 174-175, 179 (was <i>P. nortonii</i>)	DI	sertularioides (Sw.) Luer - Selbyana 1(2); p. 208	DI
imberbis (Luer & Hirtz) Luer - Lindleyana 11(3); p. 163, 164	DI	Selbyana 11(S); p. 689	I
Orc of Bolivia Vol 1; p. 307	I	Orc of Bolivia Vol 1; p. 343	I
Icones Pleuro XXVIII; p. 160-161, 184	DI	Icones Pleuro XXVIII; p. 174-176, 190	DI
Orc of Ven FG 3; p. 750 (was <i>P. aondae</i>)	I	steinbuchiae (Carnevali & G.A. Romero) Luer -	
inversa (Luer & Vásquez) Luer - Bolivia Rev 3(1,2); p. 50, 52, 53	DI	Orc of Ven FG 3; p. 851	I
Orc of Bolivia Vol 2; p. 406	I	Icones Pleuro XXVIII; p. 177, 190	DI
Icones Pleuro XXVIII; p. 161, 184	DI	Orc of Ven FG 3; p. 797 (was <i>P. hilariana</i>)	I
involuta (L.O.Williams) Luer -		BRAZIL	
Icones Pleuro XXVIII; p. 161-162, 184	DI	adenochila (Löfgr.) Luer	
iota (Luer) Luer - Selbyana 3(1,2); p. 128	DI	ciliolata (Schltr.) Luer - VOI; 4, p. 212	DI
Icones Pleuro XXVIII; p. 162, 185	DI	corticicola (Schltr. Ex Hoehne) Luer	
jamaicensis (Rolfe) Luer -		fastigiata (Luer & Tuscano) Luer - Selbyana 23(2); p. 186, 187	DI
Icones Pleuro XXVIII; p. 162-263, 185	DI	gehrtii (Höhne & Schltr.) Luer	
kuhniae (Luer) Luer - Selbyana 3(1,2); p. 130 (spelling?)	DI	githaginea (Pabst & Garay) Luer	
Icones Pleuro XXVIII; p. 163-164, 185	DI	helmutii (Höhne) Luer	
lasioglossa (Schltr.) Luer - Selbyana 1(2); p. 192	DI	kautskyi (Pabst) Luer	
Icones Pleuro XXVIII; p. 164, 185	DI	kleinii (Pabst) Luer	
lewisiae (Ames) Luer -		laciniata (Barb.Rodr.) Luer	
Selbyana 10(1); p. 104, 136 (misspelled <i>lewisii</i>)	DI	lichenophila (C.Porto & Brade) Luer = <i>Anathallis lichenophila</i>	
Selbyana 11(S); p. 663	I	Icones Pleuro XXIX; p. 118 (8/2007)	
Icones Pleuro XXVIII; p. 164-165, 186	DI	limbata (Cogn.) Luer	
mazei (Urb.) Luer - Icones Pleuro XXVIII; p. 165-166, 186	DI	lobiserrata (Barb.Rodr.) Luer	
megalophora (Luer) Luer -		microblephara (Schltr.) Luer	
Icones Pleuro XXVIII; p. 166, 186	DI	microphyta (Barb.Rodr.) Luer = <i>Anathallis microphyta</i>	
millipeda (Luer) Luer - Orquideologia XX(2); p. 215, 216	DI	Icones Pleuro XXIX; p. 118 (8/2007)	

Myoxanthus

- paranaënsis** (Schltr.) Luer
paranapiacabensis (Hoehne) Luer
peroupavae (Hoehne & Brade) Luer
petropolitana (Hoehne) Luer
reedii (Luer) Luer = *Anathallis reedii*
Icones Pleuro XXIX; p. 118 (8/2007)
rubrolimbata (Höhne) Luer
rudolfii (Pabst) Luer
trigidens (Löfgr.) Luer
vitrorinoi (Luer & Tuscano) Luer - Selbyana 23(2); p. 194, 195
welteri (Pabst) Luer
- Petalodon** (was Masdevallia)
- collina** (L.O.Williams) Luer - Thesarus Masd 1:2
 Selbyana 3(3,4); p. 208
Icones Pleuro XXI; p. 371-372
 Masd in Kleur; p. 11
dryada (Luer & Escobar) Luer - Lindleyana 4(3); p. 108
 Treas of Masd 24:6
Icones Pleuro XXI; p. 373-374
 Masd in Kleur; p. 15
macrogenia (Arango) Luer - *Icones Pleuro II; p. 49*
Orquideologia XIII(1); p. 62, 79-83
Icones Pleuro XXI; p. 375-376
 Masd in Kleur; p. 28
 Masd in Kleur; p. 63
zapatae (Luer & Escobar) Luer - *Icones Pleuro XXI; p. 377-378*
 Masd in Kleur; p. 57
 NCO; 6:1079
 Treas Masd 26:15
- Phloeophila** (was Pleurothallis)
- hystrix** (Kraenzl.) Garay = *Apoda-Prorepentia hystrix*
Icones Pleuro XXIX; p. 86 (8/2007)
nummularia (Rchb.f.) Garay -
Icones Pleuro XXVIII; p. 191-192, 198
oricola (H.Stenzel) Luer
Icones Pleuro XXVIII; p. 193, 198
pauloënsis (Hoehne & Schltr.) Luer = *Pabstiella pauloënsis*
Icones Pleuro XXIX; p. 120 (8/2007)
peperomioides (Ames) Garay - *Icones Pleuro III; p. 19*
Icones Pleuro XXVIII; p. 193-194, 199
ursula (Luer & Hirtz) Luer - Lindleyana 11(3); p. 193, 194
 NEO; 4:1870
Icones Pleuro XXVIII; p. 194, 199
- Physosiphon**
- asperrimus** (Luer) Luer - *Icones Pleuro XXIX; p. 98-99, 104*
bangii (Schltr.) Garay = *Masdevallia bangii*
Thesarus Masd 6:2 (1985)
carinatus Lindl. = *Physosiphon emarginatus*
Icones Pleuro XXIX; p. 99 (8/2007)
cooperi Ames = *Lomax punctulata*
Icones Pleuro XXVIII; p. 88 (5/2006)
deregularis (Barb.Rodr.) Cogn. = *Pleurothallis deregularis*
Icones Pleuro XVIII; p. 89 (11/1999)
echinantha (Barb.Rodr.) Hoehne & Schltr. = *Phloeophila nummularia*
Icones Pleuro XXVIII; p. 191 (5/2006)
echinanthus (Barb.Rodr.) Cogn. = *Phloeophila nummularia*
Icones Pleuro XXVIII; p. 191 (5/2006)
emarginatus (Ruiz & Pav.) Lindl. - Selbyana 11(S); p. 608, 609
 (was ochraceus)
Icones Pleuro III; p. 52 (was P. tubata)
- Icones Pleuro XXIX; p. 99-101, 104*
quatemalensis Rolfe = *Physosiphon emarginatus*
Icones Pleuro XXIX; p. 99 (8/2007)
herzogii Schltr. = *Pleurothallis aurantio-lateritia*
 Selbyana 3(3/4); p. 248 (7/1977)
lystrix Kraenzl. = *Apoda-Prorepentia hystrix*
Icones Pleuro XXIX; p. 86 (8/2007)
inaequisepalus Schltr. = *Stelis declivis*
 Selbyana 23(1); p. 44 (10/2002)
lansbergii (Rchb.f.) L.O.Williams = *Triotosiphon lansbergii*
Icones Pleuro XXVIII; p. 16 (5/2006)
lentiginosus (F.Lehm. & Krzl.) Brieger = *Pseudoctomeria lentiginosa*
Icones Pleuro XXIX; p. 102 (8/2008)
lindleyi Rolfe = *Physosiphon emarginatus*
Icones Pleuro XXIX; p. 99 (8/2007)
loddigesii Lindl. = *Physosiphon emarginatus*
Icones Pleuro XXIX; p. 99 (8/2007)
minutiflorus Ames & C.Schweinf. = *Pleurothallis deregularis*
Icones Pleuro XVIII; p. 89 (11/1999)
minor Rendle = *Lomax punctulata*
Icones Pleuro XXVIII; p. 88 (5/2006)
moorei hort. Kew Hand List = *Physosiphon emarginatus*
Icones Pleuro XXIX; p. 99 (8/2007)
nicaraguënsis Liebm. = *Pleurothallis racemiflora*
Icones Pleuro XX; p. 79 (5/2000)
obliquipetalus Ames & Schweinf. = *Lepanthopsis obliquipetala*
Icones Pleuro VIII; p. 76 (8/1991)
ochraceus A.Rich. & Gal. = *Physosiphon emarginatus*
Icones Pleuro XXIX; p. 99 (8/2007)
punctulatus Rchb.f. = *Lomax punctulata*
Icones Pleuro XXVIII; p. 88 (5/2006)
spiralis Lindl. = *Pleurothallis deregularis*
Icones Pleuro XVIII; p. 89 (11/1999)
tubatus (Lodd.) Rchb.f. = *Physosiphon emarginatus*
Icones Pleuro XXIX; p. 99 (8/2007)
- Physothallis** (think this is now Pleurothallis??)
- cylindrica** Luer - Selbyana 3(3,4); p. 224
Icones Pleuro XXIX; p. 101, 105
harlingii Garay - Selbyana 1(3); p. 218
Icones Pleuro III; p. 54 (was P. neoharlingii)
 NEO; 4:1810 (was P. neoharlingii)
Icones Pleuro XXIX; p. 102, 105
kateora Garay = *Apoda-Prorepentia kateora*
Icones Pleuro XXVI; p. 255 (2/2004)
- Platystele**
- acicularis** Luer & Hirtz - *Icones Pleuro VII; p. 14, 15*
 NEO; 4:1660, 1661
aculeata Luer - *Icones Pleuro VII; p. 14, 16, 17*
acutilingua Kapuler & Hascall - *Icones Pleuro VII; p. 17, 18*
 NEO; 4:1662
adelphe Luer & Hirtz - *Icones Pleuro XI; p. 121, 122*
 NEO; 4:1663, 1664
altarica Luer - *Icones Pleuro VII; p. 17, 19, 20*
 NEO; 4:1665
alucitae Luer - *Icones Pleuro VII; p. 20, 21*
Orquideologia XIV(3); p. 209, 211, 219
 NEO; 4:1666
argentosa Luer & Escobar - *Icones Pleuro VII; p. 22, 23*
 NCO; 6:1204
aurea Garay = *Rubellia rubella*
Icones Pleuro XXVIII; p. 197 (5/2006)
beatricis P. Ortiz - *Orquideologia XXII(2); p. 129, 132-133*

Platystele

bernoullii Luer – Icones Pleuro XX; p. 126, 137	DI	Selbyana 5(2); p. 155, 156	D
bovilinguis Luer - Icones Pleuro XII; p. 142-143	DI	NEO; 4:1681	P
Orc of Bolivia Vol 1; p. 222	I	hypsitea Luer & Escobar = <i>Platystele pisifera</i>	
brasiliensis Brade = <i>Platystele oxyglossa</i>		<i>Icones Pleuro VII; p. 94 (12/1990)</i>	
<i>Icones Pleuro VII; p. 85 (12/1990)</i>		ingramii Luer & Dalström - Icones Pleuro XIV; p. addendum 3, 5	DI
brenneri Luer - Icones Pleuro VII; p. 22, 24, 25	DI	NEO; 4:1682	I
Selbyana 3(1,2); p. 24	DI	jamboeënsis Luer & Hirtz - Icones Pleuro IX; p. 112, 114, 115	DI
NEO; 4:1667, 1668	IP	NEO; 4:1683, 1684	IP
bulbinella Schltr. = <i>Platystele compacta</i>		jesupiorum Luer - Icones Pleuro VII; p. 51, 53, 54	DI
<i>Icones Pleuro VII; p. 30 (12/1990)</i>		NEO; 4:1685, 1705	IP
calantha P. Ortiz - Icones Pleuro VII; p. 25, 26	DI	johnstonii (Ames) Garay - Icones Pleuro VII; p. 54, 55	DI
Orquideologia XII(2,3); p. 139, 144, 147	DIP	VOI; 5, p. 234	DI
NEO; 4:1669	P	Orc of Ven FG 3; p. 740	I
calymma Luer - Icones Pleuro VII; p. 27, 28	DI	NEO; 4:1686	P
Selbyana 3(3,4); p. 226	DI	jungermannioides (Schltr.) Garay - Icones Pleuro VII; p. 56, 57	DI
caudatisepala C.Schweinf. - Icones Pleuro VII; p. 27, 29	DI	Icones Orchid, Fasc 1; pl. 85	DI
Icones Pleuro in Color I; p. 18	P	lancilabris (Rchb.f.) Schltr. - Icones Pleuro VII; p. 56, 58, 59	DI
NEO; 4:1670	I	Selbyana 10(1); p. 101, 134	DI
compacta (Ames) Ames - Icones Pleuro VII; p. 30, 31	DI	Selbyana 11(S); p. 613	I
Selbyana 11(S); p. 611	DI	VOI; 1, p. 298	DI
consobrina Luer - Icones Pleuro VII; p. 32, 33	DI	lawessonii Luer - Icones Pleuro XI; p. 124, 125	DI
Icones Pleuro in Color I; p. 16	P	NEO; 4:1687	I
crinita Luer & Hirtz - Icones Pleuro VII; p. 34, 35	DI	lehmannii Luer - Icones Pleuro XI; p. 124, 126, 127	DI
NEO; 4:1671, 1672	IP	londonoana Luer & Escobar - Icones Pleuro VII; p. 59, 60	DI
cuculigera P. Ortiz = <i>Platystele alucitae</i>		lycopodioides Luer & Hirtz - Icones Pleuro VII; p. 61, 62	DI
<i>Icones Pleuro VII; p. 20 (12/1990)</i>		NEO; 4:1688, 1689	IP
culex Luer & Escobar = <i>Platystele examen-culicum</i>		megologlossa Luer & Escobar - Icones Pleuro VII; p. 61, 63	DI
<i>Icones Pleuro VII; p. 43 (12/1990)</i>		Orquideologia XVI(3); p. 40, 41	DI
dalstroemii Luer - Icones Pleuro IX; p. 112, 113	DI	microglossa P. Ortiz - Icones Pleuro VII; p. 64, 65	DI
NEO; 4:1673	I	Orquideologia XIV(3); p. 213, 220	DI
dasyglossa P. Ortiz - Icones Pleuro VII; p. 34, 36	DI	NEO; 4:1690, 1691	IP
Orquideologia XIV(1); p. 16, 19, 26	DIP	microscopica Luer - Icones Pleuro VII; p. 64, 66	DI
delhierroi Luer & Hirtz - Icones Pleuro VIII; p. 147, 148	DI	NEO; 4:1692	P
NEO; 4:1674	I	microtatantha (Schltr.) Garay - Icones Pleuro VII; p. 67, 68	DI
densiflora P. Ortiz - Icones Pleuro VII; p. 1, 37, 38	DIP	Icones Plant Trop, Fasc 14; pl. 1378	DI
Orquideologia XII(2,3); p. 141, 145, 148	DIP	minimiflora (Schltr.) Garay - Icones Pleuro VII; p. 67, 69, 70	DI
Icones Pleuro in Color I; p. 16, 18	P	misasiana P. Ortiz - Icones Pleuro VII; p. 70, 71	DI
NCO; 3:482	P	Orquideologia XIV(3); p. 214, 215, 220	DIP
dewildei Luer & Escobar - Icones Pleuro XI; p. 121, 123	DI	NEO; 4:1693	P
dodsonii Luer - Icones Pleuro VII; p. 37, 39	DI	misera (Lindl.) Garay - Icones Pleuro VII; p. 72, 73	DI
Selbyana 5(2); p. 155	D	Selbyana 3(3,4); p. 230	DI
NEO; 4:1675, 1676	IP	Icones Pleuro in Color I; p. 16, 17	P
dressleri Luer - Icones Pleuro VII; p. 40, 41	DI	NEO; 4:1695	I
Orquideologia XII(2,3); p. 143, 147	DP	musciola Luer & Hirtz - Icones Pleuro VII; p. 72, 74, 75	DI
Selbyana 3(1,2); p. 26	DI	myoxura Luer & Hirtz - Icones Pleuro VII; p. 75, 76	DI
edmundoi Pabst - Icones Pleuro VII; p. 40, 42	DI	NEO; 4:1696	P
enervis Luer - Icones Pleuro VII; p. 43, 44	DI	napintze Luer & Hirtz - Icones Pleuro IX; p. 114, 116	DI
escobariana Garay = <i>Platystele schmidtchenii</i>		obtecta Luer - Icones Pleuro XI; p. 127, 128	DI
<i>Icones Pleuro VII; p. 111 (12/1990)</i>		orchestris P. Ortiz - Icones Pleuro VII; p. 77, 78	DI
examen-culicum Luer - Icones Pleuro VII; p. 43, 45, 46	DI	Orquideologia XIV(1); p. 16, 21, 27	DIP
Selbyana 3(1,2); p. 28	DI	orectoglossa P. Ortiz - Icones Pleuro I; p. 46	I
Icones Pleuro in Color I; p. 16, 18	P	Orquideologia XIV(1); p. 16, 23, 28	DIP
NEO; 4:1677, 1678	IP	Icones Pleuro VII; p. 77, 79	DI
filamentosa Luer - Icones Pleuro VII; p. 46, 47	DI	NEO; 4:1697	I
fimbriata Luer & Hirtz - Icones Pleuro VII; p. 48, 49	DI	ornata Garay - Icones Pleuro VII; p. 80, 81	DI
NEO; 4:1679	I	VOI; 1, p. 300	DI
gaileana Luer & Endara – Icones Pleuro XXVI; p. 236, 241	DI	Orc of Ven FG 3; p. 741	I
gemmula Luer = <i>Platystele microglossa</i>		NEO; 4:1698	I
<i>Icones Pleuro VII; p. 64 (12/1990)</i>		ortiziana Luer & Escobar - Icones Pleuro VII; p. 80, 82	DI
gyroglossa Luer - Icones Pleuro VII; p. 48, 50, 51	DI	NCO; 3:483	P
Orquideologia XIV(3); p. 217, 218, 221	DIP	ovalifolia (Focke) Garay & Dunst. - Icones Pleuro VII; p. 83, 84	DI
Selbyana 3(3,4); p. 228	DI	Selbyana 11(S); p. 614	I
NEO; 4:1680	P	Icones Pleuro in Color I; p. 17	P
halbingeriana (Schultes) Garay = <i>Platystele minimiflora</i>		VOI; 2, p. 268	DI
<i>Icones Pleuro VII; p. 67 (12/1990)</i>		Orc of Ven FG 3; p. 742	I
hampshireae Luer - Icones Pleuro XVI; p. 113, 115	DI	ovatilabia (Ames & Schweinf.) Garay - Icones Pleuro VII; p. 85, 86	DI
hirtzii Luer - Icones Pleuro VII; p. 51, 52	DI	Icones Pleuro in Color I; p. 17	P

Platystele

oxyglossa (Schltr.) Garay - Icones Pleuro VII; p. 85, 87-89	DI	NEO; 4:1712	P
Icones Orchid, Fasc 1; pl. 86	DI	stevensonii Luer - Icones Pleuro VII; p. 120, 121	DI
Orc of Bolivia Vol 1; p. 221, 223	IP	Selbyana 3(3,4); p. 234	DI
Icones Pleuro in Color I; p. 17	P	NEO; 4:1713	I
NCO; 3:486	P	steyermarkii Luer - Icones Pleuro XI; p. 132, 133	DI
Orc of Ven FG 3; p. 743	I	stonyx Luer - Icones Pleuro VII; p. 122, 123	DI
NEO; 4:1699	I	Orc of Bolivia Vol 1; p. 227	I
papillosa Luer - Icones Pleuro XI; p. 127, 129, 130	DI	NEO; 4:1714	P
pedicellaris (Schltr.) Garay - Icones Pleuro VII; p. 89, 90	DI	sulcata Luer & Hirtz - Icones Pleuro IX; p. 117, 119	DI
Icones Pleuro in Color I; p. 17	P	NEO; 4:1715	I
perpusilla (Rchb.f.) Garay - Icones Pleuro VII; p. 89, 91, 92	DI	taylorii Luer - Icones Pleuro VII; p. 122, 124	DI
phasmida Luer & Escobar = <i>Teagueia phasmida</i>		Selbyana 3(1,2); p. 30	DI
<i>Icones Pleuro VIII; p. 140 (8/1991)</i>		NEO; 4:1716	I
pisifera (Lindl.) Luer - Icones Pleuro VII; p. 94, 95	DI	teaguei Luer = <i>Teagueia teaguei</i>	
Selbyana 3(3,4); p. 232	DI	<i>Icones Pleuro VIII; p. 140 (8/1991)</i>	
Orquideologia XVI(1); p. 14, 15 (was hypsitera)	DI	tobarii Luer - Icones Pleuro XXVIII; p. 252-253, 258	DI
Orc of Bolivia Vol 1; p. 224	I	umbellata P. Ortiz - Icones Pleuro VII; p. 125, 127	DI
NCO; 6:1205	P	Orquideologia XII(2,3); p. 137, 143, 147	DIP
NEO; 4:1700 (spelling)	I	vetulus Luer & Hirtz - Icones Pleuro VII; p. 128, 129	DI
porphyroglossa P. Ortiz = <i>Platystele gyroglossa</i>		Icones Pleuro in Color I; p. 18	P
<i>Icones Pleuro VII; p. 48 (12/1990)</i>		NEO; 4:1717	P
portillae Luer - Icones Pleuro XXIV; p. 106, 118	DI	viridis Luer - Icones Pleuro VII; p. 128, 130	DI
NEO; 4:1701	P	NEO; 4:1718	P
posadarum Luer & Escobar - Icones Pleuro VII; 96, 97	DI	ximena Luer & Hirtz - Icones Pleuro VIII; p. 149, 151	DI
NCO; 6:1206	P	NEO; 4:1719	P
propinqua (Ames) Garay - Icones Pleuro VII; p. 96, , 98	DI	zeus Luer & Hirtz = <i>Teagueia zeus</i>	
NEO; 4:1694, 1702	P	<i>Icones Pleuro VIII; p. 140 (8/1991)</i>	
psix Luer & Hirtz - Icones Pleuro IX; p. 117, 118	DI		
NEO; 4:1703, 1704	IP		
pubescens Luer - Icones Pleuro VII; p. 99, 100	DI		
pygmaea (Hoehne) Pabst = <i>Platystele oxyglossa</i>			
<i>Icones Pleuro VII; p. 85 (12/1990)</i>			
pyriformis Luer - Icones Pleuro VII; p. 99, 101	DI	abbreviata Schltr. = <i>Panmorphia abbreviata</i>	
rauhii Luer - Icones Pleuro VII; p. 102, 103	DI	<i>Icones Pleuro XXVIII; p. 145 (5/2006)</i>	
reflexa Luer - Icones Pleuro VII; p. 102, 104	DI	aberrans Luer = <i>Aberrantia aberrans</i>	
NEO; 4:1706	I	<i>Icones Pleuro XXVI; p. 253 (2/2004)</i>	
repens Ames - Icones Pleuro VII; p. 105, 106	DI	abjecta Ames = <i>Panmorphia barbulata</i>	
resimula Luer & Hirtz - Icones Pleuro VII; p. 105, 107	DI	<i>Icones Pleuro XXVIII; p. 146 (5/2006)</i>	
NEO; 4:1707	P	abortiva Luer = <i>Tigivesta abortiva</i>	
rex Luer & Escobar = <i>Teagueia rex</i>		<i>Icones Pleuro XXIX; p. 121 (8/2007)</i>	
<i>Icones Pleuro VIII; p. 140 (8/1991)</i>		acanthodes Luer = <i>Sarcinula acanthodes</i>	
rhinocera Luer - Icones Pleuro VII; p. 108, 110	DI	<i>Icones Pleuro XXVIII; p. 202 (5/2006)</i>	
risaralda Luer & Escobar - Icones Pleuro XI; p. 130, 131	DI	acestrophylla Luer = <i>Acronia acestrophylla</i>	
schmidtchenii Schltr. - Icones Pleuro VII; p. 111, 112	DI	<i>Icones Pleuro XXVII; p. 64 (4/2005)</i>	
Icones Plant Trop Ser II Fasc 3; pl. 273	DI	acicularis Ames & C.Schweinf. = <i>Sarcinula acicularis</i>	
Orc of Bolivia Vol 1; p. 225	I	<i>Icones Pleuro XXVIII; p. 202 (5/2006)</i>	
NEO; 4:1709	P	acostae Schltr. = <i>Acronia phyllocardioides</i>	
schneideri P. Ortiz - Icones Pleuro VII; p. 111, 113, 114	DI	<i>Icones Pleuro XXVII; p. 64 (4/2005)</i>	
Orquideologia XIV(1); p. 16, 25, 28	DIP	acremona Luer - Selbyana 5(2); p. 157, 158	D
NCO; 3:485	P	acrisepala Ames & Schweinf. = <i>Sarcinula acrisepala</i>	
schulzeana Garay = <i>Platystele oxyglossa</i>		<i>Icones Pleuro XXVIII; p. 203 (5/2006)</i>	
<i>Icones Pleuro VII; p. 85 (12/1990)</i>		aculeata Luer & Hirtz = <i>Acianthera aculeata</i>	
scopulifera Luer & Dodson - Icones Pleuro VIII; p. 149, 150	DI	<i>Icones Pleuro XXVI; p. 253 (2/2004)</i>	
NEO; 4:1708	I	acuminata (H.B.K.) Lindl. = <i>Specklinia acuminata</i>	
spatulata Luer - Icones Pleuro VII; p. 114, 115	DI	<i>Icones Pleuro XXVI; p. 258 (2/2004)</i>	
NEO; 4:1710	I	acuminata H.Focke = <i>Muscarella semperflorens</i>	
stellaris Luer - Icones Pleuro VII; p. 116, 117	DI	<i>Icones Pleuro XXVIII; p. 117 (5/2006)</i>	
Selbyana 5(2); p. 156	D	acuminatipetala A.Samp. = <i>Acianthera acuminatipetala</i>	
NEO; 4:1711	I	<i>Icones Pleuro XXVI; p. 253 (2/2004)</i>	
stenostachya (Rchb.f.) Garay - Icones Pleuro VII; p. 116, 118-120	DI	acutangula H.Wendl. & Kraenzl. = <i>Pleurothallis tricarinata</i>	
Selbyana 11(S); p. 615	I	<i>Icones Pleuro XXVI; p. 70 (2/2004)</i>	
Icones Plant Trop Ser II Fasc 3; pl. 274	DI	acutidentata Cogn. = <i>Specklinia acutidentata</i>	
Orc of Bolivia Vol 1; p. 226	I	<i>Icones Pleuro XXVI; p. 258 (2/2004)</i>	
Icones Pleuro in Color I; p. 18	P	acutilabia Luer = <i>Acronia acutilabia</i>	
VOI; 3, p. 244	DI	<i>Icones Pleuro XXVII; p. 64 (4/2005)</i>	
Orc of Ven FG 3; p. 744	I	acutipetala Schltr. = <i>Acronia cardiothallis</i>	
		<i>Icones Pleuro XXVII; p. 64 (4/2005)</i>	

Pleurothallis

Pleurothallis

- acutisissima* Lindl. = *Specklinia spiculifera*
Icones Pleuro XXVIII; p. 67 (5/2006)
- adeleae* Luer = *Acronia adeleae*
Icones Pleuro XXVII; p. 64 (4/2005)
- adelphe* Luer & Hirtz = *Acronia adelphe*
Icones Pleuro XXVII; p. 64 (4/2005)
- adenochila* Löfgr. = *Panmorpha adenochila*
Icones Pleuro XXVIII; p. 177 (5/2006)
- adiri* Brade = *Specklinia adiri*
Icones Pleuro XXVI; p. 258 (2/2004)
- adonis* Luer = *Acronia adonis*
Icones Pleuro XXVII; p. 64 (4/2005)
- adrianae* Luer & Sijm = *Specklinia adrianae*
Icones Pleuro XXVI; p. 258 (2/2004)
- aechme* Luer - Selbyana 3(1,2); p. 42
Icones Pleuro XXVI; p. 12, 82
- aequatorialis* Luer = *Trichosalpinx dirhamphis*
Icones Pleuro XV; p. 53 (12/1997)
- affinis* Lindl. = *Myoxanthus affinis*
Icones Pleuro IX; p. 13 (11/1992)
- agathophylla* Rchb.f. - *Icones Plant Trop.*, Fasc 6; pl. 575
Icones Pleuro XXVI; p. 13, 82
 Selbyana 3(1,2); p. 92 (was *P. cyclophylla*)
Orc of Bolivia Vol 1; p. 253, 288 (was *P. cyclophylla*)
- aggeris* Luer - *Icones Pleuro XVI*; p. 86, 92
Lindleyana 11(3); p. 143
 NEO; 4:1732
- aguirrei* Luer = *Acronia aguirrei*
Icones Pleuro XXVII; p. 64 (4/2005)
- aguilarii* Ames = *Pleurothallis wagneri*
Icones Pleuro XVII; p. 97 (11/1998)
- alabastra* Luer & Escobar – *Orquideologia XVI*(1); p. 17, 19
- alainii* Dod = *Antilla alainii*
Icones Pleuro XXVI; p. 255 (2/2004)
- alata* A.Rich. & Galeotti = *Muscarella marginata*
Icones Pleuro XXVIII; p. 111 (5/2006)
- albida* Lindl. = *Pleurothallis obovata*
Icones Pleuro XVIII; p. 114 (11/1999)
- albipetala* (Barb. Rodr.) Hoehne & Schltr. = *Pleurothallis recurva*
 Selbyana 3(3,4); p. 374 (7/1977)
- albo-rosea* (Kraenzl.) C.Porto & Brade = *Acianthera albo-rosea*
Icones Pleuro XXVI; p. 253 (2/2004)
- alexandrae* Schltr. = *Pleurothallis aspasicensis*
Icones Pleuro XII; p. 146 (12/1995)
- alexii* Heller = *Sarcinula alexii*
Icones Pleuro XXVIII; p. 204 (5/2006)
- aligera* Luer & R. Vásquez = *Crocodelanthae aligera*
Icones Pleuro XXVI; p. 256 (2/2004)
- allenii* L.O. Williams = *Acronia allenii*
Icones Pleuro XXVII; p. 59 (4/2005)
- alligatorifera* Rchb.f. = *Pabstiella alligatorifera*
Icones Pleuro XXIX; p. 119 (8/2007)
- aloisii* Schltr. = *Crocodelanthae aloisii*
Icones Pleuro XXVI; p. 256 (2/2004)
- alopex* Luer = *Acronia alopex*
Icones Pleuro XXVII; p. 64 (4/2005)
- alpestris* (Sw.) Lindl. = *Antilla alpestris*
Icones Pleuro XXVI; p. 255 (2/2004)
- alpina* Ames = *Pleurothallis sicaria*
Icones Pleuro XXVI; p. 65 (2/2004)
- alta* Luer = *Specklinia alta*
Icones Pleuro XXVI; p. 258 (2/2004)
- altimonile* Luer & R. Escobar = *Acronia altimonile*
Icones Pleuro XXVII; p. 64 (4/2005)
- alvaroi* Luer & Escobar = *Acronia alvaroi*
Icones Pleuro XXVII; p. 59 (4/2005)
- alveolata* Luer - Selbyana 3(1,2); p. 48
- Icones Pleuro XVIII*; p. 7, 62
 NEO; 4:1733
- amaliae* Luer & Escobar = *Uncifera amaliae*
Icones Pleuro XXVI; p. 265 (2/2004)
- amaralii* Pabst = *Specklinia amaralii*
Icones Pleuro XXVI; p. 258 (2/2004)
- amblyopetala* Schltr. = *Pleurothallis rubens*
Icones Pleuro XVIII; p. 118 (11/1999)
- ambyx* Luer & R. Escobar = *Acronia ambyx*
Icones Pleuro XXVII; p. 64 (4/2005)
- amesiana* L.O. Williams = *Restrepia lankesteri*
Icones Pleuro XIII; p. 90 (10/1996)
- amethystina* Ames = *Pleurothallis segoviensis*
Icones Pleuro XVII; p. 95 (11/1998)
- DI *amoena* A.Rich. & Galeotti = *Pleurothallis violacea*
 DI *Icones Pleuro XXVI*; p. 72 (2/2004)
- amparoana* Schltr. = *Effusiella amparoana*
Icones Pleuro XXIX; p. 106 (8/2007)
- amphigya* Luer & Escobar = *Acronia amphigya*
Icones Pleuro XXVII; p. 59 (4/2005)
- DI *amplectens* Luer – *Icones Pleuro XVIII*; p. 41, 73
 DI NEO; 4:1734
 DI *amygdalina* Rolfe ex Schltr. = *Trichosalpinx dura*
 IP *Icones Pleuro XV*; p. 56 (12/1997)
- DI *anaristella* (Krzl.) L.O. Williams = *Barbosella dolichorhiza*
 DI *Icones Pleuro XX*; p. 18 (5/2000)
- I *anceps* Luer = *Ancipitia anceps*
Icones Pleuro XXVI; p. 254 (2/2004)
- ancora* Luer & Vásquez = *Muscarella ancora*
Icones Pleuro XXVIII; p. 95 (5/2006)
- ancistra* Luer & Hirtz = *Uncifera ancistra*
Icones Pleuro XXVI; p. 265 (2/2004)
- DI *anderssonii* Luer = *Specklinia anderssonii*
Icones Pleuro XXVI; p. 258 (2/2004)
- andrei* Luer & Escobar = *Pleurothallis lindenii*
Icones Pleuro XVIII; p. 53 (11/1999)
- anfracta* Luer = *Kraenzlinella anfracta*
Icones Pleuro XXVI; p. 258 (2/2004)
- angulosa* Luer & Hirtz = *Panmorpha angulosa*
Icones Pleuro XXVIII; p. 146 (5/2006)
- angusta* Ames & Schweinf. = *Acronia bivalvis*
Icones Pleuro XXVII; p. 64 (4/2005)
- angustifolia* Lindl. = *Acianthera angustifolia*
Icones Pleuro XXIX; p. 118 (8/2007)
- angustilabia* Hoehne & Schltr. = *Pleurothallis citrina*
Icones Pleuro XVIII; p. 108 (11/1999)
- angustilabia* Schltr. = *Specklinia angustilabia*
Icones Pleuro XXVI; p. 258 (2/2004)
- angustipetala* C.Schweinf. = *Pleurothallis acuminata*
Icones Pleuro XVIII; p. 103 (11/1999)
- angustisegmentata* C.Schweinf. = *Barbosella cucullata*
Icones Pleuro XX; p. 16 (5/2000)
- angustisepala* Ames & Correll – *Icones Pleuro XXVI*; p. 15, 83
- ankyloglossa* Luer & Hirtz = *Acronia archicolonae*
Icones Pleuro XXVII; p. 59 (4/2005)
- annectens* Luer = *Acronia annectens*
Icones Pleuro XXVII; p. 59 (4/2005)
- anomala* Hoehne = *Trichosalpinx dura*
Icones Pleuro XV; p. 56 (12/1997)
- antennifera* Lindl. - Selbyana 1(3); p. 228
Icones Pleuro XVIII; p. 7, 8, 62
Orc of Bolivia Vol 1; p. 270
- DI *antimonile* Luer & R. Escobar = *Acronia altimonile*
 DI *Icones Pleuro XXVII*; p. 64 (4/2005)
- I *anthoxantha* Rchb.f. = *Pleurothallis auriculata*
 DI Selbyana 3(3,4); p. 250 (7/1977)
- DI *anthrax* Lue & Escobarr = *Ancipitia anthrax*

Pleurothallis

- Icones Pleuro XXVI; p. 254 (2/2004)*
- antioquiensis** (Schltr.) P.Allen = *Restrepia sanguinea*
Icones Pleuro XIII; p. 124 (10/1996)
- antonensis** L.O.Williams = *Acronia bivalvis*
Icones Pleuro XXVII; p. 64 (4/2005)
- aondae** Carnevali & G.A. Romero = *Panmorphia imberbis*
Icones Pleuro XXVIII; p. 160 (5/2006)
- aperta** (Krzl.) Ames = *Pabstiella tripterantha*
Icones Pleuro XXVIII; p. 140 (5/2006)
- aphthosa** Lindl. - Selbyana 3(1,2); p. 50
Icones Orchid Peru pl. 156
Icones Plant Trop Ser II Fasc 3; pl. 276
Orc of Bolivia Vol 1; p. 271
Icones Pleuro XXVI; p. 15-16, 83
- apoda** Garay & Dunst. = *Lepanthopsis apoda*
Selbyana 7(1); p. 100 (8/1982)
- apopsis** Luer = *Acronia apopsis*
Icones Pleuro XXVII; p. 64 (4/2005)
- aporosis** Luer – *Icones Pleuro XVIII; p. 9, 62*
Selbyana 5(2); p. 190, 161
- apoxys** Luer & Escobar = *Acronia supravacanea*
Icones Pleuro XXVII; p. 59 (4/2005)
- appendiculata** Cogn. = *Antilla appendiculata*
Icones Pleuro XXVI; p. 255 (2/2004)
- applanata** Luer & Dalström = *Acronia applanata*
Icones Pleuro XXVII; p. 64 (4/2005)
- apposita** Luer = *Crocodeilanthe apposita*
Icones Pleuro XXVI; p. 256 (2/2004)
- arachnantha** Rchb.f. = *Muscarella zephyrina*
Icones Pleuro XXVIII; p. 124 (5/2006)
- arachnion** Luer = *Acronia quadricaudata*
Icones Pleuro XXVII; p. 59 (4/2005)
- araguensis** Ames = *Pleurothallis lindenii*
Icones Pleuro XVIII; p. 53 (11/1999)
- arbuscula** Lindl. = *Trichosalpinx arbuscula*
Icones Pleuro XV; p. 44 (12/1997)
- arbusculoides** Hashimoto = *Trichosalpinx arbuscula*
Icones Pleuro XV; p. 44 (12/1997)
- archicolonae** Luer = *Acronia archicolonae*
Icones Pleuro XXVII; p. 59 (4/2005)
- archidiaconi** Ames = *Acronia bivalvis*
Icones Pleuro XXVII; p. 64 (4/2005)
- archidonae** Lindl. – *Icones Pleuro XVIII; p. 41, 42, 74*
- archidonopsis** Luer & Hirtz – *Icones Pleuro XVIII; p. 42, 74*
NEO; 4:1737
- arctata** Luer = *Acronia arctata*
Icones Pleuro XXVII; p. 64 (4/2005)
- arcuata** Lindl. = *Pabstiella arcuata*
Icones Pleuro XXIX; p. 119 (8/2007)
- areldii** Luer = *Sarcinula areldii*
Icones Pleuro XXVIII; p. 204 (5/2006)
- arenicola** (Carnevali & I. Ramírez) Carnevali & I. Ramírez
Orc of Ven FG 3; p. 752
- arevaloi** Schltr. = *Specklinia picta*
Icones Pleuro XXVIII; p. 62 (5/2006)
- ariasii** Luer & Hirtz = *Specklinia ariasii*
Icones Pleuro XXVI; p. 258 (2/2004)
- arietina** Ames = *Pleurothallis crochodiliceps*
Icones Pleuro VI; p. 16 (8/1989)
- aristata** Hook. = *Muscarella aristata*
Icones Pleuro XXVIII; p. 96 (5/2006)
- aristocratica** L.O.Williams = *Pleurothallis retusa*
Icones Pleuro XX; p. 82 (5/2000)
- aristulata** Lindl. = *Anathallis aristulata*
Icones Pleuro XXIX; p. 118 (8/2007)
- aryter** Luer = *Ronaldella aryter*
Icones Pleuro XXVIII; p. 195 (5/2006)
- ascendens** Garay = *Pleurothallis saundersiana*
Icones Pleuro XXVI; p. 64 (2/2004)
- ascrea** Luer & R.Escobar = *Acronia ascrea*
Icones Pleuro XXVII; p. 64 (4/2005)
- aspasicensis** Rchb.f. = *Brenesia aspasicensis*
Icones Pleuro XXVI; p. 255 (2/2004)
- aspergillum** Luer & Hirtz = *Colombiana aspergillum*
Icones Pleuro XXVI; p. 255 (2/2004)
- asperrima** Luer = *Physosiphon asperrimus*
Icones Pleuro XXVIII; p. 252 (5/2006)
- DI **asperlinguis** Rchb.f. & Warsc. = *Specklinia asperlinguis*
DI *Icones Pleuro XXVI; p. 259 (2/2004)*
DI
- I **asplundii** Luer = *Acronia asplundii*
DI *Icones Pleuro XXVII; p. 64 (4/2005)*
- atacasana** Luer = *Pleurothallis ligulata*
Icones Pleuro XVI; p. 35 (4/1998)
- atrohiatus** Dod = *Elongatia atrohiatus*
Icones Pleuro XXVI; p. 257 (2/2004)
- DI **atropurpurea** (Lindl.) Lindl. = *Zootrophion atropurpureum*
D *Selbyana 7(1); 80 (1982)*
- atrorubra** Luer & Hirtz = *Pleurothallis leopardina*
Icones Pleuro XVIII; p. 31 (11/1999)
- atroviolacea** Lehm. & Krzl. = *Pleurothallis restrepioides*
Icones Pleuro XI; p. 84 (12/1994)
- attenuata** Rolfe = *Specklinia attenuata*
Icones Pleuro XXVI; p. 259 (2/2004)
- atwoodii** Luer = *Crocodeilanthe atwoodii*
Icones Pleuro XXVI; p. 256 (2/2004)
- aurantio-lateritia** Speg. - *Icones Pleuro III; p. 24*
Selbyana 3(3,4); p. 248
Icones Plant Trop, Fasc 6; pl. 577
Orc of Bolivia Vol 1; p. 249, 274
Icones Pleuro XXVI; p. 16-17, 83
- I **aurea** Lindl. = *Pleurothallis acuminata*
DI *Icones Pleuro XVIII; p. 103 (11/1999)*
DI **aureo** A.Rich & Galeotti. = *Pleurothallis chrysantha*
IP *Icones Pleuro XXVI; p. 23 (2/2004)*
DI **aurea var. asperlinguis** (Rchb.f. & Warsc.) Foldats =
Pleurothallis asperlinguis
Icones Pleuro XVIII; p. 106 (11/1999)
- auriculata** Lindl. = *Anthrosia auriculata*
Icones Pleuro XXVIII; p. 248 (5/2006)
- DI **auriculigera** Hoehne & Schltr. = *Pleurothallis saundersiana*
DI *Icones Pleuro XXVI; p. 64 (2/2004)*
- I **auriculigera** (Rchb.f.) Luer = *Dryadella auriculigera*
Icones Pleuro XXVII; p. 10 (4/2005)
- aurita** C.Schweinf. = *Acronia aurita*
Icones Pleuro XXVII; p. 64 (4/2005)
- avenacea** Ames = *Pabstiella avenacea*
Icones Pleuro XXIX; p. 119 (8/2007)
- aveniformis** Hoehne = *Pabstiella aveniformis*
Icones Pleuro XXIX; p. 119 (8/2007)
- I **aves-seriales** Luer & Escobar = *Pleurothallis penduliflora*
Icones Pleuro XVIII; p. 18 (11/1999)
- aviceps** (Rchb.f.) Luer = *Dryadella aviceps*
Icones Pleuro XXVII; p. 11 (4/2005)
- avirostris** Luer & Hirtz = *Crocodeilanthe avirostris*
Icones Pleuro XXVI; p. 256 (2/2004)
- bacillaris** Pabst = *Pabstiella bacillaris*
Icones Pleuro XXIX; p. 119 (8/2007)
- bahorucensis** Luer = *Antilla bahorucensis*
Icones Pleuro XXVI; p. 255 (2/2004)
- balaeniceps** Luer & Dressler = *Brenesia balaeniceps*
Icones Pleuro XXVI; p. 255 (2/2004)
- barbacenensis** Barb.Rodr. = *Anthrosia barbacenensis*
Icones Pleuro XXVIII; p. 248 (5/2006)
- barbae** Schltr. = *Sarcinula barbae*

Pleurothallis

- Icones Pleuro XXVIII; p. 205 (5/2006)*
- barbata** Focke = *Panmorphia barbulatea*
Icones Pleuro XXVIII; p. 146 (5/2006)
- barberiana** Rchb.f. = *Muscarella aristata*
Icones Pleuro XXVIII; p. 96 (5/2006)
- barbosae** Schltr. = *Specklinia grobyi*
Icones Pleuro XXVIII; p. 51 (5/2006)
- barboselloides** Schltr. = *Sarcinula corniculata*
Icones Pleuro XXVIII; p. 209 (5/2006)
- barboselloides** Schltr. - *Selbyana* 3(1,2); p. 56
- barbulata** Lindl. = *Panmorphia barbulatea*
Icones Pleuro XXVIII; p. 146 (5/2006)
- barthelemyi** Luer = *Pleurothallis erebatensis*
Icones Pleuro XXVI; p. 32 (2/2004)
- batillacea** Luer = *Crocodeilanthe batillacea*
Icones Pleuro XXVI; p. 256 (2/2004)
- batracha** Luer & Hirtz = *Acronia batracha*
Icones Pleuro XXVII; p. 64 (4/2005)
- baudoensis** Luer & R.Escobar = *Acronia baudoensis*
Icones Pleuro XXVII; p. 64 (4/2005)
- belocardia** Schltr. = *Acronia belocardia*
Icones Pleuro XXVII; p. 64 (4/2005)
- berlineri** Luer = *Trichosalpinx berlineri*
Icones Pleuro XV; p. 17 (12/1997)
- bernoullii** Schltr. = *Pleurothallis platystylis*
Icones Pleuro XX; p. 78 (5/2000)
- bertoniensis** Hauman = *Specklinia bertoniensis*
Icones Pleuro XXVI; p. 259 (2/2004)
- bevilacquana** Carnevali & I. Ramírez
Orc of Ven FG 3; p. 755
- beyrichii** Rchb.f. = *Pleurothallis scabripes*
Selbyana 7(1); p. 35 (8/1982)
- bicallosa** Luer - *Icones Pleuro XVII; p. 39, 59*
Lindleyana 11(3); p. 150
- biceps** Luer & Hirtz = *Acianthera biceps*
Icones Pleuro XXVI; p. 253 (2/2004)
- bicochlearis** Luer – *Orquideologia XXI(2); p. 118, 119*
Icones Pleuro XVIII; p. 9, 62
- bicornis** Lindl. – *Icones Pleuro XVIII; p. 42, 43, 74*
NCO; 6:1215
Orc of Ven FG 3; p. 756
NEO; 4:1742
- bicuris** Lindl. – *Icones Pleuro XVIII; p. 10, 63*
- bidentula** Barb. Rodr. = *Pleurothallis saundersiana*
Selbyana 3(3,4); p. 382 (7/1977)
- bifalcis** Schltr. = *Uncifera bifalcis*
Icones Pleuro XXVI; p. 265 (2/2004)
- biflora** H.Focke = *Trichosalpinx orbicularis*
Icones Pleuro XV; p. 29 (12/1997)
- biflora** Schltr. = *Specklinia calyptrostele*
Icones Pleuro XXVIII; p. 42 (5/2006)
- biglandulosa** Schltr. = *Specklinia grobyi*
Icones Pleuro XXVIII; p. 51 (5/2006)
- bilamellata** Rchb.f. = *Pleurothallis obscura*
Selbyana 1(3); p. 310 (12/1975)
- bipapularis** Dod = *Specklinia schaeferi*
Icones Pleuro XXVIII; p. 65 (5/2006)
- birchenallii** Rolfe = *Pleurothallis glossopogon*
Icones Pleuro XX; p. 108 (5/2000)
- biserrula** Rchb.f. = *Pleurothallis glossopogon*
Icones Pleuro XX; p. 108 (5/2000)
- bissei** Luer = *Acianthera bissei*
Icones Pleuro XXVI; p. 253 (2/2004)
- bistuberculata** Barb.Rodr. = *Pleurothallis recurva*
Selbyana 3(3,4); p. 374 (7/1977)
- bitumida** Luer = *Acronia bitumida*
Icones Pleuro XXVII; p. 64 (4/2005)
- bivalvis** Lindl. = *Acronia bivalvis*
Icones Pleuro XXVII; p. 64 (4/2005)
- blancoi** Pupulin = *Tribulago blancoi*
Icones Pleuro XXVIII; p. 230 (5/2006)
- blepharoglossa** Luer = *Specklinia grisebachiana*
Icones Pleuro XXVIII; p. 42 (5/2006)
- blepharopetala** Schltr. = *Acronia blepharopetala*
Icones Pleuro XXVII; p. 64 (4/2005)
- bleyensis** Pabst = *Anathallis bleyensis*
Icones Pleuro XXIX; p. 118 (8/2007)
- DI **bogotensis** Lindl. = *Acronia phalangifera*
Icones Pleuro XXVII; p. 59 (4/2005)
- bogotensis** Schltr. = *Pleurothallis pulchella*
Icones Pleuro XVI; p. 46 (4/1998)
- boliviana** Rchb.f. - *Icones Pleuro III; p. 25*
Orc of Bolivia Vol 1; p. 250, 277
Icones Pleuro XXVI; p. 18, 84
- boliviana** Schltr. = *Acronia linguifera*
Icones Pleuro XXVII; p. 64 (4/2005)
- bolivilabia** C.Schweinf. = *Atopoglossum ekmanii*
Icones Pleuro XXVIII; p. 83 (5/2006)
- bothros** Luer = *Acronia bothros*
Icones Pleuro XXVII; p. 64 (4/2005)
- bourgeauii** Kraenzl. = *Pleurothallis pubescens*
Icones Pleuro XXVI; p. 58 (2/2004)
- bovilingua** Luer & R.Escobar = *Acronia bovilingua*
Icones Pleuro XXVII; p. 64 (4/2005)
- bowmannii** Rchb.f. = *Pabstiella bowmannii*
Icones Pleuro XXIX; p. 119 (8/2007)
- I **brachyantha** Schltr. = *Pleurothallis citrina*
Icones Pleuro XVIII; p. 108 (11/1999)
- brachyblephara** Schltr. = *Acronia cordata* ssp. *trachysepala*
Icones Pleuro XXVII; p. 64 (4/2005)
- DI **brachiata** Luer - *Selbyana* 1(3); p. 230
- DI **brachiata** Luer & Hirtz = *Acianthera brachiata*
Icones Pleuro XVIII; p. 10, 11, 63
NEO; 4:1744
- DI **brachiloba** Hoehne = *Specklinia brachiloba*
DI *Icones Pleuro XXVI; p. 259 (2/2004)*
- DI **brachypetala** Griseb. = *Pleurothallis odontopetala*
P *Icones Pleuro XXVI; p. 51 (2/2004)*
- I **bracteosa** C.Schweinf. – *Icones Pleuro XVIII; p. 89, 94*
- I **bradei** Schltr. = *Pabstiella bradei*
DI *Icones Pleuro XXIX; p. 119 (8/2007)*
- bradeorum** (Schltr.) Ames = *Barbosella dolichorhiza*
Icones Pleuro XX; p. 18 (5/2000)
- brenesii** Schltr. = *Sarcinula fulgens*
Icones Pleuro XXVIII; p. 213 (5/2006)
- brenneri** Luer = *Effusiella brenneri*
Icones Pleuro XXIX; p. 106 (8/2007)
- brevicaulis** Schltr. = *Specklinia gracillima*
Icones Pleuro XXVIII; p. 49 (5/2006)
- breviflora** Lindl. = *Acianthera brevifolia*
Icones Pleuro XXVI; p. 253 (2/2004)
- brevipes** H. Focke = *Panmorphia brevipes*
Icones Pleuro XXVIII; p. 148 (5/2006)
- brevis** Schltr. = *Trichosalpinx memor*
Icones Pleuro XV; p. 26 (12/1997)
- breviscapa** C. Schweinf. = *Panmorphia funera*
Icones Pleuro XXVIII; p. 156 (5/2006)
- brevispicata** C.Schweinf. = *Trichosalpinx quitensis*
Icones Pleuro XV; p. (12/1997)
- brighamella** Luer = *Sarcinula brighamella*
Icones Pleuro XXVIII; p. 206 (5/2006)
- brighamii** S.Wats. = *Sarcinula brighamii*
Icones Pleuro XXVIII; p. 206 (5/2006)
- brittonii** Rolfe = *Pleurothallis accuminata*
Icones Pleuro XVIII; p. 103 (11/1999)

Pleurothallis

- broadwayi** Ames = *Trichosalpinx dura*
Icones Pleuro XV; p. 56 (12/1997)
- broadwayi ssp. anomala** Ames = *Trichosalpinx dura*
Icones Pleuro XV; p. 56 (12/1997)
- brunnescens** Schltr. = *Pleurothallis lojae*
Icones Pleuro XXVI; p. 45 (2/2004)
- bucaramangae** Luer & R. Escobar = *Crocodelanthe bucarangae*
Icones Pleuro XXVI; p. 256 (2/2004)
- bucculenta** Luer = *Acronia bucculenta*
Icones Pleuro XXVII; p. 64 (4/2005)
- buchtienii** Schltr. = *Acronia linguifera* (was spelled *buchtienne*)
Selbyana 3(1,2); p. 122 (11/1976)
- bucranon** Luer & Hirtz = *Acronia nucranon*
Icones Pleuro XXVII; p. 59 (4/2005)
- bufonis** Klotzsch = *Pleurothallis pubescens*
Icones Pleuro XXVI; p. 58 (2/2004)
- bulbophylloides** Schltr. = *Specklinia bulbophylloides*
Icones Pleuro XXVI; p. 259 (2/2004)
- bupleurifolia** Porsch = *Specklinia bupleurifolia*
Icones Pleuro XXVI; p. 259 (2/2004)
- burzlaffiana** Luer & Sijm = *Panmorphia burzlaffiana*
Icones Pleuro XXVIII; p. 149 (5/2006)
- butantanensis** Hoehne & Schltr. = *Pleurothallis saundersiana*
Icones Pleuro XXVI; p. 64 (2/2004)
- butcheri** L.O. Williams = *Didactylus butcheri*
Icones Pleuro XXVI; p. 257 (2/2004)
- cabellensis** Rchb.f. = *Sylphia cabellensis*
Icones Pleuro XXVIII; p. 227 (5/2006)
- cachabensis** Luer & Hirtz - *Lindleyana 3*(3); p. 137
Icones Pleuro XXVIII; p. 1, 43-44, 74
- cachensis** Ames = *Unguella cachensis*
Icones Pleuro XXVI; p. 265 (2/2004)
- cactantha** Luer = *Sylphia cactantha*
Icones Pleuro XXVIII; p. 228 (5/2006)
- cajamarcae** Schltr. - *Icones Pleuro XVIII*; p. 44, 75
- calcarata** Cogn. = *Pabstiella calcarata*
Icones Pleuro XXIX; p. 119 (8/2007)
- calceolaris** Rchb.f. = *Acronia calceolaris*
Icones Pleuro XXVII; p. 64 (4/2005)
- caldensis** Höhne & Schltr. = *Anthrosia caldensis*
Icones Pleuro XXVIII; p. 248 (5/2006)
- calderae** Luer = *Sarcinula calderae*
Icones Pleuro XXVIII; p. 207 (5/2006)
- calerae** Schltr. = *Pleurothallis immersa*
Icones Pleuro XX; p. 70 (5/2000)
- caliensis** Schltr. = *Restrepiopsis tubulosa*
Icones Pleuro VIII; p. 116 (8/1991)
- caligularis** Luer = *Pleurothallis carnosilabia*
Icones Pleuro XVII; p. 69 (11/1998)
- calimifolia** Luer & R. Escobar = *Acronia calimifolia*
Icones Pleuro XXVII; p. 64 (4/2005)
- callifera** C. Schweinf. = *Acronia callifera*
Icones Pleuro XXVII; p. 64 (4/2005)
- calogramma** Luer = *Acronia calogramma*
Icones Pleuro XXVII; p. 64 (4/2005)
- calolalax** Luer & R. Escobar = *Acronia calolalax*
Icones Pleuro XXVII; p. 64 (4/2005)
- calvariola** Luer & Escobar - *Orquideologia XIV*(2); p. 136, 137
Icones Pleuro XXVIII; p. 44, 45, 75
Lindleyana 11(3); p. 184, 185 (was *silvestris*)
- calypso** Luer = *Apoda-Prorpenentia calypso*
Icones Pleuro XXVI; p. 255 (2/2004)
- calyptrosepala** L.O. Williams = *Specklinia schaeferi*
Icones Pleuro XXVIII; p. 65 (5/2006)
- calyptrostele** Schltr. = *Specklinia calyptrostele*
Icones Pleuro XXVIII; p. 41 (5/2006)
- campestris** Barb. Rodr. = *Pabstiella campestris*
Icones Pleuro XXIX; p. 119 (8/2007)
- campicola** Luer = *Pleurothallis listerophora*
Icones Pleuro XX; p. 74 (5/2000)
- canae** Ames = *Uncifera canae*
Icones Pleuro XXVI; p. 265 (2/2004)
- canaligera** Rchb.f. = *Acronia canaligera*
Icones Pleuro XXVII; p. 64 (4/2005)
- candida** Luer & Hirtz = *Specklinia candida*
Icones Pleuro XXVI; p. 259 (2/2004)
- caniceps** Luer = *Ancipitia caniceps*
Icones Pleuro XXVI; p. 254 (2/2004)
- canidentis** Luer & R. Escobar = *Acronia canidentis*
Icones Pleuro XXVII; p. 64 (4/2005)
- caparaensis** Brade = *Specklinia caparaensis*
Icones Pleuro XXVI; p. 259 (2/2004)
- capillaris** Lindl. = *Specklinia capillaris*
Icones Pleuro XXVI; p. 259 (2/2004)
- capillifera** Luer & Vásquez = *Pleurothallis schwienufurthii*
Icones Pleuro XVI; p. 91 (4/1998)
- capitonis** Luer & Escobar - *Orquideologia XX*(1); p. 43, 44
Icones Pleuro XVIII; p. 45, 75
- caprina** Luer & Escobar = *Ancipitia caprina*
Icones Pleuro XXVI; p. 254 (2/2004)
- cardiantha** Rchb.f. = *Acronia bivalvis*
Icones Pleuro XXVII; p. 64 (4/2005)
- cardiochila** L.O. Williams = *Acronia cardiochila*
Icones Pleuro XXVII; p. 64 (4/2005)
- cardiocrepis** Braid = *Acronia braidiana*
Icones Pleuro XXVII; p. 64 (4/2005)
- cardiocrepis** Rchb.f. = *Acronia cardiocrepis*
Icones Pleuro XXVII; p. 64 (4/2005)
- cardiophyllax** Rchb.f. = *Acronia cardiophyllax*
Icones Pleuro XXVII; p. 64 (4/2005)
- cardiophylla** Schltr. = *Acronia cordata* ssp. *cprdata*
Icones Pleuro XXVII; p. 64 (4/2005)
- cardiostola** Rchb.f. = *Acronia cardiostola*
Icones Pleuro XXVII; p. 64 (4/2005)
- cardiothallis** Rchb.f. = *Acronia cardiothallis*
Icones Pleuro XXVII; p. 64 (4/2005)
- cardium** Rchb.f. = *Acronia bivalvis*
Icones Pleuro XXVII; p. 65 (4/2005)
- carioi** Schltr. = *Pleurothallis angustifolia*
Icones Pleuro XXVI; p. 13 (2/2004)
- carinata** C. Schweinf. = *Acianthera carinata*
Icones Pleuro XXVI; p. 253 (2/2004)
- carinifera** (Barb. Rodr.) Cogn. = *Pabstiella carinifera*
Icones Pleuro XXIX; p. 119 (8/2007)
- carnosa** Braid = *Acronia carnosa*
Icones Pleuro XXVII; p. 65 (4/2005)
- carnosifolia** C. Schweinf. = *Specklinia carnosifolia*
Icones Pleuro XXVI; p. 259 (2/2004)
- carnosilabia** Heller & Hawkes = *Dracontia carnosilabia*
Icones Pleuro XXVI; p. 257 (2/2004)
- carpinterae** Schltr. = *Elongatia carpinterae*
Icones Pleuro XXVI; p. 257 (2/2004)
- carrenoi** Carnevali & I. Ramirez = *Acronia carrenoi*
Icones Pleuro XXVII; p. 65 (4/2005)
- carrisii** Brade = *Pabstiella carrisii*
Icones Pleuro XXIX; p. 119 (8/2007)
- carvalhoi** Luer & Toscano = *Anathallis carvalhoi*
Icones Pleuro XXIX; p. 118 (8/2007)
- casapensis** Lindl. - *Selbyana 1*(1); p. 62
Icones Plant Trop, Ser II, Fasc 2; pl. 154
Orc of Bolivia Vol 1; p. 250, 279
NCO; 3:501 (was *Pleurothallis chamensis*)
VOI; 1, p. 314 (was *chamensis*)
Orc of Ven FG 3; p. 764 (was *chamensis*)

Pleurothallis

- Icones Pleuro XXVI; p. 20-21, 85
 VOI; 5, p. 236 (was *P. coffeicola*)
 Selbyana 3(1,2); p. 78 (was *P. coffeicola*)
 Orc of Bolivia Vol 1; p. 251, 281 (was *coffeicola*)
- cassidata** Luer & R. Escobar = *Acronia cassidata*
Icones Pleuro XXVII; p. 65 (4/2005)
- cassidis** Lindl. = *Crocodelanthe cassidis*
Icones Pleuro XXVI; p. 256 (2/2004)
- castellensis** Brade = *Pabstiella castellensis*
Icones Pleuro XXIX; p. 119 (8/2007)
- casualis** Ames = *Panmorphia casualis*
Icones Pleuro XXVIII; p. 149 (5/2006)
- catoxys** Luer & Hirtz = *Muscarella catoxys*
Icones Pleuro XXVIII; p. 97 (5/2006)
- cauda-phocae** Luer & Hirtz = *Acronia cauda-phocae*
Icones Pleuro XXVII; p. 59 (4/2005)
- cauda-hirundinis** Luer = *Acronia cauda-hirundinis*
Icones Pleuro XXVII; p. 59 (4/2005)
- caudatipetala** C. Schweinf. = *Panmorphia caudatipetala*
Icones Pleuro XXVIII; p. 150 (5/2006)
- cauliflora** Lindl. = *Crocodelanthe cauliflora*
Icones Pleuro XXVI; p. 256 (2/2004)
- caulescens** Lindl. = *Fronitaria caulescens*
Icones Pleuro I; p. 29 (7/1986)
- caymanensis** Adams = *Proctoria caymanensis*
Icones Pleuro XXVI; p. 258 (2/2004)
- cedralensis** Ames = *Trichosalpinx cedralensis*
Icones Pleuro XV; p. 48 (12/1997)
- cedrinorum** Luer & Daleström = *Acronia cedrinorum*
Icones Pleuro XXVII; p. 65 (4/2005)
- ceratothallis** Rchb.f. = *Myoxanthus ceratothallis*
Icones Pleuro IX; p. 20 (11/1992)
- cerberus** Luer & R. Vásquez = *Icones Pleuro XXVI; p. 22, 85*
- cerea** Ames = *Myoxanthus octomeriae*
Icones Pleuro IX; p. 62 (11/1992)
- cernua** Luer - Selbyana 1(3); p. 234
Icones Pleuro XVII; p. 39-40, 59
 NEO; 4:1752
- cestrochila** Garay = *Muscarella cestrochila*
Icones Pleuro XXVIII; p. 97 (5/2006)
- chachatoyensis** Schltr. = *Acronia microcardia*
Icones Pleuro XXVII; p. 62 (11/2005)
- chaetoglossa** Luer = *Trichosalpinx chaetoglossa*
Icones Pleuro XV; p. 49 (12/1997)
- chaetocephala** Cogn. = *Myoxanthus punctatus*
Icones Pleuro IX; p. 74 (11/1992)
- chama** Luer = *Acronia chama*
Icones Pleuro XXVII; p. 65 (4/2005)
- chamaelepanthes** Rchb.f. = *Trichosalpinx chamaelepanthes*
Icones Pleuro XV; p. 50 (12/1997)
- chamelopoda** Luer = *Acianthera chamelopoda*
Icones Pleuro XXVI; p. 253 (2/2004)
- chamensis** Lindl. = *Pleurothallis casapensis*
 Selbyana 1(1); p. 62 (1/1975)
- chamensis** Lindl. var. **tenuis** Schweinf. = *Pleurothallis mexiae*
Icones Pleuro XXVI; p. 47 (2/2004)
- chanchamayoensis** Schltr. = *Acronia bivalvis*
Icones Pleuro XXVII; p. 65 (4/2005)
- chaparensis** Luer & Vásquez = *Acronia chaparensis*
Icones Pleuro XXVII; p. 65 (4/2005)
- chavezii** Luer = *Acronia chavezii*
Icones Pleuro XXVII; p. 65 (4/2005)
- chionopa** Luer = *Icones Pleuro XXVI; p. 23, 86*
- chiquindensis** Lehm. & Krzl. = *Pleurothallis gelida*
Icones Pleuro XX; p. 68 (5/2000)
- chiriquensis** Schltr. = *Pleurothallis gelida*
Icones Pleuro XX; p. 68 (5/2000)
- DI **chlamydopus** Schltr. = *Pleurothallis ligulata*
 DI *Icones Pleuro XVI; p. 35 (4/1998)*
- DI **chloë** Luer & Vásquez = *Myoxanthus chloë*
 IP *Selbyana 7(1); p. 36 (8/1982)*
- chlorina** Luer = *Effusiella chlorina*
Icones Pleuro XXIX; p. 106 (8/2007)
- chloroleuca** Lindl. - Selbyana 3(1,2); p. 196 (was *venticosa*)
 DI *Icones Pleuro XVII; p. 40, 60*
 DI NCO; 3:489
 P VOI; 1, p. 356 (was *wendlandiana*)
 DI Orc of Ven FG 3; p. 765
 I
- choconiana** S. Watson = *Specklinia grobyi*
Icones Pleuro XXVIII; p. 51 (5/2006)
- choerorhyncha** Luer = *Crocodelanthe choerorhyncha*
Icones Pleuro XXVI; p. 256 (2/2004)
- chontalensis** Heller & Hawkes = *Sarcinula chontalensis*
Icones Pleuro XXVIII; p. 208 (5/2006)
- choroniensis** Schnee = *Acronia cardiostola*
Icones Pleuro XXVII; p. 65 (4/2005)
- chrysantha** Lindl. = *Icones Pleuro XXVI; p. 23-24, 86*
- chuscalica** Luer - *Orquideologia XXI(2); p. 120, 121*
 DI *Icones Pleuro XVIII; p. 45, 46, 75*
 DI
- ciliaris** (Lindl.) L.O. Williams = *Trichosalpinx ciliaris*
Icones Pleuro XV; p. 20 (12/1997)
- ciliata** Knowles & Westc. = *Pleurothallis lanceana*
Icones Pleuro XXVI; p. 43 (2/2004)
- ciliata var abbreviata** C. Schweinf. = *Pleurothallis aphthosa*
Icones Pleuro XXVI; p. 15 (2/2004)
- ciliata var elongata** C. Schweinf. = *Pleurothallis lanceana*
Icones Pleuro XXVI; p. 43 (2/2004)
- ciliifera** Luer = *Specklinia ciliifera*
Icones Pleuro XXVI; p. 259 (2/2004)
- DI **ciliilabia** Schltr. = *Panmorphia barbulate*
Icones Pleuro XXVIII; p. 147 (5/2006)
- ciliolata** Schltr. = *Panmorphia ciliolata*
 DI *Icones Pleuro XXVIII; p. 147 (5/2006)*
- DI **cimex** Luer & Escobar = *Myoxanthus cimex*
 P *Selbyana 7(1); p. 36 (8/1982)*
- cingens** Ames & Schweinf. = *Pleurothallis circumplexa*
Icones Pleuro XXVI; p. 24 (2/2004)
- circinata** Luer - *Icones Pleuro XVII; p. 41, 60*
 DI *Orquideologia XX(2); p. 206, 207*
 DI
- circumplexa** Lindl. - Selbyana 1(2); p. 196
 DI *Selbyana 11(S); p. 632, 633*
 DI *Icones Pleuro XXVI; p. 24-25, 86*
 DI *Selbyana 1(2); p. 184*
 (was *P. pacayana* - misspelled *gacayana*)
 DI
- citrina** Schltr. = *Specklinia citrina*
Icones Pleuro XXVI; p. 259 (2/2004)
- citrina var. elliptica** C. Schweinf. = *Pleurothallis angustilabia*
Icones Pleuro XVIII; p. 105 (11/1999)
- citrophylla** Luer = *Pleurothallis lojiae*
Icones Pleuro XXVI; p. 45 (2/2004)
- clandestina** Lindl. = *Panmorphia clandestina*
Icones Pleuro XXVIII; p. 150 (5/2006)
- claudei** Rchb.f. ex Dod = *Icones Pleuro XVI; p. 86-87, 92*
- clausa** A. Rich. & Galeotti ex Rchb.f. = *Pleurothallis deregularis*
 DI *Icones Pleuro XVIII; p. 89 (11/1999)*
- claviculata** Luer & Hirtz = *Muscarella claviculata*
Icones Pleuro XXVIII; p. 98 (5/2006)
- clavigera** Luer = *Muscarella clavigera*
Icones Pleuro XXVIII; p. 99 (5/2006)
- DI **cleistogama** Luer - *Icones Pleuro XVII; p. 41, 60*
- cobanensis** Schltr. = *Rhynchopera cobanensis*
 DI *Icones Pleuro XXIX; p. 121 (8/2007)*
- cobriiformis** L.O. Williams = *Acronia cobriiformis*
Icones Pleuro XXVII; p. 65 (4/2005)

Pleurothallis

- cochlearis* Rchb.f. = *Pleurothallis violacea*
Icones Pleuro XXVI; p. 72 (2/2004)
- cocornaënsis* Luer = *Effusiella cocornaënsis*
Icones Pleuro XXIX; p. 106 (8/2007)
- cochababae* Luer & Vásquez = *Pleurothallis cyathiflora*
Icones Pleuro XVI; p. 19 (4/1998)
- coeloglossa* Luer & Hirtz = *Muscarella coeloclossa*
Icones Pleuro XXVIII; p. 99 (5/2006)
- coffeicola* Schltr. = *Pleurothallis casapensis*
Icones Pleuro XXVI; p. 20 (2/2004)
- cogniauxiana* Schltr. - Selbyana 3(3,4); p. 270
 Selbyana 11(S); p. 635
Icones Plant Trop, Fasc 14; pl. 1379
Icones Pleuro XXVI; p. 25-26, 87
 Selbyana 2(4); p. 391 (was *P. congruens*)
 Selbyana 4; p. 178 (was *P. congruens*)
- collina* Cogn. = *Trichosalpinx montana*
Icones Pleuro XV; p. 68 (12/1997)
- collina* var. *minor* Cogn. = *Trichosalpinx montana*
Icones Pleuro XV; p. 68 (12/1997)
- colossus* Krzl. - *Icones Pleuro XVIII*; p. 46, 47, 76
 NEO; 4:1755
- colothrix* Luer = *Myoxanthus colothrix*
 Selbyana 7(1); p. 36 (8/1982)
- comayaguensis* Ames = *Panmorphia comayaguensis*
Icones Pleuro XXVIII; p. 151 (5/2006)
- compacta* (Ames) Ames & Schweinf. = *Platystele compacta*
Icones Pleuro VII; p. 30 (12/1990)
- complanata* Luer & Hirtz = *Acronia complanata*
Icones Pleuro XXVII; p. 65 (4/2005)
- complicata* Rolfe = *Pleurothallis revoluta*
Icones Pleuro XVIII; p. 21 (11/1999)
- compressa* Luer = *Acronia compressa*
Icones Pleuro XXVII; p. 65 (4/2005)
- compressicaulis* Dod. - *Icones Pleuro XXVI*; p. 26, 87
- compressiflora* Barb. Rodr. = *Pleurothallis auriculata*
 Selbyana 3(3,4); p. 250 (7/1977)
- conanthera* Rchb.f. = *Pleurothallis pachyglossa*
Icones Pleuro XVII; p. 75 (11/1998)
- concaiflora* C.Schweinf. = *Acronia excavata*
Icones Pleuro XXVII; p. 65 (4/2005)
- conchopetala* Schltr. = *Pleurothallis laevigata*
Icones Pleuro XVI; p. 31 (4/1998)
- concinna* Luer & Vásquez = *Specklinia concinna*
Icones Pleuro XXVI; p. 259 (2/2004)
- condorensis* Luer & Hirtz = *Ancipitia condorensis*
Icones Pleuro XXVI; p. 254 (2/2004)
- condylata* Luer = *Sarcinula condylata*
Icones Pleuro XXVIII; p. 208 (5/2006)
- conformalis* Luer & Dalström - *Orquideologia XXII*(3); p. 261, 282 DI
- confusa* Fawc. & Rendle = *Pleurothallis angustifolia*
Icones Pleuro XXVI; p. 13 (2/2004)
- congesta* A.Rich. & Gal. = *Myoxanthus octomerioides*
Icones Pleuro IX; p. 66 (11/1992)
- congestiflora* (Cogn.) C.Porto & Brade = *Lepanthopsis densiflora*
Icones Pleuro VIII; p. 30 (8/1991)
- conicostigma* Luer = *Acronia conicostigma*
Icones Pleuro XXVII; p. 65 (4/2005)
- conochila* Luer = *Dracontia conochila*
Icones Pleuro XXVI; p. 257 (2/2004)
- consatae* Luer & Vásquez = *Acianthera consatae*
Icones Pleuro XXVI; p. 253 (2/2004)
- consimilis* Ames = *Pleurothallis yauaperyensis*
Icones Pleuro XXVI; p. 74 (2/2004)
- conspersa* Hoehne = *Pabstiella conspersa*
Icones Pleuro XXIX; p. 119 (8/2007)
- constricta* Luer & R. Escobar = *Acronia constricta*
Icones Pleuro XXVII; p. 65 (4/2005)
- convallaria* Schltr. = *Effusiella convallaria*
Icones Pleuro XXIX; p. 106 (8/2007)
- convexa* Luer & Hirtz = *Acronia convexa*
Icones Pleuro XXVII; p. 65 (4/2005)
- convexifolia* Barb.Rodr. = *Pleurothallis wagneriana*
Icones Pleuro XXVI; p. 73 (2/2004)
- convoluta* Lindl. = *Effusiella convoluta*
Icones Pleuro XXIX; p. 106 (8/2007)
- DI *cooperi* Schltr. = *Acronia dentipetala*
 I *Icones Pleuro XXVII*; p. 59 (4/2005)
- DI *corazonica* Lehm. & Krzl. = *Trichosalpinx dura*
 DI *Icones Pleuro XV*; p. 56 (12/1997)
- D *corazonica* Schltr. = *Pleurothallis truncata*
 DI *Icones Pleuro XVII*; p. 3 (11/1998)
- cordata* Ruiz & Pav. = *Acronia cordata* ssp *cordata*
Icones Pleuro XXVII; p. 65 (4/2005)
- cordata* ssp *rhopalocarpa* Schltr. = *Acronia cordata* ssp *rhopalocarpa*
Icones Pleuro XXVII; p. 65 (4/2005)
- DI *cordata* ssp *trachysepala* Luer = *Acronia cordata* ssp *trachysepala*
 I *Icones Pleuro XXVII*; p. 65 (4/2005)
- cordatifolia* Dod. - *Icones Pleuro XXVI*; p. 27, 88 DI
- cordifolia* Rchb.f. & Wagener = *Acronia cordifolia*
Icones Pleuro XXVII; p. 65 (4/2005)
- cordilabia* Pabst = *Pabstiella cordilabia*
Icones Pleuro XXIX; p. 119 (8/2007)
- coriacardia* Rchb.f. = *Acronia coriacardia*
Icones Pleuro XXVII; p. 65 (4/2005)
- coriacea* Bello = *Pleurothallis pubescens*
Icones Pleuro XXVI; p. 58 (2/2004)
- coripatae* Luer & Vásquez = *Specklinia coripatae*
Icones Pleuro XXVI; p. 259 (2/2004)
- corniculata* (Sw.) Lindl. = *Sarcinula corniculata*
 DI *Icones Pleuro XXVIII*; p. 209 (5/2006)
- cornualis* Luer - Selbyana 3(1,2); p. 86 DI
Icones Pleuro XVIII; p. 47, 76 DI
- coronula* Luer = *Sarcinula coronula*
Icones Pleuro XXVIII; p. 211 (5/2006)
- corralensis* Garay = *Acronia coriacardia*
Icones Pleuro XXVII; p. 65 (4/2005)
- correllii* Luer = *Acronia correllii*
Icones Pleuro XXVII; p. 65 (4/2005)
- corticicola* Schltr. ex Hoehne = *Panmorphia corticicola*
Icones Pleuro XXVIII; p. 177 (5/2006)
- corynetes* Luer & Vásquez = *Muscarella corynetes*
Icones Pleuro XXVIII; p. 100 (5/2006)
- corynophora* Luer = *Panmorphia fractiflexa*
Icones Pleuro XXVIII; p. 154 (5/2006)
- corysta* Luer = *Acronia corysta*
Icones Pleuro XXVII; p. 65 (4/2005)
- cosangae* Luer & Hirtz = *Crocodeilanthe cosangae*
Icones Pleuro XXVI; p. 256 (2/2004)
- cosmetron* Luer = *Colombiana cosmetron*
Icones Pleuro XXVIII; p. 249 (5/2006)
- costabilis* Luer & Vásquez = *Acianthera costabilis*
Icones Pleuro XXVI; p. 253 (2/2004)
- costaricensis* Rolfe = *Specklinia costaricensis*
Icones Pleuro XXVIII; p. 41 (5/2006)
- costaricensis* Schltr. (not Rolfe) = *Acronia cardiothallis*
Icones Pleuro XXVII; p. 65 (4/2005)
- cotyligera* Luer & Escobar - *Orquideologia XX*(1); p. 46, 48 DI
Icones Pleuro XVIII; p. 47, 48, 76 DI
- crassapex* Luer = *Acronia millei*
Icones Pleuro XXVII; p. 65 (4/2005)
- crassifolia* Focke = *Pleurothallis lanceana*
Icones Pleuro XXVI; p. 43 (2/2004)

Pleurothallis

- crassifolia** Rchb.f. = *Panmorphia minutalis*
Icones Pleuro XXVIII; p. 167 (5/2006)
- cassilabia** Ames & C.Schweinf. = *Acianthera crassilabia*
Icones Pleuro XXVI; p. 253 (2/2004)
- crassipes** Lindl. = *velaticaulis*
Icones Pleuro XVI; p. 57 (4/1998)
- crassipes** Rchb.f. = *Pleurothallis deregularis*
Icones Pleuro XVIII; p. 89 (11/1999)
- crateriformis** C.Schweinf. = *Acronia crateriformis*
Icones Pleuro XXVII; p. 65 (4/2005)
- crebrifolia** (Barb.Rodr.) Cogn. = *Anathallis crebrifolia*
Icones Pleuro XXIX; p. 118 (8/2007)
- cremasta** Luer & J.J.Portilla = *Acianthera cremasta*
Icones Pleuro XXVI; p. 253 (2/2004)
- crenata** Lindl. = *Pabstiella crenata*
Icones Pleuro XXIX; p. 119 (8/2007)
- crepidophylla** Rchb.f. = *Specklinia grobyi*
Icones Pleuro XXVIII; p. 51 (5/2006)
- crepiniana** Cogn. - *Icones Pleuro III*; p. 55
- crescetilabia** Ames - *Icones Pleuro XVIII*; p. 48, 76
- crinita** Barb.Rodr. = *Pabstiella crinita*
Icones Pleuro XXIX; p. 119 (8/2007)
- cristata** (Barb.Rodr.) Cogn. = *Acianthera cristata*
Icones Pleuro XXVI; p. 253 (2/2004)
- croatii** Luer = *Crocodelanthe croatii*
Icones Pleuro XXVI; p. 256 (2/2004)
- crocodelanthe** Lindl. = *Pleurothallis xiphizusa*
Icones Pleuro XVI; p. 60 (4/1998)
- crocodiliceps** Rchb.f. = *Ancipitia crocodiliceps*
Icones Pleuro XXVI; p. 254 (2/2004)
- crossata** Luer & Dalström = *Acronia crossata*
Icones Pleuro XXVII; p. 65 (4/2005)
- crucifera** Luer = *Acronia crudifera*
Icones Pleuro XXVII; p. 65 (4/2005)
- cruciformis** Ames = *Restrepopsis reichbachiana*
Icones Pleuro VIII; p. 112 (8/1991)
- cryptantha** (Barb.Rodr.) Cogn. = *Specklinia dodii*
Icones Pleuro XXVIII; p. 46 (5/2006)
- cryptoceras** Rchb.f. = *Pleurothallis saundersiana*
Selbyana 3(3,4); p. 382 (7/1977)
- cryptophoranthoides** Löfgr = *Acianthera cryptophoranthoides*
Icones Pleuro XXVI; p. 253 (2/2004)
- cuatrecasasii** Luer = *Crocodelanthe cuatrecasasii*
Icones Pleuro XXVI; p. 256 (2/2004)
- cubensis** Lindl. = *Pleurothallis rubroviridis*
Icones Pleuro XXVI; p. 62 (2/2004)
- cucullata** Ames = *Acronia rowleei*
Icones Pleuro XXVII; p. 59 (4/2005)
- cucumeris** Luer = *Cucumeria cucumeris*
Icones Pleuro XXVI; p. 257 (2/2004)
- cunabularis** Luer - *Icones Pleuro XVII*; p. 42, 60
- cundinamarcae** Schltr. = *Acronia microcardia* ssp *microcardia*
Icones Pleuro XXVII; p. 65 (4/2005)
- curitybensis** Krzl. = *Pleurothallis recurva*
Selbyana 3(3,4); p. 374 (7/1977)
- curtii-bradei** Pabst = *Pabstiella curtii-bradei*
Icones Pleuro XXIX; p. 119 (8/2007)
- curtisii** Dod = *Specklinia curtisii*
Icones Pleuro XXVIII; p. 41 (5/2006)
- curvifucta** H.G.Jones = *Acronia curvifucta*
Icones Pleuro XXVII; p. 65 (4/2005)
- cuspidata** Luer = *Panmorphia cuspidata*
Icones Pleuro XXVIII; p. 152 (5/2006)
- cutucuensis** Luer = *Acronia cutucuensis*
Icones Pleuro XXVII; p. 65 (4/2005)
- cyanea** Luer & R.Escobar = *Acronia cyanea*
Icones Pleuro XXVII; p. 65 (4/2005)
- cyathiflora** C.Schweinf. = *Crocodelanthe cyathiflora*
Icones Pleuro XXVI; p. 256 (2/2004)
- cyclochila** Lindl. = *Pleurothallis antennifera*
Icones Pleuro XVIII; p. 7 (11/1999)
- cyclophylla** Luer = *Pleurothallis agathophylla*
Icones Pleuro XXVI; p. 13 (2/2004)
- cycesis** Luer & Escobar = *Sarcinula cycesis*
Icones Pleuro XXVIII; p. 212 (5/2006)
- cylindrica** (Luer) Luer = *Physothallis cylindrical*
Icones Pleuro XXIX; p. 101 (08/2007)
- cymbicalli** Pabst. = *Myoxanthus trachychlamys*
Icones Pleuro IX; p. 88 (11/1992)
- cymbiformis** Dod = *Dondodia erosa*
Icones Pleuro XXVIII; 86 (5/2006)
- cymbisepala** Schltr. - *Icones Pleuro XVIII*; p. 11, 63
- cynocephala** Luer = *Muscarella cynocephala*
Icones Pleuro XXVIII; p. 100 (5/2006)
- cypelligera** Luer & Hirtz = *Ancipitia cypelligera*
Icones Pleuro XXVI; p. 254 (2/2004)
- cyprapedioides** Luer = *Effusiella cyprapedioides*
Icones Pleuro XXIX; p. 106 (8/2007)
- daguensis** Lehm. & Kraenzl. = *Pleurothallis lanceana*
Icones Pleuro XXVI; p. 43 (2/2004)
- dalessandroi** Luer = *Panmorphia dalessandroi*
Icones Pleuro XXVIII; p. 152 (5/2006)
- dalstroemii** Luer = *Andinia dalstroemii*
 Moved by Pridgeon & M.W.Chase
- dasychila** Luer = *Pleurothallis wageniana*
Icones Pleuro XXVI; p. 73 (2/2004)
- dasyptala** Luer & Hirtz - *Icones Pleuro XVI*; p. 87, 92
- davisii** Luer & Endara - *Icones Pleuro XXIX*; p. 109-110, 113
- dayana** (Rchb.f.) L.O.Williams = *Restrepia muscifera*
Icones Pleuro XIII; p. 104 (10/1996)
- deborana** Carnevali & L.Ramírez = *Panmorphia holstii*
Icones Pleuro XXVIII; p. 159 (5/2006)
- deceptrix** Dressler = *Dresslerella powellii*
Icones Pleuro V; p. 16 (11/1988)
- decipiens** Ames & Schweinf. - *Lindleyana 1(4)*; p. 304
- declivis** Lindl. = *Stelis declivis*
Selbyana 23(1); p. 44 (10/2002)
- decora** Luer & Escobar = *Pleurothallis nutans*
Icones Pleuro XVIII; p. 56 (11/1999)
- decurrens** Poepp. & Endl. - *Icones Pleuro XXVI*; p. 30, 89
- decurva** Lindl. = *Pleurothallis phalangifera*
Icones Pleuro XVII; p. 17 (11/1998)
- deflexa** Luer = *Acronia deflexa*
Icones Pleuro XXVII; p. 65 (4/2005)
- dejavu** Luer & Hirtz = *Acronia dejavu*
Icones Pleuro XXVII; p. 65 (4/2005)
- delicatula** Lindl. = *Muscarella delicatula*
Icones Pleuro XXVIII; p. 101 (5/2006)
- deltoglossa** Cogn. = *Specklinia deltoglossa*
Icones Pleuro XXVI; p. 259 (2/2004)
- demissa** Luer & Vásquez - *Icones Pleuro XVIII*; p. 11, 12, 63
- dendrophila** Rchb.f. = *Pleurothallis obovata*
Icones Pleuro XVIII; p. 114 (11/1999)
- densiflora** (Barb.Rodr.) Cogn. = *Pleurothallis obovata*
Icones Pleuro XVIII; p. 115 (11/1999)
- densiflora** var. **parvifolia** Garay = *Pleurothallis obovata*
Icones Pleuro XVIII; p. 115 (11/1999)
- densifolia** Rolfe ex Britton = *Specklinia picta*
Icones Pleuro XXVIII; p. 62 (5/2006)

Pleurothallis

- denticulata* Cogn. = *Specklinia denticulata*
 Icones Pleuro XXVI; p. 259 (2/2004)
- dentifera* L.O.Williams = *Lepanthopsis barahonensis*
 Icones Pleuro VIII; p. 22 (8/1991)
- dentipetala* Rolfe ex Ames = *Acronia dentipetala*
 Icones Pleuro XXVII; p. 59 (4/2005)
- depauperata* Cogn. = *Specklinia depauperata*
 Icones Pleuro XXVI; p. 259 (2/2004)
- dependens* Luer = *Trichosalpinx dependens*
 Icones Pleuro XV; p. 22 (12/1997)
- depressa* Luer & R.Escobar = *Acronia depressa*
 Icones Pleuro XXVII; p. 65 (4/2005)
- deregularis* (Barb.Rodr.) Luer - Selbyana 2(4); p. 385
 Selbyana 4; p. 178
 Icones Pleuro XVIII; p. 89-91, 94
 Selbyana 11(S); p. 610 (was *Physosiphon spiralis*)
- deserta* Luer & R. Vásquez = *Acianthera deserta*
 Icones Pleuro XXVI; p. 253 (2/2004)
- determannii* Luer = *Specklinia determannii*
 Icones Pleuro XXVI; p. 260 (2/2004)
- dewildei* Luer & R.Escobar = *Acronia dewildei*
 Icones Pleuro XXVII; p. 65 (4/2005)
- diabolica* Luer & R.Escobar = *Acronia diabolica*
 Icones Pleuro XXVII; p. 65 (4/2005)
- dibolia* Luer = *Acronia dibolia*
 Icones Pleuro XXVII; p. 65 (4/2005)
- dichotoma* Ames = *Muscarella aristata*
 Icones Pleuro XXVIII; p. 96 (5/2006)
- diffusa* Poepp. & Endl. sensu Lindl. = *Pleurothallis expansa*
 Icones Pleuro XVI; p. 22 (4/1998)
- diffusa* Poepp. & Endl. = *Pleurothallis revoluta*
 Icones Pleuro XVIII; p. 21 (11/1999)
- diffusa* var. *grandiflora* (C.Schweinf.) C.Schweinf. =
Pleurothallis penduliflora
 Icones Pleuro XVIII; p. 18 (11/1999)
- diffusiflora* C.Schweinf. = *Panmorphia seriata*
 Icones Pleuro XXVIII; p. 174 (5/2006)
- digitalis* Luer = *Specklinia digitalis*
 Icones Pleuro XXVIII; p. 41 (5/2006)
- dilatata* C.Schweinf. = *Effusiella dilatata*
 Icones Pleuro XXIX; p. 106 (8/2007)
- dilemma* Luer = *Acronia dilemma*
 Icones Pleuro XXVII; p. 65 (4/2005)
- dimidia* Luer = *Specklinia dimidia*
 Icones Pleuro XXVI; p. 260 (2/2004)
- diminuta* Luer = *Effusiella diminuta*
 Icones Pleuro XXIX; p. 106 (8/2007)
- dinotharii* Rchb.f. & Warsc. = *Trichosalpinx arbuscula*
 Icones Pleuro XV; p. 44 (12/1997)
- diploglossa* Schltr. = *Pleurothallis bicurvis*
 Icones Pleuro XVIII; p. 10 (11/1999)
- diptera* Lindl. = *Trichosalpinx arbuscula*
 Icones Pleuro XV; p. 44 (12/1997)
- dirhamphis* Luer = *Trichosalpinx dirhamphis*
 Icones Pleuro XV; p. 53 (12/1997)
- discalis* Luer & Portilla = *Muscarella trullifera*
 Icones Pleuro XXVIII; p. 121 (5/2006)
- discoidea* Lindl. = *Acronia discoidea*
 Icones Pleuro XXVII; p. 65 (4/2005)
- discophylla* Luer & Carnevali = *Acianthera discophylla*
 Icones Pleuro XXVI; p. 253 (2/2004)
- displosa* Luer = *Sarcinula displosa*
 Icones Pleuro XXVIII; p. 212 (5/2006)
- diuturna* Schltr. = *Pleurothallis erinacea*
 Icones Pleuro XI; p. 94 (12/1994)
- divaricans* Schltr. - Selbyana 1(2); p. 180
 Icones Orchid Peru pl. 315
- Icones Pleuro XVIII; p. 31, 71
 Orc of Bolivia Vol 1; p. 294
- divexa* Ames = *Muscarella aristata*
 Icones Pleuro XXVIII; p. 96 (5/2006)
- dixiorum* Luer & Behar = *Sarcinula acicularis*
 Icones Pleuro XXVIII; p. 202 (5/2006)
- dodii* Garay = *Specklinia dodii*
 Icones Pleuro XXVI; p. 259 (2/2004)
- dodsonii* Luer = *Apoda-Prorenpentia dodsonii*
 Icones Pleuro XXVI; p. 255 (2/2004)
- dolichocaulon* Schltr. = *Pleurothallis xanthochlora*
 Icones Pleuro XVIII; p. 36 (11/1999)
- D *dolichopus* Schltr. = *Specklinia dolichopus*
 DI *Icones Pleuro XXVI; p. 260 (2/2004)*
 DI *dolichopus* var. *bradeorum* Schltr. = *Pleurothallis dolichopus*
 I *Icones Pleuro XVIII; p. 110 (11/1999)*
- domingensis* cogn. = *Crocodeilanthe domingensis*
 Icones Pleuro XXVI; p. 256 (2/2004)
- dorotheae* Luer = *Acronia dorotheae*
 Icones Pleuro XXVII; p. 65 (4/2005)
- dorrii* Luer - Icones Pleuro XVIII; p. 48, 49, 77
 Lindleyana 12(1); p. 45, 46
- dracontea* Luer = *Dracontia dracontea*
 Icones Pleuro XXVI; p. 257 (2/2004)
- dracuncula* Luer & Hirtz = *Acronia dracuncula*
 Icones Pleuro XXVII; p. 65 (4/2005)
- dressleri* Luer = *Areldia dressleri*
 Icones Pleuro XXVI; p. 255 (2/2004)
- drewii* Luer = *Acronia drewii*
 Icones Pleuro XXVII; p. 59 (4/2005)
- driessenii* Luer = *Ancipitia driessenii*
 Icones Pleuro XXVI; p. 254 (2/2004)
- dryadum* Schltr. = *Specklinia picta*
 Icones Pleuro XXVIII; p. 62 (5/2006)
- duartii* Hoehne = *Anthrosia duartii*
 Icones Pleuro XXVIII; p. 248 (5/2006)
- dubbeldamii* Luer = *Acronia dubbeldamii*
 Icones Pleuro XXVII; p. 65 (4/2005)
- dubia* A.Rich & Gal. = *Platystele stenostachya*
 Icones Pleuro VII; p. 116 (12/1990)
- dubia* A.Rich & Gal. = *Pleurothallis angustifolia*
 Icones Pleuro XXVI; p. 13 (2/2004)
- dubia* var. *myriantha* (Lehm. & Krzl.) Schltr. = *Platystele stenostachya*
 Icones Pleuro VII; p. 116 (12/1990)
- dukei* Luer = *Acronia dukei*
 Icones Pleuro XXVII; p. 59 (4/2005)
- dunstervillei* Foldats = *Ancipitia dunstervillei*
 Icones Pleuro XXVI; p. 254 (2/2004)
- duplex* Luer & Escobar = *Ancipitia duplex*
 Icones Pleuro XXVI; p. 254 (2/2004)
- duplooyi* Luer & Sayers = *Panmorphia duplooyi*
 Icones Pleuro XXVIII; p. 153 (5/2006)
- dura* Lindl. = *Trichosalpinx dura*
 Icones Pleuro XV; p. 56 (12/1997)
- dussii* Cogn. = *Barbosella prorepens*
 Icones Pleuro XX; p. 24 (5/2000)
- dutrai* Pabst = *Pabstiella dutrai*
 Icones Pleuro XXIX; p. 119 (8/2007)
- eccentrica* Luer & Hirtz - Lindleyana 3(3); p. 140
 Icones Pleuro XVIII; p. 12, 64
- echinantha* Barb.Rodr. = *Phloeophila nummularia*
 Icones Pleuro XXVIII; p. 191 (5/2006)
- echinocarpa* C.Schweinf. = *Kraenzlinella echinocarpa*
 Icones Pleuro XXVI; p. 258 (2/2004)
- echinodes* Luer & Escobar = *Muscarella echinodes*
 DI *Icones Pleuro XXVIII; p. 101 (5/2006)*
 DI *ecuadorensis* Schltr. = *Pleurothallis pulchella*

Pleurothallis

- Icones Pleuro XVI*; p. 46 (4/1998)
- ehrhartiiflora** Schltr. = *Specklinia costaricensis*
Icones Pleuro XXVIII; p. 44 (5/2006)
- eidus** Luer – *Icones Pleuro XVIII*; p. 12, 13, 64
Selbyana 5(2); p. 163, 164
- ekmanii** Schltr. = *Atopoglossum ekmanii*
Icones Pleuro XXVI; p. 255 (2/2004)
- elachopus** Rchb.f. = *Pleurothallis flexuosa*
Icones Pleuro XX; p. 66 (5/2000)
- elegans** (Kunth) Lindl. = *Specklinia elegans*
Icones Pleuro XXVI; p. 256 (2/2004)
- elegantula** Cogn. = *Pabstiella elegantula*
Icones Pleuro XXIX; p. 119 (8/2007)
- ellipsophylla** L.O.Williams - Selbyana 3(3,4); p. 294
Icones Pleuro XXVI; p. 32, 90
- elongata** Kl. = *Myoxanthus octomeriodes*
Selbyana 7(1); p. 47 (8/1982)
- elvirana** Carnevali & Ramírez – *Icones Pleuro XVIII*; p. 49, 77
- emarginata** (Ruiz & Pav.) Lindl. = *Physosiphon emarginatus*
Icones Pleuro XXIX; p. 99 (08/2007)
- embreei** Luer & Hirtz = *Acronia cedrinorum*
Icones Pleuro XXVII; p. 65 (4/2005)
- endotrachys** Lehm. & Krzl. = *Pleurothallis lehmanniana*
Icones Pleuro XVI; p. 34 (4/1998)
- endotrachys** Rchb.f. = *Empusella endotrachys*
Icones Pleuro XXVI; p. 258 (2/2004)
- endresii** Luer = *Panmorphia endresii*
Icones Pleuro XXVIII; p. 153 (5/2006)
- ensata** Luer = *Acronia ensata*
Icones Pleuro XXVII; p. 65 (4/2005)
- ephemera** Lindl. = *Pabstiella ephemera*
Icones Pleuro XXIX; p. 119 (8/2007)
- ephelis** Luer = *Myoxanthus ephelis*
Selbyana 7(1); p. 36 (8/1982)
- epiglottis** Luer = *Acronia epiglottis*
Icones Pleuro XXVII; p. 65 (4/2005)
- erabatensis** Carnevali & G.A.Romero = *Acianthera erabatensis*
Icones Pleuro XXVI; p. 253 (2/2004)
- erectiflora** Luer & Hirtz = *Crocodelanthe erectiflora*
Icones Pleuro XXVI; p. 256 (2/2004)
- erinacea** Rchb.f. = *Kraenzlinella erinacea*
Icones Pleuro XXVI; p. 258 (2/2004)
- erosa** Garay = *Specklinia erosa*
Icones Pleuro XXVI; p. 259 (2/2004)
- erosa** Urb. = *Antilla erosa*
Icones Pleuro XXVI; p. 255 (2/2004)
- erucosa** Luer & Escobar = *Effusiella erucosa*
Icones Pleuro XXIX; p. 106 (8/2007)
- erymnochila** Luer = *Acronia cordata* ssp *trachysepala*
Icones Pleuro XXVII; p. 65 (4/2005)
- erythrium** Luer = *Acronia erythrium*
Icones Pleuro XXVII; p. 65 (4/2005)
- erythrogramma** Luer & Carnevali = *Acianthera erythrogramma*
Icones Pleuro XXVI; p. 253 (2/2004)
- escalarensis** Carnevali & Luer = *Panmorphia escalarensis*
Icones Pleuro XXVIII; p. 154 (5/2006)
- esmeraldae** Luer & Hirtz = *Acianthera esmeraldae*
Icones Pleuro XXVI; p. 253 (2/2004)
- espinalii** Luer = *Pleurothallis convoluta*
Icones Pleuro XX; p. 63 (5/2000)
- eugenii** Pabst = *Specklinia eugenii*
Icones Pleuro XXVI; p. 259 (2/2004)
- eumeces** Luer = *Myoxanthus eumeces*
Selbyana 7(1); p. 36 (8/1982)
- eumecocaulon** Schltr. = *Ancipitia eumecocaulon*
Icones Pleuro XXVI; p. 254 (2/2004)
- exasperata** Lindl. = *Myoxanthus exasperatus*
Icones Pleuro IX; p. 34 (11/1992)
- excavata** Schltr. = *Acronia excavata*
Icones Pleuro XXVII; p. 66 (4/2005)
- DI **excelsa** Garay = *Elongatia excelsa*
- D **excentrica** (Luer) Luer = *Atopoglossum excentricum*
Icones Pleuro XXVI; p. 255 (2/2004)
- excisa** C.Schweinf. = *Pleurothallis rubens*
Icones Pleuro XVIII; p. 118 (11/1999)
- exdrasii** Luer & Toscano = *Acianthera exdrasii*
Icones Pleuro XXVI; p. 253 (2/2004)
- exesilabia** Heller & Hawkes = *Muscarella exesilabia*
Icones Pleuro XXVIII; p. 102 (5/2006)
- DI **exilis** C.Schweinf. = *Sarcinula exilis*
- DI **eximia** L.O.Williams = *Acianthera eximia*
Icones Pleuro XXVI; p. 253 (2/2004)
- DI **exotica** Luer = *Pleurothallis cauliflora*
Icones Pleuro XVI; p. 16 (4/1998)
- expansa** Lindl. = *Crocodelanthe expansa*
Icones Pleuro XXVI; p. 256 (2/2004)
- exserta** Luer = *Acronia diabolica*
Icones Pleuro XXVII; p. 66 (4/2005)
- ezechiasi** Hoehne = *Pabstiella ezechiasi*
Icones Pleuro XXIX; p. 119 (8/2007)
- fabiobarrosii** Borba & Semir – Lindleyana 15(1); p. 3-8 DIP
- falcatiloba** Ames = *Pleurothallis wagneri*
Icones Pleuro XVII; p. 97 (11/1998)
- fulcipetala** Schltr. = *Trichosalpinx pergrata*
Icones Pleuro XV; p. 72 (12/1997)
- fallax** Rchb.f. = *Tribulago tribuloides*
Icones Pleuro XXVIII; p. 321 (5/2006)
- fantastica** Ames = *Acronia fantastica*
Icones Pleuro XXVII; p. 66 (4/2005)
- farinosa** Pabst. = *Acianthera farinosa*
Icones Pleuro XXVI; p. 253 (2/2004)
- fasciata** Seehawer = *Pabstiella fasciata*
Icones Pleuro XXIX; p. 119 (8/2007)
- fasciculata** (Barb.Rodr.) Cogn. = *Pleurothallis obovata*
Icones Pleuro XVIII; p. 115 (11/1999)
- fastidiosa** Luer - *Icones Pleuro III*; p. 72 I
Icones Pleuro XVI; p. 87-88, 92 DI
Selbyana 3(3,4); p. 300 DI
- fastigiata** Luer & Tuscano = *Panmorphia fastigiata*
Icones Pleuro XXVIII; p. 177 (5/2006)
- felis-lingua** Barb. Rodr. = *Pleurothallis saundersiana*
Selbyana 3(3,4); p. 382 (7/1977)
- fenestrata** Barb.Rodr. - *Icones Pleuro III*; p. 18 I
- feuilleitii** Luer = *Specklinia feuilleitii*
Icones Pleuro XXVI; p. 260 (2/2004)
- filamentosa** (Ames & C.Schweinf.) L.O.Williams =
Restrepia trichoglossa
Icones Pleuro XIII; p. 134 (10/1996)
- filifera** Lindl. = *Acronia macra*
Icones Pleuro XXVII; p. 66 (4/2005)
- filiformis** Cogn. = *Pabstiella filiformis*
Icones Pleuro XXIX; p. 119 (8/2007)
- fimbriata** Lindl. = *Pleurothallis miqueliana*
Icones Pleuro XXVI; p. 49 (2/2004)
- fimbrilabia** C.Schweinf. = *Restrepia contorta*
Icones Pleuro XIII; p. 50 (10/1996)
- fimbripetala** Schltr. = *Muscarella zephyrina*
Icones Pleuro XXVIII; p. 124 (5/2006)
- flavascens** Schltr. = *Restreplopsis tubulosa*
Icones Pleuro VIII; p. 116 (8/1991)
- flaveola** Luer & Hirtz - *Icones Pleuro XVII*; p. 42-43, 61 DI
Lindleyana 11(3); p. 159, 160 DI

Pleurothallis

- flavida** (Focke) Lindl. = *Pleurothallis pruinosa*
Selbyana 1(4); p. 426 (5/1976)
- flexibilis** Luer & Vásquez = *Trichosalpinx dependens*
Icones Pleuro XV; p. 22 (12/1997)
- flexuosa** (Poepp. & Endl.) Lindl. = *Effusiella flexuosa*
Icones Pleuro XXIX; p. 106 (8/2007)
- floribunda** Poepp. & Endl. = *Crocodelanthe floribunda*
Icones Pleuro XXVI; p. 256 (2/2004)
- floripicta** Lindl. = *Lepanthopsis melanantha*
Icones Pleuro VIII; p. 43 (8/1991)
- florosa** Luer = *Pleurothallis lojiae*
Icones Pleuro XXVI; p. 45 (2/2004)
- florulenta** Linden & Rchb.f. = *Specklinia picta*
Icones Pleuro XXVIII; p. 62 (5/2006)
- flosculifera** Luer = *Specklinia flosculifera*
Icones Pleuro XXVI; p. 260 (2/2004)
- fluminensis** Pabst = *Pabstiella fluminensis*
Icones Pleuro XXIX; p. 119 (8/2007)
- fockeii** Lindl. - VOI; 2, p. 274
Orc of Ven FG 3; p. 785
Icones Pleuro XXVI; p. 35, 92
- foetens** Lindl. = *Pleurothallis aphthosa*
Selbyana 3(1,2); p. 50 (11/1976)
- foliata** Griseb. = *Trichosalpinx dura*
Icones Pleuro XV; p. 56 (12/1997)
- fons-florum** Lindl. = *Crocodelanthe fons-florum*
Icones Pleuro XXVI; p. 256 (2/2004)
- forceps-cancrini** Luer & Escobar = *Acronia forceps-cancrini*
Icones Pleuro XXVII; p. 59 (4/2005)
- formondii** Dod = *Specklinia formondii*
Icones Pleuro XXVIII; p. 41 (5/2006)
- formosa** Schltr. = *Pleurothallis pachyglissa*
Icones Pleuro XVII; p. 75 (11/1998)
- fornicata** Luer = *Effusiella fornicata*
Icones Pleuro XXIX; p. 106 (8/2007)
- fornix** Luer & R. Escobar = *Acronia calceolaris*
Icones Pleuro XXVII; p. 66 (4/2005)
- fortunae** Luer & Dressler = *Dracontia fortunae*
Icones Pleuro XXVI; p. 257 (2/2004)
- fossulata** Luer & R. Escobar = *Acronia fossulata*
Icones Pleuro XXVII; p. 66 (4/2005)
- foveata** Lindl. = *Pleurothallis jamesonii*
Icones Pleuro XVI; p. 30 (4/1998)
- fractiflexa** Ames & C. Schweinf. = *Panmorphia fractiflexa*
Icones Pleuro XXVIII; p. 154 (5/2006)
- francesiana** Luer = *Panmorphia francesiana*
Icones Pleuro XXVIII; p. 155 (5/2006)
- fraterna** (Lindl.) Kuntze = *Pleurothallis galeata*
Icones Pleuro XVI; p. 26 (4/1998)
- fritillaria** Rchb.f. = *Pleurothallis restrepioides*
Icones Pleuro XI; p. 84 (12/1994)
- fritzii** Carnevali & G.A. Romero = *Sylphia cabellensis*
Icones Pleuro XXVIII; p. 227 (5/2006)
- frutex** Schltr. = *Myoxanthus frutex*
Selbyana 7(1); p. 36 (8/1982)
- frutex var. robusta** C. Schweinf. = *Myoxanthus gyas*
Icones Pleuro IX; p. 46 (11/1992)
- fuchsii** Luer = *Muscarella fuchsii*
Icones Pleuro XXVIII; p. 104 (5/2006)
- fuegii** Rchb.f. = *Sylphia fuegii*
Icones Pleuro XXVIII; p. 228 (5/2006)
- fuegii** Rchb.f. = *Sylphia fuegii*
Icones Pleuro XXVIII; p. 228 (5/2006)
- fuertesii** Cogn. = *Lepanthopsis barahonensis*
Icones Pleuro VIII; p. 22 (8/1991)
- fugax** Luer & Escobar = *Acronia fugax*
Icones Pleuro XXVII; p. 59 (4/2005)
- fulgens** Rchb.f. = *Sarcinula fulgens*
Icones Pleuro XXVIII; p. 213 (5/2006)
- fumioi** Hashimoto = *Acianthera fumioi*
Icones Pleuro XXVI; p. 253 (2/2004)
- funerea** (Barb. Rodr.) Cogn. = *Panmorphia funerea*
Icones Pleuro XXVIII; p. 156 (5/2006)
- furcatipetala** Luer & Hirtz = *Muscarella furcatipetala*
Icones Pleuro XXVIII; p. 104 (5/2006)
- furcifera** Luer = *Ancipitia furcifera*
Icones Pleuro XXVI; p. 254 (2/2004)
- furfuracea** Lehm. & Krzl. = *Myoxanthus affinis*
Icones Pleuro IX; p. 13 (11/1992)
- fuscata** Braid = *Acronia bivalvis*
Icones Pleuro XXVII; p. 66 (4/2005)
- justifera** Luer = *Lindleyalis justifera*
Icones Pleuro XXVI; p. 258 (2/2004)
- galeata** Lindl. = *Crocodelanthe galeata*
Icones Pleuro XXVI; p. 256 (2/2004)
- DI **galerasensis** Luer = *Crocodelanthe galerasensis*
I **Icones Pleuro XXVI; p. 256 (2/2004)**
- DI **galerita** Luer = *Acronia galerita*
Icones Pleuro XXVII; p. 66 (4/2005)
- ganymedes** Luer & R. Escobar = *Acronia ganymedes*
Icones Pleuro XXVII; p. 66 (4/2005)
- garayana** (Ospina) Luer = *Colombiana garayana*
Icones Pleuro XXVI; p. 255 (2/2004)
- garayi** Pabst = *Pabstiella garayi*
Icones Pleuro XXIX; p. 119 (8/2007)
- garciae** Luer – **Icones Pleuro XVIII; p. 173-174, 179** DI
Orc of Ven FG 3; p. 789 I
Icones Pleuro XXVI; p. 36-37, 92 DI
- gardneri** Lindl. = *Barbosella gardneri*
Icones Pleuro XX; p. 21 (5/2000)
- gargantua** Luer = *Acronia gargantua*
Icones Pleuro XXVII; p. 66 (4/2005)
- gehrtii** Höhne & Schltr. = *Panmorphia gehrtii*
Icones Pleuro XXVIII; p. 177 (5/2006)
- gelida** Lindl. = *Niphantha gelida*
Icones Pleuro XXIX; p. 107 (8/2007)
- geminicaulina** Ames - Selbyana 1(1); p. 72 DI
Selbyana 4; p. 180 DI
Icones Pleuro XXVI; p. 37, 93 DI
NEO; 4:1773 P
- geminiflora** Ames, Hubbard & C. Schweinf. = *Specklinia calyptrostele*
Icones Pleuro XXVIII; p. 42 (5/2006)
- gemina** Stenzel = *Specklinia lichenicola*
Icones Pleuro XXVIII; p. 55 (5/2006)
- geniculata** Lindl. = *Pleurothallis hartwegii*
Icones Pleuro XVIII; p. 49 (11/1999)
- genychila** Schltr. – **Icones Pleuro XVIII; p. 13, 64** DI
- geographica** Luer = *Acronia geographica*
Icones Pleuro XXVII; p. 66 (4/2005)
- georgei** Luer = *Myoxanthus georgei*
Selbyana 7(1); p. 43 (8/1982)
- gert-hatschbachii** Höhne = *Specklinia gert-hatschbachii*
Icones Pleuro XXVI; p. 259 (2/2004)
- ghiesbreghtiana** A. Rich & Galeotti = *Loddigesia quadrifida*
Icones Pleuro XXVIII; p. 251 (05/2006)
- ghiesbreghtiana var. cleistogama** L.O. Williams =
Pleurothallis racemiflora
Icones Pleuro XX; p. 79 (5/2000)
- ghillanyi** Pabst = *Pabstiella ghillanyi*
Icones Pleuro XXIX; p. 119 (8/2007)
- gigantea** Lindl. = *Kraenzlinella gigantea*
Icones Pleuro XXVI; p. 258 (2/2004)
- gigas** Luer & Escobar = *Crocodelanthe gigas*
Icones Pleuro XXVI; p. 256 (2/2004)

Pleurothallis

- giraffa** Luer = *Acronia giraffa*
Icones Pleuro XXVII; p. 66 (4/2005)
- giraldoi** Luer = *Acronia giraldoi*
Icones Pleuro XXVII; p. 66 (4/2005)
- githaginea** Pabst & Garay = *Panmorphia githaginea*
Icones Pleuro XXVIII; p. 177 (5/2006)
- glabra** Luer & R. Escobar = *Acronia glabra*
Icones Pleuro XXVII; p. 66 (4/2005)
- glanduligera** Lindl. = *Acianthera glanduligera*
Icones Pleuro XXVI; p. 253 (2/2004)
- glandulipetala** Luer = *Specklinia glandulipetala*
Icones Pleuro XXVI; p. 260 (2/2004)
- glandulosa** Ames = *Sarcinula glandulosa*
Icones Pleuro XXVIII; p. 214 (5/2006)
- globosa** Luer & R. Escobar = *Acronia globosa*
Icones Pleuro XXVII; p. 66 (4/2005)
- glochis** Luer & Escobar = *Acronia glochis*
Icones Pleuro XXVII; p. 59 (4/2005)
- glomerata** Ames = *Pleurothallis ruscifolia*
Icones Pleuro XVII; p. 44 (11/1998)
- glossopogon** Rchb.f. = *Lindleyalis glossopogon*
Icones Pleuro XXVI; p. 258 (2/2004)
- gnoma** (Luer) Luer = *Dryadella gnoma*
Icones Pleuro XXVII; p. 20 (4/2005)
- gnomonifera** Ames = *Trichosalpinx memor*
Icones Pleuro XV; p. 26 (12/1997)
- gomesii-ferreirari** Pabst = *Pabstiella gomesii-ferreirae*
Icones Pleuro XXIX; p. 119 (8/2007)
- gomezii** Luer & Escobar = *Acronia gomezii*
Icones Pleuro XXVII; p. 59 (4/2005)
- gongylodes** Luer = *Muscarella gongylodes*
Icones Pleuro XXVIII; p. 105 (5/2006)
- gonioglossa** Schltr. = *Acronia sanchoi*
Icones Pleuro XXVII; p. 66 (4/2005)
- gonzalesii** Pabst = *Pabstiella gonzalesii*
Icones Pleuro XXIX; p. 119 (8/2007)
- gracilentata** Luer & Vásquez = *Specklinia gracilentata*
Icones Pleuro XXVI; p. 260 (2/2004)
- gracilicaulis** Seehawer = *Pabstiella gracilicaulis*
Icones Pleuro XXIX; p. 120 (8/2007)
- gracilipedunculata** Foldats = *Acronia gracilipedunculata*
Icones Pleuro XXVII; p. 59 (4/2005)
- graciliscapa** C. Schweinf. = *Acronia phyllocardioides*
Icones Pleuro XXVII; p. 66 (4/2005)
- gracilispala** Brade = *Acianthera gracilispala*
Icones Pleuro XXVI; p. 253 (2/2004)
- gracillima** Lindl. = *Specklinia gracillima*
Icones Pleuro XXVIII; p. 41 (5/2006)
- graminea** Schltr. = *Pleurothallis caulescens*
Selbyana 1(1); p. 64 (1/1975)
- grandiflora** Lindl. = *Acronia grandiflora*
Icones Pleuro XXVII; p. 66 (4/2005)
- grandis** Rolfe = *Dracontia grandis*
Icones Pleuro XXVI; p. 257 (2/2004)
- granitica** Luer & G.A. Romero = *Acianthera granitica*
Icones Pleuro XXVI; p. 253 (2/2004)
- granularis** Luer & R. Escobar = *Acronia platysepala*
Icones Pleuro XXVII; p. 66 (4/2005)
- granulosa** (Barb.Rodr.) Cogn. = *Specklinia granulosa*
Icones Pleuro XXVI; p. 260 (2/2004)
- gratiosa** Rchb.f. = *Ancipitia gratiosa*
Icones Pleuro XXVI; p. 254 (2/2004)
- graveolens** Pabst = *Anathallis graveolens*
Icones Pleuro XXIX; p. 118 (8/2007)
- grayumii** Luer = *Panmorphia grayumii*
Icones Pleuro XXVIII; p. 157 (5/2006)
- grisebachiana** Cogn. = *Specklinia grisebachiana*
Icones Pleuro XXVI; p. 259 (2/2004)
- grobyi** Bateman ex Lindl. = *Specklinia grobyi*
Icones Pleuro XXVIII; p. 41 (5/2006)
- grobyi sensu** Griseb. = *Specklinia grisebachiana*
Icones Pleuro XXVIII; p. 50 (5/2006)
- grobyi var. trilineata** (Barb.Rodr.) Cogn. = *Specklinia grobyi*
Icones Pleuro XXVIII; p. 51 (5/2006)
- guatemalensis** Rolfe = *Trichosalpinx blaisdellii*
Icones Pleuro XV; p. 18 (12/1997)
- guanacastensis** Ames & Schweinf. = *Sarcinula guanacastensis*
Icones Pleuro XXVIII; p. 215 (5/2006)
- guadalupensis** Cogn. = *Trichosalpinx dura*
Icones Pleuro XV; p. 56 (12/1997)
- guarujaensis** Hoehne = *Anathallis guarujaensis*
Icones Pleuro XXIX; p. 118 (8/2007)
- guatopensis** Foldats = *Platystele ornata*
Icones Pleuro VII; p. 80 (12/1990)
- guentheri** Schltr. = *Pleurothallis citrina*
Icones Pleuro XVIII; p. 108 (11/1999)
- guimaraesii** Brade = *Specklinia guimaraesii*
Icones Pleuro XXVI; p. 259 (2/2004)
- gutierrezii** Luer - Selbyana 3(1,2); p. 114
Orc of Bolivia Vol 1; p. 303
- guttata** Luer = *Elongatia guttata*
Icones Pleuro XXVI; p. 257 (2/2004)
- habenula** Luer & Escobar = *Acronia habenula*
Icones Pleuro XXVII; p. 59 (4/2005)
- haberi** Luer = *Panmorphia haberi*
Icones Pleuro XXVIII; p. 158 (5/2006)
- hagsateri** Luer = *Sylphia fuegii*
Icones Pleuro XXVIII; p. 228 (5/2006)
- haitiensis** Dod = *Specklinia schaferei*
Icones Pleuro XXVIII; p. 65 (5/2006)
- halbingeriana** R.E.Schultes = *Platystele minimiflora*
Icones Pleuro VII; p. 67 (12/1990)
- hamata** Rolfe. = = *Pabstiella tripterantha*
Icones Pleuro XXVIII; p. 140 (5/2006)
- hamburgensis** Krzl. = *Barbosella crassifolia*
Icones Pleuro XX; p. 15 (5/2000)
- hamiltonii** Luer = *Specklinia hamiltonii*
Icones Pleuro XXVI; p. 261 (2/2004)
- hammellii** Luer = *Acronia hammellii*
Icones Pleuro XXVII; p. 59 (4/2005)
- harlingii** Garay = *Acronia bivalvis*
Icones Pleuro XXVII; p. 66 (4/2005)
- harpago** Luer = *Ancipitia harpago*
Icones Pleuro XXVI; p. 254 (2/2004)
- harpophylla** Rchb.f. = *Acianthera harpophylla*
Icones Pleuro XXVI; p. 253 (2/2004)
- harpophylla var atropurpurea** Rchb.f. = *Pleurothallis harpophylla*
Icones Pleuro XXVI; p. 38 (2/2004)
- hartwegii** Lindl. – *Icones Pleuro XVIII*; p. 49, 50, 77
- hartwegiaefolia** H. Wendl. & Kraenzl. = *Pleurothallis chrysantha*
Icones Pleuro XXVI; p. 23 (2/2004)
- hastata** Ames = *Muscarella marginata*
Icones Pleuro XXVIII; p. 111 (5/2006)
- hastulata** Rchb.f. & Warm. = *Specklinia hastulata*
Icones Pleuro XXVI; p. 259 (2/2004)
- hawkesii** Flickinger = *Restrepia brachypus*
Icones Pleuro XIII; p. 34 (10/1996)
- hebesepala** (Barb.Rodr.) Cogn. = *Pleurothallis gelida*
Icones Pleuro XX; p. 68 (5/2000)
- heiroglyphica** Ames = *Pleurothallis retusa*
Icones Pleuro XX; p. 82 (5/2000)
- helenae** Fawc. & Rendle = *Muscarella helenae*
Icones Pleuro XXVIII; p. 105 (5/2006)
- heliconioides** Luer & Vásquez – *Orc of Bolivia Vol 1*; p. 304

DI
I

DI

Pleurothallis

- Icones Pleuro XXVI; p. 38-39, 93
heliconiscapa Hoehne = *Specklinia heliconiscapa*
 Icones Pleuro XXVI; p. 259 (2/2004)
- helleri** Hawkes - Selbyana 1(4); p. 418
 Selbyana 4; p. 180
 Selbyana 11(S); p. 656
 Icones Pleuro XVII; p. 43, 61
- helleriana** L.O.Williams = *Apoda-Prorepentia testifolia*
 Icones Pleuro XXIX; p. 89 (8/2007)
- helmutii** Höhne = *Panmorphia helmutii*
 Icones Pleuro XXVIII; p. 177 (5/2006)
- hemileuca** Luer = *Acronia hemileuca*
 Icones Pleuro XXVII; p. 66 (4/2005)
- hemirhoda** Lindl. = *Lindleyalis hemirhoda*
 Icones Pleuro XXVI; p. 258 (2/2004)
- hemispherica** Luer & Escobar –
 Orquideologia XIV(2); p. cov, 154, 155
 Icones Pleuro XVIII; p. 50, 77
 NCO; 6:1224
- henniae** Luer & Dalström – Icones Pleuro XVIII; p. 50, 78
 Lindleyana 11(3); p. 162, 163
- henrici** Schltr. = *Acianthera henrici*
 Icones Pleuro XXVI; p. 253 (2/2004)
- henrique-argonii** Pabst = *Specklinia henrique-argonii*
 Icones Pleuro XXVI; p. 259 (2/2004)
- heringeri** Hoehne = *Acianthera heringeri*
 Icones Pleuro XXVI; p. 253 (2/2004)
- herpestes** Luer = *Muscarella herpestes*
 Icones Pleuro XXVIII; p. 106 (5/2006)
- herpethophyton** Schltr. = *Panmorphia herpethophyton*
 Icones Pleuro XXVIII; p. 158 (5/2006)
- herrerae** Luer = *Brenesia herrerae*
 Icones Pleuro XXVI; p. 255 (2/2004)
- herzogii** Schltr. = *Myoxanthus herzogii*
 Icones Pleuro XI; p. 120 (12/1994)
- heteropetala** Luer - Selbyana 3(1,2); p. 118
 Icones Pleuro XXVI; p. 39-40, 94
- hexandra** Garay & Dunst. = *Chamelophyton kegelii*
 Icones Pleuro XXVIII; p. 85 (5/2006)
- hians** Ames ex Smith = *Platystele repens*
 Icones Pleuro VII; p. 105 (12/1990)
- hains** Lindl. = *Pabstiella hians*
 Icones Pleuro XXIX; p. 120 (8/2007)
- hilariana** Carnevali & G.A. Romero = *Panmorphia steinbuchiae*
 Icones Pleuro XXVIII; p. 176 (5/2006)
- hintonii** L.O.Williams = *Kraenzlinella hintonii*
 Icones Pleuro XXVI; p. 258 (2/2004)
- hippocrepica** Luer & Escobar - Icones Pleuro III; p. 65
 Orquideologia XVI(2); p. 165, 166
 Icones Pleuro XVIII; p. 13, 14, 64
- hirsuta** Ames = *Pleurothallis villosa*
 Icones Pleuro XX; p. 88 (5/2000)
- hirsuticaulis** Ames & Schweinf. = *Myoxanthus hirsuticaulis*
 Selbyana 7(1); p. 43 (8/1982)
- hirsutula** Fawc. & Rendl. – Icones Pleuro XXVI; p. 40, 94
- hirtipes** Schltr. = *Myoxanthus hirtipes*
 Selbyana 7(1); p. 43 (8/1982)
- hirtzii** Luer = *Pleurothallis colossus*
 Icones Pleuro XVIII; p. 46 (11/1999)
- hitchcockii** Ames = *Talpinaria hitchcockii*
 Icones Pleuro XXVI; p. 265 (2/2004)
- hjertingii** Luer – Icones Pleuro XVIII; p. 14, 65
 Lindleyana 12(1); p. 48, 50, 51
- hoeijeri** Luer = *Acronia hoeijeri*
 Icones Pleuro XXVII; p. 66 (4/2005)
- hoffmannseggiana** Rchb.f. = *Acianthera hoffmannseggiana*
 Icones Pleuro XXVI; p. 253 (2/2004)
- DI **holstii** Carnevali & I.Rameriz = *Panmorphia holstii*
 Icones Pleuro XXVIII; p. 159 (5/2006)
- holtonii** Luer = *Elongatia holtonii*
- DI **homalantha** Schltr. = *Acronia homalantha*
 Icones Pleuro XXVII; p. 66 (4/2005)
- I **homalanthoides** Schltr. = *Acronia homalantha*
 DI **homalanthoides** Schltr. = *Acronia homalantha*
 Icones Pleuro XXVII; p. 66 (4/2005)
- hondurensis** Ames - Selbyana 11(S); p. 659
 Icones Pleuro XXVI; p. 40-41, 94
- hopfiana** Schltr. = *Pleurothallis ligulata*
 Icones Pleuro XVI; p. 35 (4/1998)
- hoppii** Schltr. = *Pleurothallis glossopogon*
 Icones Pleuro XX; p. 108 (5/2000)
- horichii** Luer = *Acronia fantastica*
 Icones Pleuro XXVII; p. 66 (4/2005)
- DIP **huanucoënsis** Schltr. = *Pleurothallis xanthochlora*
- DI **huanucoënsis** Schltr. = *Pleurothallis xanthochlora*
 Icones Pleuro XVIII; p. 36 (11/1999)
- P **huebneri** Schltr. = *Pleurothallis lanceana*
- DI **huebneri** Schltr. = *Pleurothallis lanceana*
 Icones Pleuro XXVI; p. 43 (2/2004)
- DI **humboldtiana** Luer = *Pleurothallis scabrata*
 Icones Pleuro XX; p. 83 (5/2000)
- humidicola** Garay = *Specklinia grackillima*
 Icones Pleuro XXVIII; p. 49 (5/2006)
- humilis** C.Schweinf. = *Panmorphia humilis*
 Icones Pleuro XXVIII; p. 160 (5/2006)
- hunteriana** Schltr. = *Pabstiella tripterantha*
 Icones Pleuro XXVIII; p. 140 (5/2006)
- hygrophila** Barb.Rodr. = *Anthrosia hygrophila*
 Icones Pleuro XXVIII; p. 249 (5/2006)
- hymenantha** Lindl. = *Pabstiella hymenantha*
 Icones Pleuro XXIX; p. 120 (8/2007)
- hypnicola** Lindl. = *Pabstiella hypnicola*
 Icones Pleuro XXIX; p. 120 (8/2007)
- hypocrita** Garay & Dunst. - VOI; 6, p. 344
- DI **hypocrita** Garay & Dunst. - VOI; 6, p. 344
- DI **hystricosa** Luer = *Andinia hystricosa*
- DI **hystricosa** Luer = *Andinia hystricosa*
 Moved by Pridgeon & M.W.Chase
- hystrix** Rchb.f. = *Myoxanthus hystrix*
 Selbyana 7(1); p. 43 (8/1982)
- ibex** Luer = *Andinia ibex*
 Moved by Pridgeon & M.W.Chase
- ichthyonekys** Luer = *Muscarella ichthyonekys*
 Icones Pleuro XXVIII; p. 106 (5/2006)
- ignivomi** Schltr. = *Acronia bivalvis*
 Icones Pleuro XXVII; p. 66 (4/2005)
- ignota** Luer = *Effusiella ignota*
 Icones Pleuro XXIX; p. 107 (8/2007)
- I **imago** Luer = *Acronia excavata*
- DI **imago** Luer = *Acronia excavata*
 Icones Pleuro XXVII; p. 66 (4/2005)
- DI **imbaburae** Luer & Hirtz – Icones Pleuro XVIII; p. 14, 15, 65
 Lindleyana 11(3); p. 163
 NEO; 4:1782
- imberbis** Luer & Hirtz = *Panmorphia imberbis*
 Icones Pleuro XXVIII; p. 160 (5/2006)
- DI **imber-florum** Luer & Escobar – Icones Pleuro XVIII; p. 51, 78
 Orquideologia XVI(2); p. 167, 168
 NCO; 3:517
- imbricata** Barb.Rodr. = *Anathallis imbricata*
 Icones Pleuro XXIX; p. 118 (8/2007)
- imitor** Luer = *Acronia imitor*
 Icones Pleuro XXVII; p. 59 (4/2005)
- DI **immersa** Linden & Rchb.f. = *Effusiella immersa*
- DI **immersa** Linden & Rchb.f. = *Effusiella immersa*
 Icones Pleuro XXIX; p. 106 (8/2007)
- imperialis** Luer = *Acronia imperialis*
 Icones Pleuro XXVII; p. 66 (4/2005)
- implexa** Luer = *Panmorphia lasioglossa*
 Icones Pleuro XXVIII; p. 164 (5/2006)

Pleurothallis

- imraei** Lindl. = *Effusiella imraei*
Icones Pleuro XXIX; p. 106 (8/2007)
- incompta** Rchb.f. = *Pleurothallis racemiflora*
Icones Pleuro XX; p. 79 (5/2000)
- incongrua** Luer = *Mixis incongrua*
Icones Pleuro XXVI; p. 258 (2/2004)
- incurva** Lindl. = *Pleurothallis antennifera*
Icones Pleuro XVIII; p. 7 (11/1999)
- index** Luer = *Acronia index*
Icones Pleuro XXVII; p. 66 (4/2005)
- ineziae** Schltr. = *Acronia phalangifera*
Icones Pleuro XXVII; p. 59 (4/2005)
- infinita** Luer & Hirtz = *Muscarella infinita*
Icones Pleuro XXVIII; p. 107 (5/2006)
- inflata** Rolfe – *Icones Pleuro XVIII*; p. 51, 78
 NCO; 6:1211
 VOI; 6, p. 346
 Orc of Ven FG 3; p. 802
- infundibulosa** Luer = *Crocodeilanthe infundibulosa*
Icones Pleuro XXVI; p. 256 (2/2004)
- ingramii** Luer = *Dracontia ingramii*
Icones Pleuro XXVI; p. 257 (2/2004)
- inornata** Luer & Hirtz = *Ancipitia inornata*
Icones Pleuro XXVI; p. 254 (2/2004)
- insignis** Rolfe = *Pleurothallis glossopogon*
Icones Pleuro XX; p. 108 (5/2000)
- instar** Luer = *Ancipitia eumecocaulon*
 Per memo from Carl Luer
- insularis** Hoehne & Schltr. = *Acianthera angustifolia*
Icones Pleuro XXIX; p. 118 (8/2007)
- integrilabia** Ames = *Specklinia picta*
Icones Pleuro XXVIII; p. 62 (5/2006)
- intermedia** Schltr. = *Pleurothallis loranthophylla*
Icones Pleuro XVI; p. 88 (4/1998)
- intonsa** Luer & Escobar = *Muscarella intonsa*
Icones Pleuro XXVIII; p. 107 (5/2006)
- intricata** Lindl. = *Trichosalpinx intricata*
Icones Pleuro XV; p. 62 (12/1997)
- inversa** Luer & Vásquez = *Panmorphia unversa*
Icones Pleuro XXVIII; p. 161 (5/2006)
- involuta** L.O.Williams = *Panmorphia involuta*
Icones Pleuro XXVIII; p. 161 (5/2006)
- ionantha** Rchb.f. = *Acronia tridentata*
Icones Pleuro XXVII; p. 66 (4/2005)
- iota** Luer = *Panmorphia iota*
Icones Pleuro XXVIII; p. 162 (5/2006)
- isthmica** Luer = *Acronia isthmica*
Icones Pleuro XXVII; p. 66 (4/2005)
- jaculifera** Luer & Escobar –
Orquideologia XXI(1); p. 93, 94, 97
Icones Pleuro XVIII; p. 52, 78
 NCO; 6:1216
- jalapensis** (Kraenzl.) Garay = *Effusiella jalapensis*
Icones Pleuro XXIX; p. 106 (8/2007)
- jamaicensis** Rolfe = *Panmorphia jamaicensis*
Icones Pleuro XXVIII; p. 162 (5/2006)
- jamesonii** Lindl. = *Crocodeilanthe jamesonii*
Icones Pleuro XXVI; p. 256 (2/2004)
- janeirensis** Barb.Rodr. = *Pleurothallis pubescens*
Icones Pleuro XXVI; p. 58 (2/2004)
- janetiae** Luer = *Elongatia janetiae*
Icones Pleuro XXVI; p. 257 (2/2004)
- jaramilloi** Luer = *Acronia jaramilloi*
Icones Pleuro XXVII; p. 66 (4/2005)
- jesupii** Luer = *Specklinia jesupii*
Icones Pleuro XXVI; p. 261 (2/2004)
- jesupiorum** Luer & Hirtz = *Specklinia jesupiorum*
Icones Pleuro XXVI; p. 261 (2/2004)
- jimii** Luer = *Ancipitia jimii*
Icones Pleuro XXVI; p. 254 (2/2004)
- jocolensis** Ames = *Sarcinula corniculata*
Icones Pleuro XXVIII; p. 209 (5/2006)
- johannensis** Barb.Rodr. – Lindleyana 15(1); p. 5
- johannis** Schltr. = *Pleurothallis segoviensis*
Icones Pleuro XVII; p. 95 (11/1998)
- johnsonii** Ames = *Brenesia johnsonii*
Icones Pleuro XXVI; p. 255 (2/2004)
- jordanensis** Höhne = *Specklinia jordanensis*
Icones Pleuro XXVI; p. 261 (2/2004)
- josephensis** Barb.Rodr. = *Pleurothallis saundersiana*
Selbyana 3(3,4); p. 382 (7/1977)
- DI **juergensii** Schltr. = *Pleurothallis saundersiana*
 P *Selbyana 3*(3,4); p. 382 (7/1977)
 DI **juninensis** Schltr. = *Acronia undulata*
 I *Icones Pleuro XXVII*; p. 66 (4/2005)
- juninensis** var. **angustifolia** C.Schweinf. = *Acronia discoidea*
Icones Pleuro XXVII; p. 66 (4/2005)
- juninensis** Schltr. var. **subaequisepala** C.Schweinf. =
Acronia cuzcoensis
Icones Pleuro XXVII; p. 66 (4/2005)
- jupiter** Luer = *Acronia jupiter*
Icones Pleuro XXVII; p. 66 (4/2005)
- jurisdixii** Luer & Escobar = *Crocodeilanthe jurisdixii*
Icones Pleuro XXVI; p. 256 (2/2004)
- juxtaposita** Luer = *Acianthera juxtaposita*
Icones Pleuro XXVI; p. 253 (2/2004)
- kareniae** Luer = *Uncifera kareniae*
Icones Pleuro XXVI; p. 265 (2/2004)
- karlii** Pabst = *Apoda-Prorepentia karlii*
Icones Pleuro XXIX; p. 86 (8/2007)
- kateora** (Garay) Luer = *Apoda-Prorepentia kateora*
Icones Pleuro XXVI; p. 255 (2/2004)
- kautskyi** Pabst = *Panmorphia kautskyi*
Icones Pleuro XXVIII; p. 177 (5/2006)
- kefersteiniana** Rchb.f. = *Pleurothallis flexuosa*
Icones Pleuro XX; p. 66 (5/2000)
- kegelii** Rchb.f. = *Acianthera kegelii*
Icones Pleuro XXVI; p. 254 (2/2004)
- kerrii** Braga = *Madisonia kerrii*
Icones Pleuro XXVI; p. 258 (2/2004)
- kennedyi** Luer = *Muscarella kennedyi*
Icones Pleuro XXVIII; p. 108 (5/2006)
- killipii Garay = *Acronia killipii*
Icones Pleuro XXVII; p. 66 (4/2005)
- kleinii** Pabst = *Panmorphia kleinii*
Icones Pleuro XXVIII; p. 177 (5/2006)
- DIP **knappii** Luer – *Icones Pleuro XX*; p. 128-129, 138
 DI **krameriana** Rchb.f. = *Pleurothallis immersa*
 P *Icones Pleuro XX*; p. 70 (5/2000)
- kuhniae** Luer = *Panmorphia kuhniae*
Icones Pleuro XXVIII; p. 163 (5/2006)
- lacera** Luer = *Acronia lacera*
Icones Pleuro XXVII; p. 66 (4/2005)
- laciniata** Barb.Rodr. = *Panmorphia laciniata*
Icones Pleuro XXVIII; p. 177 (5/2006)
- laevigata** Lindl. = *Crocodeilanthe laevigata*
Icones Pleuro XXVI; p. 256 (2/2004)
- laevis** Luer & Hirtz = *Crocodeilanthe laevis*
Icones Pleuro XXVI; p. 256 (2/2004)
- lagarophyta** Luer = *Specklinia lagarophyta*
Icones Pleuro XXVI; p. 261 (2/2004)
- lamellaris** Lindl. – *Icones Pleuro XVIII*; p. 52, 53, 79
 Lindleyana 11(3); p. 167 (was loxensis)
 Orc of Bolivia Vol 1; p. 255, 310
 DI
 DI
 IP

Pleurothallis

- NCO; 6:1217 (was *loxensis*)
 NEO; 4:1790
 NEO; 4:1798 (was *loxensis*)
- lamia** Luer - *Selbyana* 5(2); p. 170
 Icones Pleuro XXVI; p. 42-43, 95
- laminata** Luer = *Crocodelanthelaminata*
 Icones Pleuro XXVI; p. 256 (2/2004)
- lamprochlamys** Schltr. = *Pleurothallis laevigata*
 Icones Pleuro XVI; p. 31 (4/1998)
- lamprophylla** Schltr. = *Pleurothallis dolichopus*
 Icones Pleuro XVIII; p. 110 (11/1999)
- lanceana** Lodd. - Icones Orchid Peru pl. 161
 VOI; 4, p. 212
 Orc of Ven FG 3; p. 804
 Icones Pleuro XXVI; p. 43-44, 95-96
 Icones Plant Trop, Fasc 15; pl. 1481 (was *P. ciliata*)
 Selbyana 11(S); p. 680 (was *P. plumosa*)
- lanceola** Sw. = *Specklinia lanceola*
 Icones Pleuro XXVIII; p. 41 (5/2006)
- lanceolata** (Ruiz. & Pav.) Lindl. = *Stelis lanceolata*
 Icones Pleuro XVI; p. 84 (4/1998)
- lanceolata** sensu Lindl. (1859) = *Pleurothallis pedunculata*
 Icones Pleuro XVI; p. 90 (4/1998)
- lanceolata** sensu Lindl. (1830) = *Pleurothallis aggeris*
 Icones Pleuro XVI; p. 86 (4/1998)
- lanceolata** var. **gracilis** C.Schweinf. = *Pleurothallis schweinfurthii*
 Icones Pleuro XVI; p. 91 (4/1998)
- lancifera** Schltr. = *Trichosalpinx orbicularis*
 Icones Pleuro XV; p. 29 (12/1997)
- lancilabris** (Rchb.f.) Schltr. = *Platystele lancilabris*
 Icones Pleuro VII; p. 56 (12/1990)
- lancilabris** var. **oxyglossa** (Schltr.) C.Schweinf. = *Platystele oxyglossa*
 Icones Pleuro VII; p. 85 (12/1990)
- lancipetala** (Karst.) Schltr. = *Myoxanthus ceratothallis*
 Icones Pleuro IX; p. 20 (11/1992)
- langlassei** Schltr. = *Pleurothallis laevigata*
 Icones Pleuro XVI; p. 14 (4/1998)
- languida** Luer = *Acronia languida*
 Icones Pleuro XXVII; p. 59 (4/2005)
- lanigera** Luer = *Acronia carlostola*
 Icones Pleuro XXVII; p. 66 (4/2005)
- lankesteri** Rolfe = *Platystele stenostachya*
 Icones Pleuro VII; p. 116 (12/1990)
- lansbergiana** Regel = *Acronia bivalvis*
 Icones Pleuro XXVII; p. 66 (4/2005)
- lansbergii** Regel = *Acronia bivalvis*
 Icones Pleuro XXVII; p. 66 (4/2005)
- lappacea** = *Andinia lappacea*
 Moved by Pridgeon & M.W.Chase
- lappago** Luer = *Kraenzlinella lappago*
 Icones Pleuro XXVI; p. 258 (2/2004)
- lappiformis** A.H.Heller & L.O.Williams = *Brenesia lappiformis*
 Icones Pleuro XXVI; p. 255 (2/2004)
- lasioglossa** Schltr. = *Panmorphia lasioglossa*
 Icones Pleuro XXVIII; p. 164 (5/2006)
- lasiosepala** Schltr. = *Pleurothallis immersa*
 Icones Pleuro XX; p. 70, (5/2000)
- lateralis** L.O.Williams = *Pleurothallis johnsonii*
 Selbyana 3(3,4); p. 324 (7/1977)
- lateritia** Rchb.f. = *Specklinia lanceola*
 Icones Pleuro XXVIII; p. 54 (5/2006)
- latilabris** Foldats = *Muscarella latilabris*
 Icones Pleuro XXVIII; p. 108 (5/2006)
- latipetala** Garay = *Acronia latipetala*
 Icones Pleuro XXVII; p. 66 (4/2005)
- laurifolia** H.B.K. sensu Rchb.f. = *Pleurothallis macrophylla*
 Icones Pleuro XI; p. 90 (12/1994)
- laurifolia** Rchb.f. = *Pleurothallis restrepioides*
 Selbyana 1(1); p. 84 (1/1975)
- lauta** Schltr = *Muscarella zephyrina*
 Icones Pleuro XXVIII; p. 124 (5/2006)
- laxiflora** Porsch = *Specklinia laxiflora*
 Icones Pleuro XXVI; p. 261 (2/2004)
- lehmanneptis** Luer & Escobar = *Effusiella lehmanneptis*
 Icones Pleuro XXIX; p. 106 (8/2007)
- lehmanniana** Schltr. = *Crocodelanthelmanniana*
 Icones Pleuro XXVI; p. 256 (2/2004)
- lemniscifolia** Luer = *Acronia lemniscifolia*
 Icones Pleuro XXVII; p. 66 (4/2005)
- lenae** Luer & Dalström - Icones Pleuro XVIII; p. 15, 65
 Lindleyana 11(3); p. 165, 166
- lenticularis** Luer = *Trichosalpinx lenticularis*
 Selbyana 3(3); p. 65 (12/1997)
- lentiginosa** Lehm. & Krzl. = *Pseudoctomeria lentiginosa*
 Icones Pleuro XXIX; p. 102 (8/2008)
- lentiginosa** Lehm. & Krzl. - Icones Pleuro III; p. 69
- leptantha** Schltr. = *Sarcinula leptantha*
 Icones Pleuro XXVIII; p. 215 (5/2006)
- leontoglossa** Rchb.f. = *Specklinia leontoglossa*
 Icones Pleuro XXVI; p. 261 (2/2004)
- leontoglossa** Schltr. = *Acronia coriacardia*
 Icones Pleuro XXVII; p. 66 (4/2005)
- leopardina** Luer - Icones Pleuro XVIII; p. 31, 32, 72
 Lindleyana 11(3); p. 148, 149 (was *atrorubra*)
- lepanthiformis** Rchb.f. = *Trichosalpinx ciliaris*
 Icones Pleuro XV; p. 20 (12/1997)
- lepanthipoda** Hoehne & Schltr. = *Trichosalpinx montana*
 Icones Pleuro XV; p. 68 (12/1997)
- lepanthoides** Schltr. = *Specklinia lepanthoides*
 Icones Pleuro XXVI; p. 261 (2/2004)
- lepanthopsis** Schltr. = *Trichosalpinx dura*
 Icones Pleuro XV; p. 56 (12/1997)
- lepidota** L.O.Williams = *Unguella lepidota*
 Icones Pleuro XXVI; p. 265 (2/2004)
- leptantha** Schltr. = *Specklinia leptantha*
 Icones Pleuro XXVI; p. 261 (2/2004)
- leptotifolia** Barb.Rodr = *Pabstiella leptotifolia*
 Icones Pleuro XXIX; p. 120 (8/2007)
- leptopetala** Cogn. = *Acronia discoidea*
 Icones Pleuro XXVII; p. 66 (4/2005)
- leucantha** Schltr. = *Acronia leucantha*
 Icones Pleuro XXVII; p. 66 (4/2005)
- leucopyramis** Rchb.f. = *Pabstiella leucopyranis*
 Icones Pleuro XXIX; p. 120 (8/2007)
- leucosepala** Löfgren = *Specklinia leucosepala*
 Icones Pleuro XXVI; p. 261 (2/2004)
- lewisiae** Ames = *Panmorphia lewisiae*
 Icones Pleuro XXVIII; p. 164 (5/2006)
- lichenicola** Griseb. = *Specklinia lichenicola*
 Icones Pleuro XXVIII; p. 41 (5/2006)
- lichenophila** C.Porto & Brade = *Anathallis lichenophila*
 Icones Pleuro XXIX; p. 118 (8/2007)
- liebmanniana** Krzl. = *Pleurothallis cobanensis*
 Icones Pleuro XVII; p. 69 (11/1998)
- ligulata** Lindl. = *Crocodelanthelgulata*
 Icones Pleuro XXVI; p. 256 (2/2004)
- lilacina** Barb.Rodr. = *Pleurothallis recurva*
 Selbyana 3(3,4); p. 374 (7/1977)
- lilacina** var. **albipetala** Barb.Rodr. = *Pleurothallis recurva*
 Selbyana 3(3,4); p. 374 (7/1977)
- lilianiae** Luer = *Acronia bivalvis*
 Icones Pleuro XXVII; p. 66 (4/2005)
- lilijae** Foldats = *Acronia lilijae*
 Icones Pleuro XXVII; p. 66 (4/2005)

Pleurothallis

- limbata* Cogn. = *Panmorphia limbata*
Icones Pleuro XXVIII; p. 177 (5/2006)
- limonensis* Luer - NEO; 4:1795
- lindenii* Lindl. – *Icones Pleuro XVIII*; p. 53, 54, 79
Orquideologia XX(1); p. 34, 35 (was andrei)
 NCO; 6:1214
Orc of Ven FG 3; p. 807
 NEO; 4:1796
- lindenii* var. *gigantea* Rchb.f. = *Pleurothallis subreniformis*
Icones Pleuro XVIII; p. 60 (11/1999)
- lindenii* var. *pumila* Rchb.f. = *Pleurothallis inflata*
Icones Pleuro XVIII; p. 51 (11/1999)
- lindenii* Lindl. var. *longiracema* C.Schweinf. = *Pleurothallis hjertingii*
Icones Pleuro XVIII; p. 14 (11/1999)
- lindleyana* Cogn. = *Specklinia picta*
Icones Pleuro XXVIII; p. 62 (5/2006)
- linearifolia* Cogn. = *Specklinia linearifolia*
Icones Pleuro XXVI; p. 261 (2/2004)
- lineolata* (Barb.Rodr.) Cogn. = *Pabstiella lineolata*
Icones Pleuro XXIX; p. 120 (8/2007)
- lingua* Lindl. = *Pabstiella lingua*
Icones Pleuro XXIX; p. 120 (8/2007)
- linguifera* Lindl. = *Acronia linguifera*
Icones Pleuro XXVII; p. 66 (4/2005)
- liparanges* Rchb.f. = *Specklinia liparanges*
Icones Pleuro XXVI; p. 261 (2/2004)
- lipothrix* Luer = *Muscarella lipothrix*
Icones Pleuro XXVIII; p. 109 (5/2006)
- listerophora* Schltr. = *Effusiella listerophora*
Icones Pleuro XXIX; p. 106 (8/2007)
- listrostachys* Rchb.f. = *Pleurothallis sclerophylla*
Icones Pleuro XVIII; p. 120 (11/1999)
- litensis* Luer & Hirtz = *Acianthera litensis*
Icones Pleuro XXVI; p. 254 (2/2004)
- lithophylla* Barb.Rodr. = *Pleurothallis prolifera*
Icones Pleuro XXVI; p. 57 (2/2004)
- litotes* Luer – *Icones Pleuro XVIII*; p. 32, 72
Selbyana 5(2); p. 170, 171
- llamachoi* Luer = *Muscarella llamachoi*
Icones Pleuro XXVIII; p. 109 (5/2006)
- lloënsis* Schltr. = *Pleurothallis pulchella*
Icones Pleuro XVI; p. 46 (4/1998)
- lobata* Luer = *Acronia lobata*
Icones Pleuro XXVII; p. 59 (4/2005)
- lobiserrata* (Barb.Rodr.) Cogn. = *Panmorphia lobiserrata*
Icones Pleuro XXVIII; p. 177 (5/2006)
- loejtnantii* Luer – *Icones Pleuro XVIII*; p. 15, 16, 65
Lindleyana 11(3); p. 166, 167
- lojae* Schltr. = *Acianthera lojae*
Icones Pleuro XXVI; p. 254 (2/2004)
- lonchophylla* Rchb.f. = *Myoxanthus hystrix*
Icones Pleuro IX; p. 50 (11/1992)
- lonchophylla* Barb.Rodr. = *Myoxanthus lonchophyllus*
Icones Pleuro IX; p. 52 (11/1992)
- londonoi* Luer = *Ancipitia londonoi*
Icones Pleuro XXVI; p. 254 (2/2004)
- longerepens* Schltr. = *Pleurothallis spiralis*
Selbyana 1(4); p. 426 (5/1976)
- longicaulis* Lindl. = *Specklinia longicaulis*
Icones Pleuro XXVI; p. 261 (2/2004)
- longilabris* Lindl. = *Muscarella longilabris*
Icones Pleuro XXVIII; p. 110 (5/2006)
- longipedicellata* Ames & C.Schweinf. = *Acronia longipedicellata*
Icones Pleuro XXVII; p. 59 (4/2005)
- longipes* Körnicke = *Myoxanthus ceratothallis*
Icones Pleuro IX; p. 20 (11/1992)
- longirostris* Focke = *Pleurothallis ephemera*
Selbyana 3(3,4); p. 296 (7/1977)
- longispala* Barb.Rodr. = *Pleurothallis miqueliana*
Icones Pleuro XXVI; p. 49 (2/2004)
- P *longiserpens* C.Schweinf. = *Masdevalliantha longiserpens*
 DI *Icones Pleuro XXVIII*; p. 91 (5/2006)
- DI *longispicata* L.O.Williams = *Effusiella longispicata*
 P *Icones Pleuro XXIX*; p. 107 (8/2007)
- I *longissima* Lindl. = *Pleurothallis racemiflora*
 P *Icones Pleuro XX*; p. 79 (5/2000)
- lopezii* Luer & Escobar = *Acronia lopezii*
Icones Pleuro XXVII; p. 59 (4/2005)
- loranthophylla* Rchb.f. - *Icones Pleuro XVI*; p. 88-89, 93
 DI *Selbyana 3(3,4)*; p. 340
 DI *Selbyana 3(3,4)*; p. 350 (was navicularis)
 DI *Icones Plant Trop, Fasc 6*; pl. 578 (was navicularis)
 DI *Orc of Bolivia Vol 1*; p. 313
 I *VOI*; 1, p. 332
 DI *Orc of Ven FG 3*; p. 808
 I
- loreae* Carnevali & R.Ramirez = *Acronia loreae*
Icones Pleuro XXVII; p. 67 (4/2005)
- loxensis* Luer & Hirtz = *Pleurothallis lamellaris*
Icones Pleuro XVIII; p. 52 (11/1999)
- luctuosa* Rchb.f. = *Acronia luctuosa*
Icones Pleuro XXVII; p. 59 (4/2005)
- luis-diegoi* Luer = *Specklinia luis-diegoi*
Icones Pleuro XXVI; p. 262 (2/2004)
- lunaris* Luer & R. Escobar = *Acronia lunaris*
Icones Pleuro XXVII; p. 67 (4/2005)
- lyroglossa* Schltr. = *Pleurothallis racemiflora*
Icones Pleuro XX; p. 80 (5/2000)
- macaheënsis* Cogn. = *Barbosella macaheënsis*
Icones Pleuro XX; p. 23 (5/2000)
- macra* Lindl. = *Acronia macra*
Icones Pleuro XXVII; p. 67 (4/2005)
- macrantha* L.O.Williams = *Dracontia macrantha*
Icones Pleuro XXVI; p. 257 (2/2004)
- DI *macroblepharis* Rchb.f. = *Muscarella macroblepharis*
 D *Icones Pleuro XXVIII*; p. 110 (5/2006)
- macrocardia* Rchb.f. = *Acronia macrocardia*
Icones Pleuro XXVII; p. 67 (4/2005)
- macrophylla* Kunth = *Elongatia macrophylla*
Icones Pleuro XXVI; p. 257 (2/2004)
- macrophyta* Barb.Rodr. = *Pleurothallis aphthosa*
Selbyana 3(1,2); p. 50 (11/1976)
- macropus* Schltr. = *Myoxanthus exasperatus*
Icones Pleuro IX; p. 34 (11/1992)
- DI *macrorhiza* Kraenzl. = *Xenosia macrorhiza*
 DI *Icones Pleuro XXVIII*; p. 233 (5/2006)
- macrorhiza* Lindl. = *Xenosia macrorhiza*
Icones Pleuro XXVIII; p. 233 (5/2006)
- macucocensis* Barb.Rodr. = *Acianthera macucocensis*
Icones Pleuro XXVI; p. 254 (2/2004)
- madisonii* Luer - *Selbyana 5(2)*; p. 171, 172
 D *Icones Pleuro XXVI*; p. 46, 97
 DI
- madsenii* Luer – *Icones Pleuro XVIII*; p. 16, 66
 DI
- maduroi* Luer = *Acronia maduroi*
Icones Pleuro XXVII; p. 67 (4/2005)
- magalhanesii* Pabst = *Acianthera magalhanesii*
Icones Pleuro XXVI; p. 254 (2/2004)
- magdalenae* Rchb.f. – *Icones Pleuro XVIII*; p. 91, 92, 94
 DI
- magnifica* Luer & Escobar - *Icones Pleuro III*; p. 63
 I *Orquideologia XVI(2)*; p. 169, 170
 DI *Icones Pleuro XVIII*; p. 54, 79
 DI
- magnipetala* C.Schweinf. = *Acronia magnipetala*
Icones Pleuro XXVII; p. 67 (4/2005)
- magnispatha* Foldats = *Pleurothallis punctulata*
Icones Pleuro XVI; p. 97 (4/1998)

Pleurothallis

- maguirei** Luer = *Specklinia maguirei*
Icones Pleuro XXVI; p. 262 (2/2004)
- malacantha** Rchb.r. = *Anthrosia malacantha*
Icones Pleuro XXVIII; p. 249 (5/2006)
- malmeana** Dutra ex Pabst = *Specklinia malmeana*
Icones Pleuro XXVI; p. 262 (2/2004)
- mammillata** Luer - Selbyana 3(1,2); p. 138
Icones Pleuro XVIII; p. 158
- mandibularis** Kraenzl. = *Pleurothallis pubescens*
Icones Pleuro XXVI; p. 58 (2/2004)
- mandonii** Rchb.f. = *Crocodelanthe mandonii*
Icones Pleuro XXVI; p. 256 (2/2004)
- manicosa** Luer & Escobar – *Orquideologia XX(1)*; p. 57, 66, 67
Icones Pleuro XVIII; p. 16, 66
- marginalis** Rchb.f. = *Specklinia grobyi*
Icones Pleuro XXVIII; p. 51 (5/2006)
- marginata** Lindl. = *Specklinia picta*
Icones Pleuro XXVIII; p. 62 (5/2006)
- marginata** (Rich.) Cogn. = *Muscarella marginata*
Icones Pleuro XXVIII; p. 111 (5/2006)
- mariae** Bock = *Acronia discoidea*
Icones Pleuro XXVII; p. 67 (4/2005)
- marmorata** (Barb.Rodr.) Cogn. = *Specklinia grobyi*
Icones Pleuro XXVIII; p. 51 (5/2006)
- marthae** Luer & R. Escobar = *Acronia marthae*
Icones Pleuro XXVII; p. 67 (4/2005)
- martinezii** Luer = *Acianthera martinezii*
Icones Pleuro XXVI; p. 254 (2/2004)
- marumbyana** Garay = *Acianthera marumbyana*
Icones Pleuro XXVI; p. 254 (2/2004)
- masdevalliopsis** Luer = *Masdevalliantha masdevalliopsis*
Icones Pleuro XXVIII; p. 91 (5/2006)
- mastadon** Luer & Hirtz = *Acronia mastadon*
Icones Pleuro XXVII; p. 67 (4/2005)
- mastophora** Luer & Vásquez = *Trichosalpinx notosibirica*
Icones Pleuro XV; p. 70 (12/1997)
- mathewsii** Lindl. = *Acronia phalangifera*
Icones Pleuro XXVII; p. 59 (4/2005)
- matinhensis** Hoehne = *Pabstiella matinhensis*
Icones Pleuro XXXIX; p. 120 (8/2007)
- matudana** C.Schweinf. = *Acronia matudana*
Icones Pleuro XXVII; p. 67 (4/2005)
- matundiana** C.Schweinf. = *Acronia matudana*
Icones Pleuro XXVII; p. 67 (4/2005)
- maxima** Luer = *Crocodelanthe maxima*
Icones Pleuro XXVI; p. 256 (2/2004)
- mazei** Urb. = *Panmorphia mazei*
Icones Pleuro XXVIII; p. 165 (5/2006)
- medeiocarinata** C.Schweinf. –
Icones Pleuro XVIII; p. 113-114, 130
 Orc of Bolivia Vol 1; p. 257, 316
- medellinensis** Schltr. = *Pabstiella tripterantha*
Icones Pleuro XXVIII; p. 140 (5/2006)
- medinae** Luer & Portilla = *Lindleyalis medinae*
Icones Pleuro XXVI; p. 258 (2/2004)
- mediocarinata** C.Schweinf. = *Specklinia medicarinata*
Icones Pleuro XXVI; p. 262 (2/2004)
- medusa** Luer - *Icones Pleuro XVII*; p. 43, 61
 Lindleyana 12(1); p. 51, 53, 55
- megachlamys** Schltr. = *Pleurothallis tuerckheimii*
Icones Pleuro XVII; p. 79 (11/1998)
- megaglossa** Luer & Dalström = *Acronia megaglossa*
Icones Pleuro XXVII; p. 67 (4/2005)
- megaloöphora** Luer = *Panmorphia megalophora*
Icones Pleuro XXVIII; p. 166 (5/2006)
- megalops** Luer = *Muscarella megalops*
Icones Pleuro XXVIII; p. 113 (5/2006)
- megalorhina** Luer & R.Escobar = *Acronia megalorhina*
Icones Pleuro XXVII; p. 67 (4/2005)
- megalotis** Luer & Hirtz – *Icones Pleuro XVIII*; p. 55, 79
 NEO; 4:1805
- megalotis** Luer & Hirtz - Lindleyana 3(3); p. 146
- mejiae** Garay & Dunst. = *Myoxanthus mejiae*
 Selbyana 7(1); p. 47 (8/1982)
- melachila** Barb.Rodr. = *Acianthera melachila*
Icones Pleuro XXVI; p. 254 (2/2004)
- melanochthoda** Luer & Hirtz = *Apoda-Prorpenentia melanochthoda*
Icones Pleuro XXVI; p. 255 (2/2004)
- melanoglossa** Luer & Escobar = *Acianthera melanoglossa*
Icones Pleuro XXVI; p. 254 (2/2004)
- melanopus** Lehm. & Krzl = *Pleurothallis stenophylla*
Icones Pleuro XVIII; p. 123 (11/1999)
- melanosteles** Luer & Vásquez – *Icones Pleuro XVIII*; p. 92, 94
 Orc of Bolivia Vol 1; p. 257, 317
- melanosticta** Luer – *Icones Pleuro XVIII*; p. 17, 66
 Lindleyana 11(3); p. 170
 NEO; 4:1807
- melicoides** Schltr. = *Pleurothallis segoviensis*
Icones Pleuro XVII; p. 95 (11/1998)
- melittantha** Schltr. = *Myoxanthus melittanthus*
 Selbyana 7(1); p. 47 (8/1982)
- membracidoides** Luer = *Ancipitia membracidoides*
Icones Pleuro XXVI; p. 254 (2/2004)
- memor** Rchb.f. = *Trichosalpinx memor*
Icones Pleuro XV; p. 26 (12/1997)
- mentosa** Cogn. = = *Pabstiella yauaperyensis*
Icones Pleuro XXVIII; p. 141 (5/2006)
- merae** Luer = *Myoxanthus merae*
 Selbyana 7(1); p. 47 (8/1982)
- meridana** Rchb.f. = *Specklinia meridana*
Icones Pleuro XXVI; p. 262 (2/2004)
- mesophylla** A. Rich. & Gal. = *Pleurothallis circumplexa*
 Selbyana 1(2); p. 196 (8/1975)
- mexiae** Luer – *Icones Pleuro XVIII*; p. 174, 179
Orquideologia XXI(3); p. 333-335
Icones Pleuro XXVI; p. 47-48, 98
- micklowii** Luer & Vásquez - *Icones Pleuro XVI*; p. 90, 93
 Orc of Bolivia Vol 1; p. 319
- microblephara** Schltr. = *Panmorphia microblephara*
Icones Pleuro XXVIII; p. 177 (5/2006)
- microcardia** ssp. **microcardia** Rchb.f. =
Acronia microcardia ssp. *microcardia*
Icones Pleuro XXVII; p. 67 (4/2005)
- microcardia** ssp. **cubitoria** Luer = *Acronia microcardia* ssp. *cubitoria*
Icones Pleuro XXVII; p. 67 (4/2005)
- microcardia** ssp. **tamaensis** Foldats =
Acronia microcardia ssp. *tamaensis*
Icones Pleuro XXVII; p. 67 (4/2005)
- microcharis** Schltr. = *Trichosalpinx chamaelepanthes*
Icones Pleuro XV; p. 50 (12/1997)
- microphylla** A. Rich. & Galeotti = *Specklinia microphylla*
Icones Pleuro XXVIII; p. 41 (5/2006)
- microphyta** (Barb.Rodr.) Cogn. = *Anathallis microphyta*
Icones Pleuro XXIX; p. 118 (8/2007)
- microtis** Schltr. = *Specklinia microtis*
Icones Pleuro XXVI; p. 262 (2/2004)
- miersii** Lindl. = *Barbrodria miersii*
Icones Pleuro XX; p. 36 (5/2000)
- miguelii** Schltr. = *Acianthera miguelii*
Icones Pleuro XXVI; p. 254 (2/2004)
- millei** Schltr. = *Acronia millei*
Icones Pleuro XXVII; p. 67 (4/2005)
- millipeda** Luer = *Panmorphia millipeda*
Icones Pleuro XXVIII; p. 166 (5/2006)

Pleurothallis

- minax** Rchb.f. = *Pleurothallis lanceana*
Icones Pleuro XXVI; p. 43 (2/2004)
- miniato-lineolata** Hoehne = *Pabstiella miniato-lineolata*
Icones Pleuro XXIX; p. 120 (8/2007)
- minima** C.Schwieinf. = *Panmorphia minima*
Icones Pleuro XXVIII; p. 167 (5/2006)
- minor** (Rendle) L.O.Williams = *Lomax punctulata*
Icones Pleuro XXVIII; p. 88 (5/2006)
- minuta** Ames & C.Schwieinf. = *Specklinia minuta*
Icones Pleuro XXVI; p. 262 (2/2004)
- minutalis** Lindl. = *Panmorphia minutalis*
Icones Pleuro XXVIII; p. 167 (5/2006)
- minutipetala** Ames & C.Schwieinf. = *Trichosalpinx memor*
Icones Pleuro XV; p. 26 (12/1997)
- minutiflora** Cogn. = *Pleurothallis obovata*
Icones Pleuro XVIII; p. 115 (11/1999)
- minutiflora** S.Wats. = *Platystele stenostachya*
Icones Pleuro VII; p. 116 (12/1990)
- minutissima** Luer = *Panmorphia barbulata*
Icones Pleuro XXVIII; p. 148 (5/2006)
- miqueliana** (Focke) Lindl. - VOI; 4, p. 226
 Orc of Ven FG 3; p. 813
Icones Pleuro XXVI; p. 49-50, 98
- mirabilis** Schltr. = *Specklinia mirabilis*
Icones Pleuro XXVI; p. 262 (2/2004)
- miragliae** Leite = *Pabstiella miragliae*
Icones Pleuro XXIX; p. 120 (8/2007)
- miranda** Luer = *Mirandopsis Miranda*
Icones Pleuro XXIX; p. 96 (08/2007)
- mitchellii** Dod. = *Specklinia mitchellii*
Icones Pleuro XXVI; p. 262 (2/2004)
- mocoana** Schltr. = *Specklinia mocoana*
Icones Pleuro XXVI; p. 262 (2/2004)
- modesta** (Barb.Rodr.) Cogn. = *Panmorphia brevipes*
Icones Pleuro XXVIII; p. 148 (5/2006)
- modestiflora** Schltr. = *Pleurothallis obovata*
Icones Pleuro XVIII; p. 115 (11/1999)
- molleturoi** Luer & Dodson = *Crocodelanthe molleturoi*
Icones Pleuro XXVI; p. 256 (2/2004)
- monocardia** Rchb.f. = *Acronia cordata* ssp. *cordata*
Icones Pleuro XXVII; p. 67 (4/2005)
- monstrabilis** Ames = *Barbosella prorepens*
Icones Pleuro XX; p. 24 (5/2000)
- montepelladensis** Hoehne = *Specklinia montepelladensis*
Icones Pleuro XXVI; p. 262 (2/2004)
- montezumae** Luer = *Gerardoia montezumae*
Icones Pleuro XXVIII; p. 86 (5/2006)
- montserratii** Porsch = *Pleurothallis rubens*
Icones Pleuro XVIII; p. 118 (11/1999)
- morenoi** Luer = *Specklinia morenoi*
Icones Pleuro XXVI; p. 262 (2/2004)
- morganii** Luer = *Specklinia morganii*
Icones Pleuro XXVI; p. 262 (2/2004)
- morilloi** Carnevali & I.Ramirez = *Acianthera morilloi*
Icones Pleuro XXVI; p. 254 (2/2004)
- moritzii** Rchb.f. = *Crocodelanthe moritzii*
Icones Pleuro XXVI; p. 256 (2/2004)
- mornicola** Mansf. = *Specklinia mornicola*
Icones Pleuro XXVI; p. 262 (2/2004)
- morrisii** Fawc. & Rendle = *Acronia discoidea*
Icones Pleuro XXVII; p. 67 (4/2005)
- moronae** Luer & Hirtz = *Acianthera moronae*
Icones Pleuro XXVI; p. 254 (2/2004)
- moschata** Rchb.f. = *Trichosalpinx arbuscula*
Icones Pleuro XV; p. 44 (12/1997)
- mouraeoides** Hoehne = *Pabstiella mouraeoides*
Icones Pleuro XXIX; p. 120 (8/2007)
- mucronata** Lindl. ex. Griseb. = *Specklinia mucronata*
Icones Pleuro XXVI; p. 262 (2/2004)
- multicaulis** Poepp. & Endl. = *Pleurothallis ruscifolia*
Icones Pleuro XVII; p. 44 (11/1998)
- multirostris** Rchb.f. = *Pleurothallis oblongifolia*
Icones Pleuro XVII; p. 73 (11/1998)
- mundula** Luer & Escobar – *Orquideologia XVI*(1); p. 26, 27
Icones Pleuro XVIII; p. 55, 80
- murex** Rchb.f. = *Specklinia murex*
Icones Pleuro XXVI; p. 262 (2/2004)
- murexoides** Pabst = *Specklinia murexoides*
Icones Pleuro XXVI; p. 262 (2/2004)
- muricaudata** Luer = *Panmorphia muricaudata*
Icones Pleuro XXVIII; p. 168 (5/2006)
- muricata** Schltr. = *Pleurothallis erinacea*
Icones Pleuro XI; p. 94 (12/1994)
- muriculata** Luer & Hirtz = *Acronia muriculata*
Icones Pleuro XXVII; p. 67 (4/2005)
- muscifera** Lindl. = *Restrepia muscifera*
Icones Pleuro XIII; p. 104 (10/1996)
- DI **muscoidea** Lindl. = *Specklinia muscoidea*
 I *Icones Pleuro XXIX*; p. 121 (8/2007)
- DI **muscosa** Barb.Rodr. = *Anthrosia muscosa*
Icones Pleuro XXVIII; p. 249 (5/2006)
- myoxanthus** Schltr. = *Myoxanthus monophyllus*
Icones Pleuro IX; p. 58 (11/1992)
- myriantha** Lehm. & Krzl. = *Platystele stenostachya*
Icones Pleuro VII; p. 116 (12/1990)
- myrticola** Barb.Rodr. = *Anthrosia myrticola*
Icones Pleuro XXVIII; p. 249 (5/2006)
- myrtilus** Schltr. = *Trichosalpinx cedralensis*
Icones Pleuro XV; p. 48 (12/1997)
- mystax** Luer = *Mystacorchis mystax*
Icones Pleuro XXIX; p. 98 (08/2007)
- nakatae** Hashimoto = *Pleurothallis agathophylla*
Icones Pleuro XXVI; p. 13 (2/2004)
- nana** Ames & C.Schwieinf. = *Trichosalpinx nana*
Icones Pleuro XV; p. 69 (12/1997)
- nanella** Luer & Hirtz. = *Pleurothallis erebatensis*
Icones Pleuro XXVI; p. 32 (2/2004)
- nanifolia** Foldats = *Panmorphia nanifolia*
Icones Pleuro XXVIII; p. 169 (5/2006)
- nansiterna** Luer – *Icones Pleuro XVIII*; p. 17, 66
- napintzae** Luer & Hirtz = *Specklinia napintzae*
Icones Pleuro XXVI; p. 262 (2/2004)
- naraniensis** Rchb.f. = *Pleurothallis pulchella*
Icones Pleuro XVI; p. 46 (4/1998)
- nasuta** Schltr. = *Acronia phalangifera*
Icones Pleuro XXVII; p. 59 (4/2005)
- navicularis** Lindl. = *Pleurothallis loranthophylla*
Icones Pleuro XVI; p. 88 (4/1998)
- nectarifera** (Barb.Rodr.) Cogn. = *Specklinia nectarifera*
Icones Pleuro XXVI; p. 262 (2/2004)
- neibana** Dod = *Tridelta aurantiaca*
Icones Pleuro XXVIII; p. 232 (5/2006)
- nellyae** Ortiz – *Orquideologia XX*(3); p. 322, 325
- nelsonii** Ames = *Pleurothallis crocodiliceps*
Icones Pleuro VI; p. 16 (8/1989)
- nemorosa** Barb.Rodr. = *Acianthera nemorosa*
Icones Pleuro XXVI; p. 254 (2/2004)
- nemorum** Schltr. = *Acronia homalantha*
Icones Pleuro XXVII; p. 67 (4/2005)
- neobradei** Luer = *Specklinia neobradei*
Icones Pleuro XXVI; p. 262 (2/2004)
- neoharlingii** Luer = *Physothallis harlingii*
Icones Pleuro XXIX; p. 102 (08/2007)

Pleurothallis

<i>nephrocardia</i> Schltr. = <i>Acronia tridentata</i> Icones Pleuro XXVII; p 67 (4/2005)		Orc of Ven FG 3; p. 818	I
<i>nephroglossa</i> Schltr. = <i>Acronia nephroglossa</i> Icones Pleuro XXVII; p 67 (4/2005)		<i>obpyriformis</i> Luer = <i>Acronia obpyriformis</i> Icones Pleuro XXVII; p 67 (4/2005)	
<i>nervosa</i> Braid = <i>Acronia homalantha</i> Icones Pleuro XXVII; p 67 (4/2005)		obscura A.Rich. & Gal. - Selbyana 1(3); p. 310 Icones Pleuro XXVI; p. 51, 99	DI DI
<i>nicaraguënsis</i> (Liebm.) Rchb.f. = <i>Pleurothallis racemiflora</i> Icones Pleuro XX. P. 79 (5/2000)		<i>ocellata</i> Porsch = <i>Pleurothallis arcuata</i> Icones Pleuro XX; p. 59 (5/2000)	
<i>niederleinii</i> Schltr. = <i>Pleurothallis racemiflora</i> Icones Pleuro XX; p. 80 (5/2000)		<i>ocellus</i> (Luer) Luer = <i>Andreettaea ocellus</i> Icones Pleuro XXVIII; p. 82 (5/2006)	
<i>niesseniae</i> Luer = <i>Effusiella niesseniae</i> Icones Pleuro XXIX; p. 107 (8/2007)		ochracea Porsch = <i>Pleurothallis ephemera</i> Selbyana 3(3,4); p. 296 (7/1977)	
<i>nigriflora</i> L.O.Williams = <i>Effusiella nigriflora</i> Icones Pleuro XXIX; p. 107 (8/2007)		ochreata Lindl. – Lindleyana 15(1); p. 5	P
<i>nigroannulata</i> Cogn. = <i>Pleurothallis laxa</i> Icones Pleuro XX; p. 44 (5/2000)		<i>ochroleuca</i> Schltr. = <i>Pleurothallis accuminata</i> Icones Pleuro XVIII; p. 103 (11/1999)	
<i>nigro-hirsuta</i> Krzl. = <i>Pleurothallis accuminata</i> Icones Pleuro XVIII; p. 103 (11/1999)		<i>octavioi</i> Luer & R.Escobar = <i>Acronia octavioi</i> Icones Pleuro XXVII; p 67 (4/2005)	
<i>nipterophylla</i> Luer = <i>Acronia nipterophylla</i> Icones Pleuro XXVII; p 67 (4/2005)		octomeriae Schltr. = <i>Myoxanthus octomeriae</i> Selbyana 7(1); p. 47 (8/1982)	
<i>nitida</i> Luer = <i>Acronia nitida</i> Icones Pleuro XXVII; p 67 (4/2005)		<i>octomeriaeformis</i> Rchb.f. = <i>Pleurothallis obovata</i> Icones Pleuro XVIII; p. 114 (11/1999)	
<i>nittiorhyncha</i> Lindl. = <i>Restrepia nittiorhyncha</i> Icones Pleuro XII; p. 110 (10/1996)		octomerioides Lindl. = <i>Myoxanthus octomerioides</i> Selbyana 7(1); p. 47 (8/1982)	
<i>nivalis</i> Luer = <i>Crocodeilanthe nivalis</i> Icones Pleuro XXVI; p. 256 (2/2004)		<i>octophrys</i> Rchb.f. = <i>Specklinia octophrys</i> Icones Pleuro XXVI; p. 262 (2/2004)	
<i>niveoglobula</i> Luer = <i>Ancipitia niveoglobula</i> Icones Pleuro XXVI; p. 254 (2/2004)		odobeniceps Luer = <i>Ancipitia odobeniceps</i> Icones Pleuro XXVI; p. 255 (2/2004)	
<i>northenae</i> Luer = <i>Acronia latipetala</i> Icones Pleuro XXVII; p 67 (4/2005)		<i>odontoteptala</i> Rchb.f. = <i>Acianthera odontoteptala</i> Icones Pleuro XXVI; p. 254 (2/2004)	
<i>nortonii</i> Luer = <i>Panmorphia humulis</i> Icones Pleuro XXVIII; p. 160 (5/2006)		oestlundiana L.O.Williams = <i>Effusiella oestlundiana</i> Icones Pleuro XXIX; p. 107 (8/2007)	
<i>nossax</i> Luer & R.Escobar = <i>Acronia nossax</i> Icones Pleuro XXVII; p 67 (4/2005)		ofella Luer - Selbyana 7(1); p. 120 Icones Pleuro XXVI; p. 52, 99	D DI
notabilis Luer & Escobar - Icones Pleuro XVII; p. 44, 61 Orquideologia XIV(2); p. 162, 163	DI DI	<i>oligantha</i> Barb.Rodr. = <i>Acianthera oligantha</i> Icones Pleuro XXVI; p. 254 (2/2004)	
<i>nox-media</i> Luer & Escobar = <i>Acronia nox-media</i> Icones Pleuro XXVII; p 59 (4/2005)		omissa Luer – Icones Pleuro XVIII; p. 175, 180 Orc of Ven FG 3; p. 819 Icones Pleuro XXVI; p. 53, 100	DI I DI
<i>nubensis</i> Foldats = <i>Panmorphia barbulate</i> Icones Pleuro XXVIII; p. 147 (5/2006)		omoglossa Luer = <i>Acronia omoglossa</i> Icones Pleuro XXVII; p 67 (4/2005)	
<i>nubigena</i> Schltr. = <i>Pleurothallis ligulata</i> Icones Pleuro XVI; p. 35 (4/1998)		<i>onagriceps</i> Luer & Hirtz = <i>Ancipitia onagriceps</i> Icones Pleuro XXVI; p. 255 (2/2004)	
<i>nubigena</i> Lindl. = <i>Sarcinula corniculata</i> Icones Pleuro XXVIII; p. 209 (5/2006)		oncoglossa Luer = <i>Acronia oncoglossa</i> Icones Pleuro XXVII; p 67 (4/2005)	
<i>nuda</i> (Klotzsch) Rchb.f. = <i>Pleurothallis hemirhoda</i> Icones Pleuro XX; p. 109 (5/2000)		<i>opeatorhyncha</i> Schltr. = <i>Acronia ruberrima</i> Icones Pleuro XXVII; p 67 (4/2005)	
<i>nummularia</i> Rchb.f. = <i>Phloeophila nummularia</i> Icones Pleuro XXVIII; p. 191 (5/2006)		operculata Luer = <i>Trichosalpinx rotundata</i> Icones Pleuro XV; p. 33 (12/1997)	
nutans Schltr. – Icones Pleuro XVIII; p. 56, 80 Orquideologia XVI(1); p. 20, 21 (was decora)	DI DI	<i>orbicularis</i> (Lindl.) Lindl. = <i>Trichosalpinx orbicularis</i> Icones Pleuro XV; p. 29 (12/1997)	
<i>nutantiflora</i> Schltr. = <i>Pleurothallis ruberrima</i> Selbyana 1(3); p. 274 (12/1975)		orecta Luer & Escobar = <i>Acronia orecta</i> Icones Pleuro XXVII; p. 59 (4/2005)	
<i>oblanceolata</i> L.O.Williams = <i>Panmorphia oblanceolata</i> Icones Pleuro XXVIII; p. 169 (5/2006)		orectopus Luer = <i>Crocodeilanthe orectopus</i> Icones Pleuro XXVI; p. 256 (2/2004)	
<i>obliquipetala</i> Acuña & C.Schweinf. = <i>Specklinia obliquipetala</i> Icones Pleuro XXVI; p. 262 (2/2004)		oricola H.Stenzel = <i>Phloeophila oricola</i> Icones Pleuro XXVIII; p. 192 (5/2006)	
<i>oblonga</i> Luer & Hirtz = <i>Muscarella oblonga</i> Icones Pleuro XXVIII; p. 113 (5/2006)		ornata (Garay) Foldats = <i>Platystele ornata</i> Icones Pleuro VII; p. 80 (12/1990)	
<i>oblongifolia</i> Lindl. = <i>Rhynchospora oblongifolia</i> Icones Pleuro XXIX; p. 121 (8/2007)		ornata Rchb.f. = <i>Effusiella ornata</i> Icones Pleuro XXIX; p. 107 (8/2007)	
obovata (Lindl.) Lindl. - Selbyana 11(S); p. 673 Icones Plant Trop Ser II Fasc 3; pl. 281 Icones Pleuro XVIII; p. 114-116, 130 Orc of Bolivia Vol 1; p. 258, 322 VOI; 2, p. 288 VOI; 6, p. 336 (was dendrophila) Orc of Ven FG 3; p. 773 (was dendrophila)	I DI DI IP DI DI DI I	<i>ornithorrhyncha</i> Hoehne = <i>Pleurothallis ephemera</i> Selbyana 3(3,4); p. 296 (7/1977)	
		ortegae Luer & Hirtz = <i>Acronia ortegae</i> Icones Pleuro XXVII; p 67 (4/2005)	
		orthostachys Luer & Escobar - Orquideologia XVI(2); p. 171, 172 Icones Pleuro XVIII; p. 56, 80	DI DI
		oscitans Ames = <i>Didactylus oscitans</i> Icones Pleuro XXVI; p. 257 (2/2004)	

Pleurothallis

- osmosperma** (Barb.Rodr.) Cogn. = *Pleurothallis obovata*
Icones Pleuro XVIII; p. 115 (11/1999)
- ospinae** R.E.Schult. = *Resptrepia antennifera*
Icones Pleuro XIII; p. 26 (10/1996)
- otarion** Luer - Selbyana 7(1); p. 120
- otopetalum** Schltr. = *Kraenzlinella otopetalum*
Icones Pleuro XXVI; p. 258 (2/2004)
- ottonis** Schltr. = *Pleurothallis sclerophylla*
Icones Pleuro XVIII; p. 120 (11/1999)
- ovalifolia** (Focke) Rchb.f. = *Platystele ovalifolia*
Icones Pleuro VII; p. 83 (12/1990)
- oxapampae** Luer = *Acronia oxapampae*
Icones Pleuro XXVII; p. 67 (4/2005)
- pabstii** Garay = *Specklinia pabstii*
Icones Pleuro XXVI; p. 262 (2/2004)
- pacayana** Schltr. = *Pleurothallis circumplexa*
Icones Pleuro XXVI; p. 24 (2/2004)
- pachyglossa** Lindl. = *Dracontia pachyglossa*
Icones Pleuro XXVI; p. 257 (2/2004)
- pachyphyta** Luer = *Panmorphia pachyphyta*
Icones Pleuro XXVIII; p. 170 (5/2006)
- pachypus** (Lehm. & Krzl.) Garay = *Crocodeilanthe pachypus*
Icones Pleuro XXVI; p. 256 (2/2004)
- pallida** Luer = *Acronia pallida*
Icones Pleuro XXVII; p. 59 (4/2005)
- palliolata** Ames = *Acronia palliolata*
Icones Pleuro XXVII; p. 67 (4/2005)
- palmiformis** Lindl. = *Pleurothallis laevigata*
Icones Pleuro XVI; p. 14 (4/1998)
- palpigera** (Karst.) Schltr. = *Myoxanthus reymondii*
Icones Pleuro IX; p. 74 (11/1992)
- pan** Luer = *Brenesia pan*
Icones Pleuro XXVI; p. 255 (2/2004)
- panamensis** Schltr. = *Specklinia microphylla & picta*
Icones Pleuro XXVIII; p. 56 & 62 (5/2006)
- pandurata** Luer & Hirtz = *Acronia pandurata*
Icones Pleuro XXVII; p. 67 (4/2005)
- pandurifera** Lindl. = *Specklinia pandurifera*
Icones Pleuro XXVI; p. 262 (2/2004)
- panica** Luer & Dalström = *Andinia panica*
- pansamalae** Schltr. = *Acronia pansamalae*
Icones Pleuro XXVII; p. 67 (4/2005)
- pansamalae** Schltr. var. **triangulabia** Correll = *Acronia correllii*
Icones Pleuro XXVII; p. 67 (4/2005)
- pantasmii** Rchb.f. - Selbyana 1(3); p. 314
 Selbyana 10(1); p. 104, 136
 Selbyana 11(S); p. 676
Icones Pleuro XXVI; p. 53-54, 100
- pantasmoides** C. Schweinf. - *Icones Pleuro XXVI*; p. F, 54, 100
Icones Pleuro XXVI; p. 54, 100
 NEO; 4:1818
- pantherina** Seehawer = *Specklinia pantherina*
Icones Pleuro XXVI; p. 262 (2/2004)
- papillifera** Rolfe = *Dracontia papillifera*
Icones Pleuro XXVI; p. 257 (2/2004)
- papillisepala** Schltr. = *Pleurothallis convoluta*
Icones Pleuro XX; p. 63 (5/2000)
- papillosa** Lindl. - VOI; 6, p. 362
- papulifolia** Luer = *Acianthera papulifolia*
Icones Pleuro XXVI; p. 254 (2/2004)
- papuligera** Schltr. = *Specklinia papuligera*
Icones Pleuro XXVI; p. 262 (2/2004)
- paquishae** Ames = *Acronia paquishae*
Icones Pleuro XXVII; p. 67 (4/2005)
- paradoxa** Luer & Dalström = *Didactylus paradoxa*
Icones Pleuro XXVI; p. 257 (2/2004)
- parahybunensis** (Barb.Rodr.) Luer = *Acianthera parahybunensis*
Icones Pleuro XXVI; p. 254 (2/2004)
- paranaensis** Schltr. = *Panmorphia paranaensis*
Icones Pleuro XXVIII; p. 177 (5/2006)
- paranapiacabensis** Hoehne = *Panmorphia paranapiacabensis*
Icones Pleuro XXVIII; p. 177 (5/2006)
- pariaensis** Carnevali & G.A. Romero - Orc of Ven FG 3; p. 820
- parvifolia** Lindl. = *Pabstiella parvifolia*
Icones Pleuro XXVIII; p. 139 (5/2006)
- parviflora** Luer - *Icones Pleuro XVIII*; p. 18, 67
- parvilabia** C. Schweinf. = *Myoxanthus parvilabius*
 Selbyana 7(1); p. 49 (8/1982)
- parvula** Ames & C.Schweinf. = *Antilla parvula*
Icones Pleuro XXVI; p. 255 (2/2004)
- pastacensis** Luer = *Pleurothallis aspasicensis*
Icones Pleuro XII; p. 146 (12/1995)
- patateensis** Luer = *Crocodeilanthe patateensis*
Icones Pleuro XXVI; p. 256 (2/2004)
- patula** Schltr. = *Pleurothallis ligulata*
Icones Pleuro XVI; p. 35 (4/1998)
- pauciflora** Schltr. = *Pleurothallis pruinosa*
Icones Pleuro XVIII; p. 33 (11/1999)
- pauloensis** Hoehne & Schltr. = *Pabstiella pauloensis*
Icones Pleuro XXIX; p. 120 (8/2007)
- peculiaris** Luer = *Acronia peculiaris*
Icones Pleuro XXVII; p. 67 (4/2005)
- peduncularis** Hook. = *Restrepiella ophiocephala*
Icones Pleuro VIII; p. 84 (8/1991)
- peduncularis** Lindl. = *Myoxanthus exasperatus*
Icones Pleuro IX; p. 34 (11/1992)
- pedunculata** (Klotsch) Rchb.f. - *Icones Pleuro XVI*; p. 90-91, 93
 VOI; 1, p. 338
 Orc of Ven FG 3; p. 822
- pedunculata** var. **peruviana** C. Schweinf. = *Pleurothallis aggeris*
Icones Pleuro XVI; p. 86 (4/1998)
- pelex** Luer - *Icones Pleuro XVIII*; p. 57, 80
 Selbyana 5(2); p. 173, 174
- pelicophora** Luer = *Acronia pelicophora*
Icones Pleuro XXVII; p. 67 (4/2005)
- pelioxantha** Barb. Rodr. = *Pleurothallis aphthosa*
 Selbyana 3(1,2); p. 50 (11/1976)
- pellifeloides** (Barb.Rodr.) Cogn. = *Specklinia pellifeloides*
Icones Pleuro XXVI; p. 262 (2/2004)
- pellucida** Luer & Hirtz = *Crocodeilanthe pellucida*
Icones Pleuro XXVI; p. 256 (2/2004)
- pemonum** Carnevali & I.Ramírez = *Panmorphia holstii*
Icones Pleuro XXVIII; p. 159 (5/2006)
- pendens** Dod. = *Antilla pendens*
Icones Pleuro XXVI; p. 255 (2/2004)
- pendula** Schltr. = *Pleurothallis lindenbergii*
Icones Pleuro XVIII; p. 53 (11/1999)
- penduliflora** Krzl. - *Icones Pleuro XVIII*; p. 18, 19, 67
 Orquideologia XIV(2); p. 134, 135 (was aves-seriales)
 NCO; 3:522
 VOI; 4, p. 230
 NEO; 4:1822
- penelops** Luer = *Acronia penelops*
Icones Pleuro XXVII; p. 67 (4/2005)
- penicillata** Luer = *Colombiana penicillata*
Icones Pleuro XXVI; p. 256 (2/2004)
- pennellia** Luer = *Myoxanthus scandens*
Icones Pleuro IX; p. 78 (11/1992)
- pennelliana** Luer = *Crocodeilanthe pennelliana*
Icones Pleuro XXVI; p. 256 (2/2004)
- pentamytera** Luer = *Andinia pentamytera*
 Moved by Pridgeon & M.W.Chase
- peperomioides** Ames = *Phloeophila peperomioides*
Icones Pleuro XXVIII; p. 193 (5/2006)

Pleurothallis

- peraltensis** Ames = *Trichosalpinx blaisdellii*
Icones Pleuro XV; p. 18 (12/1997)
- perangusta** Luer = *Muscarella perangusta*
Icones Pleuro XXVIII; p. 114 (5/2006)
- peregrina** Ames = *Pleurothallis dolichopus*
Icones Pleuro XVIII; p. 110 (11/1999)
- perennis** Luer = *Dracontia perennis*
Icones Pleuro XXVI; p. 257 (2/2004)
- perforata** Luer & Hirtz = *Acronia adelphae*
Icones Pleuro XXVII; p. 67 (4/2005)
- pergracilis** Rolfe = *Specklinia grobyi*
Icones Pleuro XXVIII; p. 51 (5/2006)
- pergrata** Ames = *Trichosalpinx pergrata*
Icones Pleuro XV; p. 72 (12/1997)
- perijaensis** Dunsterv. = *Acronia perijaensis*
Icones Pleuro XXVII; p. 67 (4/2005)
- periodica** Ames = *Sarcinula simmleriana*
Icones Pleuro XXVIII; p. 218 (5/2006)
- peroniocephala** Luer = *Acronia peroniocephala*
Icones Pleuro XXVII; p. 67 (4/2005)
- peroupavae** Hoehne & Brade = *Panmorphia peroupavae*
Icones Pleuro XXVIII; p. 177 (5/2006)
- perparva** Standley & L.O. Williams = *Platystele macrotantantha*
Icones Pleuro VII; p. 67 (12/1990)
- perplexa** Rchb.f. = *Specklinia grobyi*
Icones Pleuro XXVIII; p. 51 (5/2006)
- perryi** Luer = *Acronia perryi*
Icones Pleuro XXVII; p. 67 (4/2005)
- persimilis** Luer = *Acronia persimilis*
Icones Pleuro XXVII; p. 67 (4/2005)
- pertenuis** C.Schweinf. = *Sarcinula glandulosa*
Icones Pleuro XXVIII; p. 214 (5/2006)
- petersiana** Schltr. = *Specklinia petersiana*
Icones Pleuro XXVI; p. 263 (2/2004)
- petiolaris** Luer = *Effusiella petiolaris*
Icones Pleuro XXIX; p. 107 (8/2007)
- petropolitana** Hoehne = *Panmorphia petropolitana*
Icones Pleuro XXVIII; p. 177 (5/2006)
- pfavii** Rchb.f. = *Empusella endotrachys*
Icones Pleuro XXIX; p. 95 (8/2007)
- phaeantha** Schltr. = *Acronia bivalvis*
Icones Pleuro XXVII; p. 67 (4/2005)
- phalangifera** (Presl) Rchb.f. = *Acronia phalangifera*
Icones Pleuro XXVII; p. 59 (4/2005)
- phoenicoptera** Carnevali & G.A.Romero = *Acianthera phoenicoptera*
Icones Pleuro XXVI; p. 254 (2/2004)
- phoxophylla** Luer = *Pleurothallis fumioi*
Icones Pleuro XXVI; p. 36 (2/2004)
- phratria** Luer & Hirtz – *Icones Pleuro XVIII*; p. 57, 81
 DI
 Lindleyana 11(3); p. 179
 DI
- phrynoglossa** Luer = *Kraenzlinella phrynoglossa*
Icones Pleuro XXVI; p. 258 (2/2004)
- phyllocardia** Rchb.f. = *Acronia phyllocardia*
Icones Pleuro XXVII; p. 67 (4/2005)
- phyllocardioides** Schltr. = *Acronia phyllocardioides*
Icones Pleuro XXVII; p. 67 (4/2005)
- phyllostachys** Schltr. – *Icones Pleuro XXVI*; p. 56, 101
 DI
- phymatodea** Luer = *Acronia phymatodea*
Icones Pleuro XXVII; p. 67 (4/2005)
- pichincae** Rchb.f. = *Pleurothallis velaticaulis*
Icones Pleuro XVI; p. 57 (4/1998)
- pichincae** Schltr. = *Acronia bivalvis*
Icones Pleuro XXVII; p. 67 (4/2005)
- picta** Lindl. = *Specklinia picta*
Icones Pleuro XXVIII; p. 41 (5/2006)
- pidax** Luer = *Niphantha gelida*
Icones Pleuro XXIX; p. 107 (8/2007)
- pileata** Luer & R. Escobar = *Acronia pileata*
Icones Pleuro XXVII; p. 68 (4/2005)
- pilifera** Lindl. = *Crocodelanthe pilifera*
Icones Pleuro XXVI; p. 256 (2/2004)
- pilostoma** Luer = *Uncifera pilostoma*
Icones Pleuro XXVI; p. 265 (2/2004)
- piraquarensis** Hoehne = *Specklinia piraquarensis*
Icones Pleuro XXVI; p. 263 (2/2004)
- piratiningana** Hoehne = *Specklinia piratiningana*
Icones Pleuro XXVI; p. 263 (2/2004)
- pisinna** Luer = *Specklinia pisinna*
Icones Pleuro XXVI; p. 263 (2/2004)
- pittieri** Schltr. = *Pleurothallis floribunda* Poepp & Endl.
Icones Pleuro XVI; p. 23 (4/1998)
- plantaginea** (Poepp. & Endl.) Lindl. = *Masdevallia plantaginea*
Thesaurus Masd 21:12 (1996)
- platycardium** Schltr. = *Acronia cordata* ssp. *trachysepala*
Selbyana 3(1,2); p. 84 (11/1976)
- platyglottis** L.O. Williams = *Pleurothallis parvula*
Icones Pleuro XX; p. 44 (5/2000)
- platypetala** Luer & R. Escobar = *Acronia platypetala*
Icones Pleuro XXVII; p. 68 (4/2005)
- platyrachis** (Rolfe) Rolfe = *Pleurothallis endotrachys* Rchb.f.
Selbyana 3(1,2); p. 100 (11/1976)
- platysepala** Schltr. = *Acronia platysepala*
Icones Pleuro XXVII; p. 68 (4/2005)
- platystachys** Regel = *Pleurothallis tricarinata*
Selbyana 1(1); p. 94 (1/1975)
- platystylis** Schltr. = *Effusiella platystylis*
Icones Pleuro XXIX; p. 107 (8/2007)
- platytrachis** (Rolfe) Rolfe = *Empusella endotrachys*
Icones Pleuro XXIX; p. 95 (8/2007)
- pleiostachys** Schltr. = *Pleurothallis laevigata*
Icones Pleuro XVI; p. 14 (4/1998)
- pleurothalloides** (Cogn.) Handro = *Pabstiella pleurothalloides*
Icones Pleuro XXIX; p. 120 (8/2007)
- plumosa** Lindl. = *Pleurothallis lanceana*
Icones Pleuro XXVI; p. 43 (2/2004)
- pluriflora** (Barb.Rodr.) Cogn. = *Specklinia picta*
Icones Pleuro XXVIII; p. 62 (5/2006)
- pluriracemosa** Garay = *Pleurothallis floribunda* Poepp & Endl.
Icones Pleuro XVI; p. 23 (4/1998)
- poasensis** Ames = *Pleurothallis dolichopus*
Icones Pleuro XVIII; p. 110 (11/1999)
- poculifera** Luer & Escobar – *Orquideologia XIV*(2); p. 166, 167
 DI
Icones Pleuro XVIII; p. 33, 72
 DI
- podoglossa** Hoehne = *Pabstiella podoglossa*
Icones Pleuro XXIX; p. 120 (8/2007)
- poeppigii** Lindl. = *Myxanthus monophyllus*
Icones Pleuro IX; p. 58 (11/1992)
- pogonion** Luer = *Andinia pogonion*
 moved by Pridgeon & M.W. Chase
- polygonoides** Griseb. = *Panmorphia polygonoides*
Icones Pleuro XXVIII; p. 171 (5/2006)
- polyliria** Endres & Rchb.f. = *Pleurothallis gelida*
Icones Pleuro XX; p. 68 (5/2000)
- polystachya** A. Rich. & Galeotti = *Pleurothallis pubescens*
 DI
Icones Pleuro XXVI; p. 58 (2/2004)
- polysticta** Luer = *Acronia polysticta*
Icones Pleuro XXVII; p. 59 (4/2005)
- pompalis** Ames = *Uncifera pompalis*
Icones Pleuro XXVI; p. 265 (2/2004)
- popayanensis** Lehm. & Krzl. = *Crocodelanthe popayanensis*
Icones Pleuro XXVI; p. 256 (2/2004)
- possoae** Luer = *Crocodelanthe possoae*
Icones Pleuro XXVI; p. 256 (2/2004)
- porphyrantha** Kraenzl. = *Pleurothallis pubescens*

Pleurothallis

- Icones Pleuro XXVI; p. 58 (2/2004)*
- portillae** Luer = *Acronia portillae*
Icones Pleuro XXVII; p. 68 (4/2005)
- portilloi** Luer & R. Escobar = *Apoda-Prorenpentia portilloi*
Icones Pleuro XXVI; p. 255 (2/2004)
- potamophila** Schltr. = *Pleurothallis rhodotantha*
Icones Pleuro XVI; p. 49 (4/1998)
- powellii** Schltr. = *Dracontia powellii*
Icones Pleuro XXVI; p. 257 (2/2004)
- praealta** Luer & Hirtz = *Crocodelanthe praealta*
Icones Pleuro XXVI; p. 256 (2/2004)
- praecipua** Luer = *Ancipitia praecipua*
Icones Pleuro XXVI; p. 255 (2/2004)
- praegrans** Ames = *Pleurothallis colossus*
Icones Pleuro XVIII; p. 46 (11/1999)
- praemorsa** Luer = *Panmorpha funera*
Icones Pleuro XXVIII; p. 156 (5/2006)
- pringlei** Schltr. - Selbyana 11(S); p. 681
- pristeoglossa** Rchb.f. = *Pabstiella pristeoglossa*
Icones Pleuro XXIX; p. 120 (8/2007)
- privigna** Luer = *Antilla privigna*
Icones Pleuro XXVI; p. 255 (2/2004)
- privigna** Luer & Hirtz = *Acronia culpamea*
Icones Pleuro XXVII; p. 68 (4/2005)
- procera** Luer & Vásquez = *Pleurothallis rhodotantha*
Icones Pleuro XVI; p. 49 (4/1998)
- procumbens** Lindl. = = *Pabstiella tripterantha*
Icones Pleuro XXVIII; p. 140 (5/2006)
- producta** Luer = *Specklinia producta*
Icones Pleuro XXVIII; p. 41 (5/2006)
- prognatha** Luer & Escobar – *Orquideologia XVI(1); p. 29, 30*
NCO; 3:512
Icones Pleuro XXVI; p. 57, 101
- prolaticollaris** Luer = *Acronia prolaticollaris*
Icones Pleuro XXVII; p. 68 (4/2005)
- prolifera** Herb. ex Lindl. - *Icones Pleuro III; p. 21*
Orc of Bolivia Vol 1; p. 327
VOI; 4, p. 234
Orc of Ven FG 3; p. 829
Icones Pleuro XXVI; p. 57-58, 101
- prolificans** Luer & Hirtz = *Crocodelanthe prolificans*
Icones Pleuro XXVI; p. 256 (2/2004)
- prolixa** Luer & Hirtz = *Effusiella prolixa*
Icones Pleuro XXIX; p. 107 (8/2007)
- prorepens** (Rchb.f.) Ames = *Barbosella prorepens*
Icones Pleuro XX; p. 24 (5/2000)
- prostrata** Lindl. = *Antilla prostrata*
Icones Pleuro XXVI; p. 255 (2/2004)
- pruinosa** Lindl. - Selbyana 1(3); p. 266
Selbyana 4; p. 182
Selbyana 10(1); p. 105, 137
Selbyana 11(S); p. 682
Icones Pleuro XVIII; p. 33-35, 72
VOI; 2, p. 296
Orc of Ven FG 3; p. 830
- pseudocheila** Luer & R. Escobar = *Effusiella pseudocheila*
Icones Pleuro XXIX; p. 107 (8/2007)
- pseudopogon** Luer & Hirtz = *Acronia pseudopogon*
Icones Pleuro XXVII; p. 59 (4/2005)
- psichion** Luer = *Sarcinula psichion*
Icones Pleuro XXVIII; p. 216 (5/2006)
- psilantha** Luer = *Uncifera psilantha*
Icones Pleuro XXVI; p. 265 (2/2004)
- pterocaulis** L. O. Williams = *Pleurothallis decipiens*
Selbyana 3(3,4); p. 288 (7/1977)
- pteroglossa** Schltr. = *Pleurothallis pulchella*
Icones Pleuro XVI; p. 46 (4/1998)
- ptychophora** Luer & Hirtz – *Icones Pleuro XVIII; p. 19, 67*
Lindleyana 11(3); p. 180, 181
NEO; 4:1830
- puberula** Kl. = *Restrepiella ophiocephala*
Icones Pleuro VIII; p. 84 (8/1991)
- puberula** Rolfe = *Pleurothallis gelida*
Icones Pleuro XX; p. 68 (5/2000)
- pubescens** Lindl. - *Icones Pleuro III; p. 15*
Selbyana 11(S); p. 683
Icones Plant Trop, Ser II, Fasc 2; pl. 158
Orc of Bolivia Vol 1; p. 258, 328
Orc of Ven FG 3; p. 831
Icones Pleuro XXVI; p. 58-60, 102
VOI; 1, p. 352 (was *P. truxillensis*)
NEO; 4:1831
- pubipetala** Hoehne = *Specklinia pubipetala*
Icones Pleuro XXVI; p. 263 (2/2004)
- I **pulchella** (Kunth) Lindl. = *Crocodelanthe pulchella*
Icones Pleuro XXVI; p. 256 (2/2004)
- pulcherrima** Luer – *Icones Pleuro XVIII; p. 58, 81*
- pulvinaris** Luer & R. Escobar = *Acronia platysepala*
Icones Pleuro XXVII; p. 68 (4/2005)
- pulvinata** (Barb.Rodr.) Cogn. = *Myoxanthus pulvinatus*
Icones Pleuro IX; p. 72 (11/1992)
- pulvinipes** Schltr. = *Acronia macrocardia*
Icones Pleuro XXVII; p. 68 (4/2005)
- pumila** Luer - Selbyana 1(3); p. 268
- punctata** (H.Karst.) Schltr. = *Pleurothallis loranthophylla*
Icones Pleuro XVI; p. 88 (4/1998)
- punctatifolia** (Barb.Rodr.) Pabst = *Pabstiella punctatifolia*
Icones Pleuro XXIX; p. 120 (8/2007)
- DI **punctulata** Rolfe = *Talpinaria punctulata*
P *Icones Pleuro XXVI; p. 265 (2/2004)*
DI
- punicea** Luer - Selbyana 1(3); p. 270
Icones Pleuro XXVI; p. 60, 102
NEO; 4:1832
- I **purpurascens** Luer & Hirtz. = *Pleurothallis erebatensis*
I *Icones Pleuro XXVI; p. 32 (2/2004)*
DI
- I **purpurella** Luer = *Sarcinula purpurella*
DI *Icones Pleuro XXVIII; p. 217 (5/2006)*
- purpureo-violacea** Cogn. = *Anthrosia purpureo-violacea*
Icones Pleuro XXVIII; p. 249 (5/2006)
- purpusii** Schltr. = *Trichosalpinx ciliaris*
Icones Pleuro XV; p. 20 (12/1997)
- pusilla** (H.K.B.) Lindl. = *Trichosalpinx pusilla*
Icones Pleuro XV; p. 75 (12/1997)
- puttemansii** Hoehne = *Specklinia puttemansii*
Icones Pleuro XXVI; p. 263 (2/2004)
- DI **pygmaea** Höhne = *Platystele oxyglossa*
DI *Icones Pleuro VII; p. 85 (12/1990)*
DI
- I **pyrsodes** Rchb.f. = *Sarcinula corniculata*
I *Icones Pleuro XXVIII; p. 209 (5/2006)*
DI
- DI **pyxos** Luer & Escobar – *Orquideologia XIV(2); p. 168, 169*
DI
- I **quadracristata** Luer & Hirtz –
I *Orquideologia XXII(3); p. 273, 286-287*
DI
- quadrata** C.Schweinf. = *Pleurothallis pachypus*
Icones Pleuro XVI; p. 41 (4/1998)
- quadricaudata** Schltr. = *Acronia quadricaudata*
Icones Pleuro XXVII; p. 59 (4/2005)
- quadricristata** Luer & Hirtz = *Acianthera quadricristata*
Icones Pleuro XXVI; p. 254 (2/2004)
- quadridentata** (Barb.Rodr.) Cogn. = *Pabstiella quadridentata*
Icones Pleuro XXIX; p. 120 (8/2007)
- quadrifida** (La Llave & Lex.) Lindl. = *Loddigesia quadrifida*
Icones Pleuro XXVIII; p. 251 (5/2006)
- quadriserrata** Luer - Selbyana 1(1); p. 82
Selbyana 4; p. 182

Pleurothallis

- Icones Pleuro XXVI; p. 61-62, 102
 NEO; 4:1834
- quartzicola** (Barb.Rodr.) Cogn. = *Trichosalpinx montana*
 Icones Pleuro XV; p. 68 (12/1997)
- quaternaria** Luer = *Acronia quaternaria*
 Icones Pleuro XXVII; p. 59 (4/2005)
- questionis** Luer & Escobar – *Orquideologia* XX(1); p. 57, 79, 80
 Icones Pleuro XVIII; p. 83
- quinquicallosa** Luer = *Pleurothallis galeata*
 Icones Pleuro XVI; p. 26 (4/1998)
- quinqueseta** Ames = *Muscarella quinqueseta*
 Icones Pleuro XXVIII; p. 114 (5/2006)
- quisqueyana** Dod. = *Antilla quisqueyana*
 Icones Pleuro XXVI; p. 255 (2/2004)
- quitensis** Rchb.f. = *Trichosalpinx quitensis*
 Icones Pleuro XV; p. 75 (12/1997)
- Pleurothallis breviscapa*
- rabei** Foldats = *Panmorphia rabei*
 Icones Pleuro XXVIII; p. 171 (5/2006)
- racemiflora** Lindl ex Lodd. = *Loddigesia quadrifida*
 Icones Pleuro XXVIII; p. 251 (05/2006)
- racemiflora** (Sw.) Lindl. = *Pleurothallis oblongifolia*
 Icones Pleuro XVII; p. 73 (11/1998)
- racemosa** (Barb.Rodr.) Cogn. = *Pleurothallis accuminata*
 Icones Pleuro XVIII; p. 103 (11/1999)
- racemosa** Cogn. = *Pleurothallis sclerophylla*
 Selbyana 1(4); p. 426 (5/1976)
- radialis** C.Porto & Brade = *Specklinia radialis*
 Icones Pleuro XXVI; p. 263 (2/2004)
- radula** Luer = *Acronia radula*
 Icones Pleuro XXVII; p. 68 (4/2005)
- raduliglossa** Pabst. = *Apoda-Proropentia hystrix*
 Icones Pleuro XXXIX; p. 86 (8/2007)
- ramentacea** Garay & Dunst. = *Myoxanthus octomeriae*
 Icones Pleuro IX; p. 62 (11/1992)
- ramificans** Luer – Icones Pleuro XVIII; p. 20, 21, 68
- ramificanti** Luer = *Pleurothallis madsenii*
 Icones Pleuro XVIII; p. 16 (11/1999)
- ramonensis** Schltr. = *Dracontia ramonensis*
 Icones Pleuro XXVI; p. 257 (2/2004)
- ramosa** Barb.Rodr. = *Acianthera ramosa*
 Icones Pleuro XXVI; p. 254 (2/2004)
- ramosii** Luer = *Acronia ramosii*
 Icones Pleuro XXVII; p. 59 (4/2005)
- ramulosa** Lindl. = *Specklinia ramulosa*
 Icones Pleuro XXVI; p. 263 (2/2004)
- rectipetala** Ames & C.Schweinf. = *Acronia rectipetala*
 Icones Pleuro XXVII; p. 68 (4/2005)
- recula** Luer = *Specklinia recula*
 Icones Pleuro XXVI; p. 263 (2/2004)
- recurva** Lindl. - Selbyana 3(3,4); p. 374
 Orc of Bolivia Vol 1; p. 259, 329
- recurvata** Luer & Hirtz = *Acronia recurvata*
 Icones Pleuro XXVII; p. 68 (4/2005)
- reedii** Luer = *Anathallis reedii*
 Icones Pleuro XXIX; p. 118 (8/2007)
- regalis** Luer = *Specklinia regalis*
 Icones Pleuro XXVI; p. 263 (2/2004)
- regeliana** Rchb.f. = *Pleurothallis recurva*
 Selbyana 3(3,4); p. 374 (7/1977)
- reginae** Garay = *Acronia reginae*
 Icones Pleuro XXVII; p. 68 (4/2005)
- reichenbachiana** Schltr. = *Pleurothallis chloroleuca*
 Icones Pleuro XVII; p. 40 (11/1998)
- remotiflora** C. Schweinf. = *Pleurothallis flexuosa*
 Icones Pleuro XX; p. 66 (5/2000)
- renipetala** (Barb.Rodr.) Cogn. = *Acianthera renipetala*
- DI *Icones Pleuro XXVI; p. 254 (2/2004)*
- P **repens** Rolfe = *Pleurothallis saundersiana*
Icones Pleuro XXVI; p. 64 (2/2004)
- reptans** Luer = *Acronia reptans*
Icones Pleuro XXVII; p. 68 (4/2005)
- reptilis** Luer & Dalström = *Panmorphia reptilis*
Icones Pleuro XXVIII; p. 172 (5/2006)
- DIP **restrepioides** Lindl. = *Elongatia restrepioides*
 DI *Icones Pleuro XXVI; p. 257 (2/2004)*
- resupinata** Ames = *Effusiella resupinata*
Icones Pleuro XXIX; p. 107 (8/2007)
- retusa** (La Llave) Lindl. = *Effusiella retusa*
Icones Pleuro XXIX; p. 107 (8/2007)
- retusiloba** C.Schweinf. = *Crocodelanthe retusiloba*
Icones Pleuro XXVI; p. 256 (2/2004)
- revoluta** (Ruiz & Pav.) Garay - Selbyana 1(3); p. 272
 DI *Icones Plant Trop Ser II Fasc 3; pl. 283*
 DI *Icones Pleuro XVIII; p. 21, 22, 68*
 DI *Orc of Bolivia Vol 1; p. 259, 330*
 IP *VOI; 1, p. 316 (was diffusa)*
 DI *Orc of Ven FG 3; p. 835*
 I
- reymondii** (Karst.) Kuntze = *Myoxanthus reymondii*
Icones Pleuro IX; p. 74 (11/1992)
- rhabdosepala** Schltr. – *Orc of Bolivia Vol 1; p. 331* I
- rhapidopus** Schltr. = *Acronia phyllocardioides*
Icones Pleuro XXVII; p. 68 (4/2005)
- rhizomatosa** Schltr. = *Xenosia macrorhiza*
Icones Pleuro XXVIII; p. 233 (5/2006)
- rhodocardia** Garay = *Acronia rowleei*
Icones Pleuro XXVII; p. 59 (4/2005)
- rhodoglossa Schltr. = *Acronia rhodoglossa*
Icones Pleuro XXVII; p. 68 (4/2005)
- rhodotantha** Rchb.f. = *Crocodelanthe rhodotantha*
Icones Pleuro XXVI; p. 257 (2/2004)
- rhomboglossa** Rchb.f. = *Pleurothallis chloroleuca*
 DI *Icones Pleuro XVII; p. 40 (11/1998)*
- rhombopetala** Rolfe = *Pleurothallis arcuata*
Icones Pleuro XX; p. 59 (5/2000)
- rhopalocarpa** Schltr. = *Acronia cordata* ssp. *rhopalocarpa*
 Selbyana 3(1,2); p. 82 (11/1976)
- rhynchantha** (Rchb.f. & Warsz.) L.O.Williams = *Barbosella cucullata*
Icones Pleuro XX; p. 16 (5/2000)
- rhynchglossa** Schltr. = *Pleurothallis violacea*
Icones Pleuro XXVI; p. 72 (2/2004)
- ricii** Luer & R.Vásquez = *Panmorphia ricii*
Icones Pleuro XXVIII; p. 173 (5/2006)
- richteri** H.Dietrich = *Specklinia wrightii*
Icones Pleuro XXVIII; p. 69 (5/2006)
- rictoria** Rchb.f. = *Crocodelanthe rictoria*
Icones Pleuro XXVI; p. 257 (2/2004)
- DI **rigidifolia** Rchb.f. = *Myoxanthus affinis*
 IP *Icones Pleuro IX; p. 13 (11/1992)*
- rigidula** Cogn. = *Specklinia rigidula*
Icones Pleuro XXVI; p. 263 (2/2004)
- ringens** C. Schweinf. = *Pleurothallis hitchcockii*
Icones Pleuro XVI; p. 96 (4/1998)
- rio-grandensis** Barb.Rodr. = *Pleurothallis pubescens*
Icones Pleuro XXVI; p. 58 (2/2004)
- rio-grandensis var viridicata** Barb.Rodr. = *Pleurothallis pubescens*
Icones Pleuro XXVI; p. 58 (2/2004)
- ripleyi** Luer = *Acronia ripleyi*
Icones Pleuro XXVII; p. 68 (4/2005)
- robertoi** Luer & Toscano = *Pabstiella robertoi*
Icones Pleuro XXIX; p. 120 (8/2007)
- robleorum** Luer & Escobar = *Trichosalpinx robleorum*
Icones Pleuro XV; p. 76 (12/1997)
- rodrigoii** Luer = *Acianthera rodrigoii*

Pleurothallis

- Icones Pleuro XXVI*; p. 254 (2/2004)
- roezlii** Rchb.f. = *Pleurothallis macrophylla*
Icones Pleuro XI; p. 80 (12/1994)
- roraimensis** Rolfe = *Trichosalpinx pusilla*
Icones Pleuro XV; p. 74 (12/1997)
- roseola** Luer & Hirtz – *Icones Pleuro XVIII*; p. 22, 68
Lindleyana 11(3); p. 183, 184
- roseopunctata** Lindl. = *Pleurothallis elegans*
Icones Pleuro XVI; p. 21 (4/1998)
- rostellata** Barb.Rodr. = *Acianthera rostellata*
Icones Pleuro XXVI; p. 254 (2/2004)
- rostratissima** Luer & J.J.Portilla = *Effusiella rostratissima*
Icones Pleuro XXIX; p. 107 (8/2007)
- rostriflora** Rchb.f. = *Pabstiella rostriflora*
Icones Pleuro XXIX; p. 120 (8/2007)
- rotundata** C.Schweinf. = *Trichosalpinx rotundata*
Icones Pleuro XV; p. 33 (12/1997)
- rotundiflora** Rolfe = *Specklinia microphylla*
Icones Pleuro XXVIII; p. 56 (5/2006)
- rowleei** Ames = *Acronia rowleei*
Icones Pleuro XXVII; p. 59 (4/2005)
- rubella** Luer = *Rubellia rubella*
Icones Pleuro XXVI; p. 258 (2/2004)
- rubens** Lindl. = *Specklinia rubens*
Icones Pleuro XXVI; p. 263 (2/2004)
- rubens var. latifolia** Cogn. = *Pleurothallis rubens*
Icones Pleuro XVIII; p. 118 (11/1999)
- rubens var. longifolia** Cogn. = *Pleurothallis rubens*
Icones Pleuro XVIII; p. 118 (11/1999)
- ruberrima** Lindl. = *Acronia ruberrima*
Icones Pleuro XXVII; p. 68 (4/2005)
- rubroinversa** Luer = *Acronia rubroinversa*
Icones Pleuro XXVII; p. 68 (4/2005)
- rubrolimbata** Höhne = *Panmorphia rubrolimbata*
Icones Pleuro XXVIII; p. 177 (5/2006)
- rubrolineata** Hoehne = *Pabstiella rubrolineata*
Icones Pleuro XXIX; p. 120 (8/2007)
- rubroviridis** Lindl. - *Icones Orchid Peru* pl. 165
VOI; 4, p. 238
Orc of Ven FG 3; p. 837
Icones Pleuro XXVI; p. 62-63, 103
- rudolfii** Pabst = *Panmorphia rudolfii*
Icones Pleuro XXVIII; p. 177 (5/2006)
- rufa** Rolfe = *Pleurothallis obscura*
Selbyana 1(3); p. 310 (12/1975)
- rufescens** (Rolfe) Schltr. = *Pleurothallis erinacea*
Icones Pleuro XI; p. 94 (12/1994)
- rufobrunnea** Lindl. – *Icones Pleuro XVIII*; p. 92-93, 95
Orquidea Dec 93; p. 57, 92-95 (was *Stelis rufobrunnea*)
- rugosa** Luer = *Acronia rugosa*
Icones Pleuro XXVII; p. 68 (4/2005)
- rupestris** Lindl. = *Pleurothallis teres*
Lindleyana 15(1); p. 8 (3/2000)
- ruscaria** Luer = *Colombiana ruscaria*
Icones Pleuro XXVI; p. 256 (2/2004)
- ruscifolia** (Jacq.) R.Br. - *Icones Pleuro III*; p. 66
Selbyana 1(1); p. 86
Selbyana 4; p. 182
Icones Orchid Peru pl. 355
Icones Plant Trop, Fasc 14; pl. 1383
Icones Pleuro XVII; p. 44-46, 62
Orc of Bolivia Vol 1; p. 336
Orc of Ven FG 3; p. 838
- ruscifolia var. caquetana** Schltr. = *Pleurothallis ruscifolia*
Icones Pleuro XVII; p. 44 (11/1998)
- ruschii** Hoehne = *Pabstiella ruschii*
Icones Pleuro XXIX; p. 120 (8/2007)
- saccata** Ames = *Pleurothallis colossus*
Icones Pleuro XVIII; p. 46 (11/1999)
- saccatilabia** C.Schweinf. = *Acronia saccatilabia*
Icones Pleuro XXVII; p. 68 (4/2005)
- sacrodactylae** Luer - *Selbyana* 1(4); p. 422
- sagittilabia** Luer = *Acronia sagittilabia*
Icones Pleuro XXVII; p. 59 (4/2005)
- salpingantha** Luer & Hirtz = *Crocodelanthe salpingantha*
Icones Pleuro XXVI; p. 257 (2/2004)
- saltatoria** Lindl. – *Icones Pleuro XVIII*; p. 22, 23, 69
Orc of Bolivia Vol 1; p. 260, 337
- samacensis** Ames = *Muscarella samacensis*
Icones Pleuro XXVIII; p. 115 (5/2006)
- sanchezii** Luer & Hirtz = *Panmorphia sanchezii*
Icones Pleuro XXVIII; p. 173 (5/2006)
- sanchoi** Schltr. = *Acronia sanchoi*
Icones Pleuro XXVII; p. 68 (4/2005)
- sanctae-rosae** (Krzl.) Garay = *Masdevallia sanctae-rosae*
Thesaurus Masd 10:14(1987)
- sandaliorum** G.A.Romero & Carnevali = *Acianthera sandaliorum*
Icones Pleuro XXVI; p. 254 (2/2004)
- sandemanii** Luer = *Talpinaria sandemanii*
Icones Pleuro XXVI; p. 265 (2/2004)
- sanguinolenta** Garay & Kittredge = *Pleurothallis oestlundiana*
Icones Pleuro XX; p. 76 (5/2000)
- sanluisii** Foldats = *Acronia sanluisii*
Icones Pleuro XXVII; p. 59 (4/2005)
- sannio** Luer & R.Escobar = *Acronia sannio*
Icones Pleuro XXVII; p. 68 (4/2005)
- sarcochila** Garay = *Acronia sarcochila*
Icones Pleuro XXVII; p. 68 (4/2005)
- sarcodactylae** Luer = *Myoxanthus sarcodactylae*
Selbyana 7(1); p. 49 (8/1982)
- sarcopetala** (Barb.Rodr.) Cogn. = *Pabstiella sarcopetala*
Icones Pleuro XXIX; p. 120 (8/2007)
- sarcophylla** Rchb.f. = *Apoda-Proreperntia testifolia*
Icones Pleuro XXIX; p. 89 (8/2007)
- sarcosepala** Carnevali & I. Ramirez - Orc of Ven FG 3; p. 842
- sarracenia** Luer - *Icones Pleuro III*; p. 75 (was *sarracenia*)
- saundersiana** Rchb.f. - *Selbyana* 3(3,4); p. 382
Orc of Bolivia Vol 1; p. 338
Icones Pleuro XXVI; p. 64-65, 103
- scabrata** Lindl. = *Effusiella scabrata*
Icones Pleuro XXIX; p. 107 (8/2007)
- scabrilanguis** Lindl. = *Acronia scabrilanguis*
Icones Pleuro XXVII; p. 68 (4/2005)
- scabripes** Lindl. = *Specklinia scabripes*
Icones Pleuro XXVI; p. 263 (2/2004)
- scalaris** Griseb. = *Phloeophila nummularia*
Icones Pleuro XXVIII; p. 191 (5/2006)
- scalpricaulis** Luer - *Selbyana* 1(4); p. 424
Icones Plant Trop, Fasc 6; pl. 579
Orc of Bolivia Vol 1; p. 340
Icones Pleuro XXVI; p. 65, 104
NEO; 4:1843
- scandens** Ames = *Myoxanthus scandens*
Selbyana 7(1); p. 49 (8/1982)
- scandens var. simplicicaulis** C.Schweinf. = *Myoxanthus simplicicaulis*
Selbyana 7(1); p. 51 (8/1982)
- scansor** Luer = *Crocodelanthe scansor*
Icones Pleuro XXVI; p. 257 (2/2004)
- scapha** Rchb.f. = *Pleurothallis sirene*
Icones Pleuro XX; p. 110 (5/2000)
- scaphioglottis** Schltr. = *Acronia canaligera*
Icones Pleuro XXVII; p. 68 (4/2005)
- scaphipetala** Luer = *Acronia scaphipetala*
Icones Pleuro XXVII; p. 68 (4/2005)

Pleurothallis

- scariosa** (La Llave) Lindl. = *Specklinia scariosa*
Icones Pleuro XXVI; p. 263 (2/2004)
- schaferi** Ames = *Specklinia schaeferi*
Icones Pleuro XXVI; p. 263 (2/2004)
- schiedei** Rchb.f. = *Pleurothallis villosa*
Icones Pleuro XX; p. 88 (5/2000)
- schistopetala** Schltr. = *Muscarella zephyrina*
Icones Pleuro XXVIII; p. 124 (5/2006)
- schizopogon** Luer - *Icones Pleuro XI*; p. 61, 63, 64
 Selbyana 5(2); p. 179, 180
 NEO; 4:1846
- schlechteriana** Ames = *Acronia cardiothallis*
Icones Pleuro XXVII; p. 68 (4/2005)
- schlimii** Luer = *Specklinia schlimii*
Icones Pleuro XXVI; p. 263 (2/2004)
- schnitteri** Schltr. = *Acronia phalangifera*
Icones Pleuro XXVII; p. 59 (4/2005)
- schudelii** Luer & Hirtz = *Muscarella schudelii*
Icones Pleuro XXVIII; p. 116 (5/2006)
- schulzaana** Schltr. = *Platystele oxyglossa*
Icones Pleuro VII; p. 85 (12/1990)
- schweinfurthii** Garay - *Icones Pleuro XVI*; p. 91, 93
 Orc of Bolivia Vol 1; p. 341
- schweinfurthiana** L.O.Williams = *Pleurothallis deregularis*
Icones Pleuro XVIII; p. 89 (11/1999)
- scintillata** Luer – *Icones Pleuro XVIII*; p. 23, 69
- scitula** Luer = *Acronia rectipetala*
Icones Pleuro XXVII; p. 68 (4/2005)
- sclarea** Rchb.f. = *Specklinia lanceola*
Icones Pleuro XXVIII; p. 54 (5/2006)
- sclerophylla** Lindl. = *Specklinia sclerophylla*
Icones Pleuro XXVI; p. 263 (2/2004)
- scleropus** Schltr. = *Acronia discoidea*
Icones Pleuro XXVII; p. 68 (4/2005)
- scolopax** Luer & Escobar = *Sarcinula scolopax*
Icones Pleuro XXVIII; p. 217 (5/2006)
- scoparum** Rchb.f. = *Colombiana scoparum*
Icones Pleuro XXVI; p. 256 (2/2004)
- scopula** Schltr. = *Muscarella marginata*
Icones Pleuro XXVIII; p. 112 (5/2006)
- sculptilis** Luer = *Acronia stelidilabia*
Icones Pleuro XXVII; p. 68 (4/2005)
- scurrula** Luer = *Acronia scurrula*
Icones Pleuro XXVII; p. 68 (4/2005)
- secunda** Peopp. & Endl. – *Icones Pleuro XVIII*; p. 23, 24, 69
 VOI; 1, p. 346
- secunda** Poepp. & Endl. **var. longiracema** C.Schweinf. =
Pleurothallis hjertingii
Icones Pleuro XVIII; p. 14 (11/1999)
- seidelii** Pabst. = *Myoxanthus seidelii*
Icones Pleuro XV; p. 132 (12/1997)
- segoviensis** Rchb.f. = *Uncifera segoviensis*
Icones Pleuro XXVI; p. 265 (2/2004)
- segregarifolia** Ames & C.Schweinf. = *Specklinia segregatifolia*
Icones Pleuro XXVI; p. 263 (2/2004)
- semilunata** Luer = *Trichosalpinx semilunata*
Icones Pleuro XV; p. 78 (12/1997)
- semiscabra** Lindl. = *Acronia semiscabra*
Icones Pleuro XXVII; p. 68 (4/2005)
- semperflorens** Lindl. = *Muscarella semperflorens*
Icones Pleuro XXVIII; p. 117 (5/2006)
- sempergemmata** Luer = *Brenesia sempergemmata*
Icones Pleuro XXVI; p. 255 (2/2004)
- semipellucida** Rchb.f. = *Pleurothallis revoluta*
Icones Pleuro XVIII; p. 21 (11/1999)
- semipellucida var. grandiflora** C.Schweinf. = *Pleurothallis penduliflora*
Icones Pleuro XVIII; p. 18 (11/1999)
- sergioi** Luer & R.Escobar = *Acronia sergioi*
Icones Pleuro XXVII; p. 68 (4/2005)
- seriata** Lindl. = *Panmorpha seriata*
Icones Pleuro XXVIII; p. 174 (5/2006)
- serpens** Luer & Escobar – *Orquideologia XVI*(1); p. 31, 33
Icones Pleuro XVIII; p. 58, 81
- serricardia** Schltr. = *Acronia serricardia*
Icones Pleuro XXVII; p. 68 (4/2005)
- serrifera** Lindl. = *Pleurothallis lanceana*
Icones Pleuro XXVI; p. 43 (2/2004)
- serripetala** Krzl. = *Myoxanthus serripetalus*
 Selbyana 7(1); p. 51 (8/1982)
- sertularioides** Sw. = *Panmorpha sertularioides*
Icones Pleuro XXVIII; p. 174 (5/2006)
- sertularioides var. trinitensis** Griseb. = *Specklinia spiculifera*
Icones Pleuro XXVIII; p. 67 (5/2006)
- setigera** Lindl. = *Muscarella zephyrina*
Icones Pleuro XXVIII; p. 124 (5/2006)
- setosa** C.Schweinf. = *Muscarella fimbriata*
Icones Pleuro XXVIII; p. 103 (5/2006)
- sextonii** Luer = *Acronia sextonii*
Icones Pleuro XXVII; p. 59 (4/2005)
- shuarii** Luer = *Echinosepala shuarii*
Icones Pleuro XXIX; p. 119 (8/2007)
- sibatensis** Lehm. & Kraenzl. = *Muscarella sibatensis*
Icones Pleuro XXVIII; p. 117 (5/2006)
- sicaria** Lindl. - Selbyana 1(1); p. 90
 Orc of Bolivia Vol 1; p. 345
 NCO; 3:506
 VOI; 1, p. 350
 Orc of Ven FG 3; p. 847
Icones Pleuro XXVI; p. 65-67, 104
Icones Pleuro III; p. 23 (was *P. alpina*)
 Selbyana 3(3,4); p. 238 (was *P. alpina*)
 NEO; 4:1849
- sicariopsis** Luer - *Icones Plant Trop Ser II Fasc 3*; pl. 284
 Orc of Bolivia Vol 1; p. 346
Icones Pleuro XXVI; p. 67, 105
- sicula** Luer & Vásquez = *Acianthera sicula*
Icones Pleuro XXVI; p. 254 (2/2004)
- sigmoidea** Ames & C.Schweinf. = *Kraenzlinella sigmoidea*
Icones Pleuro XXVI; p. 258 (2/2004)
- sigsigensis** Schltr. = *Acronia bivalvis*
Icones Pleuro XXVII; p. 68 (4/2005)
- sigynes** Luer = *Acronia sigynes*
Icones Pleuro XXVII; p. 68 (4/2005)
- sijmii** Luer = *Elongatia sijmii*
Icones Pleuro XXVI; p. 257 (2/2004)
- silvae** Luer & Toscano = *Acianthera silvae*
Icones Pleuro XXVI; p. 254 (2/2004)
- silverstonei** Luer = *Colombiana silverstonei*
Icones Pleuro XXVIII; p. 249 (5/2006)
- silvestris** Luer & Hirtz = *Pleurothallis calvariola*
Icones Pleuro XVIII; p. 44 (11/1999)
- simacoana** Schltr. = *Pleurothallis boliviana*
Icones Pleuro XXVI; p. 18 (2/2004)
- simmleriana** Rendle = *Sarcinula simmleriana*
Icones Pleuro XXVIII; p. 218 (5/2006)
- simplex** Ames & C.Schweinf. – *Icones Pleuro XVIII*; p. 93, 95
- simplicaulis** (C.Schweinf.) Luer = *Myoxanthus simplicaulis*
Icones Pleuro IX; p. 84 (11/1992)
- simpliciflora** Dod = *Specklinia simpliciflora*
Icones Pleuro XXVI; p. 264 (2/2004)
- simpliciglossa** Löfgren = *Specklinia simpliciglossa*
Icones Pleuro XXVI; p. 264 (2/2004)
- simplicilabia** C.Schweinf. = *Crocodelanthe simplicilabia*
Icones Pleuro XXVI; p. 257 (2/2004)

Pleurothallis

- simulans* L.O.Williams = *Acronia simulans*
Icones Pleuro XXVII; p. 59 (4/2005)
- simulatrix* Luer = *Muscarella stumpflei*
Icones Pleuro XXVIII; p. 119 (5/2006)
- siphoglossa* Luer & R.Escobar = *Acronia siphoglossa*
Icones Pleuro XXVII; p. 68 (4/2005)
- siphonantha* Luer = *Crocodelanthe siphonantha*
Icones Pleuro XXVI; p. 257 (2/2004)
- sirene* Rchb.f. = *Lindleyalis sirene*
Icones Pleuro XXVI; p. 258 (2/2004)
- smaragdina* Luer = *Kraenzlinella smaragdina*
Icones Pleuro XXVI; p. 258 (2/2004)
- smithiana* Lindl. = *Pleurothallis pubescens*
Icones Pleuro XXVI; p. 58 (2/2004)
- smithii* Schltr. = *Acronia coriacardia*
Icones Pleuro XXVII; p. 68 (4/2005)
- sobrina* Luer & Hirtz = *Acronia sobrina*
Icones Pleuro XXVII; p. 59 (4/2005)
- sodiroi* Schltr. = *Pleurothallis jamesonii*
Icones Pleuro XVI; p. 30 (4/1998)
- solium* Luer = *Ancipitia solium*
Icones Pleuro XXVI; p. 255 (2/2004)
- somnolenta* Luer = *Acronia somnolenta*
Icones Pleuro XXVII; p. 59 (4/2005)
- soratana* Rchb.f. = *Specklinia soratana*
Icones Pleuro XXVI; p. 264 (2/2004)
- sordida* Kraenzl. = *Pabstiella sordida*
Icones Pleuro XXIX; p. 120 (8/2007)
- sororcula* Schltr. = *Anathallis sororcula*
Icones Pleuro XXIX; p. 118 (8/2007)
- sororia* Schltr. (1912) = *Pleurothallis erinacea*
Icones Pleuro XI; p. 94 (12/1994)
- sororia* Schltr. (1920) = *Pleurothallis galeata*
Icones Pleuro XVI; p. 26 (4/1998)
- sotarae* Schltr. = *Acronia sotarae*
Icones Pleuro XXVII; p. 68 (4/2005)
- spannageliana* Höhne = *Specklinia spannageliana*
Icones Pleuro XXVI; p. 264 (2/2004)
- sparsiflora* Schltr. = *Pabstiella sparsiflora*
Icones Pleuro XXIX; p. 120 (8/2007)
- spathata* Schltr. - NEO; 4:1852
- spathilabia* Schltr. = *Specklinia spathilabia*
Icones Pleuro XXVI; p. 264 (2/2004)
- spathosa* Luer & Escobar = *Crocodelanthe spathosa*
Icones Pleuro XXVI; p. 257 (2/2004)
- spathulata* Rich. & Gal. = *Tribulago tribuloides*
Icones Pleuro XXVIII; p. 321 (5/2006)
- spathulifolia* C.Schweinf. = *Specklinia spathulifolia*
Icones Pleuro XXVI; p. 264 (2/2004)
- spathuliformis* Luer & Vásquez = *Specklinia spathuliformis*
Icones Pleuro XXVI; p. 264 (2/2004)
- spathuliglossa* Hoehne = *Pabstiella spathuliglossa*
Icones Pleuro XXIX; p. 120 (8/2007)
- spathulipetala* Luer = *Ancipitia spathulipetala*
Icones Pleuro XXVI; p. 255 (2/2004)
- speciosa* Luer = *Myoxanthus speciosus*
Selbyana 7(1); p. 51 (8/1982)
- spectabilis* Ames & C.Schweinf. = *Empusella endotrachys*
Icones Pleuro XXIX; p. 95 (8/2007)
- spectilinguis* Rchb.f. = *Muscarella marginata*
Icones Pleuro XXVIII; p. 111 (5/2006)
- spgazziniana* L.O.Williams = *Barbosella cogniauxiana*
Icones Pleuro XX; p. 14 (5/2000)
- sphaerantha* Luer = *Acronia sphaerantha*
Icones Pleuro XXVII; p. 68 (4/2005)
- sphaeroglossa* Hoehne = *Panmorphia seriata*
Icones Pleuro XXVIII; p. 174 (5/2006)
- sphenochila* Lindl. = *Pleurothallis pulchella*
Icones Pleuro XVI; p. 46 (4/1998)
- spiculifera* Lindl. = *Specklinia spiculifera*
Icones Pleuro XXVIII; p. 41 (5/2006)
- spilantha* Barb.Rodr. = *Acianthera spilantha*
Icones Pleuro XXIX; p. 118 (8/2007)
- spiloporphyrea* Dod = *Tridelta aurantiaca*
Icones Pleuro XXVIII; p. 232 (5/2006)
- spiralis* Ruiz. & Pav. = *Xenosia macrorhiza*
Icones Pleuro XXVIII; p. 233 (5/2006)
- spiritu-sanctensis* Pabst = *Barbosella spiritu-sanctensis*
Icones Pleuro XX; p. 27 (5/2000)
- sprucei* Lindl. = *Specklinia sprucei*
Icones Pleuro XXVI; p. 264 (2/2004)
- stalkyi* Luer = *Acronia sanluisii*
Icones Pleuro XXVII; p. 59 (4/2005)
- standleyi* Ames = *Trichosalpinx blaisdellii*
Icones Pleuro XV; p. 18 (12/1997)
- steinbuchiae* Carnevali & G.A.Romero = *Panmorphia steinbuchiae*
Icones Pleuro XXVIII; p. 176 (5/2006)
- stelidiformis* Schltr. = *Acronia dentipetala*
Icones Pleuro XXVII; p. 59 (4/2005)
- stelidilabia* Luer = *Acronia stelidilabia*
Icones Pleuro XXVII; p. 68 (4/2005)
- stelidioides* Schltr. = *Pleurothallis magdalenae*
Icones Pleuro XVIII; p. 91 (11/1999)
- stelidiopsis* Luer = *Crocodelanthe stelidiopsis*
Icones Pleuro XXVI; p. 257 (2/2004)
- stellata* I.Ramírez & Carnevali = *Acronia stellata*
Icones Pleuro XXVII; p. 68 (4/2005)
- stenocardium* Schltr. = *Acronia bivalvis*
Icones Pleuro XXVII; p. 68 (4/2005)
- stenoglossa* Pabst = *Pleurothallis citrina*
Icones Pleuro XVIII; p. 108 (11/1999)
- stenopetala* Lodd. ex Lindl. = *Pleurothallis sclerophylla*
Icones Pleuro XVIII; p. 120 (11/1999)
- stemophylla* Lehm. & Kraenzl. = *Specklinia stemophylla*
Icones Pleuro XXVI; p. 264 (2/2004)
- stenosepala* Rolfe = *Acronia microcardia* ssp. *microcardia*
Icones Pleuro XXVII; p. 68 (4/2005)
- P *stenostachya* var. *lankesteri* (Rolfe) Ames = *Platystele stenostachya*
Icones Pleuro VII; p. 116 (12/1990)
- stenota* Luer = *Acronia stenota*
Icones Pleuro XXVII; p. 68 (4/2005)
- stevensii* Luer = *Acronia dentipetala*
Icones Pleuro XXVII; p. 59 (4/2005)
- stevensonii* Luer = *Acronia stevensonii*
Icones Pleuro XXVII; p. 59 (4/2005)
- steyermarkii* C.Schweinf. – *Icones Pleuro XVIII*; p. 59, 81 DI
- stictophylla* Schltr. = *Specklinia stictophylla*
Icones Pleuro XXVI; p. 264 (2/2004)
- stigmatoglossa* Rchb.f. ex Lindl. = *Restrepiella ophiocephala*
Icones Pleuro VIII; p. 84 (8/1991)
- stillsonii* Dod = *Specklinia stilsonii*
Icones Pleuro XXVIII; p. 41 (5/2006)
- stonei* Luer = *Brenesia stonei*
Icones Pleuro XXVI; p. 255 (2/2004)
- striata* H.Focke = *Sarcinula striata*
Icones Pleuro XXVIII; p. 219 (5/2006)
- stricta* Luer = *Acronia stricta*
Icones Pleuro XXVII; p. 59 (4/2005)
- strobilifera* Schltr. – *Icones Pleuro XVIII*; p. 59, 60, 82 DI
NCO; 6:1212 P
- strumosa* Ames = *Muscarella strumosa*
Icones Pleuro XXVIII; p. 118 (5/2006)
- stumpflei* Luer = *Muscarella stumpflei*
Icones Pleuro XXVIII; p. 119 (5/2006)

Pleurothallis

- subnulla** Luer & Tuscano = *Anathallis subnulla*
Icones Pleuro XXIX; p. 118 (8/2007)
- subpellucida** Klotsch = *Pleurothallis loranthophylla*
Icones Pleuro XVI; p. 88 (4/1998)
- subpicta** Schltr. = *Specklinia subpicta*
Icones Pleuro XXVI; p. 264 (2/2004)
- subreniformis** Schltr. – *Icones Pleuro XVIII; p. 60, 82*
 Selbyana 1(3); p. 286 (was misidentified as *secunda*)
 DI DI
- subsiniuata** Lindl. = *Specklinia subsiniuata*
Icones Pleuro XXVI; p. 264 (2/2004)
- subtilis** C.Schweinf. = *Acronia subtilis*
Icones Pleuro XXVII; p. 68 (4/2005)
- subulata** Rolfe = *Acronia cardiophylla*
Icones Pleuro XXVII; p. 68 (4/2005)
- subumbellata** Cogn. = *Pabstiella parvifolia*
Icones Pleuro XXVIII; p. 139 (5/2006)
- succedanea** Hoehne & Schltr. = *Pabstiella parvifolia*
Icones Pleuro XXVIII; p. 139 (5/2006)
- succosa** Lindl. = *Pleurothallis ruscifolia*
Icones Pleuro XVII; p. 44 (11/1998)
- succuba** Luer = *Panmorphia burzlaiffiana*
Icones Pleuro XXVIII; p. 149 (5/2006)
- sugdenii** Luer = *Acronia discoidea*
Icones Pleuro XXVII; p. 68 (4/2005)
- sulphurea** Barb.Rodr. = *Specklinia sulphurea*
Icones Pleuro XXVI; p. 264 (2/2004)
- superbiens** Luer = *Elongatia superbiens*
Icones Pleuro XXVI; p. 257 (2/2004)
- superposita** Schltr. = *Pleurothallis ramulosa*
Icones Pleuro XVIII; p. 117 (11/1999)
- supervacanea** Rchb.f. = *Acronia supervacanea*
Icones Pleuro XXVII; p. 59 (4/2005)
- surinamensis** H.Focke = *Specklinia picta*
Icones Pleuro XXVIII; p. 62 (5/2006)
- susanensis** Hoehne = *Specklinia susanensis*
Icones Pleuro XXVI; p. 264 (2/2004)
- suspensa** Luer - Selbyana 7(1); p. 124
Icones Pleuro XVIII; p. 24, 69
 Orc of Ven FG 3; p. 854
 D DI I
- syringifolia** Kraenzl. = *Acronia canaligera*
Icones Pleuro XXVII; p. 68 (4/2005)
- syringodes** Luer = *Specklinia syringodes*
Icones Pleuro XXVI; p. 264 (2/2004)
- tabacina** (Barb.Rodr.) Cogn. = *Pabstiella tabacina*
Icones Pleuro XXIX; p. 120 (8/2007)
- talpinaria** Rchb.f. = *Talpinaria bivalvis*
Icones Pleuro XXVI; p. 265 (2/2004)
- talpinarioides** (Garay & Dunst.) = *Lindleyalis talpinarioides*
Icones Pleuro XXVI; p. 258 (2/2004)
- tamaensis** Foldats = *Acronia microcardia* ssp. *tamaensis*
Icones Pleuro XXVII; p. 68 (4/2005)
- tamboënsis** Luer & Escobar = *Muscarella tamboënsis*
Icones Pleuro XXVIII; p. 119 (5/2006)
- tantilla** Luer - Selbyana 5(2); p. 183, 184
 D
- tanyrhina** Luer & Escobar – *Orquideologia XIV(2); p. 176, 177*
Icones Pleuro XVIII; p. 35, 73
 NCO; 3:516
 DI DI P
- tarantula** Luer & Hirtz = *Effusiella tarantula*
Icones Pleuro XXIX; p. 107 (8/2007)
- taurus** Luer – *Icones Pleuro XVIII; p. 24, 25, 70*
 DI
- taxis** Luer = *Crocodelanthe taxis*
Icones Pleuro XXVI; p. 257 (2/2004)
- teaguei** Luer = *Acronia teaguei*
Icones Pleuro XXVII; p. 69 (4/2005)
- tectosa** Luer – *Icones Pleuro XVIII; p. 25, 70*
 Lindleyana 11(3); p. 187, 188
 DI DI
- telamon** Luer = *Acronia telamon*
Icones Pleuro XXVII; p. 69 (4/2005)
- tempestalis** Luer = *Muscarella tempestalis*
Icones Pleuro XXVIII; p. 120 (5/2006)
- tenebrosa** Luer – *Icones Pleuro XVIII; p. 25, 26, 70*
 Orc of Ven FG 3; p. 857
 DI I
- tenera** (Barb.Rodr.) Cogn. = *Pabstiella tenera*
Icones Pleuro XXIX; p. 120 (8/2007)
- tentaculata** (Poepp. & Endl.) Lindl. = *Lindleyalis tentaculata*
Icones Pleuro XXVI; p. 258 (2/2004)
- tentaculifera** Luer & Hirtz - NEO; 4:1861
 P
- tenuifolia** C.Schweinf. = *Pleurothallis accuminata*
Icones Pleuro XVIII; p. 103 (11/1999)
- tenuifolia** var. **longisepala** C.Schweinf. = *Pleurothallis lagarophyta*
Icones Pleuro XVIII; p. 112 (11/1999)
- tenuis** C.Schweinf. = *Trichosalpinx tenuis*
Icones Pleuro XV; p. 82 (12/1997)
- tenuispica** Schltr. = *Pleurothallis gelida*
Icones Pleuro XX; p. 68 (5/2000)
- tenuissima** Rchb.f. = *Panmorphia sertularioides*
Icones Pleuro XXVIII; p. 174 (5/2006)
- tepuiënsis** Camevali & I.Ramírez = *Pleurothallis pulchella*
Icones Pleuro XVI; p. 46 (4/1998)
- teres** Lindl. = *Acianthera teres*
Icones Pleuro XXVI; p. 254 (2/2004)
- testaefolia** (Sw.) Lindl. = *Apoda-Prorenpentia testifolia*
Icones Pleuro XXVI; p. 255 (2/2004)
- tetrachaeta** Luer & Hirtz = *Acronia tetrachaeta*
Icones Pleuro XXVII; p. 59 (4/2005)
- tetragona** Luer & Escobar = *Ancipitia tetragona*
Icones Pleuro XXVI; p. 255 (2/2004)
- tetroxys** Luer = *Colombiana tetroxys*
Icones Pleuro XXVI; p. 255 (2/2004)
- thomasiae** Luer = *Specklinia thomasiae*
Icones Pleuro XXVI; p. 264 (2/2004)
- thomasiae** Luer = *Effusiella thomasiae*
Icones Pleuro XXIX; p. 107 (8/2007)
- thymochila** Luer = *Dracontia thymochila*
Icones Pleuro XXVI; p. 257 (2/2004)
- thysana** Luer & Portilla = *Didactylus thysana*
Icones Pleuro XXVI; p. 257 (2/2004)
- tiarata** Luer & Hirtz – *Icones Pleuro XXVI; p. 238, 242*
 NEO; 4:1864
 DI P
- tigridens** Loefgr. = *Panmorphia paranaënsis*
Icones Pleuro XXVIII; p. 177 (5/2006)
- tikalensis** Correll & C.Schweinf. – *Icones Pleuro XXVI; p. 68, 105*
 DI
- tintinnabula** Luer = *Dracontia tintinnabula*
Icones Pleuro XXVI; p. 257 (2/2004)
- tipuloides** Luer = *Acronia tipuloides*
Icones Pleuro XXVII; p. 59 (4/2005)
- titan** Luer = *Acronia titan*
Icones Pleuro XXVII; p. 69 (4/2005)
- toachica** Luer & Dodson = *Acianthera toachica*
Icones Pleuro XXVI; p. 254 (2/2004)
- tokachii** Luer = *Acianthera tokachii*
Icones Pleuro XXVI; p. 254 (2/2004)
- tomentosa** Luer = *Brenesia tomentosa*
Icones Pleuro XXVI; p. 255 (2/2004)
- tonduzii** Schltr. = *Acronia tonduzii*
Icones Pleuro XXVII; p. 69 (4/2005)
- torrana** Luer – *Orquideologia XX(2); p. 231, 232*
Icones Pleuro XVIII; p. 60, 61, 82
 DI DI
- tortilis** Luer & Escobar = *Effusiella tortilis*
Icones Pleuro XXIX; p. 107 (8/2007)
- trachychlamys** Schltr. = *Myoxanthus trachychlamys*
 Selbyana 7(1); p. 51 (8/1982)

Pleurothallis

I

- trachysepala* Kraenzl. = *Acronia cordata* ssp. *trachysepala*
Icones Pleuro XXVII; p. 69 (4/2005)
- trachytheca* Lehm. & Krzl. = *Trichosalpinx orbicularis*
Icones Pleuro XV; p. 29 (12/1997)
- tragulosa* Luer & Hirtz = *Acronia tragulosa*
Icones Pleuro XXVII; p. 69 (4/2005)
- trainae* Schltr. = *Pleurothallis galeata*
Icones Pleuro XVI; p. 26 (4/1998)
- translucida* Barb.Rodr. = *Acianthera translucida*
Icones Pleuro XXVI; p. 254 (2/2004)
- transparens* Schltr. = *Pabstiella transparens*
Icones Pleuro XXIX; p. 120 (8/2007)
- transversilabia* Carnevali & G.A.Romero = *Acronia transversilabia*
Icones Pleuro XXVII; p. 69 (4/2005)
- trialata* Cogn. = *Pleurothallis tripterantha*
Icones Pleuro XX; p. 86 (5/2000)
- trialata* Rolfe = *Pleurothallis tricarinata*
Icones Pleuro XXVI; p. 70 (2/2004)
- triangulabia* C.Schweinf. = *Acronia phyllocardia*
Icones Pleuro XXVII; p. 69 (4/2005)
- triangularis* Klotzsch & Karst. = *Pleurothallis casapensis*
Selbyana 1(1); p. 62 (1/1975)
- tribuloides* Sw. = *Tribulago tribuloides*
Icones Pleuro XXVI; p. 265 (2/2004)
- tricarinata* Focke = *Pleurothallis fockei*
Icones Pleuro XXVI; p. 35 (2/2004)
- tricarinata* Poepl. & Endl. - *Selbyana 1(1)*; p. 94
Icones Orchid Peru pl. 167
Orc of Bolivia Vol 1; p. 352
Icones Pleuro XXVI; p. 70, 106
- tricaudata* Schltr. = *Trichosalpinx arbuscula*
Icones Pleuro XV; p. 44 (12/1997)
- trichopoda* A.Rich. & Galeotti = *Panmorphismia sertularioides*
Icones Pleuro XXVIII; p. 175 (5/2006)
- trichophora* Lindl. = *Antilla trichophora*
Icones Pleuro XXVI; p. 255 (2/2004)
- trichostoma* Luer = *Effusiella trichostoma*
Icones Pleuro XXIX; p. 107 (8/2007)
- tricostata* Cogn. = *Pleurothallis oblongifolia*
Icones Pleuro XVII; p. 73 (11/1998)
- trichyphus* Rchb.f. = *Specklinia trichyphus*
Icones Pleuro XXVI; p. 264 (2/2004)
- tricolor* (Barb.Rodr.) Cogn. = *Pabstiella tricolor*
Icones Pleuro XXIX; p. 120 (8/2007)
- tridentata* Klotzsch = *Acronia tridentata*
Icones Pleuro XXVII; p. 69 (4/2005)
- trifida* Lindl. = *Pabstiella trifida*
Icones Pleuro XXIX; p. 120 (8/2007)
- trifurcata* Luer - *Icones Pleuro XVIII*; p. 26, 70
Lindleyana 11(3); p. 190
- trigonopoda* Kl. = *Pleurothallis sicaria*
Selbyana 1(1); p. 90 (1/1975)
- trigridentis* Löfgr. = *Specklinia trigridentis*
Icones Pleuro XXVI; p. 264 (2/2004)
- trilata* Cogn. = = *Pabstiella tripterantha*
Icones Pleuro XXVIII; p. 140 (5/2006)
- trilineata* Lindl. = *Pleurothallis venaticaulis*
Icones Pleuro XVI; p. 57 (4/1998)
- trilineata* Barb.Rodr. = *Specklinia grobyi*
Icones Pleuro XXVIII; p. 51 (5/2006)
- trimeroglossa* Schltr. = *Pleurothallis talpinaria*
Icones Pleuro XVI; p. 98 (4/1998)
- trimeropetala* Pabst = *Pabstiella trimeropetala*
Icones Pleuro XXIX; p. 120 (8/2007)
- trimytera* Luer & Escobar = *Andinia trimytera*
Moved by Pridgeon & M.W.Chase
- trinitensis* (Griseb.) Carnevali & G.A. Romero -
Orc of Ven FG 3; p. 862
- triptera* Schltr. = *Pleurothallis tricarinata*
Icones Pleuro XXVI; p. 70 (2/2004)
- tripterantha* Rchb.f. = *Pabstiella tripterantha*
Icones Pleuro XXVIII; p. 140 (5/2006)
- tripteris* Rchb.f. = *Pleurothallis sicaria*
Selbyana 1(1); p. 90 (1/1975)
- tripterocarpa* Schltr. = *Pleurothallis boliviana*
Icones Pleuro XXVI; p. 18 (2/2004)
- tripterygia* Rchb.f. = = *Pabstiella tripterantha*
Icones Pleuro XXVIII; p. 140 (5/2006)
- triquetra* Kl. ex Lindl. = *Pleurothallis casapensis*
Selbyana 1(1); p. 62 (1/1975)
- triquetra* Schltr. = *Pleurothallis auriculata*
Selbyana 3(3,4); p. 250 (7/1977)
- triura* Schltr. = *Pleurothallis sclerophylla*
Icones Pleuro XVIII; p. 120 (11/1999)
- trogloodytes* Luer = *Acronia trogloodytes*
Icones Pleuro XXVII; p. 69 (4/2005)
- tuberculosa* Luer & Hirtz = *Acronia tuberculosa*
Icones Pleuro XXVII; p. 69 (4/2005)
- trulla* Rchb.f. & Warsz. = *Effusiella trulla*
Icones Pleuro XXIX; p. 107 (8/2007)
- trullifera* Luer & Hirtz = *Muscarella trullifera*
Icones Pleuro XXVIII; p. 120 (5/2006)
- truncata* Lindl. = *Orbis truncata*
Icones Pleuro XXVII; p. 4 (4/2005)
- DI *truncicola* Rchb.f. = *Pabstiella truncicola*
DI *Icones Pleuro XXIX*; p. 121 (8/2007)
I
- DI *truxillensis* Rchb.f. = *Pleurothallis pubescens*
Icones Pleuro XXVI; p. 58 (2/2004)
- tryssa* Luer = *Acronia tryssa*
Icones Pleuro XXVII; p. 59 (4/2005)
- tsubotae* Luer & Escobar = *Muscarella tsubotae*
Icones Pleuro XXVIII; p. 121 (5/2006)
- tubata* (Lodd.) Luer = *Physosiphon emarginatus*
Icones Pleuro XXIX; p. 99 (08/2007)
- tuerckheimii* Schltr. = *Dracontia tuerckheimii*
Icones Pleuro XXVI; p. 257 (2/2004)
- tunguraguae* Lehm. & Krzl. = *Crocodelanthe tunguraguae*
Icones Pleuro XXVI; p. 257 (2/2004)
- tunguraguae* var. *minor* Garay = *Pleurothallis tunguraguae*
Icones Pleuro XVI; p. 54 (4/1998)
- turrialbae* Luer = *Sylphia turrialbae*
Icones Pleuro XXVIII; p. 229 (5/2006)
- tuzae* Luer - *Orquideologia XXI(2)*; p. 132, 133
Icones Pleuro XVIII; p. 27, 71
- DI *tyria* Luer & Hirtz = *Acronia tyria*
DI *Icones Pleuro XXVII*; p. 69 (4/2005)
- ujarrensii* (Rchb.f.) Lindl. = *Restrepopsis ujarrensii*
Icones Pleuro VIII; p. 119 (8/1991)
- umbraticola* Schltr. = *Pleurothallis imraei*
Icones Pleuro XX; p. 71 (5/2000)
- uncinata* Fawc. = *Brenesia uncinata*
Icones Pleuro XXVI; p. 255 (2/2004)
- unduavica* Luer & Vásquez = *Specklinia unduavica*
Icones Pleuro XXVI; p. 264 (2/2004)
- undulata* Poepp. & Endl. = *Acronia undulata*
Icones Pleuro XXVII; p. 69 (4/2005)
- unguicallosa* Ames & C.Schweinf. = *Ogygia*
Icones Pleuro XXVIII; p. 252 (5/2006)
- uniflora* Lindl. = *Pabstiella uniflora*
Icones Pleuro XXIX; p. 121 (8/2007)
- unilateralis* Cogn. = *Lepanthopsis floripecten*
Icones Pleuro VIII; p. 32 (8/1991)
- uninervia* Luer & Dodson - *Icones Pleuro XVIII*; p. 35, 73
DI *univaginata* Lindl. = *Pleurothallis gelida*

Pleurothallis

- Icones Pleuro XX*; p. 68 (5/2000)
- urbaniana** Rchb.f. = *Muscarella aristata*
Icones Pleuro XXVIII; p. 96 (5/2006)
- upanoensis** Luer & Hirtz = *Acronia upanoensis*
Icones Pleuro XXVII; p. 69 (4/2005)
- urceolata** Luer – *Icones Pleuro XVIII*; p. 27, 28, 71
NEO; 4:1869
- urosepala** Lehm & Krzl. = *Pleurothallis sclerophylla*
Icones Pleuro XVIII; p. 120 (11/1999)
- ursula** Luer & Hirtz = *Phloeophila ursula*
Icones Pleuro XXVIII; p. 194 (5/2006)
- uvifera** Luer & Escobar – *Orquideologia XVI*(1); p. 36, 37
Icones Pleuro XVIII; p. 61, 82
NCO; 6:1213
- uxoria** Luer = *Myoxanthus uxorius*
Selbyana 7(1); p. 51 (8/1982)
- vagans** Garay & Dunst. - *VOI*; 6, p. 372
- vaginulata** Griseb. = *Platystele ovalifolia*
Icones Pleuro VII; p. 83 (12/1990)
- vaginata** Schltr. = *Effusiella vaginata*
Icones Pleuro XXIX; p. 107 (8/2007)
- valladolidensis** Luer = *Acronia valladolidensis*
Icones Pleuro XXVII; p. 69 (4/2005)
- valvola** Luer & Hirtz - *Lindleyana 3*(3); p. 149
Icones Pleuro XVII; p. 46, 63
- vargasii** C.Schweinf. = *Crocodelanthe vargasii*
Icones Pleuro XXVI; p. 257 (2/2004)
- variabilis** Luer = *Acronia variabilis*
Icones Pleuro XXVII; p. 69 (4/2005)
- variegata** Barb.Rodr. = *Pabstiella variegata*
Icones Pleuro XXIX; p. 121 (8/2007)
- vasquezii** Luer = *Specklinia vasquezii*
Icones Pleuro XXVI; p. 264 (2/2004)
- vegrandis** Luer & Hirtz = *Crocodelanthe vegrandis*
Icones Pleuro XXVI; p. 257 (2/2004)
- velaticaulis** Rchb.f. = *Crocodelanthe velaticaulis*
Icones Pleuro XXVI; p. 257 (2/2004)
- velatipes** Rchb.f. = *Pleurothallis velaticaulis*
Icones Pleuro XVI; p. 57 (4/1998)
- veliformis** Luer & Dalström – *Icones Pleuro XVIII*; p. 28, 71
Lindleyana 11(3); p. 194
NEO; 4:1871
- vellozoana** Schltr. = *Pabstiella vellozoana*
Icones Pleuro XXIX; p. 121 (8/2007)
- venulosa** Luer & Vásquez = *Acianthera venulosa*
Icones Pleuro XXVI; p. 254 (2/2004)
- venosa** Rolfe. = *Pleurothallis galeata*
Icones Pleuro XVI; p. 26 (4/1998)
- ventricosa** Lindl. = *Pleurothallis chloroleuca*
Icones Pleuro XVII; p. 40 (11/1998)
- veraguacensis** Luer = *Acronia cordifolia*
Icones Pleuro XXVII; p. 69 (4/2005)
- verbiformis** Luer = *Crocodelanthe verbiformis*
Icones Pleuro XXVI; p. 257 (2/2004)
- verboonenii** Luer & Toscano = *Pabstiella verboonenii*
Icones Pleuro XXIX; p. 121 (8/2007)
- verecunda** Schltr. - *Selbyana 3*(1,2); p. 198
Selbyana 4; p. 184
Selbyana 10(1); p. 106, 137
Selbyana 11(S); p. 694
Icones Pleuro XXVI; p. 71, 106
NEO; 4:1872
- variegata** Barb.Rodr. = *Specklinia variegata*
Icones Pleuro XXVI; p. 264 (2/2004)
- verrucosa** (Rchb.f.) Rchb.f. = *Scaphosepalum verrucosum*
Icones Pleuro V; p. 100 (11/1988)
- verruculosa** Kraenzl. = *Pleurothallis rubroviridis*
Icones Pleuro XXVI; p. 62 (2/2004)
- versicolor** Pordch = *Pabstiella versicolor*
Icones Pleuro XXIX; p. 121 (8/2007)
- vestigipetala** Luer = *Lueranthos vestigipetalus*
Icones Pleuro XXVIII; p. 89 (5/2006)
- vestita** Kraenzl. = *Specklinia vestita*
Icones Pleuro XXVI; p. 264 (2/2004)
- viduata** Luer = *Ancipitia viduata*
Icones Pleuro XXVI; p. 255 (2/2004)
- vieirae** Luer & Escobar = *Acronia vieirae*
Icones Pleuro XXVII; p. 59 (4/2005)
- vilipensa** Rchb.f. = *Sarcinula corniculata*
Icones Pleuro XXVIII; p. 209 (5/2006)
- villosa** Knowles & West. = *Effusiella villosa*
Icones Pleuro XXIX; p. 107 (8/2007)
- villosilabia** Luer & Hirtz = *Muscarella villosilabia*
Icones Pleuro XXVIII; p. 122 (5/2006)
- vinacea** Ames = *Pleurothallis segoviensis*
Icones Pleuro XVII; p. 95 (11/1998)
- vinealis** Luer & R.Escobar = *Acronia vinealis*
Icones Pleuro XXVII; p. 69 (4/2005)
- vinosa** Hoehne & Schltr = *Pleurothallis saundersiana*
Selbyana 3(3,4); p. 382 (7/1977)
- viridis** Luer & Hirtz - NEO; 4:1875
- violacea** A.Rich. & Gal. - *Selbyana 11*(S); p. 695
Icones Pleuro XXVI; p. 72, 107
- violaceomaculata** Höhne = *Specklinia violaceomaculata*
Icones Pleuro XXVI; p. 264 (2/2004)
- violaceorosea** Schltr. = *Pleurothallis loranthophylla*
Icones Pleuro XVI; p. 88 (4/1998)
- viridis** Luer & Hirtz = *Acianthera viridis*
Icones Pleuro XXVI; p. 254 (2/2004)
- viridula** Lindl. = *Restrepiopsis tubulosa*
Icones Pleuro VIII; p. 116 (8/1991)
- virgata** Luer = *Crocodelanthe virgata*
Icones Pleuro XXVI; p. 257 (2/2004)
- vitorinoi** Luer & Toscano = *Panmorphia vitorinoi*
Icones Pleuro XXVIII; p. 177 (5/2006)
- vittariifolia** Schltr. = *Sarcinula glandulosa*
Icones Pleuro XXVIII; p. 214 (5/2006)
- vittata** Lindl. = *Pleurothallis pubescens*
Icones Pleuro XXVI; p. 58 (2/2004)
- volans** Luer & Hirtz = *Acronia volans*
Icones Pleuro XXVII; p. 69 (4/2005)
- volcanica** Luer = *Acronia volcanica*
Icones Pleuro XXVII; p. 59 (4/2005)
- vorator** Luer & Vásquez. = *Ancipitia vorator*
Icones Pleuro XXVI; p. 255 (2/2004)
- wacketii** Handro & Pabst = *Pabstiella wacketii*
Icones Pleuro XXIX; p. 121 (8/2007)
- wageneriana** Rchb.f. - NCO; 6:1220
VOI; 3, p. 262
Orc of Ven FG 3; p. 867
Icones Pleuro XXVI; p. 73-74, 107
Lindleyana 1(4); p. 302 (was P. dasychila)
Selbyana 3(3,4); p. 286 (was P. dasychila)
Icones Plant Trop, Ser II, Fasc 2; pl. 155 (was P. dasychila)
- wagneri** Schltr. = *Uncifera wagneri*
Icones Pleuro XXVI; p. 265 (2/2004)
- warmingii** Rchb.f. = *Myoxanthus lonchophyllus*
Icones Pleuro IX; p. 52 (11/1992)
- weddelliana** Rchb.f. = *Crocodelanthe weddelliana*
Icones Pleuro XXVI; p. 257 (2/2004)
- welteri** Pabst = *Panmorphia welteri*
Icones Pleuro XXVIII; p. 177 (5/2006)

Pleurothallis

wendlandiana Rchb.f. = *Pleurothallis chloroleuca*
Icones Pleuro XVII; p. 40 (11/1998)

wercklei Schltr. = *Pleurothallis segoviensis*
Icones Pleuro XVII; p. 95 (11/1998)

wernerii Schltr. = *Acronia phalangifera*
Icones Pleuro XXVII; p. 59 (4/2005)

wigginsii C.Schweinf. = *Acronia wigginsii*
Icones Pleuro XXVII; p. 59 (4/2005)

williamsii Ames = *Trichosalpinx dura*
Icones Pleuro XV; p. 56 (12/1997)

wilsonii Lindl. = *Acianthera angustifolia*
Icones Pleuro XXIX; p. 118 (8/2007)

wilsonii var quentiniana Stehle = *Pleurothallis angustifolia*
Icones Pleuro XXVI; p. 13 (2/2004)

wolfiana Schltr. = *Pleurothallis casapensis*
Icones Pleuro XXVI; p. 20 (2/2004)

wrightii Rchb.f. = *Specklinia wrightii*
Icones Pleuro XXVI; p. 265 (2/2004)

wyvern Luer & Escobar – *Orquideologia XIV(2); p. 184, 185*
Icones Pleuro XXVI; p. 74, 108

xanthella Luer = *Muscarella xanthella*
Icones Pleuro XXVIII; p. 123 (5/2006)

xanthochlora Rchb.f. - Selbyana 3(1,2); p. 200
Icones Pleuro XXVIII; p. 36, 73
Orc of Bolivia Vol I; p. 261, 361
VOI; 2, p. 312
Orc of Ven FG 3; p. 868

xanthophthalma (Rchb.f.) L.O.Williams
Icones Pleuro XIII; p. 104 (10/1996)

xenion Luer & R.Escobar = *Xeniosa xenion*
Icones Pleuro XXVI; p. 265 (2/2004)

xerophila Schltr. = *Specklinia xerophila*
Icones Pleuro XXVI; p. 265 (2/2004)

ximena Luer & Hirtz = *Effusiella ximena*
Icones Pleuro XXIX; p. 107 (8/2007)

xiphizusa (Rchb.f.) & Warsz.) Rchb.f. = *Crocodelanthe xiphizusa*
Icones Pleuro XXVI; p. 256 (2/2004)

xylobiochila Kraenzl. = *Pleurothallis wagenieriana*
Icones Pleuro XXVI; p. 73 (2/2004)

yauaperyensis (Barb.Rodr.) Luer –
VOI; 4, p. 250 (spelled yauaperiensis)
Orc of Ven FG 3; p. 869 (spelled yauaperiensis)
Icones Pleuro XXVI; p. 74-75, 108
VOI; 2, p. 272 (was P. consimilis)

ypirangae Kraenzl. = *Specklinia ypirangae*
Icones Pleuro XXVI; p. 265 (2/2004)

yucatanensis Ames & C.Schweinf. = *Specklinia yucatanensis*
Icones Pleuro XXVIII; p. 41 (5/2006)

zungascensis Rolfe = *Acronia ruberrima*
Icones Pleuro XXVII; p. 69 (4/2005)

yupanki Luer & R.Vásquez = *Incaea yupanki*
Icones Pleuro XXVIII; p. 87 (5/2006)

zarumae Luer & Hirtz = *Acronia zarumae*
Icones Pleuro XXVII; p. 69 (4/2005)

zephyrina Rchb.f. = *Muscarella zephyrina*
Icones Pleuro XXVIII; p. 124 (5/2006)

zorrocuchensis Luer = *Panmorphia clandestina*
Icones Pleuro XXVIII; p. 150 (5/2006)

zumbae Luer & Hirtz = *Acianthera zumbae*
Icones Pleuro XXVI; p. 254 (2/2004)

zunagensis Luer & Hirtz = *Crocodelanthe zunagensis*
Icones Pleuro XXVI; p. 257 (2/2004)

Pleurothallopsis (is now Octomeria)

nemorosa Barb.Rodr. = *Octomeria nemorosa*

Icones Pleuro VIII; p. 80 (8/1991)

Porroglossum

actrix Luer & Escobar - *Icones Pleuro VIII; p. 152, 153*
NCO; 4:539 DI
 P

agile Luer - *Icones Pleuro IV; p. 34, 35* DI

amethystinum (Rchb.f.) Garay - *Icones Pleuro IV; p. 36, 37* DI
Icones Pleuro in Color I; p. 5 P
NEO; 4:1920 P

andreetae Luer - *Icones Pleuro IV; p. 38, 39* DI
NEO; 4:1921, 1922 IP

aureum Luer - *Icones Pleuro IV; p. 40, 41* DI
NEO; 4:1923 I

colombianum Schltr. = *Porroglossum mordax*
Icones Pleuro IV; p. 58 (11/1987)

condylosepalum Sweet - *Icones Pleuro IV; p. 42, 43* DI
Icones Pleuro in Color I; p. 4 P
NEO; 4:1924, 1925 IP

dactylum Luer - *Icones Pleuro V; p. 108, 109* DI
NEO; 4:1926 I

dalstroemii Luer - *Icones Pleuro IV; p. 44, 45* DI
Icones Pleuro in Color I; p. 5 P
NEO; 4:1927, 1928 IP

dreisei Luer & Andreetta - *Icones Pleuro VIII; p. 154, 155* DI
NEO; 4:1929 P

echidnum (Rchb.f.) Garay - *Icones Pleuro IV; p. 46, 47 (spelling)* DI
Icones Pleuro in Color I; p. 5 (spelling) P
NCO; 4:537 (spelling) P
VOI; 5, p. 256 DI
NEO; 4:1930 I

eduardii (Rchb.f.) Sweet - *Icones Pleuro IV; p. 48, 49* DI
NCO; 6:1267 P

hirtzii Luer - *Icones Pleuro IV; p.50, 51* DI
NEO; 4:1931 P

hoeijeri Luer - *Icones Pleuro IV; p. 52, 53* DI
NEO; 4:1932,1933 IP

hystrix Luer - *Icones Pleuro V; p. 110, 111* DI
NEO; 4:1934, 1935 IP

jesupiae Luer - *Icones Pleuro VI; p. 124, 125* DI
Icones Pleuro in Color I; p. 4 P
NEO; 4:1936 P

josei Luer - *Icones Pleuro XII; p. 144-145* DI
NEO; 4:1937 P

lorenae Luer – *Icones Pleuro XXVI; p. 239, 242* DI

lycinum Luer - *Icones Pleuro IV; p. 54, 55* DI
Icones Pleuro in Color I; p. 4 P
NEO; 4:1938 P

marniae Luer – *Icones Pleuro XXVIII; p. 253, 258* DI

meridionale P.Ortiz - *Icones Pleuro IV; p. 56, 57* DI

mordax (Rchb.f.) Sweet - *Icones Pleuro IV; p. 58, 59* DI
Icones Pleuro in Color I; p. 4 P
NCO; 4:534 P

muscosum (Rchb.f.) Schltr. - *Icones Pleuro I; p. 51* I
Icones Pleuro IV; p. 60-65 DI
Icones Pleuro in Color I; p. 6 P
NCO; 4:535, 536 P
Orc of Ven FG 3; p. 887 I
NEO; 4:1939 P

nutibara Luer & Escobar -*Icones Pleuro IV; p. 66, 67* DI
NCO; 4:532 P

olivaceum Sweet - *Icones Pleuro IV; p. 68-71* DI
Icones Pleuro in Color I; p. 5 P
NCO; 4:540 P
NEO; 4:1940, 1941 IP

parsonsii Luer – *Icones Pleuro XXVIII; p. 253-254, 258* DI

Porroglossum

peruvianum Sweet - Icones Pleuro IV; p. 72, 73 Icones Orchid Peru pl. 170 (spelled peruviana) Icones Pleuro in Color I; p. 5 NEO; 4:1942	DI DI P I		
portillae Luer & Andreetta - Icones Pleuro IV; p. 74, 75 NEO; 4:1943	DI P		
procul Luer & Vásquez - Icones Pleuro IV; p. 76, 77 Orc of Bolivia Vol 1; p. 368	DI I		
rodrigoii Sweet - Icones Pleuro IV; p. 78, 79 Icones Pleuro in Color I; p. 4 NCO; 4:538	DI P P		
schramii Luer - Icones Pleuro IV; p. 80, 81 NEO; 4:1944, 1945	DI IP		
sergioii P.Ortiz - Icones Pleuro IV; p. 82, 83 NCO; 4:533 (spelling sergii)	DI P		
sijmii Luer - Icones Pleuro XXVIII; p. 254, 259	DI		
taylorianum Luer - Icones Pleuro IV; p. 84, 85 NEO; 4:1946	DI I		
teaguei Luer - Icones Pleuro IV; p. 86, 87 NEO; 4:1947	DI I		
teretilabia Luer & Teague - Icones Pleuro VIII; p. 156, 157 NEO; 4:1948	DI P		
tokachii Luer - Icones Pleuro XI; p. 134, 135	DI		
tripollex Luer - Icones Pleuro XVII; p. 114-115, 119 NEO; 4:1949	DI P		
uxorium Luer - Icones Pleuro IV; p. 88, 89 Icones Pleuro in Color I; p. 5 NEO; 4:1950	DI P P		
xiphères (Rchb.f.) Garay = <i>Porroglossum muscosum</i> <i>Icones Pleuro IV; p. 58 (11/1987)</i>			
Portillia			
powpowiana Königer & J. Portilla - Icones Pleuro VIII; p. 152, 153	DI		
Proctoria (this was <i>Pleurothallis</i>)			
caymanensis (Adams) Luer - Icones Pleuro XXVIII; p. 195, 199	DI		
Pseudoctomeria (this was <i>Pleurothallis</i>)			
lentiginosa (F.Lehm. & Kraenzl.) Kraenzl. - Icones Pleuro XXIX; p. 102	I		
Pseudostelis (this is now <i>Pleurothallis</i>)			
bradei Schltr. = <i>Pleurothallis deregularis</i> <i>Icones Pleuro XVIII; p. 89 (11/1999)</i>			
deregularis (Barb.Rodr.) Schltr. = <i>Pleurothallis deregularis</i> <i>Icones Pleuro XVIII; p. 89 (11/1999)</i>			
spiralis (Lindl.) Schltr. = <i>Pleurothallis deregularis</i> <i>Icones Pleuro XVIII; p. 89 (11/1999)</i>			
Pteroon (this was <i>Masdevallia</i>)			
hoeijeri (Luer & Hirtz) Luer - Thesaurus Masd 18:7 Lindleyana 1(3); p. 184 Icones Pleuro XXI; p. 264, 465-466 Masd in Kleur; p. 22 NCO; 6:1073 NEO; 3:1050	DIP DI DIP P P		
pterygiophora (Luer & Escobar) Luer - Lindleyana 3(1); p. 50 Icones Pleuro XXI; p. 485-486 Treas Masd 26:10	DI DI DIP		
Regalia (this was <i>Masdevallia</i>)			
ayabacana (Luer) Luer - Icones Orchid Peru pl. 289 Icones Pleuro XXI; p. 381-382 Masd in Kleur; p. 59	DI DI P		
dura (Luer) Luer - Icones Pleuro II; p. 25 Thesaurus Masd 8:7 Icones Pleuro XXI; p. 383-384 NEO; 3:1027	DI I DI P		
goliath (Luer & Andreetta) Luer - Treas of Masd 23:8 Icones Pleuro XXI; p. 385-386 Masd in Kleur; p. 20 NEO; 3:1041	DI IP DI P		
newmaniana (Luer & Teague) Luer - Icones Pleuro XVII; p. 111-112, 118 Icones Pleuro XXI; p. 387-388 NEO; 3:1086	DI DI DI I		
panguiënsis (Luer & Andreetta) Luer - Thesaurus Masd 11:8 Icones Pleuro XXI; p. 389-390 Masd in Kleur; p. 36 NEO; 3:1093	DI I DI P		
princeps (Luer) Luer - Thesaurus Masd 19:10 Lindleyana 9(2); p. 108 Icones Pleuro XXI; p. 391-392	DI DI DI		
regina (Luer) Luer - Icones Pleuro XVI; p. 113, 114 Icones Pleuro XXI; p. 393-394 Masd in Kleur; p. 42, 65	DI DI P		
robusta (Luer) Luer - Icones Pleuro XVII; p. 113-114, 119 Treas of Masd 25:13 Icones Pleuro XXI; p. 395-396 Masd in Kleur; p. 66 NEO; 3:1122	DI DIP DI P I		
titan (Luer) Luer - Icones Pleuro XXI; p. 397-398 Masd in Kleur; p. 67	DI P		
utriculata (Luer) Luer - Icones Pleuro XXI; p. 399-400 Masd in Kleur; p. 52	DI P		
Reichantha (this was <i>Masdevallia</i>)			
calura (Rchb.f.) Luer - Thesaurus Masd 2:3 Icones Plant Trop, Fasc 16; pl. 1545 Icones Pleuro XXI; p. 403-404 Masd in Kleur; p. 8	DI DI DI P		
chasei (Luer) Luer - Thesaurus Masd 6:3 Icones Pleuro XXI; p. 405-406 Masd in Kleur; p. 9	DI DI P		
cupularis (Rchb.f.) Luer - Thesaurus Masd 2:6 Icones Plant Trop, Fasc 16; pl. 1547 Icones Pleuro XIX; p. 229, 230 Masd in Kleur; p. 13	DI DI DI P		
demissa (Rchb.f.) Luer - Thesaurus Masd 9:6 Icones Pleuro XXI; p. 407-408 Masd in Kleur; p. 14	DI DI P		
eburnea (Luer & Maduro) Luer - Icones Pleuro XXV; p. 409a, 410a	DI		
fulvescens (Rolfe) Luer - Thesaurus Masd 11:4 Icones Plant Trop, Fasc 16; pl. 1550 Icones Pleuro XXI; p. 411-412 Masd in Kleur; p. 19	DI DI DI P		
gloriae (Luer & Maduro) Luer - Icones Pleuro XXV; p. 413a-414a Treas of Masd 27:3	DI DIP		
lankesteriana (Luer) Luer - Lindleyana 10(2); p. 120 Icones Pleuro XXI; p. 413-414	DI DI		
marginella (Rchb.f.) Luer - Thesaurus Masd 8:8 Icones Pleuro XXI; p. 415-416 Masd in Kleur; p. 29	DI DI P		
mejiana (Garay) Luer - Thesaurus Masd 5:8	DIP		

Reichantha

- Icones Pleuro XXI; p. 417-418
 Masd in Kleur; p. 30
 NCO; 6:1114
- ostaurina** (Luer & V.N.M.) Luer – Icones Pleuro XXVI; p. 249, 250
 Treas Masd 28:10
- reichenbachiana** (Endres ex Rchb.f.) Luer - Thesarus Masd 5:10
 Icones Plant Trop, Fasc 15; pl. 1455
 Icones Plant Trop, Fasc 16; pl. 1455a
 Icones Pleuro XXI; p. 421– 424
Masd in Kleur; p. 42
- rolfeana** (Krzl.) Luer - Thesarus Masd 19:12
 Icones Plant Trop, Fasc 16; pl. 1555
 Icones Pleuro XXI; p. 425-426
 Masd in Kleur; p. 44
- schroederiana** (Veitch) Luer - Icones Pleuro II; p. 50
 Thesarus Masd 2:13
 Icones Pleuro XXI; p. 427-428
 Masd in Kleur; p. 46
- striatella** (Rchb.f.) Luer - Thesarus Masd 6:11
 Icones Plant Trop, Fasc 16; pl. 1557
 Icones Pleuro XIX; p. 255-258
 Masd in Kleur; p. 48
 VOI; 3, p. 172
 VOI; 5, p. 164 (misidentified as ecaudata)
 Orc of Ven FG 2; p. 506
- thienii** (Dodson) Luer = *Alaticaulia thienii*
Icones Pleuro XXIX; p. 118 (8/2007)
- tokachiorum** (Luer) Luer - Lindleyana 6(2); p. 90, 92, 93
 Icones Pleuro XXII; p. 767-768
 Treas Masd 26:13
- tonduzii** (Woolw.) Luer - Thesarus Masd 7:13
 Icones Pleuro XXII; p. 769-770
 Icones Plant Trop, Fasc 16; pl. 1558
 Masd in Kleur; p. 50
- walteri** (Luer) Luer - Thesarus Masd 8:15
 Icones Plant Trop, Fasc 16; pl. 1560
 Icones Pleuro XXI; p. 429-430
 Masd in Kleur; p. 55
 Selbyana 5(2); p. 151, 152
- antennifera ssp. striata** (Rolfe) Mohr = *Restrepia brachypus*
 Icones Pleuro XIII; p. 34 (10/1996)
- antioquiensis** Schltr. = *Restrepia sanguinea*
 Icones Pleuro XIII; p. 124 (10/1996)
- apiculata** Luer = *Restrepia contorta*
 Icones Pleuro XIII; p. 50 (10/1996)
- aristulifera** Garay & Dunst. - Icones Pleuro XIII; p. 30-31, 153
 Restrepia in Kleur; p. 35
 NCO; 4:561
 VOI; 5, p. 258
 Orc of Ven FG 3; p. 921
- aspasicensis** Rchb.f. (as *aspasicensium*) –
 Icones Pleuro XIII; p. 32-33, 153
 Restrepia in Kleur; p. 31
 VOI; 6, p. 386 (as *aspasicensium*)
- australis** Cogn. = *Barbosella australis*
 Icones Pleuro XX; p. 13 (5/2000)
- biflora** Regel = *Pleurothallis hemirhoda*
 Icones Pleuro XX; p. 109 (5/2000)
- brachypus** Rchb.f. - Icones Pleuro XIII; p. 34-37, 154
 Orquideologia XX(2); p. 150
 Orc of Bolivia Vol 1; p. 371-372
 Restrepia in Kleur; p. 28-31
 NCO; 6:1275
 Orc of Ven FG 3; p. 922
 NEO; 4:2006
- brachypus ssp. serrilabia** (Schltr.) Mohr = *Restrepia trichoglossa*
 Icones Pleuro XIII; p. 134 (10/1996)
- caespitiflora** Lehm. & Krzl. = *Barbosella prorepens*
 Icones Pleuro XX; p. 24 (5/2000)
- caucana** Schltr. = *Restrepia contorta*
 Icones Pleuro XIII; p. 50 (10/1996)
- chameleon** Luer & Escobar - Icones Pleuro XIII; p. 38-39, 155
 Orquideologia XX(2); p. 120, 122, 153
 Restrepia in Kleur; p. 2, 3
- NCO; 4:550
 NCO; 6:1274
- chocoënsis** Garay - Icones Pleuro XIII; p. 40-41, 154
 NCO; 4:556
- chrysoglossa** Luer & Escobar - Icones Pleuro XIII; p. 42-43, 155
 Orquideologia XX(2); p. 123, 124, 154
 NCO; 6:1283
- citrina** Luer & Escobar - Icones Pleuro XIII; p. 44-45, 155
 Orquideologia XVI(1); p. 40, 41
 Restrepia in Kleur; p. 8, 9
 NCO; 4:554
- cloesii** Luer - Icones Pleuro XIII; p. 46-47
 Orquideologia XX(2); p. 125, 127
 Restrepia in Kleur; p. 29
- cogniauxiana** Spegazzini & Knzl. = *Barbosella cogniauxiana*
 Icones Pleuro XX; p. 14 (5/2000)
- condorensis** Luer & Escobar - Icones Pleuro XIII; p. 48-49, 157
 Orquideologia XX(2); p. 128, 129, 155
 Restrepia in Kleur; p. 20
 NEO; 4:2007, 2008 (spelling)
- contorta** (Ruiz & Pav.) Luer - Icones Pleuro XIII; 1, 50-57, 156
 Selbyana 7(1); p. 126 (was *Restrepia apiculata*)
 Icones Orchid Peru pl. 368 (was *maculata*)
 Restrepia in Kleur; p. 8, 9-11, 12-13
 NCO; 4:548 (var. *maculata?*), 549
 NCO; 6:1281
 Orc of Ven FG 3; p. 923
 NEO; 4:2009
- crassifolia** Edwall = *Barbosella crassifolia*
 Icones Pleuro XX; p. 15 (5/2000)
- cucullata** Lindl. = *Barbosella cucullata*
 Icones Pleuro XX; p. 16 (5/2000)

Restrepia

cuprea Luer & Escobar – Icones Pleuro XIII; inside front, 58-59, 157 Orquideologia XX(2); p. 130, 131, 151, cover Restrepia in Kleur; p. 7, 9 NCO; 4:547	DIP DIP IP P	VOI; 4, p. 262 NEO; 4:2014	DI P
cymbula Luer & Escobar - Icones Pleuro XIII; p. 60-61, 157 Orquideologia XX(2); p. 133, 134, 156 Restrepia in Kleur; p. 33, 34 NEO; 4:2010	DIP DIP IP P	hemsleyana Schltr. = <i>Restrepia antennifera</i> <i>Icones Pleuro XIII; p. 26 (10/1996)</i> howei Luer - Icones Pleuro XXVII; p. 279, 281 hypolepta (Lindl.) Rchb.f. = <i>Pinelianthe hypolepta</i> <i>Icones Pleuro XIII; p. 15 (10/1996)</i> iris Luer - Icones Pleuro XIII; p. 86-87, 161 Restrepia in Kleur; p. 18-19, 31? NEO; 4:2015	DI DI DI IP IP I
dayana Rchb.f. = <i>Restrepia muscifera</i> <i>Icones Pleuro XIII; p. 104 (10/1996)</i>		jesupiana Luer - Icones Pleuro XIII; p. 88-90, 161 Orquideologia XX(2); p. 146, 147, 151 Restrepia in Kleur; p. 27 Orc of Ven FG 3; p. 926	DIP DIP IP I
dentata Rolfe = <i>Restrepia aspicens</i> <i>Icones Pleuro XIII; p. 32 (10/1996)</i>		kegelii Rchb.f. = <i>Chamelophyton keglia</i> <i>Icones Pleuro XIII; p. 15 (10/1996)</i>	DIP DIP IP I
dodsonii Luer - Icones Pleuro XIII; p. 62-63, 158 Restrepia in Kleur; p. 32 NEO; 4:2011	DIP IP I	lankesteri Ames & C.Schweinf. - Icones Pleuro XIII; p. 90-91, 161 Icones Orchid, Fasc 1; pl. 95	DIP DI DIP
dusenii Sampaio = <i>Barbosella dusenii</i> <i>Icones Pleuro XIII; p. 14 (10/1996)</i>		lansbergii Rchb.f. & Wagener - Icones Pleuro XIII; p. 92-95, 162 Restrepia in Kleur; p. 20 VOI; 3, p. 276 Orc of Ven FG 3; p. 927 NEO; 4:2016	DIP DIP IP DI I P
echinata Luer & Escobar - Icones Pleuro XIII; p. 64-65, 158 Orquideologia XX(2); p. 135, 137, 154 Restrepia in Kleur; p. 17, 18 NCO; 4:557	DIP DIP IP P	lansbergii var. wagneri Eaton = <i>Restrepia wagneri</i> <i>Icones Pleuro XIII; p. 144 (10/1996)</i> lansbergii sensu Hook. = <i>Restrepia muscifera</i> <i>Icones Pleuro XIII; p. 104 (10/1996)</i>	DIP DIP IP DI I
echo Luer & Escobar - Icones Pleuro XIII; p. 66-67, 158 Orquideologia XX(2); p. 138, 140, 155 Restrepia in Kleur; p. 35, 37 NCO; 6:1282	DIP DIP IP P	lehmannaia (Krzl.) Schltr. = <i>Homalopetalum lehmanniana</i> <i>Icones Pleuro XIII; p. 15 (10/1996)</i> leontoglossa Schltr = <i>Restrepia trichoglossa</i> <i>Icones Pleuro XIII; p. 134 (10/1996)</i> leopardina hort. ex Orchid Review = <i>Restrepia elegans</i> <i>Icones Pleuro XIII; p. 68 (10/1996)</i> leopardina var. rosea hort. ex Orchid Review = <i>Restrepia elegans</i> <i>Icones Pleuro XIII; p. 68 (10/1996)</i>	DIP DIP IP DI DI I
ecuadorensis Rolfe = <i>Restrepia contorta</i> <i>Icones Pleuro XIII; p. 50 (10/1996)</i>		liebmanniana Krzsl. = <i>Muscarella marginata</i> <i>Icones Pleuro XXVIII; p. 111 (5/2006)</i>	DIP DI
elegans H.Karst - Icones Pleuro XIII; p. 68-71, 158 Orquideologia XX(2); p. 154 Icones Orchid Peru pl. 367 Restrepia in Kleur; p. 13, 14-17 VOI; 1, p. 374 VOI; 4, p. 260 (was erythroantha) Orc of Ven FG 3; p. 924, 925	DIP IP DI DI I	limbata Luer & Escobar - Icones Pleuro XIII; p. 96-97, 162 Selbyana 7(1); p. 76 Restrepia in Kleur; 36 NCO; 4:559	DIP DI IP P
ephippium Luer & Hirtz - Icones Pleuro XIII; p. 72-73, 159 Orquideologia XX(2); p. 141, 143 Restrepia in Kleur; p. 21 NEO; 4:2012	DIP DI IP P	loefgrenii Cogn. = <i>Barbosella australis</i> <i>Icones Pleuro XX; p. 13 (5/2000)</i> lonchophylla Barb.Rodr. = <i>Myoxanthus lonchophyllus</i> <i>Icones Pleuro XIII; p. 15 (10/1996)</i>	DIP DIP IP P
erythroantha Rchb.f. = <i>Restrepia elegans</i> <i>Icones Pleuro XIII; p. 68 (10/1996)</i>		maculata Lindl. = <i>Restrepia contorta</i> <i>Icones Pleuro XIII; p. 50 (10/1996)</i> maculata ssp. ecuadorensis (Rolfe) Mohr = <i>Restrepia contorta</i> <i>Icones Pleuro XIII; p. 50 (10/1996)</i> maculata ssp. robleorum (Braas) Mohr = <i>Restrepia guttulata</i> <i>Icones Pleuro XIII; p. 80 (10/1996)</i>	DIP DI DIP DIP
escobariana Luer - Icones Pleuro XIII; p. 74-75, 159 Orquideologia XX(2); p. 144, 145, 149 Restrepia in Kleur; p. 18 NCO; 6:1279	DIP DIP IP P	mendozae Luer - Icones Pleuro XIII; p. 98-99, 162 Orquideologia XX(2); p. 157, 158 Restrepia in Kleur; p. 36 NEO; 4:2015, 2018	DIP DIP DI IP IP
falkenbergii Rchb.f. - Icones Pleuro XIII; p. 76-77, 161 Orquideologia XX(2); p. 154 NCO; 4:552	DIP P P	metae Luer - Icones Pleuro XIII; p. 100,101 Orquideologia XX(2); p. 159, 161 microphylla Barb.Rodr. = <i>Barbosella gardneri</i> <i>Icones Pleuro XX; p. 21 (5/2000)</i> miersii (Lindl.) Rchb.f. = <i>Barbrodria miersii</i> <i>Icones Pleuro XX; p. 36 (5/2000)</i>	DIP DI DIP DI
filamentosa Ames & C.Schweinf. = <i>Restrepia trichoglossa</i> <i>Icones Pleuro XIII; p. 134 (10/1996)</i>		mohrii Braem - Icones Pleuro XIII; p. 102-103, 164 Restrepia in Kleur; p. 33, 34	DIP IP
flosculata Luer - Icones Pleuro XIII; p. 78-79, 159 Selbyana 7(1); p. 127 Restrepia in Kleur; p. 35, 37 NEO; 4:2013	DIP DIP IP P	muscifera (Lindl.) Rchb.f. ex Lindl. – Icones Pleuro XIII; p. 104-109, 163 Orquideologia XX(2); p. 155 Selbyana 11(S); p. 726, 727 (was xanthophthalma)	DIP IP P I
flosculata var. pallens Mohr & Herzum = <i>Restrepia flosculata</i> <i>Icones Pleuro XIII; p. 78 (10/1996)</i>			
flosculata var. picta Mohr & Herzum = <i>Restrepia flosculata</i> <i>Icones Pleuro XIII; p. 78 (10/1996)</i>			
flosculata ssp. picta (Morh & Herzum) Mohr = <i>Restrepia flosculata</i> <i>Icones Pleuro XIII; p. 78 (10/1996)</i>			
fritillina Luer & V.N.M.Rao – Icones Pleuro XXIX; p. 110, 114	DI		
gardneri (Lindl.) Benth. = <i>Barbosella gardneri</i> <i>Icones Pleuro XX; p. 21 (5/2000)</i>			
guttulata Lindl. - Icones Pleuro XIII; p. 80-85, 160 Restrepia in Kleur; p. 4, 5, 6 NCO; 4:560	DIP IP P		

Restrepia

Icones Plant Trop, Fasc 16; pl. 1576	DI	NCO; 4:558	P
Icones Orchid, Fasc 1; pl. 96	DI	schizosepala Luer & Hirtz - Icones Pleuro XIII; p. 126-128, 165	DIP
Restrepia in Kleur; p. 37-39	IP	Orquideologia XX(2); p. 172, 174	DI
Icones Pleuro in Color I; p. 2	P	Restrepia in Kleur; p. 13, 14	IP
NCO; 4:562	P	NEO; 4:2021	P
NEO; 4:2019	P	schlimii Rchb.f. = <i>Restrepia nittiorhyncha</i> <i>Icones Pleuro XIII; p. 110 (10/1996)</i>	
muscifera ssp. shuttleworthii (Rolfe) Mohr = <i>Restrepia muscifera</i> <i>Icones Pleuro XIII; p. 104 (10/1996)</i>		seketii Luer & Escobar - Icones Pleuro XIII; p. 128-129, 166	DIP
nittiorhyncha (Lindl.) Garay - Icones Pleuro XIII; p. 110-112, 164	DIP	Orquideologia XX(2); p. 156, 177, 175	DIP
Orquideologia XX(2); p. 151	P	NCO; 6:1280	P
Lindleyana 1(4); p. 324 (was schlimii)	DI	serrilabia Schltr. = <i>Restrepia trichoglossa</i>	
Restrepia in Kleur; p. 32	IP	<i>Icones Pleuro XIII; p. 134 (10/1996)</i>	
NCO; 4:555	P	shuttleworthii Rolfe = <i>Restrepia muscifera</i>	
VOI; 5, p. 262	DI	<i>Icones Pleuro XIII; p. 104 (10/1996)</i>	
nuda Klotzsch = <i>Pleurothallis hemirhoda</i> <i>Icones Pleuro XX; p. 109 (5/2000)</i>		striata Rolfe = <i>Restrepia brachypus</i> <i>Icones Pleuro XIII; p. 34 (10/1996)</i>	
ophiocephala (Lindl.) Rchb.f. = <i>Restrepiella ophiocephala</i> <i>Icones Pleuro VIII; p. 84 (8/1991)</i>		subserrata Schltr. = <i>Restrepia trichoglossa</i> <i>Icones Pleuro XIII; p. 134 (10/1996)</i>	
pandurata Rchb.f. - Icones Pleuro XIII; p. 112-114, 164	DIP	tabeae Mohr - Icones Pleuro XIII; p. 130-131, 166	DIP
Restrepia in Kleur; p. 11, 13	IP	Restrepia in Kleur; p. 36	IP
pardina Lem. = <i>Restrepia contorta</i> <i>Icones Pleuro XIII; p. 50 (10/1996)</i>		teaguei Luer - Icones Pleuro I; p. 53	I
parvifolia Lindl. = <i>Brachionidium parvifolium</i> <i>Icones Pleuro XIII; p. 15 (10/1996)</i>		Orquideologia XX(2); p. 155	P
pelyx Luer & Escobar - Icones Pleuro XIII; p. 114-116, 164	DIP	Icones Pleuro XIII; p. 132-133-139, 168	DIP
Selbyana 7(1); p. 76	D	Restrepia in Kleur; p. 21	IP
Restrepia in Kleur; p. 33, 34	IP	tentaculata Poepp. & Endl. = <i>Pleurothallis tentaculata</i> <i>Icones Pleuro XX; p. 111 (5/2000)</i>	
NCO; 4:553	P	tolimensis Krzl. = <i>Barbosella prorepens</i> <i>Icones Pleuro XX; p. 24 (5/2000)</i>	
persicina Luer & Hirtz - Icones Pleuro XXVIII; p. 255, 259	DI	tonduzii Schltr. = <i>Restrepia muscifera</i> <i>Icones Pleuro XIII; p. 104 (10/1996)</i>	
pilosissima (Schltr.) Ames & C.Schweinf. = <i>Dresslerella pilosissima</i> <i>Icones Pleuro XIII; p. 15 (10/1996)</i>		trichoglossa F.Lehm. ex Sander - Icones Pleuro XIII; 134, 167	DIP
piperitosa Luer - Icones Pleuro XVI; p. 119, 120	DI	Orquideologia XX(2); p. 152	P
pleurothalloides Cogn. = <i>Pabstiella pleurothalloides</i> <i>Icones Pleuro XXIX; p. 120 (8/2007)</i>		Icones Plant Trop, Fasc 16; pl. 1577 (was subserrata)	DI
porschii Krzl. = <i>Barbosella cogniauxiana</i> <i>Icones Pleuro XX; p. 14 (5/2000)</i>		Icones Orchid Peru pl. 369	DI
portillae Luer - Icones Pleuro XXIV; p. 109-110, 120	DI	Restrepia in Kleur; p. 24-26, 27	IP
NEO; 4:2020	P	NCO; 6:1277	P
powellii Schltr. = <i>Restrepia muscifera</i> <i>Icones Pleuro XIII; p. 104 (10/1996)</i>		trichoglottis hort. ex Gentil = <i>Restrepia trichoglossa</i> <i>Icones Pleuro XIII; p. 134 (10/1996)</i>	
prorepens Rchb.f. = <i>Barbosella prorepens</i> <i>Icones Pleuro XX; p. 24 (5/2000)</i>		tsubotae Luer & Escobar - Icones Pleuro XIII; p. 140-141, 168	DIP
pulchella Mohr = <i>Restrepia iris</i> <i>Icones Pleuro XIII; p. 86 (10/1996)</i>		Orquideologia XX(2); p. 152, 178, 179	DIP
punctulata Lindl. = <i>Restrepia elegans</i> <i>Icones Pleuro XIII; p. 50 (10/1996)</i>		Restrepia in Kleur; p. 27, 28	IP
purpurea Luer & Escobar - Icones Pleuro XIII; p. 116-118, 165	DIP	NCO; 6:1278	P
Orquideologia XX(2); p. 162, 162, 150	DIP	ujarensis Rchb.f. = <i>Restrepiopsis ujarensis</i> <i>Icones Pleuro XIII; p. 16 (10/1996)</i>	
NCO; 6:1276	P	varicosa Lindl. = <i>Barbosella cucullata</i> <i>Icones Pleuro XX; p. 16 (5/2000)</i>	
radulifera Luer & Escobar - Icones Pleuro XIII; p. 118-119, 165	DIP	vasquezii Luer - Icones Pleuro XIII; p. 142-143, 168	DIP
Orquideologia XX(2); p. 165, 166, 152	DIP	Orquideologia XX(2); p. 149, 180, 181	DIP
Restrepia in Kleur; p. 27, 28	IP	Orc of Bolivia Vol 1; p. 373	I
Orc of Ven FG 3; p. 928, 929	I	Restrepia in Kleur; p. 7	IP
reichenbachiana Endres = <i>Restrepiopsis reichenbachiana</i> <i>Icones Pleuro XIII; p. 16 (10/1996)</i>		vittata Lindl. = <i>Pleurothallis hemirhoda</i> <i>Icones Pleuro XX; p. 109 (5/2000)</i>	
renzii Luer - Icones Pleuro XIII; p. 120-121	DI	vittata var. biflora Regel = <i>Pleurothallis hemirhoda</i> <i>Icones Pleuro XX; p. 109 (5/2000)</i>	
Orquideologia XX(2); p. 167, 169	DI	wagneri Rchb.f. - Icones Pleuro XIII; p. 144-146, 168	DIP
rhynchantha Rchb.f. & Warsz. = <i>Barbosella cucullata</i> <i>Icones Pleuro XX; p. 16 (5/2000)</i>		Restrepia in Kleur; p. 24, 25	IP
robledorum Braas & Braem = <i>Restrepia guttullata</i> <i>Icones Pleuro XIII; p. 80 (10/1996)</i>		VOI; 4, p. 264	DI
roseola Luer & Escobar - Icones Pleuro XIII; p. 122-123, 165	DIP	Orc of Ven FG 3; p. 931	I
Orquideologia XX(2); p. 170, 171, 151	DIP	xanthophthalma Rchb.f. = <i>Restrepia muscifera</i> <i>Icones Pleuro XIII; p. 104 (10/1996)</i>	
Restrepia in Kleur; p. 32	IP		
Orc of Ven FG 3; p. 930	I		
sanguinea Rolfe - Icones Pleuro XIII; p. 124-126, 166	DIP		
Restrepia in Kleur; p. 22-24	IP		

Restrepiella

- bicallosa** (Luer & Escobar) Braas & Mohr = *Restrepiopsis norae*
Icones Pleuro VIII; p. 106 (8/1991)
- clausa** (Luer & Escobar) Braas & Mohr = *Restrepiopsis clausa*

Restrepiella

- Icones Pleuro VIII; p. 91 (8/1991)*
grandiflora Garay = *Restrepiopsis microptera*
Icones Pleuro VIII; p. 100 (8/1991)
hirsutissima (C.Schweinf.) Garay = *Dresslerella hirsutissima*
Icones Pleuro V; p. 8 (11/1988)
lenkenhoffii Braas & Mohr = *Restrepiopsis ujarrensis*
Icones Pleuro VIII; p. 119 (8/1991)
microptera (Schltr.) Garay & Dunst. = *Restrepiopsis microptera*
Icones Pleuro VIII; p. 100 (8/1991)
ophiocephala (Lindl.) Garay & Dunst. – *Icones Pleuro I; p. 54*
Icones Pleuro VIII; p. 84-86
 Selbyana 11(S); p. 728, 729
Icones Plant Trop, Fasc 12; p. 1488
Icones Pleuro in Color I; p. 3
pilosissima (Schltr.) Garay & Dunst. = *Dresslerella pilosissima*
Icones Pleuro V; p. 14 (11/1988)
powersii (Luer) Braas & Mohr = *Restrepiopsis powersii*
Icones Pleuro VIII; p. 110 (8/1991)
tubulosa (Lindl.) Garay & Dunst. = *Restrepiopsis tubulosa*
Icones Pleuro VIII; p. 116 (8/1991)
viridula (Lindl.) Garay & Dunst. = *Restrepiopsis tubulosa*
Icones Pleuro VIII; p. 116 (8/1991)
ujarrensis (Rchb.f.) Garay & Dunst. = *Restrepiopsis ujarrensis*
Icones Pleuro VIII; p. 119 (8/1991)

Restrepiopsis

- bicallosa** Luer & Escobar = *Restrepiopsis norae*
Icones Pleuro VIII; p. 106 (8/1991)
carnosa Luer & Vásquez - *Icones Pleuro VIII; p. 91, 92*
 Orc of Bolivia Vol 1; p. 376
clausa Luer & Escobar - *Icones Pleuro VIII; p. 91, 93, 94*
 Selby 2 (2/3); p. 202
 NEO; 4:2022
grandiflora (Garay) Luer = *Restrepiopsis microptera*
Icones Pleuro VIII; p. 100 (8/1991)
inaequalis Luer & Escobar - *Icones Pleuro VIII; p. 94-96*
 NEO; 4:2024,2031,2032
insons Luer & Escobar - *Icones Pleuro VIII; p. 96, 97*
 Selby 7 (1); p. 77
lehmannii Luer - *Icones Pleuro VIII; p. 98, 99*
microptera (Schltr.) Luer - *Icones Pleuro VIII; p. 100, 101*
 NCO; 4:567
 NEO; 4:2023,2025
monetalis (Luer) Luer - *Icones Pleuro VIII; p. 102, 103*
Icones Pleuro in Color I; p. 3 (was pulchella)
 NEO; 4:2026,2027
mulderae Luer - *Icones Pleuro VIII; p. 104, 105*
niesseniae Luer – *Icones Pleuro XX; p. 130, 139*
norae (Garay & Dunst.) Luer - *Icones Pleuro VIII; p. 106, 107*
 Selby 2 (2/3); p. 201 (was *bicallosa*)
 NCO; 4:566
 VOI; 6, p. 388 (was *Restrepiella norae*)
 Orc of Ven FG 3; p. 932
 NEO; 4:2028
pandurata Luer & Hirtz - *Icones Pleuro VIII; p. 108, 109*
 NEO; 4:2029,2030
powersii Luer - *Icones Pleuro VIII; p. 110, 111*
 Selby 2 (2/3); p. 204
 NCO; 4:564
pulchella Luer = *Restrepiopsis monetalis*
Icones Pleuro VIII; p. 102 (8/1991)
reichenbachiana (Endres ex Rchb.f.) Luer –
Icones Pleuro VIII; p. 112, 113
 Selbyana 10 (S); p. 19
striata Luer & Escobar - *Icones Pleuro I; p. 56*

- Icones Pleuro VIII; p. 114, 115* DI
Orquideologia XVI(1); p. 43, 44 DI
 NCO; 4:563 P
 Orc of Ven FG 3; p. 933 I
trilobata (Pabst) Luer = *Barbosella trilobata*
Icones Pleuro VIII; p. 89 (8/1991)
tubulosa (Lindl.) Luer - *Icones Pleuro VIII; p. 116-118* DI
 NCO; 4:565 P
 VOI; 4, p. 266, (268 was *Restrepiella viridula*) DI
 Orc of Ven FG 3; p. 934 I
 NEO; 4:2033 I
ujarrensis (Rchb.f.) Luer - *Icones Pleuro VIII; p. 119, 120* DI
 Selbyana 11(S); p. 730 (was *Restrepiella*)
 (misspelled *ujarensis*) I
 NEO; 4:2034 I
viridula (Lindl.) Luer = *Restrepiopsis tubulosa*
Icones Pleuro VIII; p. 116 (8/1991)

Rhynchopera (this was Pleurothallis)

- cobanensis** (Schltr.) Luer - Selbyana 11(S); p. 634 I
Icones Pleuro XVII; p. 69-70, 80 DI
oblongifolia (Lindl.) Luer - *Icones Pleuro XVII; p. 73-74, 82* DI

Rodrigoa (this was Masdevallia)

- alexandri** (Luer) Braas - *Thesaurus Masd 18:1* DIP
Masd in Kleur; p. 1, 2 P
 NEO; 3:961 P
Icones Pleuro XXV; p. 1215-1216 DI
anisomorpha (Garay) Braas - *Thesaurus Masd 20:1* DIP
Masd in Kleur; p. 4 P
 NCO; 2:341 P
Icones Pleuro XXV; p. 1217-1218 DI
fasciata (Rchb.f.) Braas = NCO; 2:342 P
 NCO; 6:1103, 1106 P
Icones Pleuro XXV; p. 1219-1220 DI
heteroptera (Rchb.f.) Braas - *Thesaurus Masd 11:5* DIP
Masd in Kleur; p. 22 P
 NCO; 6:1107, 1108 P
Icones Pleuro XXV; p. 1221-1222 DI
hortensis (Luer & Escobar) Braas - *Thesaurus Masd 13:7* DIP
Orquideologia XVI; p. 154, 155, 156 DIP
Masd in Kleur; p. 22 P
 NCO; 2:340 P
Icones Pleuro XXV; p. 1223-1224 DI
meleagris (Lindl.) Braas - *Icones Pleuro II; p. 52* I
Thesaurus Masd 15:12 DIP
Masd in Kleur; p. 30, 31 P
 NCO; 6:1099 P
Icones Pleuro XXV; p. 1225-1226 DI
milagroii (Luer & Hirtz) Braas - *Icones Pleuro XXV; p. 1227-1228* DI
pantomima (Luer & Hirtz) Braas - NEO; 3:1094 P
 Selbyana 22(2); p. 114-116 DI
Icones Pleuro XXV; p. 1229-1230 DI
parvula (Schltr.) Braas - *Thesaurus Masd 13:11* DIP
Masd in Kleur; p. 37 P
 NCO; 6:1104 P
 NEO; 3:1098 P
Icones Pleuro XXV; p. 1231-1234 DI
 Orc of Bolivia Vol 2; p. 404 I
planadensis (Luer & Escobar) Braas - *Lindleyana 3(1); p. 50* DI
 NCO; 2:343 P
 NEO; 3:1108 P
Icones Pleuro XXV; p. 1235-1236 DI
segurae (Luer & Escobar) Braas - *Thesaurus Masd 16:12* DIP

Rodrigoa

Orquideologia XIII(1); p. 62, 100-104			
Masd in Kleur; p. 46			
NCO; 2:339			
Icones Pleuro XXV; p. 1237-1238			
ximena (Luer & Hirtz) Braas - Treas of Masd 22:15			
Masd in Kleur; p. 57			
NEO; 3:1164			
Icones Pleuro XXV; p. 1239-1240			
Ronaldella (this was Pleurothallis)			
determannii (Luer) Luer - Pleuro Icones III; p. 88			
Selbyana 7(1); p. 117			
Orc of Bolivia Vol 1; p. 253, 291			
Icones Pleuro XXVIII; p. 195-196, 200			
aryter (Luer) Luer - Selbyana 3(1,2); p. 54			
Orc of Bolivia Vol 1; p. 272			
NCO; 3:510			
Icones Pleuro XXVIII; p. 196-197, 200			
Rubellia (this was Pleurothallis)			
rubella (Luer) Luer - Icones Pleuro III; p. 74			
Selbyana 3(3,4); p. 378			
Icones Pleuro XXVIII; p. 197			
Salpistele			
brunnea Dressler - Icones Pleuro VIII; p. 126, 127			
Orquideologia XIV(1); p. 7, 14, 15			
dielsii (Mansf.) Luer = <i>Andinia dielsii</i>			
Icones Pleuro XX; p. 6 (5/2000)			
dressleri Luer - Icones Pleuro VIII; p. 128, 129			
lutea Dressler - Icones Pleuro VIII; p. 130, 131			
Orquideologia XIV(1); p. cov, 9, 15, 17			
parvula Luer & Dressler - Icones Pleuro VIII; p. 132, 133			
pensilis (Schltr.) Luer = <i>Andinia pensilis</i>			
Icones Pleuro XX; p. 6 (5/2000)			
Sarcinula (these were Pleurothallis)			
acanthodes Luer - Icones Pleuro IX; p. 128			
Selbyana 1(3); p. 222			
Orc of Bolivia Vol 1; p. 264			
NEO; 4:1729			
Icones Pleuro XXVIII; p. 202, 220			
acicularis (Ames & C.Schweinf.) Luer			
Icones Pleuro XXVIII; p. 202-203, 220			
Lindleyana 6(2); p. 97 (was <i>P. dixiorum</i>)			
acrisepala Ames & Schweinf. - Selbyana 3(1,2); p. 38			
Selbyana 10(1); p. 102, 134			
Icones Pleuro XXVIII; p. 203-204, 220			
alexii Heller - Selbyana 11(S); p. 621			
Icones Pleuro XXVIII; p. 204, 221			
areldii Luer - Icones Pleuro III; p. 85			
Selbyana 2(4); p. 383			
Icones Pleuro XXVIII; p. 204-205, 221			
barbae (Schltr.) Luer			
Icones Pleuro XXVIII; p. 205-206, 221			
brighamella Luer - Icones Pleuro XVIII; p. 171, 178			
Orquideologia XXI(3); p. 323-325			
Icones Pleuro XXVIII; p. 206, 221			
brighamii S.Wats. - Selbyana 3(1,2); p. 68			
Selbyana 11(S); p. 624			
DIP	Icones Pleuro XXVIII; p. 206-207, 222		DI
P	calderae (Luer) Luer - Orquideologia XXII(1); p. 53-56		DI
P	Icones Pleuro XXVIII; p. 207-208, 222		DI
DI	chontalensis (Heller & Hawkes) Luer - Selbyana 11(S); p. 630		I
DIP	Icones Pleuro XXVIII; p. 208, 222	DI	
P	condylata Luer - Selbyana 3(1,2); p. 80		DI
P	Icones Pleuro XXVIII; p. 208-209, 222		DI
DI	corniculata (Sw.) Lindl. - Selbyana 10(1); p. 103, 135		DI
	Selbyana 11(S); p. 637		I
	Orc of Ven FG 3; p. 768		I
	Icones Pleuro XXVIII; p. 209-111, 223		DI
I	Selbyana 3(1,2); p. 56 (was <i>P. barboselloides</i>)		DI
D	coronula (Luer) Luer - Icones Pleuro XVIII; p. 171, 178		DI
IP	Orquideologia XXI(3); p. 325-327		DI
DI	Icones Pleuro XXVIII; p. 211, 223		DI
DI	cycesis (Luer & Escobar) Luer - Orquideologia XX(1); p. 49, 51		DI
I	Icones Pleuro XXVIII; p. 212, 223		DI
P	displosa Luer - Icones Pleuro XVIII; p. 172, 178		DI
DI	Orquideologia XXI(3); p. 328, 329, 331		DI
	Icones Pleuro XXVIII; p. 212, 223		DI
	exilis (C.Schweinf.) Luer		
	Icones Pleuro XXVIII; p. 213, 224		DI
I	fulgens Rchb.f. - Selbyana 3(3,4); p. 304		DI
DI	Icones Pleuro XXVIII; p. 213-214, 224		DI
D	glandulosa Ames - Selbyana 10(1); p. 103, 135		DI
	Selbyana 11(S); p. 652		I
	Icones Pleuro XXVIII; p. 214-215, 224		DI
	VOI; 2, p. 310 (was <i>P. vittariifolia</i>)		DI
DI	Orc of Ven FG 3; p. 866 (was <i>P. vittariifolia</i>)		I
DIP	guanacastensis Ames & Schweinf. - Selbyana 3(3,4); p. 312		DI
	Selbyana 10(1); p. 104, 135		DI
	Selbyana 11(S); p. 654		I
DI	Icones Pleuro XXVIII; p. 215, 224		DI
DI	leptantha (Schltr.) Luer		
DIP	Icones Pleuro XXVIII; p. 215-216, 225		DI
DI	psichion (Luer) Luer - Lindleyana 11(2); p. 89		DI
	Icones Pleuro XXVIII; p. 216, 225		DI
	purpurella Luer - Icones Pleuro XVIII; p. 176, 180		DI
	Orquideologia XXI(3); p. 335-337		DI
	Icones Pleuro XXVIII; p. 217, 225		DI
	scolopax Luer & Escobar - Orquideologia XIV(2); p. 172, 173		DI
	Icones Pleuro XXVIII; p. 217, 225		DI
I	simmleriana (Rendle) Luer		
DI	Icones Pleuro XXVIII; p. 218, 226		DI
I	Selbyana 3(1,2), p. 164 (was <i>P. periodica</i>)		DI
P	Selbyana 10(1); p. 105, 136 (was <i>P. perdioca</i>)		DI
DI	Selbyana 11(S); p. 677 (was <i>P. periodica</i>)		I
DI	striata (H.Focke) Luer		
DI	Icones Pleuro XXVIII; p. 219, 226		DI
DI			
DI			
DI			
I	Scaphosepalum		
DI	amethystinum (Rchb.f.) = <i>Porroglossum amethystinum</i>		
	Icones Pleuro V; p. 23 (11/1988)		
I	anchoriferum (Rchb.f.) Rolfe - Icones Pleuro V; p. 30-33		DI
D	Icones Plant Trop, Fasc 16; pl. 1580		DI
DI	Icones Pleuro in Color I; p. 7		P
	andreettae Luer - Icones Pleuro V; p. 34, 35		DI
DI	NEO; 5:2069		I
DI	antenniferum Rolfe - Icones Pleuro V; p. 36, 37		DI
DI	Icones Orchid Peru pl. 176		DI
DI	Orc of Bolivia Vol 1; p. 380		I
DI	NCO; 4:578		P
I	NCO; 6:1292 (alba)		P

Scaphosepalum

NEO; 5:2070, 2071	IP	Icones Pleuro in Color I; p. 8	P
antioquiense Krzl. = <i>Porroglossum mordax</i>		NCO; 4:577	P
Icones Pleuro V; p. 23 (11/1988)		longirepens Ames = <i>Scaphosepalum microdactylum</i>	
beluosum Luer - Icones Pleuro V; p. 38, 39	DI	Icones Pleuro V; p. 70 (11/1988)	
Icones Pleuro in Color I; p. 7	P	macrodactylum (Rchb.f.) Rolfe - Icones Pleuro V; p. 68, 69	DI
Selbyana 5(2); p. 188, 189	D	NCO; 6:1293	P
NEO; 5:2072	P	NEO; 5:2083	I
bicolor Luer & Escobar - Icones Pleuro V; p. 40, 41	DI	manningii Luer - Icones Pleuro XVI; p. 119, 121, 122	DI
Orquideologia XIV(2); p. 186, 187	DI	martineae Luer - Icones Pleuro XVII; p. 116-117, 120	DI
NCO; 6:1294	P	medinae Luer & Portilla - Icones Pleuro XX; p. 131, 139	DI
bicristatum Luer - Icones Pleuro XXIV; p. 110, 120	DI	NEO; 5:2084	P
breve (Rchb.f.) Rolfe - Icones Pleuro V; p. 42-45	DI	merinoi Luer - Icones Pleuro XXIV; p. 110-111, 120	DI
Orc of Bolivia Vol 1; p. 381	I	NEO; 5:2085	P
Icones Pleuro in Color I; p. 7	P	microdactylum Rolfe - Icones Pleuro V; p. 70-76	DI
Orc of Ven FG 3; p. 946	I	Selbyana 10 (1); p. 108	DI
NEO; 5:2073	P	Selbyana 11(S); p. 742	I
carpophorum (Krzl.) Garay = <i>Pabstiella tripterantha</i>		Icones Plant Trop, Fasc 16; pl. 1582 (microdactylum)	DI
Icones Pleuro XXVIII; p. 140 (5/2006)		Icones Pleuro in Color I; p. 9	P
cimex Luer & Hirtz - Icones Pleuro V; p. 46, 47	DI	NCO; 4:585	P
Icones Pleuro in Color I; p. 7	P	NEO; 5:2086	I
NEO; 5:2074	I	naviculare Krzl. = <i>Scaphosepalum anchoriferum</i>	
clavellatum Luer - Icones Pleuro V; p. 48, 49	DI	Icones Pleuro V; p. 30 (11/1988)	
Icones Plant Trop, Fasc 16; pl. 1581	DI	nutans Krzl. = <i>Scaphosepalum breve</i>	
Selbyana 3(1,2); p. 32	DI	Icones Pleuro V; p. 42 (11/1988)	
NEO; 5:2075	I	ochthodes (Rchb.f.) Pfitz = <i>Scaphosepalum verrucosum</i>	
cloesii Luer - Icones Pleuro XVII; p. 115, 120	DI	Icones Pleuro V; p. 100 (11/1988)	
NEO; 5:2076	I	odontochilum Krzl. - Icones Pleuro V; p. 77-79	DI
dalstroemii Luer - Icones Pleuro V; p. 50, 51	DI	Icones Pleuro in Color I; p. 9	P
Icones Orchid Peru p. 375	DI	NCO; 4:575	P
decorum Luer & Escobar - Icones Pleuro V; p. 52-54	DI	NEO; 5:2087	P
Orquideologia XV(2,3); p. 149, 150	DI	ophidion Luer - Icones Pleuro I; p. 59	I
Icones Pleuro in Color I; p. 7	P	Icones Pleuro V; p. 80, 81	DI
NCO; 4:582	P	Icones Pleuro in Color I; p. 9	P
NEO; 5:2077	P	ovulare Luer - Icones Pleuro V; p. 82, 83	DI
delhierroi Luer & Hirtz - Icones Pleuro VIII; p. 158, 159	DI	Selbyana 3(1,2); p. 34	DI
digitale Luer & Hirtz - Icones Pleuro VIII; p. 160, 161	DI	Icones Pleuro in Color I; p. 9	P
Icones Pleuro in Color I; p. 7	P	NEO; 5:2088, 2089	IP
NEO; 5:2078	P	panamense Schltr. = <i>Masdevallia livingstoneana</i>	
dodsonii Luer - Icones Pleuro V; p. 55, 56	DI	Icones Pleuro V; p. 23 (11/1988)	
Icones Pleuro in Color I; p. 8	P	panduratum Luer & Escobar - Icones Pleuro XV; p. 134, 136	DI
NEO; 5:2079	P	NCO; 6:1289	P
echidna (Rchb.f.) Schltr. = <i>Porroglossum echidnum</i>		parviflorum Luer & Hirtz - Icones Pleuro IX; p. 124, 125	DI
Icones Pleuro V; p. 23 (11/1988)		NEO; 5:2090	I
elasmotopus Schltr. = <i>Scaphosepalum microdactylum</i>		pittieri Schltr. = <i>Scaphosepalum microdactylum</i>	
Icones Pleuro V; p. 70 (11/1988)		Icones Pleuro V; p. 70 (11/1988)	
endresianum Krzl. = <i>Scaphosepalum anchoriferum</i>		platypetalum Schltr. = <i>Scaphosepalum swertiifolium</i> ssp. <i>swertiifolium</i>	
Icones Pleuro V; p. 30 (11/1988)		Icones Pleuro V; p. 88 (11/1988)	
erinaceum (Rchb.f.) Schltr. = <i>Masdevallia erinacea</i>		pleurothallodes Luer & Hirtz - Icones Pleuro IX; p. 126-128	DI
Icones Pleuro V; p. 23 (11/1988)		NEO; 5:2091, 2092	IP
escobarianum Garay = <i>Scaphosepalum grande</i>		portillae Luer - Icones Pleuro XXIV; p. 111, 121	DI
Icones Pleuro V; p. 62 (11/1988)		NEO; 5:2093	I
fimbriatum Luer & Hirtz - Icones Pleuro V; p. 57, 58	DI	pulvinare (Rchb.f.) Rolfe - Icones Pleuro V; p. 84, 85	DI
Icones Pleuro in Color I; p. 8	P	NCO; 4:579	P
NEO; 5:2080	P	NEO; 5:2094	I
gibberosum (Rchb.f.) Rolfe - Icones Pleuro V; p. 59-61	DI	punctatum (Rolfe) Rolfe = <i>Scaphosepalum anchoriferum</i>	
Icones Pleuro in Color I; p. 8	P	Icones Pleuro V; p. 30 (11/1988)	
NCO; 4:576	P	rapax Luer - Icones Pleuro V; p. 86, 87	DI
globosum Luer & Hirtz - Icones Pleuro XVII; p. 115-116, 120	DI	Selbyana 3(1,2); p. 36	DI
grande Krzl. - Icones Pleuro V; p. 62, 63	DI	Icones Pleuro in Color I; p. 10	P
Icones Pleuro in Color I; p. 8	P	NEO; 5:2095	P
NCO; 4:583	P	reversum Krzl. = <i>Scaphosepalum antenniferum</i>	
hirtzii Luer - Icones Pleuro V; p. 64, 65	DI	Icones Pleuro V; p. 36 (11/1988)	
Icones Pleuro in Color I; p. 8	P	rolfeanum Krzl. = <i>Scaphosepalum pulvinare</i>	
NEO; 5:2081	P	Icones Pleuro V; p. 84 (11/1988)	
jostii Luer - Icones Pleuro XVII; p. 116, 120	DI	sneidernii Garay = <i>Scaphosepalum odontochilum</i>	
NEO; 5:2082	P	Icones Pleuro V; p. 77 (11/1988)	
lima (Lehm. & Krzl.) Schltr. - Icones Pleuro V; p. 66, 67	DI	standleyi Ames = <i>Scaphosepalum microdactylum</i>	

Scaphosepalum

- Icones Pleuro V; p. 70 (11/1988)*
- swertiifolium ssp. exiguum** Luer & Escobar –
Icones Pleuro V; p. 91-93
- swertiifolium** (Rchb.f.) Rolfe **ssp. swertiifolium** –
Icones Pleuro V; p. 88-90
Icones Pleuro in Color I; p. 10
NCO; 4:584
NCO; 6:1290, 1291
NEO; 5:2096
- tiaratum** Luer - Icones Pleuro V; p. 94, 95
NCO; 4:581
NEO; 5:2097
- trachypus** Schltr. = *Scaphosepalum breve*
Icones Pleuro V; p. 42 (11/1988)
- triceratops** Luer & Andreetta – Icones Pleuro V; p. 96, 97
NEO; 5:2098, 2099
- ursinum** Luer - Icones Pleuro V; p. 98, 99
Selbyana 5(2); p. 189, 190
NEO; 5:2100
- verrucosum** (Rchb.f.) Pfitz. - Icones Pleuro V; 100-102
Icones Pleuro in Color I; p. 10
NCO; 4:580
VOI; 1, p. 378
- viviparum** Luer - Icones Pleuro V; p. 102, 103
Selbyana 2 (4); p. 390
- xiphères** (Rchb.f.) Schltr. = *Porroglossum muscosum*
Icones Pleuro V; p. 23 (11/1988)
- xystra** Luer - Icones Pleuro V; p. 104, 105
NEO; 5:2101
- andersonii** (Luer) Luer – Icones Pleuro XVIII; p. 105, 126
Lindleyana 11(3); p. 145, 146
- angulosa** (Luer & Hirtz) Luer = *Panmorphia angulosa*
Icones Pleuro XXVIII; p. 146 (5/2006)
- angustilabia** (Schltr.) Luer – Icones Pleuro XVIII; p. 105-106, 126
Orc of Bolivia Vol 1; p. 269
VOI; 6, p. 322
Orc of Ven FG 3; p. 748
- arcuata** (Lindl.) Luer – Icones Pleuro XX; p. 59-60, 90
- areldii** (Luer) Pridgeon & M.W.Chase = *Sarcinula areldii*
Icones Pleuro XXVIII; p. 204 (5/2006)
- ariasii** (Luer & Hirtz) Luer – Icones Pleuro XVIII; p. 106, 126
Lindleyana 12(1); p. 42, 43
- aristata** (Hook.) Pridgeon & M.W.Chase = *Muscarella aristata*
Icones Pleuro XXVIII; p. 96 (5/2006)
- aristulata** (Lindl.) Luer = *Anathallis aristulata*
Icones Pleuro XXIX; p. 118 (8/2007)
- aryter** (Luer) Pridgeon & M.W.Chase = *Ronaldella aryter*
Icones Pleuro XXVIII; p. 195 (5/2006)
- asperlinguis** (Rchb.f. & Warsc.) Luer - Selbyana 3(3,4); p. 246
Icones Pleuro XVIII; p. 106-107, 127
VOI; 6, p. 326
- attenuata** (Rolfe) Luer
- auriculata** (Lindl.) Luer = *Anthrosia auriculata*
Icones Pleuro XXVIII; p. 248 (5/2006)
- avenacea** (Ames) Luer
- aveniformis** (Hoehne) Luer
- bacillaris** (Pabst) Luer
- barbacenensis** (Barb.Rodr.) Luer = *Anthrosia barbacenensis*
Icones Pleuro XXVIII; p. 248 (5/2006)
- barbae** (Schltr.) Luer = *Sarcinula barbae*
Icones Pleuro XXVIII; p. 205 (5/2006)
- barboselloides** (Schltr.) Pridgeon & M.W.Chase = *Sarcinula corniculata*
Icones Pleuro XXVIII; p. 209 (5/2006)
- barbulata** (Lindl.) Luer = *Panmorphia barbulata*
Icones Pleuro XXVIII; p. 146 (5/2006)
- bertoniensis** (Hauman) Luer
- biglandulosa** (Schltr.) Pridgeon & M.W.Chase = *Specklinia grobyi*
Icones Pleuro XXVIII; p. 51 (5/2006)
- bipapularis** (Dod) Luer = *Specklinia schaeferi*
Icones Pleuro XXVIII; p. 65 (5/2006)
- blancoi** (Pupulin) Soto Arenas & Solano = *Tribulago blancoi*
Icones Pleuro XXVIII; p. 230 (5/2006)
- blepharoglossa** (Luer) Luer - Lindleyana 14(2); p. 111
- bleyensis** (Pabst) Luer = *Anathallis bleyensis*
Icones Pleuro XXIX; p. 118 (8/2007)
- bowmannii** (Rchb.f.) Luer
- brachiloba** (Hoehne) Luer
- bradei** (Schltr.) Luer
- brenneri** (Luer) Luer = *Effusiella brenneri*
Icones Pleuro XXIX; p. 106 (8/2007)
- brevipes** (Focke) Luer = *Panmorphia brevipes*
Icones Pleuro XXVIII; p. 148 (5/2006)
- breviscapa** (C.Schweinf.) Luer = *Panmorphia funera*
Icones Pleuro XXVIII; p. 156 (5/2006)
- brighamella** (Luer) Pridgeon & M.W.Chase = *Sarcinula brighamella*
Icones Pleuro XXVIII; p. 206 (5/2006)
- brighamii** (S.Watson) Pridgeon & M.W.Chase = *Sarcinula brighamii*
Icones Pleuro XXVIII; p. 206 (5/2006)
- bulbophylloides** (Schltr.) Luer = *Muscarella zephyrina*
Icones Pleuro XXVIII; p. 124 (5/2006)
- bupleurifolia** (Porsch) Luer
- burzlaiffiana** (Luer & Sijm) Luer = *Panmorphia burzlaiffiana*
Icones Pleuro XXVIII; p. 149 (5/2006)
- cabellensis** (Rchb.f.) Pridgeon & M.W.Chase = *Sylphia cabellensis*
Icones Pleuro XXVIII; p. 227 (5/2006)
- cactantha** (Luer) Pridgeon & M.W.Chase = *Sylphia cactantha*

Specklinia (these were Pleurothallis unless noted)

- abbreviata** (Schltr.) Luer = *Panmorphia abbreviata*
Icones Pleuro XXVIII; p. 145 (5/2006)
- acanthodes** (Luer) Pridgeon & M.W.Chase = *Sarcinula acanthodes*
Icones Pleuro XXVIII; p. 202 (5/2006)
- acicularis** (Ames & C.Schweinf.) Pridgeon & M.W.Chase =
Sarcinula acicularis
Icones Pleuro XXVIII; p. 202 (5/2006)
- acrisepala** (Ames & C.Schweinf.) Pridgeon & M.W.Chase =
Sarcinula acrisepala
Icones Pleuro XXVIII; p. 203 (5/2006)
- acuminata** (Kunth) Luer - Selbyana 3(3,4); p. 236
Icones Pleuro XVIII; p. 103-104, 126
Icones Plant Trop Ser II Fasc 3; pl. 285 (was tenuifolia)
Orc of Bolivia Vol 1; p. 265
VOI; 4, p. 200
Orc of Ven FG 3; p. 747
- acutidentata** (Cogn.) Luer
- adenochila** (Löffgr.) Luer = *Panmorphia adenochila*
Icones Pleuro XXVIII; p. 177 (5/2006)
- adiri** (Brade) Luer
- adrianae** (Luer & Sijm) Luer - Icones Pleuro XXIV; p. 106, 118
- alata** (A.Rich. & Galeotti) Solano & Soto Arenas =
Muscarella marginata
Icones Pleuro XXVIII; p. 112 (5/2006)
- alexii** (A.H.Heller) Pridgeon & M.W.Chase = *Sarcinula alexii*
Icones Pleuro XXVIII; p. 204 (5/2006)
- alligatorifera** (Rchb.f.) Luer
- alta** (Luer) Luer – Lindleyana 11(3); p. 143, 144
Icones Pleuro XXVIII; p. 42, 71
- amaralii** (Pabst) Luer
- amparoana** (Schltr.) Luer = *Effusiella amparoana*
Icones Pleuro XXIX; p. 106 (8/2007)
- ancora** (Luer & Vásquez) Pridgeon & M.W.Chase = *Muscarella ancora*
Icones Pleuro XXVIII; p. 95 (5/2006)

Specklinia

- Icones Pleuro XXVIII; p. 228 (5/2006)*
- calcarata** (Cogn.) Luer
- caldensis** (Höhne) Luer = *Anthrosia caldensis*
Icones Pleuro XXVIII; p. 248 (5/2006)
- calderae** (Luer) Luer = *Sarcinula calderae*
Icones Pleuro XXVIII; p. 207 (5/2006)
- calypstrostele** (Schltr.) Pridgeon & M.W.Chase –
Selbyana 1(3); p. 304
Icones Pleuro XXVIII; p. 42, 43, 71
Selbyana 3(3,4); p. 308 (was *P. geminiflora*)
- campestris** (Barb.Rodr.) Luer
- candida** (Luer & Hirtz) Luer – *Icones Pleuro XVIII; p. 107, 127*
Lindleyana 12(1); p. 42, 44, 45
- caparaoensis** (Brade) Luer
- capillaris** (Lindl.) Luer
- carinifera** (Barb.Rodr.) Luer (was *Lepanthes carinifera*)
- carnosifolia** (C.Schweinf.) Luer –
Icones Pleuro XVIII; p. 107-108, 127
- carrisii** (Brade) Luer
- carvalhoi** (Luer & Tuscano) Luer = *Anathallis carvalhoi*
Icones Pleuro XXIX; p. 118 (8/2007)
- castellensis** (Brade) Luer
- casualis** (Ames) Luer = *Panmorphia casualis*
Icones Pleuro XXVIII; p. 149 (5/2006)
- catoxys** (Luer & Hirtz) Luer = *Muscarella catoxys*
Icones Pleuro XXVIII; p. 97 (5/2006)
- caudatipetala** (C.Schweinf.) Luer = *Panmorphia caudatipetala*
Icones Pleuro XXVIII; p. 150 (5/2006)
- cestrochila** (Garay) Luer = *Muscarella cestrochila*
Icones Pleuro XXVIII; p. 97 (5/2006)
- chlorina** (Luer) Luer = *Effusiella chlorina*
Icones Pleuro XXIX; p. 106 (8/2007)
- chontalensis** (Heller & Hawkes) Luer = *Sarcinula chontalensis*
Icones Pleuro XXVIII; p. 208 (5/2006)
- ciliifera** (Luer) Luer - Lindleyana 14(2); p. 111
Icones Pleuro XXVIII; p. 43, 44, 71
- ciliolata** (Schltr.) Luer = *Panmorphia ciliolata*
Icones Pleuro XXVIII; p. 177 (5/2006)
- citrina** (Schltr.) Luer – *Icones Pleuro XVIII; p. 108, 127*
Icones Plant Trop Ser II Fasc 3; pl. 279 (was guentheri)
Orc of Bolivia Vol 1; p. 251, 280
- clandestina** (Lindl.) Luer = *Panmorphia clandestina*
Icones Pleuro XXVIII; p. 150 (5/2006)
- claviculata** (Luer & Hirtz) Luer = *Muscarella claviculata*
Icones Pleuro XXVIII; p. 98 (5/2006)
- clavigera** (Luer) Pridgeon & M.W.Chase = *Muscarella clavigera*
Icones Pleuro XXVIII; p. 99 (5/2006)
- cocornaënsis** (Luer & Escobar) Luer = *Effusiella cocornaënsis*
Icones Pleuro XXIX; p. 106 (8/2007)
- coeloglossa** (Luer & Hirtz) Luer = *Muscarella coeloglossa*
Icones Pleuro XXVIII; p. 99 (5/2006)
- comayaguensis** (Ames) Luer = *Panmorphia comayaguensis*
Icones Pleuro XXVIII; p. 151 (5/2006)
- concinna** (Luer & Vásquez) Luer – *Icones Pleuro XVIII; p. 109, 128* DI
Orc of Bolivia Vol 1; p. 282 I
- condylata** (Luer) Pridgeon & M.W.Chase = *Sarcinula condylata*
Icones Pleuro XXVIII; p. 208 (5/2006)
- consersa** (Hoehne) Luer
- convallaria** (Schltr.) Luer = *Effusiella convallaria*
Icones Pleuro XXIX; p. 106 (8/2007)
- convoluta** (Lindl.) Luer = *Effusiella convoluta*
Icones Pleuro XXIX; p. 106 (8/2007)
- cordilabia** (Pabst) Luer
- coripatae** (Luer & Vásquez) Luer – *Icones Pleuro XVIII; p. 109, 128* DI
Orc of Bolivia Vol 1; p. 285 I
- corniculata** (Sw.) Steud. = *Sarcinula corniculata*
Icones Pleuro XXVIII; p. 209 (5/2006)
- coronula** (Luer) Luer = *Sarcinula coronula*
Icones Pleuro XXVIII; p. 211 (5/2006)
- corticicola** (Schltr. Ex Hoehne) Luer = *Panmorphia corticicola*
Icones Pleuro XXVIII; p. 177 (5/2006)
- corynetes** (Luer & R. Vásquez) Pridgeon & M.W.Chase =
Muscarella corynetes
Icones Pleuro XXVIII; p. 100 (5/2006)
- costaricensis** (Rolfe) Pridgeon & M.W.Chase -
Selbyana 3(3,4); p. 278 DI
Selbyana 4; p. 178 DI
Icones Plant Trop, Fasc 14; pl. 1380 DI
Icones Pleuro XXVIII; p. 44, 45, 71 DI
- crebrifolia** (Barb.Rodr.) Luer = *Anathallis crebrifolia*
Icones Pleuro XXIX; p. 118 (8/2007)
- crenata** (Lindl.) Luer – *Icones Pleuro XX; p. 63-64, 91* DI
- crinita** (Barb.Rodr.) Luer - Selbyana 3(3,4); p. 280 DI
Orc of Bolivia Vol 1; p. 253, 286 I
- cryptantha** (Barb.Rodr.) Luer (was *Lepanthes cryptantha*)
- curt-bradei** (Pabst) Luer
- curtisii** (Dod) Pridgeon & M.W.Chase -
Icones Pleuro XXVIII; p. 45, 46, 72 DI
- cuspidata** (Luer) Luer = *Panmorphia cuspidata*
Icones Pleuro XXVIII; p. 152 (5/2006)
- cycesis** (Luer & Escobar) Luer = *Sarcinula cycesis*
Icones Pleuro XXVIII; p. 212 (5/2006)
- cynocephala** (Luer) Pridgeon & M.W.Chase = *Muscarella cynocephala*
Icones Pleuro XXVIII; p. 100 (5/2006)
- cyripedioides** (Luer) Luer = *Effusiella cyripedioides*
Icones Pleuro XXIX; p. 106 (8/2007)
- dalessandroi** (Luer) Luer = *Panmorphia dalessandroi*
Icones Pleuro XXVIII; p. 152 (5/2006)
- deborana** (Carnevali & I.Ramirez) Luer = *Panmorphia holstii*
Icones Pleuro XXVIII; p. 159 (5/2006)
- delicatula** (Lindl.) Luer = *Muscarella delicatula*
Icones Pleuro XXVIII; p. 101 (5/2006)
- deltoglossa** (Cogn.) Luer
- denticulata** (Cogn.) Luer
- depauperata** (Cogn.) Luer
- determannii** (Luer) Luer = *Ronaldella determannii*
Icones Pleuro XXVIII; p. 196 (5/2006)
- digitalis** (Luer) Pridgeon & M.W.Chase -
Icones Pleuro XXVIII; p. 46, 72 DI
- dilatata** (C.Schweinf.) Luer = *Effusiella dilatata*
Icones Pleuro XXIX; p. 106 (8/2007)
- dimidia** (Luer) Luer – *Icones Pleuro XVIII; p. 109-110, 128* DI
Orc of Bolivia Vol 1; p. 253, 292 I
Orc of Ven FG 3; p. 774 I
NEO; 4:1762 (affinity to *dimidia*) P
- diminuta** (Luer) Luer = *Effusiella diminuta*
Icones Pleuro XXIX; p. 106 (8/2007)
- discalis** (Luer & Portilla) Luer = *Muscarella trullifera*
Icones Pleuro XXVIII; p. 121 (5/2006)
- displosa** (Luer) Pridgeon & M.W.Chase = *Sarcinula displosa*
Icones Pleuro XXVIII; p. 212 (5/2006)
- dodii** (Garay) Luer -
Icones Pleuro XXVIII; p. 46, 47, 72 DI
- dolichopus** (Schltr.) Luer – *Icones Pleuro XVIII; p. 110-111, 128* DI
Selbyana 11(S); p. 639, 640 I
- dryadum** (Schltr.) Luer = *Specklinia picta*
Icones Pleuro XXVIII; p. 62 (5/2006)
- duartei** (Hoehne) Luer = *Anthrosia duarti*
Icones Pleuro XXVIII; p. 248 (5/2006)
- duplooyi** (Luer & Sayers) Luer = *Panmorphia duplooyi*
Icones Pleuro XXVIII; p. 153 (5/2006)
- dutrai** (Pabst) Luer
- echinata** (L.O.Williams) Solano & Soto Arenas = *Sylphia fuegii*
Icones Pleuro XXVIII; p. 228 (5/2006)

Specklinia

- echinodes* (Luer & R.Escobar) Pridgeon & M.W.Chase =
Muscarella echinodes
Icones Pleuro XXVIII; p. 101 (5/2006)
- elegantula* (Cogn.) Luer = *Panmorphia mazeri*
Icones Pleuro XXVIII; p. 165 (5/2006)
- emarginata* Lindl. = *Sarcinula corniculata*
Icones Pleuro XXVIII; p. 209 (5/2006)
- endresii* (Luer) Luer = *Panmorphia endresii*
Icones Pleuro XXVIII; p. 153 (5/2006)
- ephemera* (Lindl.) Luer - Selbyana 3(3,4); p. 296
 Orc of Bolivia Vol 1; p. 254, 295
- erosus* (Garay) Luer = *Dondodia erosa*
Icones Pleuro XXVIII; 86 (5/2006)
- erucosa* (Luer & Escobar) Luer = *Effusiella erucosa*
Icones Pleuro XXIX; p. 106 (8/2007)
- escalerensis* (Carnevali & Luer) Luer = *Panmorphia escalerensis*
Icones Pleuro XXVIII; p. 154 (5/2006)
- eugenii* (Pabst) Luer
- exesilabia* (A.H.Heller & A.D.Hawkes) Pridgeon & M.W.Chase =
Muscarella exesilabia
Icones Pleuro XXVIII; p. 102 (5/2006)
- exilis* (C.Schweinf.) Luer = *Sarcinula acanthodes*
Icones Pleuro XXVIII; p. 213 (5/2006)
- ezechiasi* (Hoehne) Luer
- fastigiata* (Luer & Tuscano) Luer = *Panmorphia fastigiata*
Icones Pleuro XXVIII; p. 177 (5/2006)
- feuilletii* (Luer) Luer – *Icones Pleuro XXVI*; p. 237, 241
Icones Pleuro XXVIII; p. 47, 72
- filiformis* (Cogn.) Luer
- fimbriata* (Ames & C.Schweinf.) Pridgeon & M.W.Chase =
Muscarella fimbriata
Icones Pleuro XXVIII; p. 103 (5/2006)
- floribunda* Lindl. = *Anthrosia auriculata*
Icones Pleuro XXVIII; p. 248 (5/2006)
- florulenta* (Linden & Rchb.f.) Pridgeon & M.W.Chase = *Specklinia picta*
Icones Pleuro XXVIII; p. 62 (5/2006)
- flosculifera* (Luer) Luer - Lindleyana 14(2); p. 113
Icones Pleuro XXVIII; p. 48, 73
- fluminensis* (Pabst) Luer
- formondii* (Dod) Pridgeon & M.W.Chase -
Icones Pleuro XXVIII; p. 48, 49, 73
- fornicata* (Luer) Luer = *Effusiella fornicata*
Icones Pleuro XXIX; p. 106 (8/2007)
 Lindleyana 11(3); p. 160, 161
- fractiflexa* (Ames & C.Schweinf.) Luer = *Panmorphia fractiflexa*
Icones Pleuro XXVIII; p. 154 (5/2006)
- francesiana* (Luer) Luer = *Panmorphia francesiana*
Icones Pleuro XXVIII; p. 155 (5/2006)
- fuchsii* (Luer) Luer = *Muscarella fuchsii*
Icones Pleuro XXVIII; p. 104 (5/2006)
- fuegii* (Rchb.f.) Luer = *Sylphia fuegii*
Icones Pleuro XXVIII; p. 228 (5/2006)
- fulgens* (Rchb.f.) Pridgeon & M.W.Chase = *Sarcinula fulgens*
Icones Pleuro XXVIII; p. 213 (5/2006)
- funerea* (Barb.Rodr.) Luer = *Panmorphia funerea*
Icones Pleuro XXVIII; p. 156 (5/2006)
- furcatipetala* (Luer & Hirtz) Luer = *Muscarella furcatipetala*
Icones Pleuro XXVIII; p. 104 (5/2006)
- garayi* (Pabst) Luer
- gehrtii* (Höhne & Schltr.) Luer = *Panmorphia gehrtii*
Icones Pleuro XXVIII; p. 177 (5/2006)
- gelida* (Lindl.) Luer = *Niphantha gelida*
Icones Pleuro XXIX; p. 107 (8/2007)
- geminiflora* (Ames, Hubbard & C.Schweinf.) Pridgeon & M.W.Chase =
Specklinia calyptrostele
Icones Pleuro XXVIII; p. 42 (5/2006)
- gert-hatschbachii* (Höhne) Luer
- ghillanyi* (Pabst) Luer
- githaginea* (Pabst & Garay) Luer = *Panmorphia githaginea*
Icones Pleuro XXVIII; p. 177 (5/2006)
- glandulipetala* (Luer) Luer – Orc of Bolivia Vol 1; p. 299
- glandulosa* (Ames) Pridgeon & M.W.Chase = *Sarcinula glandulosa*
Icones Pleuro XXVIII; p. 214 (5/2006)
- gomes-ferreiraei* (Pabst) Luer
- gongylodes* (Luer) Pridgeon & M.W.Chase = *Muscarella gongylodes*
Icones Pleuro XXVIII; p. 105 (5/2006)
- DI *gonzalesii* (Pabst) Luer
- IP *gracilentia* (Luer & Vásquez) Luer –
Icones Pleuro XXVIII; p. 111-112, 129
 Orc of Bolivia Vol 1; p. 300
- gracillima* (Lindl.) Pridgeon & M.W.Chase - Selbyana 1(1); p. 74
Icones Pleuro XXVIII; p. 49, 73
- granulosa* (Barb.Rodr.) Luer (was *Lepanthes granulosa*)
- graveolens* (Pabst) Luer = *Anathallis graveolens*
Icones Pleuro XXIX; p. 118 (8/2007)
- grayumii* (Luer) Luer = *Panmorphia grayumii*
Icones Pleuro XXVIII; p. 157 (5/2006)
- grisebachiana* (Cogn.) Luer - *Icones Pleuro XXVIII*; p. 50-51, 73
- grobyi* (Batem. ex Lindl.) F.Barros - *Icones Pleuro III*; p. 87
 Selbyana 10(1); p. 103, 135
 Selbyana 11(S); p. 653
Icones Orchid Peru pl. 353
 Orc of Bolivia Vol 1; p. 255, 302
 VOI; 2, p. 278
 Orc of Ven FG 3; p. 794
 NEO; 4:1775
- DI
DI
I
P
DI
DI
- guanacastensis* (Ames & C.Schweinf.) Pridgeon & M.W.Chase =
Sarcinula guanacastensis
Icones Pleuro XXVIII; p. 215 (5/2006)
- guimaraesii* (Brade) Luer
- haberi* (Luer) Luer = *Panmorphia haberi*
Icones Pleuro XXVIII; p. 158 (5/2006)
- DI *haitiensis* (Dod) Pridgeon & M.W.Chase = *Specklinia schaeferi*
 DI *Icones Pleuro XXVIII*; p. 65 (5/2006)
- hamiltonii* (Luer) Luer – *Icones Pleuro XX*; p. 70, 94
- DI *hastulata* (Rchb.f. & Warm.) Luer
- hastata* (Ames) Pridgeon & M.W.Chase = *Muscarella marginata*
Icones Pleuro XXVIII; p. 112 (5/2006)
- DI *helenae* (Fawc. & Rendle) Pridgeon & M.W.Chase =
Muscarella helenae
Icones Pleuro XXVIII; p. 105 (5/2006)
- heliconiscapa* (Hoehne) Luer
- helmutii* (Höhne) Luer = *Panmorphia helmutii*
Icones Pleuro XXVIII; p. 177 (5/2006)
- henrique-aragonii* (Pabst) Luer
- herpestes* (Luer) Pridgeon & M.W.Chase = *Muscarella herpestes*
Icones Pleuro XXVIII; p. 106 (5/2006)
- herpethophyton* (Schltr.) Luer = *Panmorphia herpethophyton*
Icones Pleuro XXVIII; p. 158 (5/2006)
- heterophylla* (Barb.Rodr.) Luer (was *Anathallis heterophylla*)
- hians* (Lindl.) Luer = *Pabstiella hians*
Icones Pleuro XXIX; p. 120 (8/2007)
- humilis* (C. Schweinf.) Luer = *Panmorphia humilis*
Icones Pleuro XXVIII; p. 160 (5/2006)
- hygrophila* (Barb.Rodr.) Luer = *Anthrosia hygrophila*
Icones Pleuro XXVIII; p. 249 (5/2006)
- hystrix* (Kraenzl.) Luer (was *Physosiphon hystrix*)
- ichthyonekys* (Luer) Pridgeon & M.W.Chase = *Muscarella ichthyonekys*
Icones Pleuro XXVIII; p. 106 (5/2006)
- ignota* (Luer) Luer = *Effusiella nonresupinata*
Icones Pleuro XXIX; p. 107 (8/2007)
- imberbis* (Luer & Hirtz) Luer = *Panmorphia imberbis*

Specklinia

- Icones Pleuro XXVIII*; p. 160 (5/2006)
- imbricata** (Barb.Rodr.) Luer = *Anathallis imbricata*
Icones Pleuro XXIX; p. 118 (8/2007)
- immersa** (Linden & Rchb.f.) Luer = *Effusiella immersa*
Icones Pleuro XXIX; p. 106 (8/2007)
- imraei** (Lindl.) Luer = *Effusiella imraei*
Icones Pleuro XXIX; p. 106 (8/2007)
- infinita** (Luer & Hirtz) Luer = *Muscarella infinita*
Icones Pleuro XXVIII; p. 107 (5/2006)
- intonsa** (Luer) Pridgeon & M.W.Chase = *Muscarella intonsa*
Icones Pleuro XXVIII; p. 107 (5/2006)
- inversa** (Luer & Vásquez) Luer = *Panmorphia inversa*
Icones Pleuro XXVIII; p. 161 (5/2006)
- involuta** (L.O.Williams) Luer = *Panmorphia involuta*
Icones Pleuro XXVIII; p. 161 (5/2006)
- iota** (Luer) Luer = *Panmorphia iota*
Icones Pleuro XXVIII; p. 162 (5/2006)
- jalapensis** (Kraenzl.) Luer = *Effusiella jalapensis*
Icones Pleuro XXIX; p. 106 (8/2007)
- jamaicensis** (Rolfe) Luer = *Panmorphia jamaicensis*
Icones Pleuro XXVIII; p. 162 (5/2006)
- jesupii** (Luer) Luer - Lindleyana 14(2); p. 116
Icones Pleuro XXVIII; p. 53-54, 74
- jesupiorum** (Luer & Hirtz) Luer - *Icones Pleuro XVIII*; p. 112, 129
Lindleyana 11(3); p. 164, 165
NEO; 4:1787
- jordanensis** (Höhne) Luer
- kautskyi** (Pabst) Luer = *Panmorphia kautskyi*
Icones Pleuro XXVIII; p. 177 (5/2006)
- kennedyi** (Luer) Pridgeon & M.W.Chase = *Muscarella kennedyi*
Icones Pleuro XXVIII; p. 108 (5/2006)
- kleinii** (Pabst) Luer = *Panmorphia kleinii*
Icones Pleuro XXVIII; p. 177 (5/2006)
- kuhniae** (Luer) Luer = *Panmorphia kuhniae*
Icones Pleuro XXVIII; p. 163 (5/2006)
- laciniata** (Barb.Rodr.) Luer = *Panmorphia laciniata*
Icones Pleuro XXVIII; p. 177 (5/2006)
- lagarophyta** (Luer) Luer - *Icones Pleuro XVIII*; p. 112-113, 129
- lanceola** (Sw.) Lindl. - *Icones Pleuro XXVIII*; p. 54-55, 74
- lasioglossa** (Schltr.) Luer = *Panmorphia lasioglossa*
Icones Pleuro XXVIII; p. 164 (5/2006)
- lateritia** (Rchb.f.) Pridgeon & M.W.Chase = *Specklinia lanceola*
Icones Pleuro XXVIII; p. 54 (5/2006)
- latilabris** (Foldats) Luer = *Muscarella latilabris*
Icones Pleuro XXVIII; p. 108 (5/2006)
- laxiflora** (Porsch) Luer
- lehmanneptis** (Luer & Escobar) Luer = *Effusiella lehmanneptis*
Icones Pleuro XXIX; p. 106 (8/2007)
- leontoglossa** (Rchb.f.) Luer
- lepanthoides** (Schltr.) Luer
- leptantha** (Schltr.) Luer = *Sarcinula leptantha*
Icones Pleuro XXVIII; p. 215 (5/2006)
- leptotifolia** (Barb.Rodr.) Luer = *Pabstiella leptotifolia*
Icones Pleuro XXIX; p. 120 (8/2007)
- leucopyramis** (Rchb.f.) Luer = *Pabstiella leucopyramis*
Icones Pleuro XXIX; p. 120 (8/2007)
- leucosepala** (Löfgren) Luer
- lewisiae** (Ames) Luer - = *Panmorphia lewisiae*
Icones Pleuro XXVIII; p. 164 (5/2006)
- lichenicola** (Griesb.) Pridgeon & M.W.Chase -
Icones Pleuro XXVIII; p. 54-55, 75
Lindleyana 16(1); p. 28-30 (was *P. gemina*)
- lichenophila** (C.Porto & Brade) Luer = *Panmorphia lichenophila*
Icones Pleuro XXVIII; p. 177 (5/2006)
- limbata** (Cogn.) Luer = *Panmorphia limbata*
Icones Pleuro XXVIII; p. 177 (5/2006)
- linearifolia** (Cogn.) Luer
- lineolata** (Barb.Rodr.) Luer = *Pabstiella lineolata*
Icones Pleuro XXIX; p. 120 (8/2007)
- lingua** (Lindl.) Luer = *Pabstiella lingua*
Icones Pleuro XXIX; p. 120 (8/2007)
- liparanges** (Rchb.f.) Luer
- lipothrix** (Luer) Pridgeon & M.W.Chase = *Muscarella lipothrix*
Icones Pleuro XXVIII; p. 109 (5/2006)
- listerophora** (Schltr.) Luer = *Effusiella listerophora*
Icones Pleuro XXIX; p. 106 (8/2007)
- llamachoi** (Luer) Luer = *Muscarella llamachoi*
Icones Pleuro XXVIII; p. 109 (5/2006)
- lobiserrata** (Barb.Rodr.) Luer = *Panmorphia lobiserrata*
Icones Pleuro XXVIII; p. 177 (5/2006)
- longilabris** (Lindl.) Luer = *Muscarella longilabris*
Icones Pleuro XXVIII; p. 110 (5/2006)
- longispicata** (L.O.Williams) Luer = *Effusiella longispicata*
Icones Pleuro XXIX; p. 107 (8/2007)
- macroblepharis** (Rchb.f.) Pridgeon & M.W.Chase =
Muscarella macroblepharis
Icones Pleuro XXVIII; p. 110 (5/2006)
- maguirei** (Luer) Luer - *Icones Pleuro XVIII*; p. 113, 129
- malacantha** (Rchb.f.) Luer = *Anthrosia malacantha*
Icones Pleuro XXVIII; p. 249 (5/2006)
- malmeana** (Dutra ex Pabst) Luer
- marginalis** (Rchb.f.) F.Barros = *Specklinia grobyi*
Icones Pleuro XXVIII; p. 51 (5/2006)
- marginata** (Lindl.) Pridgeon & M.W.Chase = *Specklinia picta*
Icones Pleuro XXVIII; p. 62 (5/2006)
- matinhensis** (Hoehne) Luer = *Pabstiella matinhensis*
Icones Pleuro XXIX; p. 120 (8/2007)
- mazei** (Urb.) Luer = *Panmorphia mazei*
Icones Pleuro XXVIII; p. 165 (5/2006)
- mediocarinata** (C.Schweinf.) Luer
- megalophora** (Luer) Luer = *Panmorphia megalophora*
Icones Pleuro XXVIII; p. 166 (5/2006)
- megalops** (Luer) Pridgeon & M.W.Chase = *Muscarella megalops*
Icones Pleuro XXVIII; p. 113 (5/2006)
- mentosa** (Cogn.) Luer = *Pabstiella yanaperyensis*
Icones Pleuro XXVIII; p. 141 (5/2006)
- meridana** (Rchb.f.) Luer - *Icones Pleuro XVIII*; p. 114, 130
VOI; 4, p. 224
Orc of Ven FG 3; p. 810
- microblephara** (Schltr.) Luer = *Panmorphia microblephara*
Icones Pleuro XXVIII; p. 177 (5/2006)
- microphylla** (A.Rich. & Gal.) Pridgeon & M.W.Chase -
Selbyana 10(1); p. 104, 136
Selbyana 11(S); p. 668, 669
Icones Pleuro XXVIII; p. 56-57, 75
- microphyta** (Barb.Rodr.) Luer = *Panmorphia microphyta*
Icones Pleuro XXVIII; p. 177 (5/2006)
- microtis** (Schltr.) Luer
- millipeda** (Luer) Luer = *Panmorphia millipeda*
Icones Pleuro XXVIII; p. 166 (5/2006)
- minima** (C.Schweinf.) Luer = *Panmorphia minima*
Icones Pleuro XXVIII; p. 167 (5/2006)
- minor** (Rendle) Luer = *Lomax punctulata*
Icones Pleuro XXVIII; p. 88 (5/2006)
- minuta** (Ames & C.Schweinf.) Luer -
Icones Pleuro XXVIII; p. 57-58, 75
- minutalis** (Lindl.) Luer = *Panmorphia minutalis*
Icones Pleuro XXVIII; p. 167 (5/2006)
- minutissima** (Luer) Luer = *Panmorphia barbulata*
Icones Pleuro XXVIII; p. 147 (5/2006)
- mirabilis** (Schltr.) Luer - *Icones Pleuro III*; p. 48
- miragliae** (Leite) Luer = *Pabstiella miragliae*
Icones Pleuro XXIX; p. 120 (8/2007)
- mitchellii** (Dod) Luer - *Icones Pleuro XXVIII*; p. 58, 76

Specklinia

mocoana (Schltr.) Luer		periodica (Ames) Pridgeon & M.W.Chase = <i>Sarcinula simmleriana</i> <i>Icones Pleuro XXVIII</i> ; p. 218 (5/2006)	
modesta (Barb.Rodr.) Luer		peroupavae (Hoehne & Brade) Luer = <i>Panmorphia peroupavae</i> <i>Icones Pleuro XXVIII</i> ; p. 177 (5/2006)	
montepelladensis (Hoehne) Luer		petersiana (Schltr.) Luer	
montezumae (Luer) Luer = <i>Gerardo montezumae</i> <i>Icones Pleuro XXVIII</i> ; p. 86 (5/2006)		I petiolaris (Luer) Luer = <i>Effusiella petiolaris</i> <i>Icones Pleuro XXIX</i> ; p. 107 (8/2007)	
morenoi (Luer) Luer – Orc of Bolivia Vol 1; p. 320 Selbyana 5(2); p. 172, 173		DI petropolitana (Hoehne) Luer = <i>Panmorphia petropolitana</i> <i>Icones Pleuro XXVIII</i> ; p. 177 (5/2006)	
morganii (Luer) Luer – Lindleyana 11(3); p. 171 <i>Icones Pleuro XXVIII</i> ; p. 58-59, 76		DI picta (Lindl.) Pridgeon & M.W.Chase - Lindleyana 1(4); p. 314 <i>Icones Orchid Peru pl.</i> 354	DI
mornicola (Mansf.) Luer - <i>Icones Pleuro XXVIII</i> ; p. 59, 76		DI Orc of Bolivia Vol 1; p. 258 Orc of Ven FG 3; p. 827 <i>Icones Pleuro XXVIII</i> ; p. 62-63, 78	DI P I DI
mucronata (Lindl. ex Griesb.) Luer - <i>Icones Pleuro XXVIII</i> ; p. 59-60, 76		pidax (Luer) Luer = <i>Niphantha gelida</i> <i>Icones Pleuro XXIX</i> ; p. 107 (8/2007)	
murex ((Rchb.f.) Luer		piraquarensis (Hoehne) Luer	
murexoides (Pabst) Luer		piratiningana (Hoehne) Luer	
muricaudata (Luer) Luer = <i>Panmorphia muricaudata</i> <i>Icones Pleuro XXVIII</i> ; p. 168 (5/2006)		pisinna (Luer) Solano & Soto Arenas - Lindleyana 6(2); p. 105 <i>Icones Pleuro XXVIII</i> ; p. 63-64, 78	DI DI
muscoidea (Lindl.) Luer = <i>Specklinia muscoidea</i> <i>Icones Pleuro XXIX</i> ; p. 121 (8/2007)		platystylis (Schltr.) Luer = <i>Effusiella platystylis</i> <i>Icones Pleuro XXIX</i> ; p. 107 (8/2007)	
muscosa (Barb.Rodr.) Luer = <i>Anthrosia muscosa</i> <i>Icones Pleuro XXVIII</i> ; p. 249 (5/2006)		pleurothalloides (Cogn.) Luer = <i>Pabstiella pleurothalloides</i> <i>Icones Pleuro XXIX</i> ; p. 120 (8/2007)	
myrticola (Barb.Rodr.) Luer = <i>Anthrosia myrticola</i> <i>Icones Pleuro XXVIII</i> ; p. 249 (5/2006)		DI podoglossa (Hoehne) Luer = <i>Pabstiella podoglossa</i> <i>Icones Pleuro XXIX</i> ; p. 120 (8/2007)	DI
nanifolia (Foldats) Luer = <i>Panmorphia nanifolia</i> <i>Icones Pleuro XXVIII</i> ; p. 169 (5/2006)		DI polygonoides (Griseb.) Luer = <i>Panmorphia polygonoides</i> <i>Icones Pleuro XXVIII</i> ; p. 171 (5/2006)	
napintzae (Luer & Hirtz) Luer – Lindleyana 11(3); p. 173, 174 <i>Icones Pleuro XXVIII</i> ; p. 60, 77		praemorsa (Luer) Luer = <i>Panmorphia funera</i> <i>Icones Pleuro XXVIII</i> ; p. 156 (5/2006)	
nectarifera (Barb.Rodr.) Luer		pristeoglossa (Rchb.f.) Luer = <i>Pabstiella pristeoglossa</i> <i>Icones Pleuro XXIX</i> ; p. 120 (8/2007)	
neobraderi (Luer) Luer		producta (Luer) Pridgeon & M.W.Chase - Selbyana 3(1,2); p. 176 <i>Icones Pleuro XXVIII</i> ; p. 64, 78	DI DI
niesseniae (Luer) Luer = <i>Effusiella niesseniae</i> <i>Icones Pleuro XXIX</i> ; p. 107 (8/2007)		prolixa (Luer & Hirtz) Luer = <i>Effusiella prolixa</i> <i>Icones Pleuro XXIX</i> ; p. 107 (8/2007)	
nigriflora (L.O.Williams) Luer = <i>Effusiella nigriflora</i> <i>Icones Pleuro XXIX</i> ; p. 106 (8/2007)		pseudocheila (Luer & Escobar) Luer = <i>Effusiella pseudocheila</i> <i>Icones Pleuro XXIX</i> ; p. 107 (8/2007)	
nummularia (Rchb.f.) Luer = <i>Phloeophila nummularia</i> <i>Icones Pleuro XXVIII</i> ; p. 192 (5/2006)		DI psichion (Luer) Luer = <i>Sarcinula psichion</i> <i>Icones Pleuro XXVIII</i> ; p. 216 (5/2006)	
oblanceolata (L.O.Williams) Luer = <i>Panmorphia oblanceolata</i> <i>Icones Pleuro XXVIII</i> ; p. 169 (5/2006)		pubipetala (Hoehne) Luer	
obliquipetala (Acuña & C.Schweinf.) Luer - <i>Icones Pleuro XXVIII</i> ; p. 60-61, 77		DI punctatifolia (Barb.Rodr.) Luer = <i>Pabstiella punctatifolia</i> <i>Icones Pleuro XXIX</i> ; p. 120 (8/2007)	
oblonga (Luer & Hirtz) Luer = <i>Muscarella oblonga</i> <i>Icones Pleuro XXVIII</i> ; p. 95 (5/2006)		purpurea (Seehawer) Luer	
octophrys (Rchb.f.) Luer		purpurella (Luer) Pridgeon & M.W.Chase = <i>Sarcinula purpurella</i> <i>Icones Pleuro XXVIII</i> ; p. 217 (5/2006)	
ordinata Luer & Dodson - <i>Icones Pleuro XXVIII</i> ; p. 61, 77		purpureo-violacea (Cogn.) Luer = <i>Anthrosia purpureo-violacea</i> <i>Icones Pleuro XXVIII</i> ; p. 249 (5/2006)	
ornata (Rchb.f.) Luer = <i>Effusiella ornata</i> <i>Icones Pleuro XXIX</i> ; p. 107 (8/2007)		puttemansii (Hoehne) Luer	
pabstii (Garay) Luer		DI pyrsodes (Rchb.f.) Pridgeon & M.W.Chase = <i>Sarcinula corniculata</i> <i>Icones Pleuro XXVIII</i> ; p. 209 (5/2006)	
pachyphyta (Luer) Luer = <i>Panmorphia pachyphyta</i> <i>Icones Pleuro XXVIII</i> ; p. 170 (5/2006)		I quadridentata (Barb.Rodr.) Luer = <i>Pabstiella quadridentata</i> <i>Icones Pleuro XXIX</i> ; p. 120 (8/2007)	
pandurifera (Lindl.) Luer		quadrifida (La Llave & Lex.) Luer	
pantherina (Seehawer) Luer		quinqueseta (Ames) Luer = <i>Muscarella quinqueseta</i> <i>Icones Pleuro XXVIII</i> ; p. 114 (5/2006)	
papuligera (Schltr.) Luer – <i>Icones Pleuro XVIII</i> ; p. 116, 130 Orc of Bolivia Vol 1; p. 324		rabei (Foldats) Luer = <i>Panmorphia rabei</i> <i>Icones Pleuro XXVIII</i> ; p. 171 (5/2006)	
paranaënsis (Schltr.) Luer = <i>Panmorphia paranaënsis</i> <i>Icones Pleuro XXVIII</i> ; p. 177 (5/2006)		radialis (C.Porto & Brade) Luer	
paranapiacabensis (Hoehne) Luer = <i>Panmorphia paranapiacabensis</i> <i>Icones Pleuro XXVIII</i> ; p. 177 (5/2006)		DI ramulosa (Lindl.) Luer - Selbyana 3(1,2); p. 178 <i>Icones Pleuro XVIII</i> ; p. 117, 131 NEO; 4:1835	DI DI I
parvifolia (Lindl.) Pridgeon & M.W.Chase = <i>Pabstiella parvifolia</i> <i>Icones Pleuro XXVIII</i> ; p. 139 (5/2006)		recula (Luer) Luer - Lindleyana 11(2); p. 92 NEO; 4:1836 <i>Icones Pleuro XXVIII</i> ; p. 64-65, 78	DI P DI
pauloënsis (Hoehne & Schltr.) Luer = <i>Pabstiella pauloënsis</i> <i>Icones Pleuro XXIX</i> ; p. 120 (8/2007)		recurvipetala (Barb.Rodr.) Luer = <i>Panmorphia recurvipetala</i> <i>Icones Pleuro XXVIII</i> ; p. 177 (5/2006)	
pectinifera Luer & Hirtz - <i>Icones Pleuro XXVIII</i> ; p. 61-62, 77			
pellifeloides (Barb.Rodr.) Luer			
pemonum (Carnevali & I. Ramirez) Luer = <i>Panmorphia holstii</i> <i>Icones Pleuro XXVIII</i> ; p. 159 (5/2006)			
peperomioides (Ames) Luer = <i>Phloeophila peperomioides</i> <i>Icones Pleuro XXVIII</i> ; p. 193 (5/2006)			
perangusta (Luer) Pridgeon & M.W.Chase = <i>Muscarella perangusta</i> <i>Icones Pleuro XXVIII</i> ; p. 114 (5/2006)			

Specklinia

- reedii* (Luer) Luer = *Panmorphia reedii*
Icones Pleuro XXVIII; p. 177 (5/2006)
- regalis** (Luer) Luer - *Icones Pleuro III*; p. 80
Icones Pleuro XVIII; p. 117-118, 131
- reptilis* (Luer & Dalström) Luer = *Panmorphia reptilis*
Icones Pleuro XXVIII; p. 172 (5/2006)
- resupinata* (Ames) Luer = *Effusiella resupinata*
Icones Pleuro XXIX; p. 107 (8/2007)
- ricii* (Luer & Vásquez) Luer = *Panmorphia ricii*
Icones Pleuro XXVIII; p. 173 (5/2006)
- rigidula** (Cogn.) Luer
- robertoi* (Luer & Tuscano) Luer = *Pabstiella robertoi*
Icones Pleuro XXIX; p. 120 (8/2007)
- rostratissima* (Luer & Portilla) Luer = *Effusiella rostratissima*
Icones Pleuro XXIX; p. 107 (8/2007)
- rubens** (Lindl.) Luer - *Icones Pleuro XVIII*; p. 118-119, 131
 Selbyana 1(1); p. 58 (was amblyopetala)
 Orc of Bolivia Vol 1; p. 334
- rubrolimbata* (Höhne) Luer = *Panmorphia rubrolimbata*
Icones Pleuro XXVIII; p. 177 (5/2006)
- rudolfii* (Pabst) Luer = *Panmorphia rudolfii*
Icones Pleuro XXVIII; p. 177 (5/2006)
- ruschii* (Hoehne) Luer = *Pabstiella ruschii*
Icones Pleuro XXIX; p. 120 (8/2007)
- samacensis* (Ames) Pridgeon & M.W.Chase = *Muscarella samacensis*
Icones Pleuro XXVIII; p. 115 (5/2006)
- sanchezii* (Luer & Hirtz) Luer = *Panmorphia sanchezii*
Icones Pleuro XXVIII; p. 173 (5/2006)
- sarcopetala* (Barb.Rodr.) Luer = *Pabstiella sarcopetala*
Icones Pleuro XXIX; p. 120 (8/2007)
- scabrata* (Lindl.) Luer = *Effusiella scabrata*
Icones Pleuro XXIX; p. 107 (8/2007)
- scabripes** (Lindl.) Luer
- scariosa** (La Llave) Luer - *Icones Orchid*, Fasc 1; pl. 93
Icones Pleuro XVIII; p. 119, 131
- schaferi** (Ames) Luer - *Icones Pleuro XXVIII*; p. 65-66, 79
- schlimii** (Luer) Luer - *Icones Pleuro XVIII*; p. 120, 132
- schudelii* (Luer & Hirtz) Luer = *Muscarella schudelii*
Icones Pleuro XXVIII; p. 116 (5/2006)
- sclarea* (Rchb.f.) Pridgeon & M.W.Chase = *Specklinia lanceola*
Icones Pleuro XXVIII; p. 54 (5/2006)
- sclerophylla** (Lindl.) Luer - Selbyana 1(3); p. 284
Icones Pleuro XVIII; p. 120-122, 132
 Orc of Bolivia Vol 1; p. 342
 VOI; 2, p. 300
 Orc of Ven FG 3; p. 843
 NEO; 4:1844
- scolopax** (Luer & R.Escobar) Pridgeon & M.W.Chase =
Sarcinula scolopax
Icones Pleuro XXVIII; p. 217 (5/2006)
- segregatifolia** (Ames & C.Schweinf.) Solano & Soto Arenas -
 Selbyana 1(2); p. 206
 Selbyana 11(S); p. 688
Icones Orchid, Fasc 1; pl. 94
Icones Pleuro XXVIII; p. 66-67, 79
- semperflorens* (Lindl.) Pridgeon & M.W.Chase =
Muscarella semperflorens
Icones Pleuro XXVIII; p. 117 (5/2006)
- seriata* (Lindl.) Pridgeon & M.W.Chase = *Panmorphia seriata*
Icones Pleuro XXVIII; p. 174 (5/2006)
- setigera* (Lindl.) Pridgeon & M.W.Chase = *Muscarella zephyrina*
Icones Pleuro XXVIII; p. 124 (5/2006)
- sertularioides* (Sw.) Luer = *Panmorphia sertularioides*
Icones Pleuro XXVIII; p. 174 (5/2006)
- setosa* (C.Schweinf.) Pridgeon & M.W.Chase = *Muscarella fimbriata*
Icones Pleuro XXVIII; p. 103 (5/2006)
- sibatensis* (Lehm. & Kraenzl.) Luer = *Muscarella sibatensis*
Icones Pleuro XXVIII; p. 117 (5/2006)
- simmleriana* (Rendle) Luer = *Sarcinula simmleriana*
Icones Pleuro XXVIII; p. 218 (5/2006)
- I
 DI **simpliciflora** (Dod) Luer - *Icones Pleuro XXVIII*; p. 67, 79
- simpliciglossa** (Löfgren) Luer
- simulatrix* (Luer) Pridgeon & M.W.Chase = *Muscarella stumpfleii*
Icones Pleuro XXVIII; p. 119 (5/2006)
- soratana** (Rchb.f.) Luer - *Icones Pleuro XVIII*; p. 122, 132
 Orc of Bolivia Vol 1; p. 348
- I
sordida (Kraenzl.) Luer = *Pabstiella sordida*
Icones Pleuro XXIX; p. 120 (8/2007)
- sororcula** (Schltr.) Luer = *Anathallis sororcula*
Icones Pleuro XXIX; p. 118 (8/2007)
- spannageliana** (Höhne) Luer
- sparsiflora** (Schltr.) Luer = *Pabstiella sparsiflora*
Icones Pleuro XXIX; p. 120 (8/2007)
- DI **spathilabia** (Schltr.) Luer - Selbyana 3(3,4); p. 390
 DI
 I *Icones Pleuro XVIII*; p. 122-123, 132
- spatulifolia** (C.Schweinf.) Luer
- spatuliformis** (Luer & Vásquez) Luer -
Icones Pleuro XVIII; p. 123, 133
 Orc of Bolivia Vol 1; p. 349
- I
spatuliglossa (Hoehne) Luer = *Pabstiella spatuliglossa*
Icones Pleuro XXIX; p. 120 (8/2007)
- spectrilinguis** (Rchb.f.) Luer = *Muscarella marginata*
Icones Pleuro XXVIII; p. 112 (5/2006)
- spiculifera** (Lindl.) Pridgeon & M.W.Chase - VOI; 2, p. 302
 Orc of Ven FG 3; p. 850
Icones Pleuro XXVIII; p. 67-68, 80
- DI
 I
 DI
- spiloporphyrea** (Dod) Luer
- sprucei** (Lindl.) Luer
- steinbuchiae** (Carnevali & G.A. Romero) Luer =
Panmorphia steinbuchiae
Icones Pleuro XXVIII; p. 176 (5/2006)
- DI
 DI **stenophylla** (Lehm. & Krzl.) Luer -
 DI *Icones Pleuro XVIII*; p. 123-124, 133
 DI Orc of Bolivia Vol 1; p. 350
- stictophylla** (Schltr.) Luer
- stillsonii** (Dod) Pridgeon & M.W.Chase -
Icones Pleuro XXVIII; p. 68-69, 80
- DI
- striata** (H.Focke) Luer = *Sarcinula striata*
Icones Pleuro XXVIII; p. 219 (5/2006)
- DI
 DI **strumosa** (Ames) Pridgeon & M.W.Chase = *Muscarella strumosa*
 I *Icones Pleuro XXVIII*; p. 118 (5/2006)
- DI **stumpfleii** (Luer) Pridgeon & M.W.Chase = *Muscarella stumpfleii*
 I *Icones Pleuro XXVIII*; p. 119 (5/2006)
- P **subnulla** (Luer & Tuscano) Luer = *Anathallis subnulla*
Icones Pleuro XXIX; p. 118 (8/2007)
- subpicta** (Schltr.) Luer
- subsINUATA** (Lindl.) Luer
- succuba** (Luer) Luer = *Panmorphia burzlaiffiana*
Icones Pleuro XXVIII; p. 149 (5/2006)
- DI
 I **sulphurea** (Barb.Rodr.) Luer
- DI **susanensis** (Hoehne) Luer
- DI **syringodes** (Luer) Luer - *Icones Pleuro XVIII*; p. 176, 180
- DI **tabacina** (Barb.Rodr.) Luer = *Pabstiella tabacina*
Icones Pleuro XXIX; p. 120 (8/2007)
- tamboënsis** (Luer & R.Escobar) Pridgeon & M.W.Chase =
Muscarella temboënsis
Icones Pleuro XXVIII; p. 119 (5/2006)
- tarantula** (Luer & Hirtz) Luer = *Effusiella tarantula*
Icones Pleuro XXIX; p. 107 (8/2007)
- tempestalis** (Luer) Pridgeon & M.W.Chase = *Muscarella tempestalis*
Icones Pleuro XXVIII; p. 120 (5/2006)
- tenera** (Barb.Rodr.) Luer = *Pabstiella tenera*
Icones Pleuro XXIX; p. 120 (8/2007)
- thomasiae** (Luer) Luer = *Effusiella thomasiae*

Specklinia

			Icones Pleuro XXIX; p. 107 (8/2007)		
			<i>tigridentis</i> (Loefgr.) Luer = <i>Panmorphia tigridentis</i>		
			Icones Pleuro XXVIII; p. 177 (5/2006)		
			<i>tortilis</i> (Luer & R.Escobar) Luer = <i>Effusiella tortilis</i>		
			Icones Pleuro XXIX; p. 107 (8/2007)		
			<i>transparens</i> (Schltr.) Luer = <i>Pabstiella transparens</i>		
			Icones Pleuro XXIX; p. 120 (8/2007)		
			<i>tribuloides</i> (Sw.) Pridgeon & M.W.Chase = <i>Tribulago tribuloides</i>		
			Icones Pleuro XXVIII; p. 321 (5/2006)		
			<i>trichostoma</i> (Luer) Luer = <i>Effusiella trichostoma</i>		
			Icones Pleuro XXIX; p. 107 (8/2007)		
			<i>trichyphus</i> (Rchb.f.) Luer - Icones Pleuro XXVIII; p. 69, 80	DI	
			<i>tricolor</i> (Barb.Rodr.) Luer = <i>Pabstiella tricolor</i>		
			Icones Pleuro XXIX; p. 120 (8/2007)		
			<i>trifida</i> (Lindl.) Luer = <i>Pabstiella trifida</i>		
			Icones Pleuro XXIX; p. 120 (8/2007)		
			<i>trigridentis</i> (Löffgr.) Luer		
			<i>trimeropetala</i> (Pabst) Luer = <i>Pabstiella trimeropetala</i>		
			Icones Pleuro XXIX; p. 120 (8/2007)		
			<i>tripterantha</i> (Rchb.f.) Luer = <i>Pabstiella tripterantha</i>		
			Icones Pleuro XXVIII; p. 140 (5/2006)		
			<i>trulla</i> (Rchb.f. & Warsz.) Luer = <i>Effusiella trulla</i>		
			Icones Pleuro XXIX; p. 107 (8/2007)		
			<i>trullifera</i> (Luer & Hirtz) Luer = <i>Muscarella trullifera</i>		
			Icones Pleuro XXVIII; p. 121 (5/2006)		
			<i>tsubotae</i> (Luer & Escobar) Luer = <i>Muscarella tsubotae</i>		
			Icones Pleuro XXVIII; p. 121 (5/2006)		
			<i>tubata</i> (Lodd.) Luer = <i>Physosiphon emarginatus</i>		
			Icones Pleuro XXIX; p. 99 (8/2007)		
			<i>turrialbae</i> (Luer) Luer = <i>Sylphia turrialbae</i>		
			Icones Pleuro XXVIII; p. 229 (5/2006)		
			<i>unduavica</i> (Luer & Vásquez) Luer –		
			Icones Pleuro XVIII; p. 124, 133	DI	
			Orc of Bolivia Vol 1; p. 355	I	
			<i>ursula</i> (Luer & Hirtz) Luer = <i>Phloeophila ursula</i>		
			Icones Pleuro XXVIII; p. 194 (5/2006)		
			<i>vaginata</i> (Schltr.) Luer = <i>Effusiella vaginata</i>		
			Icones Pleuro XXIX; p. 107 (8/2007)		
			<i>variegata</i> (Barb.Rodr.) Luer = <i>Pabstiella variegata</i>		
			Icones Pleuro XXIX; p. 121 (8/2007)		
			<i>vasquezii</i> (Luer) Luer – Icones Pleuro XVIII; p. 124-125, 133	DI	
			Orc of Bolivia Vol 1; p. 357	I	
			<i>verboonenii</i> (Luer & Tuscano) Luer = <i>Pabstiella verboonenii</i>		
			Icones Pleuro XXIX; p. 121 (8/2007)		
			<i>vestita</i> (Kraenzl.) Luer		
			<i>villosa</i> (Knowles & Westc.) Luer = <i>Effusiella villosa</i>		
			Icones Pleuro XXIX; p. 107 (8/2007)		
			<i>villosilabia</i> (Luer & Hirtz) Luer = <i>Muscarella villosilabia</i>		
			Icones Pleuro XXVIII; p. 122 (5/2006)		
			<i>violaceomaculata</i> (Höhne) Luer		
			<i>vitorinoi</i> (Luer & Tuscano) Luer = <i>Panmorphia vitorinoi</i>		
			Icones Pleuro XXVIII; p. 177 (5/2006)		
			<i>vittariifolia</i> (Schltr.) Pridgeon & M.W.Chase = <i>Sarcinula glandulosa</i>		
			Icones Pleuro XXVIII; p. 214 (5/2006)		
			<i>wacketii</i> (Handro & Pabst) Luer = <i>Pabstiella wacketii</i>		
			Icones Pleuro XXIX; p. 121 (8/2007)		
			<i>welteri</i> (Pabst) Luer = <i>Panmorphia welteri</i>		
			Icones Pleuro XXVIII; p. 177 (5/2006)		
			<i>wrightii</i> (Rchb.f.) Luer - Icones Pleuro XXVIII; p. 69-70, 81	DI	
			<i>xanthella</i> (Luer) Pridgeon & M.W.Chase = <i>Muscarella xanthella</i>		
			Icones Pleuro XXVIII; p. 123 (5/2006)		
			<i>xerophila</i> (Schltr.) Luer		
			<i>ximena</i> (Luer & Hirtz) Luer – Icones Pleuro XXVI; p. 238, 242	DI	
			<i>ypiranga</i> (Kraenzl.) Luer		
			<i>yucatanensis</i> (Ames & Schweinf.) Pridgeon & M.W.Chase –		
			Selbyana 1(2); p. 210	DI	
			Selbyana 11(S); p. 696	I	
			Icones Pleuro XXVIII; p. 70, 81		
			<i>yupanki</i> (Luer & R.Vásquez) Luer = <i>Incaea yupanki</i>		
			Icones Pleuro XXVIII; p. 87 (5/2006)		
			<i>zephyrina</i> (Rchb.f.) Luer = <i>Muscarella zephyrina</i>		
			Icones Pleuro XXVIII; p. 124 (5/2006)		
			Spectaculum (this was Masdevallia)		
			racemosum (Lindl.) Luer - Icones Pleuro II; p. 47		I
			Treas of Masd 23:10		DIP
			Masd in Kleur; p. 42		P
			NCO; 2:337		P
			Icones Pleuro XXV; p. 1097-1098		DI
			Spilotantha (this was Masdevallia)		
			abbreviata (Rchb.f.) Luer - Thesarus Masd 9:1		DIP
			Icones Orchid Peru pl. 082		DI
			Masd in Kleur; p. 1		P
			NEO; 3:957		P
			Icones Pleuro XXV; p. 1117-1118		DI
			Xalvaroi (Luer & Escobar) Luer - Thesarus Masd 4:1		DIP
			Orquideologia XIII(1); p. 47-51, 60		DIP
			Masd in Kleur; p. 2		P
			NCO; 2:331		P
			Icones Pleuro XXV; p. 1119-1120		DI
			amanda (Rchb.f.) Luer - Icones Pleuro II; p. 11		I
			Thesarus Masd 12:1		DIP
			Icones Orchid Peru pl. 288		DI
			Masd in Kleur; p. 2, 58		P
			NCO; 2:319		P
			NEO; 3:963		I
			Icones Pleuro XXV; p. 1121-1123		DI
			anceps (Luer & Hirtz) Luer - NEO; 3:967		I
			Icones Pleuro XXV; p. 1125-1126		DI
			bulbophyllopsis (Krzl.) Luer - Thesarus Masd 7:1		DIP
			Masd in Kleur; p. 7		P
			NEO; 3:990, 991		IP
			Icones Pleuro XXV; p. 1127-1128		DI
			caloptera (Rchb.f.) Luer - Thesarus Masd 5:2		DIP
			Masd in Kleur; p. 7,8		P
			NEO; 3:995		I
			Icones Pleuro XXV; p. 1129-1130		DI
			chaetostoma (Luer) Luer - Thesarus Masd 2:4		DIP
			Masd in Kleur; p. 9		P
			NEO; 3:1001, 1002		IP
			Icones Pleuro XXV; p. 1131-1132		DI
			corazonica (Schltr.) Luer - Thesarus Masd 12:4		DIP
			Masd in Kleur; p. 12		P
			Icones Pleuro XXV; p. 1133-1134		DI
			dalstroemii (Luer) Luer – Treas of Masd 25:5		DIP
			NEO; 3:1015		P
			Icones Pleuro XXV; p. 1135-1136		DI
			delphina (Luer) Luer - Thesarus Masd 13:3		DIP
			Masd in Kleur; p. 14		P
			NEO; 3:1019, 1020		IP
			Icones Pleuro XXV; p. 1137-1138		DI
			densiflora (Schltr.) Luer - Icones Pleuro XXV; p. 1124		D
			dimorphotricha (Luer & Hirtz) Luer - Lindleyana 10(2); p. 117		DI
			Treas of Masd 24:5		DIP
			Masd in Kleur; p. 14		P
			NEO; 3:1023		P
			Icones Pleuro XXV; p. 1139-1140		DI
			ferrusii Luer – Icones Pleuro XXVIII; p. 273, 274		DI
			graminea (Luer) Luer - Thesarus Masd 12:6		DIP
			Masd in Kleur; p. 20		P

Stelis

Orc of Bolivia Vol 1; p. 390, 393	IP	chihobensis Ames - Selbyana 11(S); p. 802	I
NCO; 4:643	P	Orquidea Dec 93; p. 28, 29-30	DI
VOI; 1, p. 414	DI	ciliaris Lindl. - Orquidea Dec 93; p. 30-33, 35, 38	DIP
Orc of Ven FG 3; p. 1005	I	NCO; 6:1378	P
Orquideologia XXII(3); p. 293, 295, 300-302	DIP	NEO; 5:2296	P
NEO; 5:2287, 2288	P	Selbyana 10(S); p. 4 (was <i>Apatostelis ciliaris</i>)	I
asplundii Luer & Endara - Icones Pleuro XXIX; p. 19, 60	DI	ciliatissima Luer & Hirtz - Icones Pleuro XXVI; p. 147, 179	DI
asseris Duque - Orquideologia XX(3); p. 329, 334, 344	DIP	ciliolata Luer & Dalström - Icones Pleuro XXVI; p. 147, 180	DI
atra Lindl. - VOI; 4, p. 290	DI	NEO; 5:2297	P
Orc of Ven FG 3; p. 1006	I	cingens Luer & Hirtz - Icones Pleuro XXVI; p. 148, 180	DI
atrocaerulea Luer - Icones Pleuro XXIX; p. 19, 60	DI	cleistogama Schltr. - Selbyana 10(1); p. 112, 142	DI
atroviolacea Rchb.f. - VOI; 2, p. 330	DI	Selbyana 11(S); p. 803, 804	I
Orc of Ven FG 3; p. 1007	I	Orquidea Dec 93; p. 34, 35-36, 80	DIP
aviceps Lindl. - Orc of Ven FG 3; p. 1008	I	clipeus Duque - Orquideologia XX(3); p. 333, 335, 344	DIP
NEO; 5:2357	P	clusaris Luer & Hirtz - Icones Pleuro XXVI; p. 148, 180	DI
bangii Rolfe - Orc of Ven FG 3; p. 1009	I	coeliaca Luer & Hirtz - Icones Pleuro XXIV; p. 12-13, 29	DI
barbata Rolfe - Selbyana 11(S); p. 799	I	coelochila Luer - Icones Pleuro XXVI; p. 195, 198	DI
barbellata Luer & Hirtz - Icones Pleuro XXIV; p. 38, 66	DI	coleata Luer & Hirtz - Icones Pleuro XXIX; p. 22, 62	DI
NEO; 5:2289	P	comica Duque - Orquideologia XX(3); p. 335, 338, 345	DIP
barbimentosa Luer & Endara - Icones Pleuro XXIX; p. 20, 61	DI	concinna Lindl. - Selbyana 4; p. 194	DI
barbuda Duque - Orquideologia XX(3); p. 330, 334, 344	DIP	VOI; 5, p. 292	DI
bella Duque - Orquideologia XX(3); p. 331, 334, 344	DIP	NEO; 5:2298	P
benzingii Luer & Hirtz - Icones Pleuro XXIV; p. 38-39, 66	DI	condorensis Luer & Hirtz - Icones Pleuro XXVI; p. 149, 180	DI
NEO; 5:2290	I	congesta Luer & Hirtz - Icones Pleuro XXIV; p. 39-40, 66	DI
bermejoënsis Luer & Hirtz - Icones Pleuro XXVI; p. 142, 177	DI	connmixta Schltr. - Selbyana 11(S); p. 805	I
bicarinata Luer & Hirtz - Icones Pleuro XXIV; p. 39, 66	DI	connata Presl. - Icones Plant Trop Ser II Fasc 3; pl. 380	DI
bicolor Luer & Hirtz - Icones Pleuro XXVI; p. 143, 177	DI	Orc of Bolivia Vol 1; p. 394	I
bidentata Schltr. - Selbyana 11(S); p. 800	I	contorta (Ruiz & Pav.) Pers. = <i>Restrepia contorta</i>	
Orquidea Dec 93; p. 17, 20, 21-23, 98	DIP	<i>Icones Pleuro XIII; p. 50 (10/1996)</i>	
biserrula Lindl. - Orc of Bolivia Vol 1; p. 390	P	copiosa Luer & Hirtz - Icones Pleuro XXIX; p. 23, 62	DI
VOI; 3, p. 298	DI-	coracina Luer & Hirtz - Icones Pleuro XXIX; p. 23, 63	DI
bivalvis Luer - Icones Pleuro XXIV; p. 11, 29	DI	corae Foldats - Orc of Ven FG 3; p. 1012	I
NEO; 5:2291,2292	IP	coralloides Luer & Hirtz - Icones Pleuro XXIV; p. 79-80, 84	DI
bolivarensis Luer & Hirtz - Icones Pleuro XXIV; p. 11-12, 29	DI	coriifolia Lindl. - VOI; 4, p. 294	DI
NEO; 5:2293	I	Orc of Ven FG 3; p. 1013	I
bovilinguis Luer & Hirtz - Icones Pleuro XXVI; p. 118, 119	DI	corniculata Luer & Hirtz -	
braccata Rchb.f. & Warscz. - VOI; 1, p. 416	DI	Icones Pleuro XXVI; p. 122-123, 135-136	DI
brachiata Luer - Icones Pleuro XXIV; p. 12, 29	DI	coronaria Luer - Icones Pleuro XXVI; p. 149-150, 181	DI
NEO; 5:2294	P	cotyligera Luer & Hirtz - Icones Pleuro XXVI; p. 150, 181	DI
brachyrachis Luer & Hirtz - Icones Pleuro XXVI; p. 142, 178	DI	crassilabia Schltr. - VOI; 4, p. 296	DI
brevilabris Lindl. - Icones Pleuro XXIV; p. 82, 85 (was <i>S. serpens</i>)	DI	Orc of Ven FG 3; p. 1014	I
NEO; 5:2295	P	creodantha Luer & Hirtz - Icones Pleuro XXIX; p. 24, 63	DI
NEO; 5:2335 (was <i>S. serpens</i>)	I	crebescens (Schltr.) Garay -	
brevissimicaudata Luer & Hirtz - Icones Pleuro XXIX; p. 20, 61	DI	Selbyana 10(S); p. 5 (was <i>Apatostelis crebescens</i>)	I
buccelenta Luer & Hirtz - Icones Pleuro XXIX; p. 10, 14	DI	crinita Luer & Hirtz - Icones Pleuro XXIX; p. 24, 63	DI
buccella Luer & Hirtz - Icones Pleuro XXVI; p. 121-122, 134	DI	croatii Luer - Lindleyana 11(2); p. 97	DI
buxiflora Luer & Hirtz - Icones Pleuro XXVI; p. 194, 198	DI	crossota Luer & Hirtz - Icones Pleuro XXIX; p. 25, 63	DI
cajanumae Luer & Hirtz - Icones Pleuro XXVI; p. 122, 134	DI	cryophila Luer & Hirtz - Icones Pleuro XXIX; p. 25, 64	DI
NEO; 5:2351	P	cryptopetala Luer & Hirtz - Icones Pleuro XXIX; p. 26, 64	DI
calantha Luer & Hirtz - Icones Pleuro XXVI; p. 144, 178	DI	cubicularia Luer & Vásquez - Orc of Bolivia Vol 1; p. 395	P
calolemma Luer & Hirtz - Icones Pleuro XXVI; p. 144, 178	DI	cucullata Ames - Selbyana 11(S); p. 806	I
calotricha Schltr. - VOI; 5, p. 290	DI	VOI; 4, p. 298	DI
calyptrata Luer & Hirtz - Icones Pleuro XXVI; p. 145, 178	DI	Orc of Ven FG 3; p. 1015	I
campanulifera Lindl. - Orc of Bolivia Vol 1; p. 390	P	cuencana Schltr. - Icones Pleuro XXIV; p. 45, 69 (was <i>S. excavata</i>)	DI
capitata Luer & Hirtz - Icones Pleuro XXVI; p. 145, 179	DI	cupuligera Rchb.f. - VOI; 5, p. 294	DI
capsula Luer & Hirtz - Icones Pleuro XXVI; p. 194, 198	DI	cutucuënsis Luer & Hirtz - Icones Pleuro XXIV; p. 40, 67	DI
carcharodonta Carnevali & G.A. Romero - Orc of Ven FG 3; p. 1010	I	cyathiformis Luer & Hirtz - Icones Pleuro XXVI; p. 150-151, 181	DI
carchica Luer & Hirtz - Icones Pleuro XXIX; p. 21, 61	DI	NEO; 5:2299	P
caroliae Luer - Icones Pleuro XXVI; p. 146, 179	DI	dalessandroi Luer - Icones Pleuro XXIV; p. 40-41, 67	DI
catherinensis Lindl. - Selbyana 11(S); p. 801	I	dalstroemii Luer - Icones Pleuro XXIV; p. 41, 67	DI
cavernosa Luer & Hirtz - Icones Pleuro XXVI; p. 146, 179	DI	NEO; 5:2300	I
cavernula Luer & Dalström - Icones Pleuro XXIX; p. 21, 61	DI	declivis (Lindl.) Luer - Selbyana 23(1); p. 44-45	DI
celsa Luer & Hirtz - Icones Pleuro XXIX; p. 22, 62	DI	VOI; 5, p. 238 (was <i>Pleurothallis declivis</i>)	DI
chamaestelis (Rchb.f.) Garay & Dunst. - VOI; 4, p. 292	DI	Orc of Ven FG 3; p. 772 (was <i>Pleurothallis declivis</i>)	I
Orc of Ven FG 3; p. 1011	I	decurva Luer - Icones Pleuro XXVI; p. 151, 181	DI
chasei Luer - Selbyana 22(2); p. 121-122	DI	delhierroi Luer & Hirtz - Icones Pleuro XXVI; p. 123, 135	DI
chiapensis Solano - Orquidea Dec 93; p. 23-25, 27, 29	DIP	delicata Luer & Hirtz - Icones Pleuro XXIX; p. 26, 64	DI

Stelis

dentata Duque – Orquideologia XX(3); p. 335, 339, 345	DIP	frontinensis Duque – Orquideologia XX(3); p. 337, 347, 350	DIP
deregularis Barb. Rodr. = <i>Pleurothallis deregularis</i> Selbyana 2(4); p. 385 (12/1978)		fulva Schltr. – Orquidea Dec 93; p. 27, 41-43, 45	DIP
despectans Schltr. - Selbyana 11(S); p. 807	I	galeola Luer & Hirtz - Icones Pleuro XXIV; p. 17, 31	DI
digitata Luer & Hirtz - Icones Pleuro XXIV; p. 13, 30	DI	garayi (Dunst.) Carnevali & I. Ramírez - Orc of Ven FG 3; p. 1021	I
dimidiata Luer & Hirtz - Icones Pleuro XXIX; p. 27, 64	DI	gelida (Lindl.) Pridgeon & M.W.Chase = <i>Niphantha gelida</i> Icones Pleuro XXIX; p. 107 (8/2007)	
dirigens Luer & Hirtz - Icones Pleuro XXIV; p. 41-42, 67	DI	gemmulosa Luer & Hirtz – Icones Pleuro XXVI; p. 154, 183	DI
discoidea Luer & Dalström – Icones Pleuro XXVI; p. 151-152, 182	DI	genychnila Luer & Hirtz - NEO; 5:2301	P
dissimulans Luer & Dodson - Icones Pleuro XXIX; p. 27, 65	DI	gentryi Luer & Dodson – Icones Pleuro XXVI; p. 195, 198	DI
distans Luer & Hirtz - Icones Pleuro XXIV; p. 42, 68	DI	gigantea Luer & Hirtz = <i>Stelis gigantissima</i> Icones Pleuro XXVI; p. 115 (2/2004)	
diversifolia Luer & Hirtz - Icones Pleuro XXIX; p. 28, 65	DI	gigantissima Luer – Icones Pleuro XXIV; p. 48, 70 (was <i>S. gigantea</i>)	DI
dodsonii Luer & Hirtz = <i>Stelis fissa</i> Icones Pleuro XXVI; p. 115 (2/2004)		glaberrima Luer & Hirtz - Icones Pleuro XXIV; p. 48-49, 71	DI
dolichantha Luer & Hirtz - Icones Pleuro XXIX; p. 28-29, 65	DI	glanduligera Luer & Hirtz – Icones Pleuro XXVI; p. 154-155, 183	DI
drewii Luer & Endara - Icones Pleuro XXIX; p. 29, 66	DI	globosa Luer & Hirtz - NEO; 5:2302	P
dromedarina Luer & Hirtz - Icones Pleuro XXIV; p. 14, 30 NEO; 5:2352	DI	globulifera Luer & Hirtz - Icones Pleuro XXIV; p. 49, 71	DI
dunstervilleorum Foldats - Orc of Ven FG 3; p. 1016	P	glomerosa Luer - Selbyana 5(2); p. 191, 192	D
elatissima Luer & Hirtz - Icones Pleuro XXIX; p. 29-30, 66	I	NEO; 5:2303	P
elegans Luer & Vásquez – Orc of Bolivia Vol 1; p. 396	DI	glossucles Luer & Hirtz - Icones Pleuro XXIX; p. 10, 14	DI
elongatissima Luer & Hirtz - Icones Pleuro XXIV; p. 43, 68	DI	glossula Rchb.f. - NEO; 5:2304	P
embreei Luer & Hirtz - Icones Pleuro XXIV; p. 13-14, 30 NEO; 5:2349	DI	Selbyana 10(S); p. 6 (was <i>Apatostelis glossula</i>)	I
encephalota Luer & Hirtz - NEO; 5:2356	P	gracilis Ames - Selbyana 11(S); p. 808	I
Icones Pleuro XXIX; p. 4, 8		Orquidea Dec 93; p. 44, 45-47, 81	DIP
endresii Rchb.f. - Selbyana 10(1); p. 113, 142	DI	graminosa Luer & Hirtz - Icones Pleuro XXIX; p. 31-32, 67	DI
Orquidea Dec 93; p. 36-37, 39, 40-41	DI	gratiosa Luer - Selbyana 5(2); p. 192, 193	D
entrichota Luer & Hirtz - Icones Pleuro XXIX; p. 30, 66	DIP	grossilabris Rchb.f. - VOI; 3, p. 302	DI
epibator Luer & Hirtz – Icones Pleuro XXVI; p. 152, 182	DI	guatemalensis Schltr. - Selbyana 11(S); p. 809	I
erecta Duque – Orquideologia XX(3); p. 336, 341, 345	DI	Orquidea Dec 93; p. 48-51, 56	DIP
esmeraldae Luer & Hirtz – Icones Pleuro XXVI; p. 152-153, 182	DIP	guianensis Rolfe. - VOI; 2, p. 332	DI
eublepharis Rchb.f. - NCO; 4:642	DI	Orc of Ven FG 3; p. 1022	I
VOI; 3, p. 300	P	Orquideologia XXII(3); p. 293, 296, 303-304	DIP
Orc of Ven FG 3; p. 1017	DI	NEO; 5:2305	P
eumeces Luer & Hirtz - Icones Pleuro XXIX; p. 30-31, 66	I	gustavii Duque – Orquideologia XX(3); p. 337, 348, 350	DIP
eustylis Luer & Hirtz - Icones Pleuro XXIX; p. 31, 67	DI	haltonii Luer – Icones Pleuro XXVI; p. 155, 184	DI
exacta Luer & Hirtz – Icones Pleuro XXVI; p. 153, 183	DI	hammelii Luer - Selbyana 22(2); p. 122,123	DI
exasperata Luer - Icones Pleuro XXIV; p. 43-44, 68	DI	hirsuta Garay – Icones Pleuro in Color I; p. 2	P
excavata Luer & Hirtz = <i>Stelis cuencana</i> Icones Pleuro XXVI; p. 115 (2/2004)	DI	hirtzii Luer – Icones Pleuro XXIV; p. F	P
exilis Luer & Hirtz - Icones Pleuro XXIV; p. 15, 30	DI	Icones Pleuro XXIV; p. 7, 27	DI
exigua Luer & Hirtz - Icones Pleuro XXIV; p. 80, 84	DI	NEO; 5:2306	P
fabulosa Luer & Endara – Icones Pleuro XXVI; p. 153-154, 183	DI	hispida Luer & Hirtz - Icones Pleuro XXIV; p. 80-81, 84	DI
falcifera Luer & Hirtz - Icones Pleuro XXIV; p. 45, 69	DI	hoeijeri Luer & Dalström - Icones Pleuro XXIV; p. 49-50, 71	DI
fasciculiflora = <i>Pleurothallis obovata</i> Icones Pleuro XVIII; p. 114 (11/1999)	DI	humboldtina Luer & Hirtz – Icones Pleuro XXVI; p. 124, 135	DI
fendleri Lindl. - VOI; 1, p. 418	DI	humilis Lindl. - VOI; 1, p. 420	DI
Orc of Ven FG 3; p. 1018	I	Orc of Ven FG 3; p. 1023	I
ferax Luer & Hirtz = <i>Stelis tridentata</i> Icones Pleuro XXVI; p. 115 (2/2004)		hydroidea Luer & Hirtz – Icones Pleuro XXVI; p. 155-156, 184	DI
fissa Lindl. - Icones Pleuro XXIV; p. 42-43, 68 (was <i>S. dodsonii</i>)	DI	hylophila Rchb.f. - VOI; 4, p. 302	DI
fissurata Luer & Hirtz - Icones Pleuro XXIV; p. 15, 30	I	Orc of Ven FG 3; p. 1024	I
flava Luer & Hirtz - Icones Pleuro XXIV; p. 15-16, 31		hymenantha Schltr. – Orquidea Dec 93; p. 51-55, 56	DIP
flavida H.Focke = <i>Pleurothallis pruinosa</i> Icones Pleuro XVIII; p. 33 (11/1999)		hymenopetala Luer & Endara - Icones Pleuro XXIX; p. 32, 67	DI
flexilis Luer & Hirtz - Icones Pleuro XXIV; p. 16, 31	DI	imbricans Luer & Hirtz – Icones Pleuro XXVI; p. 156, 184	DI
flexuosa Lindl. – Orc of Bolivia Vol 1; p. 391 VOI; 4, p. 300	DI	immodica Luer & Hirtz – Icones Pleuro XXVI; p. 156-157, 184	DI
Orc of Ven FG 3; p. 1019	DI	imposter Luer & Hirtz – Icones Pleuro XXVI; p. 157, 185	DI
flexuosissima Luer & Hirtz - Icones Pleuro XXIV; p. 46, 70		NEO; 5:2307	P
floresii Luer & Hirtz - Icones Pleuro XXIV; p. 47, 70		inaequalis (Ames) Garay – Selbyana 10(S); p. 7 (was <i>Apatostelis inaequalis</i>)	I
florianii Luer - Icones Pleuro XXIV; p. 16-17, 31	P	inclinata Duque – Orquideologia XX(3); p. 337, 349, 350	DIP
foetida Duque – Orquideologia XX(3); p. 336, 342, 345	DI	inflata Luer - Icones Pleuro XXIX; p. 11, 14	DI
formosa Luer & Hirtz - Icones Pleuro XXIV; p. 47-48, 70	I	ingramii Luer - Lindleyana 11(2); p. 100	DI
fortis Luer & Dalström – Icones Pleuro XXVI; p. 123-124, 135	DI	ingridiana Luer & Hirtz – Icones Pleuro XXVI; p. 124-125, 136	DI
franciscana Duque – Orquideologia XX(3); p. 336, 343, 350	DI	intermedia Poepp. & Endl. - VOI; 5, p. 296	DI
fraterna Lindl. - Orc of Ven FG 3; p. 1020	DI	Orc of Ven FG 3; p. 1025	I
	DIP	intonsa Luer & Endara – Icones Pleuro XXVI; p. 158, 185	DI
	DI	janus Luer & Hirtz - Icones Pleuro XXIX; p. 32-33, 67	DI
	DI	jimburae Luer & Hirtz - Icones Pleuro XXIV; p. 50, 71	DI
	DIP	johnsonii Ames – Lindleyana 15(1); p. 46-48	DI
	I	juncea Luer & Hirtz - Icones Pleuro XXIV; p. 81, 85	DI

Stelis

karenae Luer - Lindleyana 11(2); p. 100	DI	milagrensis Luer & Hirtz - Icones Pleuro XXIX; p. 38, 70	DI
kuijtii Luer & Hirtz - Icones Pleuro XXIV; p. 50-51, 72	DI	millenaria Luer - Icones Pleuro XXVI; p. 163, 187	DI
lanceolata (Ruiz & Pav.) Willd. - VOI; 4, p. 304	DI	minimiflora Schltr. - Orc of Ven FG 3; p. 1033	I
Orc of Ven FG 3; p. 1026	I	NEO; 5:2315	P
lacunata Luer & Endara - Icones Pleuro XXIX; p. 33, 68	DI	minutissima Luer - Icones Pleuro XXIV; p. 53-54, 73	DI
langlassei Schltr. - NEO; 5:2308	P	miqueliana (Focke) Lindl. = <i>Pleurothallis miqueliana</i>	
lanuginosa Luer & Dalström - Icones Pleuro XXVI; p. 158, 185	DI	<i>Icones Pleuro XXVI; p. 49 (2/2004)</i>	
languinosa Luer - NEO; 5:2309	P	misera Luer & Hirtz - Icones Pleuro XXIX; p. 38-39, 70	DI
lapoi Luer & Hirtz - Icones Pleuro XXIX; p. 11, 14	DI	mnemonica Luer & Hirtz - Icones Pleuro XXIX; p. 5, 8	DI
latimarginata Luer & Hirtz - Icones Pleuro XXVI; p. 159, 185	DI	molau Luer & Endara - Icones Pleuro XXIX; p. 39, 71	DI
latisepala C. Schweinf. - VOI; 4, p. 306	DI	molleturensis Luer & Hirtz - Icones Pleuro XXVI; p. 196, 199	DI
Orc of Ven FG 3; p. 1027	I	monicae Luer & Hirtz - Icones Pleuro XXIX; p. 39-40, 71	DI
laudabilis Luer - Icones Pleuro XXIX; p. 4, 8	DI	moniligera Luer & Hirtz - Icones Pleuro XXIX; p. 40, 71	DI
lentiginosa Lindl. - VOI; 5, p. 298	DI	morae Luer - Lindleyana 11(2); p. 103	DI
Orc of Ven FG 3; p. 1028	I	multiflora Luer & Hirtz - Icones Pleuro XXVI; p. 127, 137	DI
NEO; 5:2310	P	mundula Luer & Hirtz - Icones Pleuro XXVI; p. 163-164, 188	DI
lepidella Luer & Hirtz - Icones Pleuro XXIX; p. 33-34, 68	DI	muscifera Lindl. - VOI; 2, p. 334	DI
leucopogon Rchb.f. - Orquidea Dec 93; p. 39, 55-56, 59, 61	DIP	Orc of Ven FG 3; p. 1034	I
levicula Luer - Icones Pleuro XXIX; p. 34, 68	DI	nagelii Solano - Orquidea Dec 93; p. 66,67-69, 98	DIP
liberalis Luer & Portillo - Icones Pleuro XXVI; p. 159, 186	DI	nambijae Luer & Hirtz - Icones Pleuro XXVI; p. 164, 188	DI
lilliputana Luer & F.Werner - Icones Pleuro XXIX; p. 34-35, 68	DI	nanagalensis Lindl. - NEO; 5:2316	P
limbata Luer & Hirtz - Icones Pleuro XXIX; p. 35, 69	DI	navicularis Garay - VOI; 5, p. 300	DI
limonensis Luer & Hirtz - Icones Pleuro XXIV; p. 51, 72	DI	neglecta Bock & Speckmaier - Orc of Ven FG 3; p. 1035	I
lindenii Lindl. - Lindleyana 1(4); p. 332	DI	nepotula Luer & Hirtz - Icones Pleuro XXIV; p. 54, 73	DI
listrophylla Luer & Hirtz - Icones Pleuro XXVI; p. 125, 136	DI	neudeckeri Luer & Dodson - Icones Pleuro XXVI; p. 127, 137	DI
litensis Luer & Hirtz - Icones Pleuro XXIX; p. 35-36, 69	DI	nexipous Garay - NCO; 6:1377	P
loejtnantii Luer & Endara - Icones Pleuro XXVI; p. 160, 186	DI	NEO; 5:2317	P
londonii Duque - Orquideologia XX(3); p. 352, 355, 363	DIP	nigrescens Luer & Hirtz - Icones Pleuro XXIX; p. 12, 15	DI
longihirta Luer & Hirtz - Icones Pleuro XXIV; p. 51-52, 72	DI	nikiae Luer & Hirtz - Icones Pleuro XXIX; p. 40-41, 71	DI
longipetala Duque - Orquideologia XX(3); p. 353, 355, 363	DIP	ninguida Luer & Dalström - Icones Pleuro XXIX; p. 41, 72	DI
longipetiolata Ames - Selbyana 11(S); p. 810	I	nitens Rchb.f. - VOI; 4, p. 310	DI
longirepens Carnevali & J.L. Tapia - Orc of Ven FG 3; p. 1029	I	Orc of Ven FG 3; p. 1036	I
longissima Luer & Hirtz - Icones Pleuro XXIV; p. 52, 72	DI	nonresupinata Solano & Soto Arenas = <i>Effusiella nonresupinata</i>	
lorenae Luer - Icones Pleuro XXIX; p. 36, 69	DI	<i>Icones Pleuro XXIX; p. 107 (8/2007)</i>	
lumbricosa Duque - Orquideologia XX(3); p. 354, 355, 363	DIP	norae Foldats - Orc of Ven FG 3; p. 1037	I
luteola Luer & Hirtz - Icones Pleuro XXVI; p. 126, 136	DI	nycterina Luer & Hirtz - Icones Pleuro XXIV; p. 18, 32	DI
luteria Luer & Hirtz - Icones Pleuro XXIV; p. 17-18, 32	DI	oaxacana Solano - Orquidea Dec 93; p. 69-73, 99	DIP
NEO; 5:2311	P	oblonga (Ruiz & Pav.) Willd. - VOI; 4, p. 312	DI
lynniana Luer - Icones Pleuro XXIX; p. 5, 8	DI	Orc of Ven FG 3; p. 1038	I
macilenta Luer & Hirtz - Icones Pleuro XXIV; p. 52-53, 73	DI	oblongifolia Lindl. - NEO; 5:2318	P
macrolemma Luer & Endara -	DI	obovata C. Schweinf. - VOI; 6, p. 422	DI
Icones Pleuro XXVI; p. 160-161, 186	DI	obsecta Luer & Dalström - Icones Pleuro XXIX; p. 41-42, 72	DI
maderoi Schltr. - Orc of Ven FG 3; p. 1030	I	ophioceps Luer & Hirtz - Icones Pleuro XXIX; p. 42, 72	DI
madsenii Luer & Endara - Icones Pleuro XXIX; p. 36-37, 69	DI	opimipetala Luer & Hirtz - Icones Pleuro XXVI; p. 164-165, 188	DI
maduroi Luer & Sijm - Icones Pleuro XXIX; p. 111, 114	DI	orbiculata Luer & Endara - Icones Pleuro XXIX; p. 42-43, 72	DI
major Rchb.f. - VOI; 4, p. 308	DI	orecta Luer & Hirtz - Icones Pleuro XXIX; p. 6, 9	DI
Orc of Ven FG 3; p. 1031	I	ortegae Luer & Hirtz - Icones Pleuro XXIV; p. 54-55, 74	DI
NEO; 5:2312	P	oscitans Luer - Lindleyana 11(2); p. 105	DI
maloi Luer - NEO; 5:2313	P	ovatilabia Schltr. - Selbyana 11(S); p. 812, 813	I
mammillata Luer & Hirtz - Icones Pleuro XXIX; p. 37, 70	DI	Orquidea Dec 93; p. 57, 73-76	DIP
maniola Luer & Hirtz - Icones Pleuro XXVI; p. 117, 119	DI	oxypetala Schltr. - Orquidea Dec 93; p. 76-79, 80, 83	DIP
martinezii Solano - Orquidea Dec 93; p. 60, 61-63, 99	DIP	pachypus Lehm. & Krzl. = <i>Pleurothallis pachypus</i>	
matula Luer & Hirtz - Icones Pleuro XXIV; p. 8, 27	DI	<i>Icones Pleuro XVI; p. 41 (4/1998)</i>	
NEO; 5:2314	P	pachyphyta Luer & Hirtz - Icones Pleuro XXIV; p. 55, 74	DI
maxima Lindl. - VOI; 6, p. 420	DI	NEO; 5:2319	P
Orc of Ven FG 3; p. 1032	I	pactensis Luer & Hirtz - Icones Pleuro XXIX; p. 6, 9	DI
maxonii Schltr. - Selbyana 11(S); p. 811	I	panamensis Schltr. - Selbyana 11(S); p. 814	I
medinae Luer & Hirtz - Icones Pleuro XXVI; p. 161, 186	DI	panguiensis Luer & Hirtz - Icones Pleuro XXIX; p. 43, 73	DI
megalops Luer & Hirtz - Icones Pleuro XXVI; p. 161-162, 187	DI	paniculata Luer & Hirtz - Icones Pleuro XXVI; p. 165, 188	DI
meganthera Luer - Selbyana 22(2); p. 122,123-124	DI	papaquerensis Rchb.f. - VOI; 3, p. 304	DI
megapetala Luer - Selbyana 22(2); p. 124-126	DI	papilio Duque - Orquideologia XX(3); p. 356, 358, 363	DIP
membranacea Luer & Hirtz - Icones Pleuro XXVI; p. 162, 187	DI	papiliopsis Duque - Orquideologia XX(3); p. 356, 361, 367	DIP
memorialis Luer & Hirtz - Icones Pleuro XXVI; p. 126, 136	DI	papulina Luer & Dalström - Icones Pleuro XXVI; p. 165-166, 189	DI
mendozae Luer - Icones Pleuro XXVI; p. 162-163, 187	DI	paradisicola Luer & Hirtz - Icones Pleuro XXIX; p. 43-44, 73	DI
micacea Luer & Hirtz - Icones Pleuro XXIV; p. 53, 73	DI	pardipes Rchb.f. - NEO; 5:2320	P
microchila Schltr. - Orquidea Dec 93; p. 38, 63-65, 67	DIP	parvilabris Lindl. - VOI; 4, p. 314	DI
micropetala Luer & Hirtz - Icones Pleuro XXIX; p. 37-38, 70	DI	Orc of Ven FG 3; p. 1039	I

Stelis

parvipetala Luer & Hirtz - Icones Pleuro XXIV; p. 18-19, 32	DI	pygmaea Cogn. - Orc of Ven FG 3; p. 1044	I
parvula Lindl. - Selbyana 10(1); p. 113, 143	DI	pyramidalis Duque - Orquideologia XX(3); p. 356, 364, 367	DIP
Selbyana 11(S); p. 815	I	quinquenervia C. Schweinf. - Orc of Bolivia Vol 1; p. 391 (spelling)	P
patens Luer & Hirtz - Icones Pleuro XXIV; p. 19-20, 32	DI	rabei Foldats - VOI; 6, p. 430	DI
patinaria Luer & Hirtz - Icones Pleuro XXIV; p. 20, 33	DI	Orc of Ven FG 3; p. 1045	I
NEO; 5:2321	P	racemiflora (Lindl. ex Lodd.) Lodd. ex Baxt. = <i>Loddigesia quadrifida</i>	
pauciflora Lindl. - Orquideologia XXII(3); p. 293, 296, 302-303	DIP	<i>Icones Pleuro XXVIII; p. 251 (05/2006)</i>	
paulula Luer & H.P.Jesup - Icones Pleuro XXIX; p. 44, 73	DI	racemiflora (Lindl. ex Lodd.) Pridgeon & M.W.Chase =	
pedanocaulon Luer & Hirtz - Icones Pleuro XXVI; p. 128, 137	DI	<i>Loddigesia quadrifida</i>	
peduncularis Luer & Hirtz - Icones Pleuro XXVI; p. 166, 189	DI	<i>Icones Pleuro XXVIII; p. 251 (05/2006)</i>	
pelycophora Luer & Hirtz - Icones Pleuro XXIX; p. 12, 15	DI	ramificans Luer & Endara - Icones Pleuro XXIX; p. 46, 74	DI
perplexa Ames - Selbyana 11(S); p. 816, 817	I	ramulosa Luer & Dalström - Icones Pleuro XXVI; p. 169-170, 191	DI
Orquidea Dec 93; p.81, 82, 83-84	DIP	regina Luer & Hirtz - NEO; 5:2329 (misspelled reginae)	I
petiolata Luer & Hirtz - Icones Pleuro XXVI; p. 196, 199	DI	Icones Pleuro XXIV; p. 21-22, 33	DI
phil-jesupii Luer - Icones Pleuro XXIV; p. 55-56, 74	DI	remifolia Luer & Hirtz - Icones Pleuro XXVI; p. 170, 191	DI
NEO; 5:2322	I	reniformis Luer & Hirtz - Icones Pleuro XXVI; p. 118, 119, 120	DI
picea Luer & Hirtz - Icones Pleuro XXIX; p. 7, 9	DI	NEO; 5:2330	P
pilosa Luer & Hirtz = <i>Stelis pilosissima</i>		repanda Luer & Hirtz - Icones Pleuro XXIV; p. 23-24, 34	DI
<i>Icones Pleuro XXVI; p. 115 (2/2004)</i>		NEO; 5:2331	I
pilosissima Luer - Icones Pleuro XXIV; p. 56, 74 (was <i>S. pilosa</i>)	DI	retroversa Duque - Orquideologia XX(3); p. 359, 365, 368	DIP
NEO; 5:2323 (was <i>S. pilosa</i>)	I	revoluta (Ruiz & Pavon) Willd. = <i>Pleurothallis revoluta</i>	
piperina Lindl. - NEO; 5:2324	P	<i>Icones Plant Trop, Ser II, Fasc 3; pl. 283 (12/1989)</i>	
pisinna Luer & Hirtz - Icones Pleuro XXVI; p. 166-167, 189	DI	rimulata Luer & Hirtz - Icones Pleuro XXVI; p. 170-171, 191	DI
pixie Luer & Hirtz - Icones Pleuro XXVI; p. 167, 189	DI	riozunagensis Luer & Hirtz - Icones Pleuro XXIX; p. 46-47, 74	DI
platypetala Luer & Dalström - Icones Pleuro XXIV; p. 20-21, 33	DI	rosamariae Luer & Hirtz - Icones Pleuro XXIV; p. 15-16, 31	DI
NEO; 5:2325	I	NEO; 5:2332	I
platystachya Garay & Dunst. - VOI; 6, p. 424	DI	rosulenta Luer & Vásquez - Orc of Bolivia Vol 1; p. 397	I
Orc of Ven FG 3; p. 1040	I	rotunda Luer & Hirtz - Icones Pleuro XXVI; p. 171, 191	DI
pluriracemosa Luer & Hirtz - Icones Pleuro XXIX; p. 44-45, 73	DI	rubens Schltr. - Icones Orchid, Fasc 1; pl. 98	DI
poculifera Luer & Hirtz - Icones Pleuro XXIV; p. 81-82, 85	DI	Orquidea Dec 93; p. 80, 88-92	DIP
polyantha Luer & Hirtz - Icones Pleuro XXVI; p. 167-168, 190	DI	Selbyana 10(S); p. 8 (was <i>Apatostelis rubens</i>)	I
polycarpica Luer & Hirtz - Icones Pleuro XXIV; p. 56-57, 75	DI	rufobrunnea (Lindl.) L.O.Williams = <i>Pleurothallis rufobrunnea</i>	
popayanensis Lehm. & Krzl. - VOI; 6, p. 426	DI	<i>Icones Pleur XVIII; p. 92 (11/1999)</i>	
porpax Rchb.f. - VOI; 3, p. 306	DI	rutrum Luer & Vásquez - Orc of Bolivia Vol 1; p. 391	P
Orc of Ven FG 3; p. 1041	I	saccata Luer & Hirtz - Icones Pleuro XXIV; p. 7-8, 27	DI
NEO; 5:2326	P	salazarii Solano - Lindleyana 15(1); p. 48-50	DI
porphyrea Luer & Hirtz - Icones Pleuro XXIV; p. 57, 75	DI	sanchezii Luer & Hirtz - Icones Pleuro XXIV; p. 23-24, 34	DI
portillae Luer & Hirtz - Icones Pleuro XXVI; p. 168, 190	DI	sanctae-rosae Luer & Hirtz - Icones Pleuro XXIV; p. 59-60, 76	DI
NEO; 5:2327	P	santiagoënsis Mansf. - VOI; 4, p. 316	DI
powellii Schltr. - Selbyana 11(S); p. 818	I	Orc of Ven FG 3; p. 1046	I
prava Luer & Hirtz - Icones Pleuro XXVI; p. 168-169, 190	DI	santiagoi Luer & Hirtz - Icones Pleuro XXIV; p. 24, 34	DI
proclara Luer & Hirtz - Icones Pleuro XXIV; p. 21, 33	DI	satyrica Luer & Hirtz - Icones Pleuro XXIX; p. 47, 75	DI
procera Luer = <i>Stelis viridibrunnea</i>		saurocephala Luer & Hirtz - Icones Pleuro XXVI; p. 119, 120	DI
<i>Icones Pleuro XXVI; p. 115 (2/2004)</i>		scaberula Luer & Hirtz - Icones Pleuro XXIX; p. 47-48, 75	DI
prolata Luer & Hirtz - Icones Pleuro XXVI; p. 169, 190	DI	scalena Luer & Hirtz - Icones Pleuro XXIV; p. 60, 76	DI
prolificosa Luer & Hirtz - Icones Pleuro XXIX; p. 45, 74	DI	NEO; 5:2333	P
propagans Luer & Hirtz - Icones Pleuro XXVI; p. 128, 137	DI	scaphoglossa Luer & Hirtz - Icones Pleuro XXVI; p. 129, 138	DI
propinqua Ames - Selbyana 11(S); p. 819	I	scaphoides Duque - Orquideologia XX(3); p. 359, 367, 369	DIP
Orquideologia XXII(3); p. 293, 296, 304-305	DIP	schistochila Luer & Hirtz - Icones Pleuro XXVI; p. 171-172, 192	DI
protracta Luer & Hirtz - Icones Pleuro XXIV; p. 58, 75	DI	schmidtchenii Schltr. - Orc of Ven FG 3; p. 1047	I
protuberans Luer & Hirtz - Icones Pleuro XXIX; p. 45-46, 74	DI	schomburgkii Fawc. & Rendle - Orc of Ven FG 3; p. 1048	I
pubipetala Luer & Hirtz - Icones Pleuro XXIV; p. 58-59, 76	DI	scitula Luer & Hirtz - Icones Pleuro XXIX; p. 48, 75	DI
pulchella H.B.K. = <i>Pleurothallis pulchella</i>	DI	scutella Duque - Orquideologia XX(3); p. 359, 367, 370	DIP
<i>Icones Pleuro XVI; p. 46 (4/1998)</i>		secunda Luer & Dalström - Icones Pleuro XXVI; p. 172, 192	DI
punctulata (Rchb.f.) Solano & Soto Arenas = <i>Lomax punctulata</i>		NEO; 5:2334	P
<i>Icones Pleuro XXVIII; p. 88 (5/2006)</i>		septella Luer - Icones Pleuro XXVI; p. 172-173, 192	DI
purdieaei Lindl. - Orc of Ven FG 3; p. 1042	I	septicola Luer & Endara - Icones Pleuro XXIX; p. 48-49, 75	DI
purpurascens A.Rich.& Gal. - Selbyana 11(S); p. 820	I	serpens Luer & Hirtz = <i>Stelis brevilabris</i>	
Orquidea Dec 93; p. 26, 84-88	DIP	<i>Icones Pleuro XXVI; p. 115 (2/2004)</i>	
purpurea (Ruiz & Pavon) Willd. - Selbyana 4; p. 194	DI	serrulifera Luer & Hirtz - Icones Pleuro XXIV; p. 60-61, 77	DI
Icones Plant Trop, Ser II, Fasc 2; pl. 178	DI	similis Luer & Hirtz - Icones Pleuro XXIX; p. 49, 76	DI
Selbyana 10(1); p. 113, 143	DI	situlifera Luer & Hirtz - Icones Pleuro XXIV; p. 24-25, 35	DI
NEO; 5:2328	P	soricina Luer & Hirtz - Icones Pleuro XXIX; p. 49-50, 76	DI
purpurella Luer & Hirtz - Icones Pleuro XXIV; p. 59, 76	DI	sorocula Luer & Hirtz - Icones Pleuro XXIX; p. 50, 76	DI
pusilla HBK - Selbyana 4; p. 194	DI	sotoana Solano - Orquidea Dec 93; p. 96-97, 98, 101	DIP
VOI; 6, p. 428	DI	sparsiflora Luer & Hirtz - Icones Pleuro XXIX; p. 13, 15	DI
Orc of Ven FG 3; p. 1043	I		

Stelis

spathulata Poepp. & Endl. - VOI; 5, p. 302 Orc of Ven FG 3; p. 1049 NEO; 5:2336	DI I P	Orc of Ven FG 3; p. 1054 venosa Luer & Endara – Icones Pleuro XXVI; p. 132, 139 venusta Luer & Hirtz – Icones Pleuro XXVI; p. 132-133, 139	I DI DI
spiralis (Ruiz & Pav.) Pers. = <i>Pleurothallis spiralis</i> <i>Selbyana</i> 1(3); p. 294 (12/1975)		veracrucensis Solano – Orquidea Dec 93; p. 98, 102-105 veraguasensis Luer - Selbyana 22(2); p. 126-127	DIP DI
stapdeia Duque – Orquideologia XX(3); p. 360, 368, 372	DIP	vesca Luer & Hirtz - Icones Pleuro XXIV; p. 63, 78	DI
steganopus Garay - NEO; 5:2337	P	vespertina Solano & Soto Arenas – Orquidea Dec 93; p. 26, 106	IP
stella Duque – Orquideologia XX(3); p. 360, 368, 373	DIP	vestita Ames - Selbyana 11(S); p. 821	I
stenophylla Rchb.f. - Orc of Ven FG 3; p. 1050	I	viamontis Luer & Hirtz – Icones Pleuro XXVI; p. 174-175, 193	DI
stevensonii Luer – Icones Pleuro XXVI; p. 173, 192	DI	villifera Luer - Icones Pleuro XXIV; p. 63, 78	DI
stormii Luer & Endara - Icones Pleuro XXIX; p. 50-51, 76	DI	violacea Garay - VOI; 6, p. 436	DI
striolata Lindl. - VOI; 4, p. 318 Orc of Ven FG 3; p. 1051	DI I	Orc of Ven FG 3; p. 1055 viridibrunnea Lehm. & Kraenzl. –	I DI
stribilacea Luer - Icones Pleuro XXIX; p. 13, 15	DI	Icones Pleuro XXIV; p. 57-58, 75 (was <i>S. procera</i>)	DI
strictissima Luer & Hirtz - Icones Pleuro XXIX; p. 51, 77	DI	vollesii Luer & Dodson - Icones Pleuro XXIV; p. 26, 35	DI
subtilis Luer & Dalström – Icones Pleuro XXVI; p. 197, 199	DI	vulcani Rchb.f. - VOI; 4, p. 324	DI
sumacoënsis Luer & Hirtz - Icones Pleuro XXIV; p. 25, 35 NEO; 5:2338	DI	Orc of Ven FG 3; p. 1056	I
superbiens Lindl. - Selbyana 10(1); p. 113, 143 NEO; 5:2339	P DI	NEO; 5:2346 vulcanica Schltr. - Selbyana 11(S); p. 822	P P
supervivens Luer & Hirtz - Icones Pleuro XXIX; p. 51-52, 77	DI	NCO; 4:644	P
surrogatilabia Luer & Hirtz – Icones Pleuro XXVI; p. 129, 138 NEO; 5:2340	DI	wendtii Solano – Lindleyana 15(1); p. 50-52	DI
tacanensis Solano & Soto Arenas = <i>Physosiphon emarginatus</i> <i>Icones Pleuro XXIX; p. 99 (08/2007)</i>	DI	wercklei Schltr. - Selbyana 11(S); p. 823	I
tachirensis Foldats - VOI; 6, p. 432	P	wilhelmii Luer - Icones Pleuro XXIX; p. 57-58, 80	DI
tanythrix Luer & Hirtz - Icones Pleuro XXIX; p. 52, 77	DI	williamsii Ames - Selbyana 11(S); p. 824	I
tarda Luer & Hirtz – Icones Pleuro XXVI; p. 130, 138	DI	ximena Luer & Hirtz – Icones Pleuro XXVI; p. 175, 193	DI
taurina Duque – Orquideologia XX(3); p. 360, 368, 374	DI	NEO; 5:2347	P
teaguei Luer & Hirtz – Icones Pleuro XXVI; p. 130-131, 138	DI	yanganensis Luer & Hirtz - Icones Pleuro XXIV; p. 64, 78	DI
tempestuosa Luer & Hirtz - Icones Pleuro XXIV; p. 82-83, 85 NEO; 5:2341, 2342	DIP	zamorae Luer & Hirtz - Icones Pleuro XXIX; p. 58, 80	DI
tenuifolia Luer & Hirtz – Icones Pleuro XXVI; p. 131, 139	DI	zarumae Luer & Hirtz - Icones Pleuro XXIV; p. 64, 78	DI
tenuissima Schltr. – Orquidea Dec 93; p. 100, 101-102	DI	zelenkoi Luer & Hirtz - Icones Pleuro XXIV; p. 8-9, 27	DI
tetramera Luer - Icones Pleuro XXIX; p. 52-53, 77	DI	NEO; 5:2348	P
thamiostachya Luer & Endara - Icones Pleuro XXIX; p. 53, 78	IP	zigzag Luer & Hirtz – Icones Pleuro XXVI; p. 197, 199	DI
thermatica Luer & Hirtz - Icones Pleuro XXIX; p. 53-54, 78	DI	zonata Rchb.f. - Orc of Ven FG 3; p. 1057	DI
thoerleae Luer – Icones Pleuro XXVI; p. 131-132, 139	DI		I
tortuosa Luer & Hirtz – Icones Pleuro XXVI; p. 173-174, 193	DI		DIP
trairistata Luer - Selbyana 5(2); p. 193	DI		P
translucens Luer & Hirtz - Icones Pleuro XXIX; p. 54, 78	D		P
trichoglottis Luer & Dodson - Icones Pleuro XXIX; p. 54-55, 78	DI		DI
trichorrhachis Rchb.f. - VOI; 4, p. 320	DI		
tricola Luer & Hirtz - Icones Pleuro XXIX; p. 55, 79	DI		
tridactyloides Luer & Hirtz - Icones Pleuro XXIV; p. 61, 77 NEO; 5:2343	DI		
tridactylon Luer - Selbyana 5(2); p. 193, 194	P		
tridentata Lindl. - VOI; 4, p. 322 Orc of Ven FG 3; p. 1052	D DI I	cabellensis Rchb.f. - VOI; 4, p. 208 Orc of Ven FG 3; p. 761	DI I DI
Icones Pleuro XXIV; p. 46, 69 (was <i>S. ferax</i>)	DI	Icones Pleuro XXVIII; p. 227, 235	DI
triplex Luer & Hirtz - Icones Pleuro XXIX; p. 55-56, 79	DI	Orc of Ven FG 3; p. 786 (was <i>P. fritzii</i>)	I
triseta Lindl. - Orc of Ven FG 3; p. 1053	DI	cactantha Luer - Selbyana 3(1,2); p. 72	DI
tristyla Lindl. - Lindleyana 1(4); p. 334 NEO; 5:2344	DI	Icones Pleuro XXVIII; p. 228, 235	DI
tropex Luer & Endara - Icones Pleuro XXIX; p. 56, 79	I	fuegii (Rchb.f.) Luer - Selbyana 11(S); p. 647, 648	I
tubata Lodd. = <i>Physosiphon emarginatus</i> <i>Icones Pleuro XXIX; p. 99 (08/2007)</i>	DI	Icones Pleuro XXVIII; p. 228-229, 235	DI
tumida Luer & Hirtz – Icones Pleuro XXVI; p. 174, 193	P	Selbyana 11(S); p. 649 (was <i>P. fuegii</i> v. <i>echinata</i>)	I
umbelliformis Hesperheide & Dressler - NCO; 6:1379	DI	Orquidea Mar 77; p. 169-171 (was <i>P. hagsateri</i>)	DIP
umbonis Luer & Hirtz - Icones Pleuro XXIX; p. 56-57, 79	DI	turrialbae (Luer) Luer - Lindleyana 6(2); p. 105	DI
uncifera Luer & Hirtz - Icones Pleuro XXIX; p. 7, 9	DI	Lindleyana 11(2); p. 97	DI
undulata Luer & Hirtz - Icones Pleuro XXIV; p. 61-62, 77	DI	Icones Pleuro XXVIII; p. 229-230, 235	DI
uniflora Luer & Hirtz - Icones Pleuro XXIX; p. 57, 80	DI		
uxoria Luer & Hirtz - Icones Pleuro XXIV; p. 62, 77 NEO; 5:2345	DI		
velivolva Luer & Hirtz - Icones Pleuro XXIV; p. 25-26, 35	I		
venezuelensis Foldats - VOI; 6, p. 434	DI		

Streptoura (This was Masdevallia)

Sylphia (These were Pleurothallis)

Talpinaria (These were Pleurothallis)

Talpinaria

VOI; 2, p. 304	DI	NEO; 5:2469	I
Orc of Ven FG 3; p. 855	I	<i>acunae</i> Luer = <i>Pleurothallis obliquipetala</i>	
NEO; 4:1856	P	<i>Icones Pleuro XV; p. 14 (12/1997)</i>	
hitchcockii (Ames) Luer - <i>Icones Pleuro XVI; p. 96-97, 100</i>	DI	<i>aequatorialis</i> (Luer) Luer = <i>Trichosalpinx dirhamphis</i>	
<i>Icones Plant Trop, Ser II, Fasc 2; pl. 157</i>	DI	<i>Icones Pleuro XV; p. 53 (12/1997)</i>	
VOI; 1, p. 328	DI	alabastra (Luer & Escobar) Luer - <i>Icones Pleuro XV; p. 42-43, 88</i>	DI
Orc of Ven FG 3; p. 798	I	amygdalodora (Krzl.) Luer - <i>Icones Pleuro XV; p. 43-44, 88</i>	DI
NEO; 4:1778	P	NEO; 5:2470	P
punctulata (Rölfe) Luer - <i>Icones Pleuro XVI; p. 97, 100</i>	DI	<i>apoda</i> (Garay & Dunst.) Luer = <i>Lepanthopsis apoda</i>	
NCO; 3:514	P	<i>Icones Pleuro VIII; p. 74 (8/1991)</i>	
VOI; 5, p. 244	DI	arbuscula (Lindl.) Luer - <i>Icones Pleuro XV; p. 44, 88</i>	DI
Orc of Ven FG 3; p. 832	I	Orc of Bolivia Vol 1; p. 407	I
sandemanii (Luer) Luer - <i>Icones Pleuro XVI; p. 98, 100</i>	DI	NCO; 6:1394	P
<i>Orquideologia XX(2); p. 222, 223</i>	DI	VOI; 4, p. 202 (was <i>Pleurothallis arbuscula</i>)	DI
NEO; 4:1842	P	NEO; 5:2471	P
		<i>arbusculoides</i> (Hashimoto) Luer = <i>Trichosalpinx arbuscula</i>	
		<i>Icones Pleuro XV; p. 44 (12/1997)</i>	
		atropurpurea Luer - <i>Icones Pleuro XV; p. 46, 89</i>	DI
		NEO; 5:2472	I
	DI	<i>bacillaris</i> (Pabst) Luer = <i>Pleurothallis bacillaris</i>	
	P	<i>Icones Pleuro XV; p. 14 (12/1997)</i>	
alysana Luer & Jost - <i>Icones Pleuro XX; p. 131-132, 140</i>	DI	ballatrix Luer & Escobar - <i>Icones Pleuro XV; p. 114, 117</i>	DI
NEO; 5:2403	DI	<i>Orquideologia XVI(2); p. 178, 179, 180</i>	DI
cymbisepala Luer & Jost - <i>Icones Pleuro XX; p. 132, 140</i>	DI	barbelifera Luer & Vásquez - <i>Icones Pleuro XV; p. 46-47, 89</i>	DI
jostii Luer - <i>Icones Pleuro XX; p. 132-133, 140</i>	IP	Orc of Bolivia Vol 1; p. 408	I
NEO; 5:2396, 2397, 2403	DI	berlineri (Luer) Luer - <i>Icones Pleuro XV; p. 17, 36</i>	DI
lehmannii Luer - <i>Icones Pleuro VIII; p. 142, 143</i>	DI	Lindleyana 1(4); p. 298 (was <i>Pleurothallis</i>)	DI
phasmida (Luer & Escobar) Luer -	P	Selbyana 3(1,2); p. 60 (was <i>Pleurothallis</i>)	DI
<i>Icones Pleuro VII; p. 92, 93 (was Platystele)</i>	DI	Orc of Bolivia Vol 1; p. 409	I
<i>Orquideologia XVI(3); p. 43, 44 (was Platystele)</i>	DI	<i>Icones Pleuro in Color I; p. 3</i>	P
NCO; 3:484	P	NCO; 4:683	P
portillae Luer - <i>Icones Pleuro XXIV; p. 112, 121</i>	DI	Orc of Ven FG 3; p. 1080	I
NEO; 5:2398	P	bicolor (Barb.Rodr.) Luer = <i>Pleurothallis bicolor</i>	
rex (Luer & Escobar) Luer -	DI	<i>Icones Pleuro XV; p. 14 (12/1997)</i>	
<i>Icones Pleuro VII; p. 108, 109 (was Platystele)</i>	DI	blaisdellii (S.Wats.) Luer - <i>Icones Pleuro XV; p. 18-19, 36</i>	DI
<i>Orquideologia XV(2,3); p. 140, 141 (was Platystele)</i>	DI	Lindleyana 11(2); p. 108 (was <i>lankesteriana</i>)	DI
NCO; 3:481	P	Selbyana 10(1); p. 114, 144	DI
NCO; 6:1381	P	Selbyana 11(S); p. 622, 623	I
sancheziae Luer & Jost - <i>Icones Pleuro XX; p. 133</i>	DI	<i>Orquidea Aug 87; p. 270, 281-284</i>	DI
NEO; 5:2399	P	<i>Orquidea Aug 87; p. 275, 292-294 (was tamayoana)</i>	DI
teaguei (Luer) Luer - <i>Icones Pleuro VII; p. 125, 126 (was Platystele)</i>	DI	NCO; 6:1391	P
Selbyana 5(2); p. 157 (was <i>Platystele teaguei</i>)	D	VOI; 6, p. 328	DI
NEO; 5:2400	P	NEO; 5:2473	I
tentaculata Luer & Hirtz - <i>Icones Pleuro VIII; p. 144, 145</i>	DI	bradei (Schltr.) Luer = <i>Pleurothallis bradei</i>	
NEO; 5:2401	P	<i>Icones Pleuro XV; p. 14 (12/1997)</i>	
zeus (Luer & Hirtz) Luer -	DI	brevispicata (C.Schweinf.) Luer = <i>Trichosalpinx quitensis</i>	
<i>Icones Pleuro VII; p. 131, 132 (was Platystele)</i>	P	<i>Icones Pleuro XV; p. 75 (12/1997)</i>	
NEO; 5:2402		bricenoënsis Luer & Escobar - <i>Icones Pleuro XV; p. 105, 111</i>	DI
		NCO; 6:1396	P
Tigivesta (was <i>Pleurothallis</i>)	DI	calceolaris Luer & Escobar - <i>Icones Pleuro XV; p. 105-106, 111</i>	DI
abortiva (Luer) Luer - <i>Icones Pleuro XVII; pl. 3, 47</i>		NCO; 6:1397	P
		carinifera (Barb.Rodr.) Luer = <i>Pleurothallis carinifera</i>	
Tribulago (This was <i>Pleurothallis</i>)		<i>Icones Pleuro XV; p. 14 (12/1997)</i>	
blancoi (Pupulin) Luer - <i>Icones Pleuro XXVIII; p. 230, 236</i>	DI	carinilabia (Luer) Luer - <i>Icones Pleuro XV; p. 47, 89</i>	DI
tribuloides (Sw.) Luer - <i>Icones Pleuro III; p. 93</i>	I	Selbyana 3(3,4); p. 256 (was <i>Pths carinilabia</i>)	DI
Selbyana 1(3); p. 320	DI	castellensis (Brade) Luer = <i>Pleurothallis castellensis</i>	
Selbyana 11(S); p. 691	I	<i>Icones Pleuro XV; p. 14 (12/1997)</i>	
<i>Icones Plant Trop, Fasc 15; pl. 1484</i>	DI	caudata Luer & Escobar - <i>Icones Pleuro XV; p. 20, 37</i>	DI
<i>Icones Pleuro XXVIII; p. 231-232</i>	D	NCO; 4:685	P
		cedralensis (Ames) Luer - <i>Icones Pleuro XV; p. 48-49, 90</i>	DI
		Selbyana 1(4); p. 412 (was <i>Pleurothallis</i>)	DI
		Selbyana 11(S); p. 629 (was <i>Pleurothallis</i>)	I
	DI	<i>Icones Plant Trop Ser II Fasc 4; pl. 390</i>	DI
	DI	Orc of Bolivia Vol 1; p. 404, 410	IP
	I	VOI; 4, p. 210 (was <i>Pleurothallis cedralensis</i>)	DI
		Orc of Ven FG 3; p. 1081	I
		chaetoglossa (Luer) Luer - <i>Icones Pleuro XV; p. 49, 90</i>	DI

Trichosalpinx

Selbyana 3(3,4); p. 262 (was Pleurothallis chaetoglossa)	DI	NEO; 5:2480	I
NEO; 5:2474	P	fissa Luer - Icones Pleuro XV; p. 59, 93	DI
chamaelepanthes (Rchb.f.) Luer - Icones Pleuro XV; 50-51, 90	DI	flexibilis (Luer & Vásquez) = <i>Trichosalpinx dependens</i>	
Selbyana 3(3,4); p. 346 (was Pleurothallis microcharis)	DI	Icones Pleuro XV; p. 22 (12/1997)	
NCO; 6:1393	P	foliata (Griseb.) Luer = <i>Trichosalpinx dura</i>	
NEO; 5:2475	P	Icones Pleuro XV; p. 56 (12/1997)	
ciliaris (Lindl.) Luer - Icones Pleuro I; p. 67	I	fruticosa Luer - Icones Pleuro XV; p. 59-60, 93	DI
Icones Pleuro XV; p. 20-21, 37	DI	Lindleyana 11(2); p. 105	DI
Selbyana 11(S); p. 631	I	gentryi Luer - Icones Pleuro XV; p. 60, 94	DI
Icones Plant Trop Ser II Fasc 4; pl. 391	DI	glabra D.E.Bennett & Christenson - Icones Pleuro XV; p. 24-25, 38	DI
Orquidea Aug 87; p. 271, 284-286	DI	Icones Orchid Peru pl. 394	DI
VOI; 2, p. 270 (was Pleurothallis ciliaris)	DI	greenwoodiana Soto = <i>Trichosalpinx memor</i>	
costata (Luer & Vásquez) Luer - Icones Pleuro XV; p. 51-52, 91	DI	Icones Pleuro XV; p. 26 (12/1997)	
Orc of Bolivia Vol 1; p. 411	I	hamiltonii Luer - Icones Pleuro XV; p. 61, 94	DI
crucilabia (Ames & Correll) Luer - Icones Pleuro XV; p. 52, 91	DI	hirtzii Luer - Icones Pleuro XV; p. 61-62, 94	DI
cryptantha (Barb.Rodr.) Luer = <i>Pleurothallis cryptantha</i>		NEO; 5:2481	I
Icones Pleuro XV; p. 14 (12/1997)		hypocrita (Garay & Dunst.) Luer - Icones Pleuro XV; p. 115, 117	DI
curti-bradei (Pabst) Luer = <i>Pleurothallis curti-bradei</i>		Orc of Ven FG 3; p. 1088	I
Icones Pleuro XV; p. 14 (12/1997)		inaequisejala (C.Schweinf.) Luer - Icones Pleuro XV; p. 62, 94	DI
dalstroemii Luer - Icones Pleuro XV; p. 52-53, 91	DI	Orc of Bolivia Vol 1; p. 416	I
NEO; 5:2476	P	inquisiviensis (Luer & Vásquez) Luer - Icones Pleuro XV; 25, 38	DI
deceptrix Carnevali & I. Ramírez - Orc of Ven FG 3; p. 1082	I	Orc of Bolivia Vol 1; p. 417	I
decorata Luer & Escobar - Icones Pleuro XV; p. 106, 111	DI	intricata (Lindl.) Luer - Icones Pleuro XV; p. 62-63, 95	DI
dependens (Luer) Luer - Icones Pleuro XV; p. 1, 22-23, 37	DIP	Selbyana 3(1,2); p. 126	DI
Selbyana 3(1,2); p. 94 (was Pleurothallis)	DI	VOI; 2, p. 282 (was Pleurothallis intricata)	DI
Icones Orchid Peru pl. 392	DI	Orc of Ven FG 3; p. 1089	I
Orc of Bolivia Vol 1; p. 412	I	NEO; 5:2482	P
NCO; 4:682	P	jimburae Luer & Hirtz - Icones Pleuro XV; p. 64, 95	DI
Orc of Ven FG 3; p. 1083	I	NEO; 5:2483	I
NEO; 5:2477	P	jostii Luer & Dalström - Icones Pleuro XXVIII; p. 255, 259	DI
dinotheri (Rchb.f.) Luer = <i>Trichosalpinx arbuscula</i>		lamellata Luer - Icones Pleuro XV; p. 64-65, 95	DI
Icones Pleuro XV; p. 44 (12/1997)		NEO; 5:2484	I
dirhamphis (Luer) Luer - Icones Pleuro XV; p. 53-54, 91	DI	lancifera (Schltr.) Luer = <i>Trichosalpinx orbicularis</i>	
Selbyana 3(3,4); p. 292 (was Pleurothallis dirhamphis)	DI	Icones Pleuro XV; p. 15 (12/1997)	
Orc of Bolivia Vol 1; p. 413	I	lankesteriana Luer = <i>Trichosalpinx blaisdellii</i>	
Selbyana 5(2); p. 158, 159 (was Pleurothallis aequatorialis)	D	Icones Pleuro XV; p. 18 (12/1997)	
NEO; 5:2478	P	lenticularis (Luer) Luer - Icones Pleuro XV; p. 65, 95	DI
dithele Luer & Escobar = <i>Trichosalpinx semilunata</i>		Selbyana 3(1,2); p. 132	DI
Icones Pleuro XV; p. 78 (12/1997)		lepanthoides (Schltr.) Luer = <i>Trichosalpinx arbuscula</i>	
dressleri Luer - Icones Pleuro XV; p. 54, 92	DI	Icones Pleuro XV; p. 15 (12/1997)	
drosoides Carnevali & Ramírez - Icones Pleuro XV; p. 55, 92	DI	ligulata Luer & Hirtz - Icones Pleuro XV; p. 65-66, 96	DI
Orc of Ven FG 3; p. 1084	I	NEO; 5:2485	I
dunstervillei Luer - Icones Pleuro XV; p. 55-56, 92	DI	lilliputalis (Luer & Hirtz) Luer - Icones Pleuro XV; p. 115-116, 117	DI
Orc of Ven FG 3; p. 1085	I	macphersonii Luer - Icones Pleuro XV; p. 66, 96	DI
dura (Lindl.) Luer - Icones Pleuro XV; p. 56-58, 92	DI	manningii Luer - Icones Pleuro XXIV; p. 113, 121	DI
Selbyana 1(4); p. 414 (was Pleurothallis)	DI	mastophora (Luer & Vásquez) Luer = <i>Trichosalpinx notosibrica</i>	
Selbyana 10(1); p. 114, 144 (was foliata)	DI	Icones Pleuro XV; p. 70 (12/1997)	
Selbyana 11(S); p. 645, 646 (was Pths foliata)	I	matinhensis (Hoehne) Luer = <i>Pleurothallis matinhensis</i>	
Icones Orchid Peru pl. 393	DI	Icones Pleuro XV; p. 15 (12/1997)	
Orc of Bolivia Vol 1; p. 414	I	membraniflora (C.Schweinf.) Luer - Icones Pleuro XV; p. 67, 96	DI
VOI; 2, p. 276 (was Pleurothallis foliata)	DI	memor (Rchb.f.) Luer - Icones Pleuro XV; p. 26-28, 38	DI
Orc of Ven FG 3; p. 1087	I	Selbyana 11(S); p. 667	I
NEO; 5:2479	P	Icones Orchid Peru pl. 197	DI
ectopa Luer & Escobar - Icones Pleuro XV; p. 106-107, 111	DI	Orc of Bolivia Vol 1; p. 418	I
Orquideologia XVIII(2); p. 166, 167	DI	Orquidea Aug 87; p. 272, 286-288 (was greenwoodiana)	DI
NCO; 6:1395	P	Orquidea Aug 87; p. 273, 288-290 (was nageliana)	DI
egleri (Pabst) Luer - Icones Pleuro XV; p. 23-24, 38	DI	VOI; 6, p. 356 (was Pleurothallis memor)	DI
Orc of Bolivia Vol 1; p. 404, 415	IP	Orc of Ven FG 3; p. 1090	I
escobarii Luer - Icones Pleuro XV; p. 114-115, 117	DI	NEO; 5:2486 (spelling)	P
Orquideologia XVIII(2); p. 168, 169	DI	metamorphia Luer & Hirtz - Icones Pleuro XV; p. 67-68, 96	DI
NCO; 4:686	P	microcharis (Schltr.) Luer = <i>Trichosalpinx chamaelepanthes</i>	
falcipetala (Schltr.) Luer = <i>Trichosalpinx pergrata</i>		Icones Pleuro XV; p. 15 (12/1997)	
Icones Pleuro XV; p. 72 (12/1997)		microlepanthes (Griseb.) Luer = <i>Lepanthopsis microlepanthes</i>	
farrago Luer & Hirtz = <i>Lepanthopsis farrago</i>		Icones Pleuro VIII; p. 74 (8/1991)	
Icones Pleuro XV; p. 14 (12/1997)		minutipetala (Ames & C.Schweinf.) Luer = <i>Trichosalpinx memor</i>	
fasciculata Luer & Hirtz - Icones Pleuro XV; p. 58-59, 93	DI	Icones Pleuro XV; p. 26 (12/1997)	
		mirabilis (Schltr.) Luer & Tuscano = <i>Pleurothallis mirabilis</i>	

Trichosalpinx

	<i>Icones Pleuro XV; p. 15 (12/1997)</i>		VOI; 4, p. 239 (was <i>Pleurothallis roraimensis</i>)	DI
miragliae (Leite) Luer & Tusciano = <i>Pleurothallis miragliae</i>			Orc of Ven FG 3; p. 1095 (was <i>roraimensis</i>)	I
	<i>Icones Pleuro XV; p. 15 (12/1997)</i>			
montana (Barb.Rodr.) Luer - <i>Icones Pleuro XV; p. 68-69, 97</i>	DI		pyxos (Luer & Escobar) Luer = <i>Trichosalpinx amygdalodora</i>	
moschata (Rchb.f.) Luer = <i>Trichosalpinx arbuscula</i>			<i>Icones Pleuro XV; p. 16 (12/1997)</i>	
	<i>Icones Pleuro XV; p. 44 (12/1997)</i>		quadridentata (Barb.Rodr.) Luer = <i>Pleurothallis quadridentata</i>	
mouraeoides (Hoehne) Luer = <i>Pleurothallis mouraeoides</i>			<i>Icones Pleuro XV; p. 16 (12/1997)</i>	
	<i>Icones Pleuro XV; p. 15 (12/1997)</i>		quartzicola (Barb.Rodr.) Luer = <i>Trichosalpinx montana</i>	
multicuspidata (Rchb.f.) Luer - <i>Icones Pleuro XV; p. 69, 97</i>	DI		<i>Icones Pleuro XV; p. 68 (12/1997)</i>	
	Lindleyana 1(4); p. 310	DI	quitensis (Rchb.f.) Luer - <i>Icones Pleuro XV; p. 75-76, 100</i>	DI
	Orc of Ven FG 3; p. 1091	I		I
	NEO; 5:2487	I		I
nageliana Soto = <i>Trichosalpinx memor</i>			ramosii Luer - <i>Icones Pleuro XV; p. 108, 112</i>	DI
	<i>Icones Pleuro XV; p. 26 (12/1997)</i>		ringens Luer - <i>Icones Pleuro XV; p. 33, 40</i>	DI
nana (Ames & C.Schweinf.) Luer - <i>Icones Pleuro XV; p. 69-70, 97</i>	DI		Lindleyana 11(2); p. 108	DI
navarrensensis (Ames) D.Retana & J.García -			robledorum (Luer & Escobar) Luer -	
	<i>Icones Pleuro XV; p. 28, 39</i>	DI	<i>Icones Pleuro XV; p. 76-77, 100</i>	DI
notosibirica (Hashimoto) Luer - <i>Icones Pleuro XV; p. 70-71, 97</i>	DI		Orquideologia XIV(2); p. 170, 171 (was <i>Pleurothallis</i>)	DI
	Orc of Bolivia Vol 1; p. 405, 419	IP	NCO; 4:681	P
	NEO; 5:2488	I	NEO; 5:2494	P
nymphalis (Luer) Luer - <i>Icones Pleuro XV; p. 71, 98</i>	DI		roraimensis (Rolfe) Luer = <i>Trichosalpinx pusilla</i>	
obliquipetala (Ames & C.Schweinf.) Luer = <i>Lepanthopsis obliquipetala</i>			<i>Icones Pleuro XV; p. 74 (12/1997)</i>	
	<i>Icones Pleuro XV; p. 15 (12/1997)</i>		rotundata (C.Schweinf.) Dressler - <i>Icones Pleuro XV; p. 33-34, 41</i>	DI
operculata (Luer) Luer = <i>Trichosalpinx rotundata</i>			ruschii (Hoehne) Luer = <i>Pleurothallis ruschii</i>	
	<i>Icones Pleuro XV; p. 33 (12/1997)</i>		<i>Icones Pleuro XV; p. 16 (12/1997)</i>	
orbicularis (Lindl.) Luer - <i>Icones Pleuro XV; p. 29-30, 39</i>	DI		scabridula (Rolfe) Luer - <i>Icones Pleuro XV; p. 77-78, 100</i>	DI
	Selbyana 1(2); p. 192 (was <i>Pleurothallis</i>)	DI		I
	Selbyana 10(1); p. 114, 144	DI	semilunata (Luer) Luer - <i>Icones Pleuro XV; p. 78, 101</i>	DI
	Selbyana 11(S); p. 674	I		DI
	VOI; 2, p. 290 (was <i>Pleurothallis orbicularis</i>)	DI		DIP
	Orc of Ven FG 3; p. 1092	I		P
	Orc of Ven FG 3; p. 1093 (was <i>oxychilos</i>)	I		P
	NEO; 5:2489	P	sijmii Luer - <i>Icones Pleuro XXIV; p. 113-114, 122</i>	DI
otarion (Luer) Luer - <i>Icones Pleuro XV; p. 71-72, 98</i>	DI		silverstonei Luer - <i>Icones Pleuro XV; p. 108-109, 102</i>	DI
	NEO; 5:2490	I	sipapoensis G.A.Romero & Luer -	
oxychilos Carnevali & G.A.Romero = <i>Trichosalpinx orbicularis</i>			<i>Icones Pleuro XXIX; p. 111-112, 114</i>	DI
	<i>Icones Pleuro XV; p. 29 (12/1997)</i>		solomonii Luer - <i>Icones Pleuro XV; p. 79, 101</i>	DI
parsonsii Luer & Dod - <i>Icones Pleuro XV; p. 72, 98</i>	DI			I
patula Luer - <i>Icones Pleuro XV; p. 31, 40</i>	DI		sordida (Krzl.) Luer = <i>Pleurothallis sordida</i>	
	Orc of Bolivia Vol 1; p. 420	I	<i>Icones Pleuro XV; p. 16 (12/1997)</i>	
	Orc of Ven FG 3; p. 1094	I	spathulata Luer - <i>Icones Pleuro XV, p. 109, 112</i>	DI
	NEO; 5:2491	P	spathuliglossa (Hoehne) Luer = <i>Pleurothallis spathuliglossa</i>	
pergrata (Ames) Luer - <i>Icones Pleuro XV; p. 72-73, 99</i>	DI		<i>Icones Pleuro XV; p. 16 (12/1997)</i>	
	Selbyana 1(3); p. 316 (was <i>Pleurothallis</i>)	DI	steyermarkii Luer - <i>Icones Pleuro XV; p. 79-80, 101</i>	DI
pleurothalloides (Cogn.) Luer = <i>Pleurothallis pleurothalloides</i>			stictophylla (Schltr.) Luer = <i>Pleurothallis stictophylla</i>	
	<i>Icones Pleuro XV; p. 15 (12/1997)</i>		<i>Icones Pleuro XV; p. 16 (12/1997)</i>	
podoglossa (Hoehne) Luer = <i>Pleurothallis podoglossa</i>			strumifera Luer & Hirtz - <i>Icones Pleuro XV; p. 80, 101</i>	DI
	<i>Icones Pleuro XV; p. 15 (12/1997)</i>			P
pringlei (Schltr.) Luer - <i>Icones Pleuro XV; p. 31-32, 40</i>	DI		systemmata (Luer) Luer - <i>Icones Pleuro XV; p. 80-81, 102</i>	DI
	<i>Icones Orchid, Fasc 1; pl. 99</i>	DI	tamayoana Soto = <i>Trichosalpinx blaisdellii</i>	
	Orquidea Aug 87; p. 274, 290-292	DI	<i>Icones Pleuro XV; p. 18 (12/1997)</i>	
pseudolepanthes Luer & Escobar - <i>Icones Pleuro XV; p. 107, 112</i>	DI		tantilla (Luer) Luer - <i>Icones Pleuro XV; p. 81, 102</i>	DI
	Orquideologia XVI(2); p. 183, 184, 185	DIP	teaguei Luer - <i>Icones Pleuro XV; p. 82, 102</i>	DI
psilantha Luer & Vásquez - <i>Icones Pleuro XV; p. 32, 40</i>	DI			I
	Orc of Bolivia Vol 1; p. 421	I	tenera (Barb.Rodr.) Luer = <i>Pleurothallis tenera</i>	
pterophora (Cogn.) Luer = <i>Pleurothallis pterophora</i>			<i>Icones Pleuro XV; p. 16 (12/1997)</i>	
	<i>Icones Pleuro XV; p. 15 (12/1997)</i>		tenuiflora (Schltr.) Luer - <i>Icones Pleuro XV; p. 116, 118</i>	DI
pumila (Luer) Luer - <i>Icones Pleuro XV; p. 73-74, 99</i>	DI			I
	NEO; 5:2492	I	tenuis (C.Schweinf.) Luer - <i>Icones Pleuro XV; p. 82-83, 102</i>	DI
punctata (Lindl.) Luer = <i>Pleurothallis punctata</i>				DI
	<i>Icones Pleuro XV; p. 16 (12/1997)</i>			I
punctatifolia (Barb.Rodr.) Luer = <i>Pleurothallis punctata</i>			teres Luer - <i>Icones Pleuro XV; p. 83, 103</i>	DI
	<i>Icones Pleuro XV; p. 16 (12/1997)</i>		todziae Luer - <i>Icones Pleuro XV; p. 83-84, 103</i>	DI
purpurea Seehawer = <i>Specklinia purpurea</i>			trachystoma (Schltr.) Luer - <i>Icones Pleuro XV; p. 34, 41</i>	DI
	<i>Icones Pleuro XXVI; p. 263 (2/2004)</i>			DI
pusilla (H.B.K.) Luer - <i>Icones Pleuro XV; p. 74-75, 99</i>	DI		Lindleyana 11(2); p. 111	DI
			triangulipetala (Ames & Correll) Luer -	
			<i>Icones Pleuro XV; p. 34-35, 41</i>	DI
			trilobata (Fawc. & Rendle) Luer - <i>Icones Pleuro XV; p. 84-85, 103</i>	DI

Trichosalpinx

tropida (Luer) Luer - Icones Pleuro XV; p. 85, 103	DI	NEO; 5:2508	P
uvaria Luer - Icones Pleuro XV; p. 109-110, 113	DI	didyma (Luer) Luer - Icones Pleuro VI; p. 82, 83	DI
vagans (Garay & Dunst.) Luer - Icones Pleuro XV; p. 85-86, 104	DI	dressleri (Luer) Luer - Icones Pleuro VI; p. 84, 85	DI
vasquezii Luer - Icones Pleuro XV; p. 35, 41	DI	Selbyana 3(1,2); p. 20 (was Masdevallia)	DI
Orc of Bolivia Vol 1; p. 405, 428	IP	Icones Pleuro in Color I; p. 14	P
vertex Luer & Escobar = <i>Trichosalpinx tenuis</i>		escobarii Luer - Icones Pleuro VI; p. 86, 87	DI
<i>Icones Pleuro XV; p. 82 (12/1997)</i>		Lindleyana 1 (3); p. 188	DI
violacea (Lem.) Luer = <i>Pleurothallis catharinensis</i>		NCO; 4:690	P
<i>Icones Pleuro XV; p. 16 (12/1997)</i>		fissidens Luer & Hirtz - Icones Pleuro VI; p. 88, 89	DI
wacketii (Handro & Pabst) Luer = <i>Pleurothallis wacketii</i>		NEO; 5:2509	P
<i>Icones Pleuro XV; p. 16 (12/1997)</i>		gemmata (Rchb.f.) Luer - Icones Pleuro VI; p. 90, 91	DI
webbiae Luer & Escobar - Icones Pleuro XV; p. 86, 104	DI	NCO; 4:691	P
Orquideologia XVI(2); p. 188, 189	DI	hirtzii Luer - Icones Pleuro VI; p. 92, 93	DI
wernerii Luer - Icones Pleuro XXIV; p. 114, 122	DI	Lindleyana 1 (3); p. 190	DI
wilhelmii Luer - Icones Pleuro XV; p. 86-87, 104	DI	NEO; 5:2510	I
NEO; 5:2496	I	hoeijeri Luer - Icones Pleuro VI; p. 94, 95	DI
xiphochila (Rchb.f.) Luer = <i>Platystele xiphochila</i>		Lindleyana 1 (3); p. 192	DI
<i>Icones Pleuro XV; p. 16 (12/1997)</i>		NEO; 5:2511	P
yanganensis (Luer) Luer - Icones Pleuro XV; p. 87, 104	DI	huebneri (Schltr.) Luer = <i>Trisetella triglochis</i>	
NEO; 5:2497	I	<i>Icones Pleuro VI; p. 113 (8/1989)</i>	
zephyrina (Rchb.f.) Luer = <i>Pleurothallis zephyrina</i>		klingeri Luer - Icones Pleuro XXIX; p. 112, 114	DI
<i>Icones Pleuro XV; p. 16 (12/1997)</i>		lasiochila Pupulin - Lindleyana 15(1); p. 30-32	DI
zunagensis Luer - Icones Pleuro XV; p. 110, 113	DI	nodulifera Luer & Hirtz - Icones Pleuro VI; p. 96, 97	DI
NEO; 5:2498	I	NEO; 5:2512	P
		pantex (Luer) Luer - Icones Pleuro I; p. 70	I
		Icones Pleuro VI; p. 98, 99	DI
		NEO; 5:2513	P
	DI	regia Kgr. - Icones Pleuro VI; p. 100, 101	DI
		NEO; 5:2514	P
		scobina Luer - Icones Pleuro VI; p. 102, 103	DI
		Orc of Bolivia Vol 1; p. 432	I
		Icones Pleuro in Color I; p. 14	P
	DIP	NEO; 5:2515	P
	I	sororia Luer & Andreetta - Icones Pleuro VI; p. 104, 105	DI
	P	strumosa Luer & Andreetta - Icones Pleuro VI; p. 106, 107	DI
	P	NEO; 5:2516	P
	DI	tenuissima (C.Schweinf.) Luer - Icones Pleuro VI; p. 108, 109	DI
	DI	Selbyana 3(1,2); p. 16 (was Masdevallia butcheri)	DI
	DI	NCO; 4:692	P
	P	triaristella (Rchb.f.) Luer - Icones Pleuro VI; p. 110-112	DI
	I	Orc of Bolivia Vol 1; p. 433	I
	DI	Icones Pleuro in Color I; p. 14, 15	P
	DIP	NEO; 5:2517	P
	DI	trichaete (Rchb.f.) Luer = <i>Trisetella triglochis</i>	
	P	<i>Icones Pleuro VI; p. 113 (8/1989)</i>	
	I	tridactylites (Rchb.f.) Luer = <i>Trisetella triglochis</i>	
	DI	<i>Icones Pleuro VI; p. 113 (8/1989)</i>	
	DI	triglochis (Rchb.f.) Luer - Icones Pleuro VI; p. 113-119	DI
	DI	Orc of Bolivia Vol 1; p. 434	I
	P	Icones Plant Trop, Fasc 6; pl. 599 (was huebneri)	DI
	I	Icones Pleuro in Color I; p. 14, 15	P
	DI	NCO; 4:693	P
	DI	VOI; 5, p. 168 (was Masdevallia huebneri)	DI
	DIP	Orc of Ven FG 3; p. 1100	I
	I	NEO; 5:2518	P
	DI	vittata (Luer) Luer - Icones Pleuro VI; p. 120, 121	DI

Tridelta (These were Pleurothallis)

aurantiaca (Dod) Luer - Icones Pleuro XXVIII; p. 232-233, 236

Triotosiphon (These were Masdevallia)

bangii (Schltr.) Luer - Thesarus Masd 6:2

Orc of Bolivia Vol 1; p. 153

Masd in Kleur; p. 5

NEO; 3:976

Icones Pleuro XXV; p. 1100-1102

gnoma (Sweet) Luer - Icones Pleuro XXV; p. 1103-1104

irapana (Sweet) Luer - Lindleyana 1(4); p. 266

Masd in Kleur; p. 62

Orc of Ven FG 2; p. 489

Icones Pleuro XXV; p. 1105-1106

kyphonantha (Sweet) Luer - Thesarus Masd 12:7

Lindleyana 1(4); p. 268

Masd in Kleur; p. 25

Orc of Ven FG 2; p. 490, 491

VOI; 4, p. 130 (misidentified as *M. minuta*)

Icones Pleuro XXV; p. 1107-1108

lansbergii (Rchb.f.) Luer - Lindleyana 1(4); p. 270

Masd in Kleur; p. 62

Orc of Ven FG 2; p. 492

VOI; 2, p. 266

Icones Pleuro XXV; p. 1109-1110

venezuelana (Sweet) Luer - Thesarus Masd 7:15

Orc of Ven FG 2; p. 512

Icones Pleuro XXV; p. 1111-1112

Trisetella

abbreviata Luer - Icones Pleuro VI; p. 76, 77

NEO; 5:2507

andreettae Luer - Icones Pleuro VI; p. 78, 79

Lindleyana 1 (3); p. 186

cordeliae Luer - Icones Pleuro VI; p. 80, 81

Icones Pleuro in Color I; p. 13

dalstroemii Luer - Icones Pleuro XI; p. 136, 137

Icones Pleuro in Color I; p. 13

Unciferia (These were Pleurothallis)

amaliae (Luer & Escobar) Luer - Icones Pleuro XVII; p. 91, 98

Orquideologia XIV(2); p. 124, 125

ancistra (Luer & Hirtz) Luer - Icones Pleuro XVII; p. 91-92, 98

Lindleyana 11(3); p. 144, 145

bifalcis (Schltr.) Luer - Icones Pleuro XVII; p. 92, 98

canae (Ames) Luer - Icones Pleuro XVII; p. 92-93, 98

kareniae (Luer) Luer - Lindleyana 11(2); p. 83

Uncifera

Icons Pleuro XVII; p. 93, 99	DI	NEO; 5:2560	I
pilostoma (Luer) Luer - Lindleyana 11(2); p. 89	DI	dayanum (Rchb.f.) Rolfe –	
Icons Pleuro XVII; p. 94, 99	DI	VOI; 6, p. 98 (was <i>Cryptophoranthus dayanum</i>)	DI
pompalis (Ames) Luer - Icones Pleuro III; p. 97	I	Orc of Bolivia Vol 1; p. 438	I
Icons Plant Trop, Fasc 14; pl. 1382	DI	NCO; 4:703	P
Icons Pleuro XVII; p. 94-95, 99	DI	Icons Pleuro XXVI; p. 218-219, 229	DI
psilantha (Luer) Luer - Icones Pleuro XVII; p. 95, 99	DI	(Rchb.f.) Luer - Orc of Ven FG 3; p. 1122 was <i>Z. dayanum</i>	I
segoviensis (Rchb.f.) Luer - Selbyana 11(S); p. 687	I	NEO; 5:2561	P
Icons Pleuro XVII; p. 95, 100	DI	dodsonii Luer – Selbyana 5(2); p. 145	D
NCO; 3:509 (was <i>Pleurothallis wercklei</i>)	P	Icons Pleuro XXVI; p. 219-220, 230	DI
wagneri (Schltr.) Luer - Icones Pleuro XVII; p. 97, 100	DI	NEO; 5:2562	P
		endresianum (Krzl.) Luer -Icones Plant Trop, Fasc 15; pl. 1500	DI
		Icons Pleuro XXVI; p. 220, 230	DI
		NEO; 5:2563, 2564	IP
Unguella (These were <i>Pleurothallis</i>)		gracilentum (Rchb.f.) Luer – Icones Pleuro XXVI; p. 220-221; 230	DI
cachensis (Ames) Luer – Icones Pleuro XXVI; p. 80, 110	DI	griffin Luer - Selbyana 7 (1); p. 82-84	DI
lepidota (L.O.Williams) Luer - Selbyana 3(3,4); p. 332	DI	Icons Pleuro XXVI; p. 221-222, 230	DI
Icons Pleuro XXVI; p. 81, 110	DI	NEO; 5:2565	P
		hirtzii Luer = <i>Epibator hirtzii</i>	
Vestigium (was <i>Pleurothallis</i>)		<i>Icons Pleuro XXVI; p. 202 (2/2004)</i>	
abortivum (Luer) Luer = <i>Tigivesta abortiva</i>		hypodiscus (Rchb.f.) Luer - Icones Pleuro I; p. 71	I
<i>Icons Pleuro XXIX; p. 121 (8/2007)</i>		Selbyana 7 (1); p. 85	I
		NCO; 4:704, 706	P
		Icons Pleuro XXVI; p. 222-223, 231	DI
		NEO; 5:2567	I
Xenosia (These were <i>Pleurothallis</i>)		lappaceum Luer & R. Escobar – Icones PleuroXXVI; p. 223, 231	DI
macrorhiza (Lindl.) Luer –		leonii D.E.Bennett & Christenson –	
Selbyana 1(3); p. 294 (was <i>X. spiralis</i>)	DI	Icons Pleuro XXVI; p. 223-224	D
Icons Orchid Peru pl. 166 (was <i>X. spiralis</i>)	DI	niveum Luer & Hirtz – Icones Pleuro XXVI; p. 224, 231	DI
Icons Pleuro XXVIII; p. 233-234, 236	DI	oblongifolium (Rolfe) Luer –	
spiralis (Ruiz & Pav.) Luer = <i>Xenosia macrorhiza</i>		Selbyana 7 (1); p. 86 (also <i>oblongifolius</i>)	I
<i>Icons Pleuro XXVIII; p. 233 (5/2006)</i>		Selbyana 4; p. 144 (was <i>Cryptophoranthus oblongifolius</i>)	DI
xenion (Luer & Escobar) Luer - Icones Pleuro III; p. 99	I	NCO; 6:1409	P
Orquideologia XVI(1); p. 38, 39	DI	Icons Pleuro XXVI; p. 225, 231	DI
Icons Pleuro XXVIII; p. 234	D	NEO; 5:2568	I
		schenckii (Cogn.) Luer = <i>Zootrophion atropurpureum</i>	
		<i>Icons Pleuro XXVI; p. 216 (2/2004)</i>	
		serpentinum Luer & Hirtz = <i>Epibator serpentinus</i>	
		<i>Icons Pleuro XXVI; p. 203 (2/2004)</i>	
Zahleria (These were <i>Masdevallia</i>)		trivalve (Luer & Escobar) Luer –	
naranjapatae (Luer) Luer - Thesarus Masd 2:10	DIP	Orquideologia XIV (2); p. 118, 119	
Selbyana 2(4); p. 375	D	(was <i>Cryptophoranthus</i> – was spelled <i>trivalvis</i>)	I
Icons Pleuro XXI; p. 477-478	DI	NCO; 4:705	P
Masd in Kleur; p. 33	P	Icons Pleuro XXVI; p. 225-226, 232	DI
NEO; 3:1085	I	vasquezii Luer – Icones Pleuro XXVI; p. 226, 232	DI
vieirana (Luer & Escobar) Luer - Thesarus Masd 15:14	DIP	vulturiceps (Luer) Luer - Selbyana 7 (1); p. 87	I
Lindleyana 3(4); p. 211	DI	Selbyana 5(2); p. 146	D
Icons Pleuro XXI; p. 507-508	DI	Icons Pleuro XXVI; p. 226-227, 232	DI
Masd in Kleur; p. 54	P	williamsii Luer - Selbyana 23(1); p. 41, 42-44	DI
NCO; 6:1112	P	Icons Pleuro XXVI; p. 227-228, 232	DI
zahlbruckneri (Krzl.) Luer - Thesarus Masd 15:15	DIP		
Icons Plant Trop, Fasc 16; pl. 1561	DI		
Icons Plant Trop Fasc 6; pl. 543 (was <i>humilis</i>)	DI		
Icons Pleuro XXI; p. 509-514	DI		
Masd in Kleur; p. 57	P		
NCO; 6:1120	P		
NEO; 3:1165	I		

Books included in this index

	I	AOS Bulletin – Volume 49 Issue 12
		AOS Bulletin – Volume 53 Issue 8
		AOS Bulletin – Volume 53 Issue 9
		AOS Bulletin – Volume 53 Issue 10
		AOS Bulletin – Volume 53 Issue 12
	DI	Bolivia Botanical Society – Revisions Vol. 3 (1,2)
	I	Icons Orchidacearum - Fascicle 1 – Orchids of Mexico
	DI	Icons Orchidacearum Peruvianum (plates 1 – 400)
	P	Icons Plantarum Tropicarum – Fascicle 6 –
	P	Orchids of Bolivia
	DI	Icons Plantarum Tropicarum – Fascicle 14 –
	DI	Orchids of Costa Rica
		Icons Plantarum Tropicarum – Fascicle 15 –

Zootrophion

Orchids of Costa Rica
Icones Plantarum Tropicarum – Fascicle 16 –
Orchids of Costa Rica
Icones Plantarum Tropicarum – Series II – Fascicle 1 –
Orchids of Peru
Icones Plantarum Tropicarum – Series II – Fascicle 2 –
Orchids of Peru
Icones Plantarum Tropicarum – Series II – Fascicle 3 –
Orchids of Bolivia
Icones Plantarum Tropicarum – Series II – Fascicle 4 –
Orchids of Bolivia
Icones Plantarum Tropicarum – Series II – Fascicle 5 –
Orchids of Ecuador (No Pleurothallids found)
Icones Plantarum Tropicarum – Series II – Fascicle 6 –
Orchids of Ecuador (No Pleurothallids found)
Icones Pleurothallidarum I through XXIX
Icones Pleurothallidarum in Color – I
(may be some errors)
Lepanthes in Kleur
(may be some errors)
Lindleyana
Masdevallia in Kleur
(may be some errors)
Native Colombian Orchids – Volumes 1 – 6
(with the corrections from the back of Volume 6 applied)
(may still be some errors)
(references are by plate number)
Native Ecuadorian Orchids – Volumes 1 – 5
(may be some errors)
(references are by plate number)
Orchids of Bolivia – Volume 1 - Subtribe Pleurothallidinae
Orchids of Venezuela – An Illustrated Field Guide, Second Edition
Orquidea (Mexico) – Mar 1977 through Dec 1993
Orquideologia – Volume XII(2,3) through Volume XXIII(2)
Restrepia in Kleur
(may be some errors)
Selbyana – Volume 1 through 4
Selbyana – Volume 5 – Number 2
Selbyana – Volume 7 – Number 1
Selbyana – Volume 10 – Number 1
Selbyana – Volume 10 – Supplement
Selbyana – Volume 11 – Supplement
Selbyana – Volume 22(2) through 23(2)
Thesarus Dracularum 1 through 7
Thesarus Masdevalliarum 1 through 20
Treasure of Masdevallia 21 through 28
Venezuelan Orchids Illustrated – Volumes 1 – 6
(since this is an older reference, synonyms were not entered)

D = Description

I = Illustration

P = Photograph or Painting

There are a number of new genera listed. The species have been moved to the new genera. The synonyms for all of these species were left under their original genus.

If I have no literature to point to, I included just the name and author